

Shouguang Jin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5481396/publications.pdf>

Version: 2024-02-01

52
papers

1,319
citations

361413

20
h-index

395702

33
g-index

53
all docs

53
docs citations

53
times ranked

1448
citing authors

#	ARTICLE	IF	CITATIONS
1	Modular Synthetic Routes to Fluorine-Containing Halogenated Phenazine and Acridine Agents That Induce Rapid Iron Starvation in Methicillin-Resistant <i>Staphylococcus aureus</i> Biofilms. ACS Infectious Diseases, 2022, 8, 280-295.	3.8	13
2	Transcript Profiling of Nitroxoline-Treated Biofilms Shows Rapid Up-regulation of Iron Acquisition Gene Clusters. ACS Infectious Diseases, 2022, 8, 1594-1605.	3.8	3
3	A Modular Synthetic Route Involving <i>N</i> -Aryl-2-nitrosoaniline Intermediates Leads to a New Series of 3-Substituted Halogenated Phenazine Antibacterial Agents. Journal of Medicinal Chemistry, 2021, 64, 7275-7295.	6.4	21
4	Design, synthesis and biological evaluation of a halogenated phenazine-erythromycin conjugate prodrug for antibacterial applications. Organic and Biomolecular Chemistry, 2021, 19, 1483-1487.	2.8	15
5	An ether-linked halogenated phenazine-quinone prodrug model for antibacterial applications. Organic and Biomolecular Chemistry, 2021, 19, 6603-6608.	2.8	6
6	TpiA is a Key Metabolic Enzyme That Affects Virulence and Resistance to Aminoglycoside Antibiotics through CrcZ in <i>Pseudomonas aeruginosa</i> . MBio, 2020, 11, .	4.1	21
7	High-efficiency protein delivery into transfection-recalcitrant cell types. Biotechnology and Bioengineering, 2020, 117, 816-831.	3.3	4
8	PvrA is a novel regulator that contributes to <i>Pseudomonas aeruginosa</i> pathogenesis by controlling bacterial utilization of long chain fatty acids. Nucleic Acids Research, 2020, 48, 5967-5985.	14.5	20
9	Molecular genetic analysis of an XDR <i>Pseudomonas aeruginosa</i> ST664 clone carrying multiple conjugal plasmids. Journal of Antimicrobial Chemotherapy, 2020, 75, 1443-1452.	3.0	17
10	Combination of Azithromycin and Gentamicin for Efficient Treatment of <i>Pseudomonas aeruginosa</i> Infections. Journal of Infectious Diseases, 2019, 220, 1667-1678.	4.0	16
11	<i>Pseudomonas aeruginosa</i> Polynucleotide Phosphorylase Contributes to Ciprofloxacin Resistance by Regulating PrtR. Frontiers in Microbiology, 2019, 10, 1762.	3.5	12
12	The <i>Pseudomonas aeruginosa</i> HSP70-like protein DnaK induces IL-1 β expression via TLR4-dependent activation of the NF- κ B and JNK signaling pathways. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 67, 101373.	1.6	17
13	<i>Pseudomonas aeruginosa</i> ExsA Regulates a Metalloprotease, ImpA, That Inhibits Phagocytosis of Macrophages. Infection and Immunity, 2019, 87, .	2.2	15
14	Identification of a small RNA that directly controls the translation of the quorum sensing signal synthase gene <i>rhlI</i> in <i>Pseudomonas aeruginosa</i> . Environmental Microbiology, 2019, 21, 2933-2947.	3.8	23
15	Oligoribonuclease Contributes to Tolerance to Aminoglycoside and β -Lactam Antibiotics by Regulating KatA in <i>Pseudomonas aeruginosa</i> . Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	9
16	NrtR Regulates the Type III Secretion System Through cAMP/Vfr Pathway in <i>Pseudomonas aeruginosa</i> . Frontiers in Microbiology, 2019, 10, 85.	3.5	10
17	An Efficient Buchwald-Hartwig/Reductive Cyclization for the Scaffold Diversification of Halogenated Phenazines: Potent Antibacterial Targeting, Biofilm Eradication, and Prodrug Exploration. Journal of Medicinal Chemistry, 2018, 61, 3962-3983.	6.4	47
18	Bacterial type III secretion system as a protein delivery tool for a broad range of biomedical applications. Biotechnology Advances, 2018, 36, 482-493.	11.7	40

#	ARTICLE	IF	CITATIONS
19	A Rapid Phenotypic Whole-Cell Screening Approach for the Identification of Small-Molecule Inhibitors That Counter β -Lactamase Resistance in <i>Pseudomonas aeruginosa</i> . <i>SLAS Discovery</i> , 2018, 23, 55-64.	2.7	10
20	Transcript Profiling of MRSA Biofilms Treated with a Halogenated Phenazine Eradicating Agent: A Platform for Defining Cellular Targets and Pathways Critical to Biofilm Survival. <i>Angewandte Chemie</i> , 2018, 130, 15749-15754.	2.0	4
21	HigB Reciprocally Controls Biofilm Formation and the Expression of Type III Secretion System Genes through Influencing the Intracellular c-di-GMP Level in <i>Pseudomonas aeruginosa</i> . <i>Toxins</i> , 2018, 10, 424.	3.4	26
22	Transcript Profiling of MRSA Biofilms Treated with a Halogenated Phenazine Eradicating Agent: A Platform for Defining Cellular Targets and Pathways Critical to Biofilm Survival. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 15523-15528.	13.8	50
23	Halogenated quinolines bearing polar functionality at the 2-position: Identification of new antibacterial agents with enhanced activity against <i>Staphylococcus epidermidis</i> . <i>European Journal of Medicinal Chemistry</i> , 2018, 155, 705-713.	5.5	14
24	A Highly Potent Class of Halogenated Phenazine Antibacterial and Biofilm-Eradicating Agents Accessed Through a Modular Wohl-Aue Synthesis. <i>Scientific Reports</i> , 2017, 7, 2003.	3.3	37
25	PA3297 Counteracts Antimicrobial Effects of Azithromycin in <i>Pseudomonas aeruginosa</i> . <i>Frontiers in Microbiology</i> , 2016, 7, 317.	3.5	13
26	Multilocus Sequence Typing Analysis of Carbapenem-Resistant <i>Acinetobacter baumannii</i> in a Chinese Burns Institute. <i>Frontiers in Microbiology</i> , 2016, 7, 1717.	3.5	31
27	<i>Pseudomonas aeruginosa</i> Enolase Influences Bacterial Tolerance to Oxidative Stresses and Virulence. <i>Frontiers in Microbiology</i> , 2016, 7, 1999.	3.5	48
28	Synthetically Tuning the 2-Position of Halogenated Quinolines: Optimizing Antibacterial and Biofilm Eradication Activities via Alkylation and Reductive Amination Pathways. <i>Chemistry - A European Journal</i> , 2016, 22, 9181-9189.	3.3	29
29	Structure-Activity Relationships of a Diverse Class of Halogenated Phenazines That Targets Persistent, Antibiotic-Tolerant Bacterial Biofilms and <i>Mycobacterium tuberculosis</i> . <i>Journal of Medicinal Chemistry</i> , 2016, 59, 3808-3825.	6.4	70
30	Identification of D-amino acid dehydrogenase as an upstream regulator of the autoinduction of a putative acyltransferase in <i>Corynebacterium glutamicum</i> . <i>Journal of Microbiology</i> , 2016, 54, 432-439.	2.8	8
31	Epidemiological characterization of <i>Acinetobacter baumannii</i> bloodstream isolates from a Chinese Burn Institute: A three-year study. <i>Burns</i> , 2016, 42, 1542-1547.	1.9	14
32	DeaD contributes to <i>Pseudomonas aeruginosa</i> virulence in a mouse acute pneumonia model. <i>FEMS Microbiology Letters</i> , 2016, 363, fnw227.	1.8	12
33	Oligoribonuclease is required for the type III secretion system and pathogenesis of <i>Pseudomonas aeruginosa</i> . <i>Microbiological Research</i> , 2016, 188-189, 90-96.	5.3	22
34	TatC-dependent translocation of pyoverdine is responsible for the microbial growth suppression. <i>Journal of Microbiology</i> , 2016, 54, 122-130.	2.8	4
35	Structure-Function Analysis of the Transmembrane Protein AmpG from <i>Pseudomonas aeruginosa</i> . <i>PLoS ONE</i> , 2016, 11, e0168060.	2.5	9
36	Halogenated Phenazines that Potently Eradicate Biofilms, MRSA Persister Cells in Non-Biofilm Cultures, and <i>Mycobacterium tuberculosis</i> . <i>Angewandte Chemie - International Edition</i> , 2015, 54, 14819-14823.	13.8	77

#	ARTICLE	IF	CITATIONS
37	Optimization of a miniaturized fluid array device for cell-free protein synthesis. <i>Biotechnology and Bioengineering</i> , 2015, 112, 2459-2467.	3.3	13
38	A Phytochemical-Halogenated Quinoline Combination Therapy Strategy for the Treatment of Pathogenic Bacteria. <i>ChemMedChem</i> , 2015, 10, 1157-1162.	3.2	20
39	Expression and efficient purification of tag-cleaved active recombinant human insulin-like growth factor-II from <i>Escherichia coli</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2015, 20, 234-241.	2.6	1
40	Efficient Gene Editing in Pluripotent Stem Cells by Bacterial Injection of Transcription Activator-Like Effector Nuclease Proteins. <i>Stem Cells Translational Medicine</i> , 2015, 4, 913-926.	3.3	15
41	Bromophenazine derivatives with potent inhibition, dispersion and eradication activities against <i>Staphylococcus aureus</i> biofilms. <i>RSC Advances</i> , 2015, 5, 1120-1124.	3.6	39
42	Bacterial Delivery of TALEN Proteins for Human Genome Editing. <i>PLoS ONE</i> , 2014, 9, e91547.	2.5	27
43	A novel <i>Pseudomonas aeruginosa</i> -derived effector cooperates with flagella to mediate the upregulation of interleukin 8 in human epithelial cells. <i>Microbial Pathogenesis</i> , 2014, 66, 24-28.	2.9	13
44	Phenazine antibiotic inspired discovery of potent bromophenazine antibacterial agents against <i>Staphylococcus aureus</i> and <i>Staphylococcus epidermidis</i> . <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 881-886.	2.8	74
45	<i>Pseudomonas aeruginosa</i> injects NDK into host cells through a type III secretion system. <i>Microbiology (United Kingdom)</i> , 2014, 160, 1417-1426.	1.8	32
46	Nucleoside Diphosphate Kinase and Flagellin from <i>Pseudomonas aeruginosa</i> Induce Interleukin 1 Expression via the Akt/NF- κ B Signaling Pathways. <i>Infection and Immunity</i> , 2014, 82, 3252-3260.	2.2	15
47	Distinct Roles of Major Peptidoglycan Recycling Enzymes in β -Lactamase Production in <i>Shewanella oneidensis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 6536-6543.	3.2	19
48	Gene identification in <i>Pseudomonas aeruginosa</i> : from bioinformatics to experimental analysis. <i>FASEB Journal</i> , 2012, 26, 978.3.	0.5	0
49	Factors triggering type III secretion in <i>Pseudomonas aeruginosa</i> . <i>Microbiology (United Kingdom)</i> , 2005, 151, 3575-3587.	1.8	55
50	The <i>truA</i> gene of <i>Pseudomonas aeruginosa</i> is required for the expression of type III secretory genes. <i>Microbiology (United Kingdom)</i> , 2004, 150, 539-547.	1.8	30
51	<i>migA</i> , a quorum-responsive gene of <i>Pseudomonas aeruginosa</i> , is highly expressed in the cystic fibrosis lung environment and modifies low-molecular-mass lipopolysaccharide. <i>Microbiology (United Kingdom)</i> , 2008, 152, 107-114.	1.8	28
52	<i>Pseudomonas aeruginosa</i> mediated apoptosis requires the ADP-ribosylating activity of ExoS. <i>Microbiology (United Kingdom)</i> , 2000, 146, 2531-2541.	1.8	151