

# Tae-Woo Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5482355/publications.pdf>

Version: 2024-02-01

299  
papers

25,288  
citations

9234

74  
h-index

7333

152  
g-index

307  
all docs

307  
docs citations

307  
times ranked

23721  
citing authors

#	ARTICLE	IF	CITATIONS
1	Unraveling the origin of near-infrared emission in carbon dots by ultrafast spectroscopy. Carbon, 2022, 188, 229-237.	5.4	12
2	Electroplated core-shell nanowire network electrodes for highly efficient organic light-emitting diodes. Nano Convergence, 2022, 9, 1.	6.3	31
3	Mixed Solvent Engineering for Morphology Optimization of the Electron Transport Layer in Perovskite Photovoltaics. ACS Applied Energy Materials, 2022, 5, 387-396.	2.5	8
4	Exploiting the full advantages of colloidal perovskite nanocrystals for large-area efficient light-emitting diodes. Nature Nanotechnology, 2022, 17, 590-597.	15.6	81
5	Organic Artificial Nerve Electronics. , 2022, , 413-452.		0
6	Synthesis and characterization of homoleptic triply cyclometalated iridium(III) complex containing 6-(pyridin-2-yl)isoquinoline moiety for solution-processable orange-phosphorescent organic light-emitting diodes. Dyes and Pigments, 2021, 185, 108880.	2.0	10
7	Extremely Stable Luminescent Crosslinked Perovskite Nanoparticles under Harsh Environments over 1.5 Years. Advanced Materials, 2021, 33, e2005255.	11.1	53
8	Understanding the Synergistic Effect of Device Architecture Design toward Efficient Perovskite Light-Emitting Diodes Using Interfacial Layer Engineering. Advanced Materials Interfaces, 2021, 8, 2001712.	1.9	29
9	Abnormal spatial heterogeneity governing the charge-carrier mechanism in efficient Ruddlesden-Popper perovskite solar cells. Energy and Environmental Science, 2021, 14, 4915-4925.	15.6	24
10	Comprehensive defect suppression in perovskite nanocrystals for high-efficiency light-emitting diodes. Nature Photonics, 2021, 15, 148-155.	15.6	590
11	Chiral polymer hosts for circularly polarized electroluminescence devices. Chemical Science, 2021, 12, 8668-8681.	3.7	28
12	Organic electronic synapses with low energy consumption. Joule, 2021, 5, 794-810.	11.7	79
13	Organic synaptic transistors for flexible and stretchable artificial sensory nerves. MRS Bulletin, 2021, 46, 321-329.	1.7	21
14	Tailoring the Structure of Low-Dimensional Halide Perovskite through a Room Temperature Solution Process: Role of Ligands. Small Methods, 2021, 5, e2100054.	4.6	8
15	Supra-Binary Polarization in a Ferroelectric Nanowire. Advanced Materials, 2021, 33, e2101981.	11.1	4
16	Quantum-confinement effect on the linewidth broadening of metal halide perovskite-based quantum dots. Journal of Physics Condensed Matter, 2021, 33, .	0.7	4
17	Recent Progress in Development of Wearable Pressure Sensors Derived from Biological Materials. Advanced Healthcare Materials, 2021, 10, e2100460.	3.9	30
18	Energy Spotlight. ACS Energy Letters, 2021, 6, 2635-2637.	8.8	0

#	ARTICLE	IF	CITATIONS
19	Synergistic Molecular Engineering of Hole-Injecting Conducting Polymers Overcomes Luminescence Quenching in Perovskite Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2021, 9, 2100646.	3.6	14
20	Ligand-Assisted Sulfide Surface Treatment of CsPbI <sub>3</sub> Perovskite Quantum Dots to Increase Photoluminescence and Recovery. <i>ACS Photonics</i> , 2021, 8, 1979-1987.	3.2	33
21	Characterization of stability and challenges to improve lifetime in perovskite LEDs. <i>Nature Photonics</i> , 2021, 15, 630-634.	15.6	101
22	Hydrogen-bonded cation-composition-engineered color-stable blue PeLEDs. <i>Science Bulletin</i> , 2021, 66, 2159-2161.	4.3	0
23	Organic and perovskite memristors for neuromorphic computing. <i>Organic Electronics</i> , 2021, 98, 106301.	1.4	54
24	Perovskite Nanoparticles: Extremely Stable Luminescent Crosslinked Perovskite Nanoparticles under Harsh Environments over 1.5 Years (Adv. Mater. 3/2021). <i>Advanced Materials</i> , 2021, 33, 2170017.	11.1	0
25	Engineering electrodes and metal halide perovskite materials for flexible/stretchable perovskite solar cells and light-emitting diodes. <i>Energy and Environmental Science</i> , 2021, 14, 2009-2035.	15.6	46
26	Chemically Robust Indium Tin Oxide/Graphene Anode for Efficient Perovskite Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 9074-9080.	4.0	6
27	Production of C, N Alternating 2D Materials Using Covalent Modification and Their Electroluminescence Performance. <i>Small Science</i> , 2021, 1, 2000042.	5.8	9
28	Flexible Neuromorphic Electronics for Computing, Soft Robotics, and Neuroprosthetics. <i>Advanced Materials</i> , 2020, 32, e1903558.	11.1	289
29	Importance of Interfacial Band Structure between the Substrate and Mn <sub>3</sub> O <sub>4</sub> Nanocatalysts during Electrochemical Water Oxidation. <i>ACS Catalysis</i> , 2020, 10, 1237-1245.	5.5	23
30	Ultrashort laser pulse doubling by metal-halide perovskite multiple quantum wells. <i>Nature Communications</i> , 2020, 11, 3361.	5.8	57
31	Suppressing $\pi$ - $\pi$ stacking interactions for enhanced solid-state emission of flat aromatic molecules via edge functionalization with picket-fence-type groups. <i>Journal of Materials Chemistry C</i> , 2020, 8, 17289-17296.	2.7	16
32	Controllable deposition of organic metal halide perovskite films with wafer-scale uniformity by single source flash evaporation. <i>Scientific Reports</i> , 2020, 10, 18781.	1.6	6
33	Electroplated Silver-Nickel Core-Shell Nanowire Network Electrodes for Highly Efficient Perovskite Nanoparticle Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 39479-39486.	4.0	21
34	Water Passivation of Perovskite Nanocrystals Enables Air-Stable Intrinsically Stretchable Color-Conversion Layers for Stretchable Displays. <i>Advanced Materials</i> , 2020, 32, e2001989.	11.1	51
35	Achieving Microstructure-Controlled Synaptic Plasticity and Long-Term Retention in Ion-Gel-Gated Organic Synaptic Transistors. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000012.	3.3	51
36	Aromatic nonpolar organogels for efficient and stable perovskite green emitters. <i>Nature Communications</i> , 2020, 11, 4638.	5.8	28

#	ARTICLE	IF	CITATIONS
37	Molecular-Scale Strategies to Achieve High Efficiency and Low Efficiency Roll-off in Simplified Solution-Processed Organic Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2020, 30, 2005292.	7.8	21
38	Production of Metal-Free C, N Alternating Nanoplatelets and Their In Vivo Fluorescence Imaging Performance without Labeling. <i>Advanced Functional Materials</i> , 2020, 30, 2004800.	7.8	5
39	Perovskite Emitters as a Platform Material for Down-Conversion Applications. <i>Advanced Materials Technologies</i> , 2020, 5, 2000091.	3.0	38
40	Display that bend and stretch: Some smartphones can now fold like a wallet. In a few years, you may wear one on your skin. <i>IEEE Spectrum</i> , 2020, 57, 24-29.	0.5	2
41	Effect of Interfacial Layers on the Device Lifetime of Perovskite Solar Cells. <i>Small Methods</i> , 2020, 4, 2000065.	4.6	22
42	All-Solution-Processed BiVO <sub>4</sub> /TiO <sub>2</sub> Photoanode with NiCo <sub>2</sub> O <sub>4</sub> Nanofiber Cocatalyst for Enhanced Solar Water Oxidation. <i>ACS Applied Energy Materials</i> , 2020, 3, 5646-5656.	2.5	23
43	Characterizing the Efficiency of Perovskite Solar Cells and Light-Emitting Diodes. <i>Joule</i> , 2020, 4, 1206-1235.	11.7	53
44	Photonic Synapses: Retina-Inspired Carbon Nitride-Based Photonic Synapses for Selective Detection of UV Light (Adv. Mater. 11/2020). <i>Advanced Materials</i> , 2020, 32, 2070080.	11.1	16
45	Proton-transfer-induced 3D/2D hybrid perovskites suppress ion migration and reduce luminance overshoot. <i>Nature Communications</i> , 2020, 11, 3378.	5.8	108
46	Enhancing photoluminescence quantum efficiency of metal halide perovskites by examining luminescence-limiting factors. <i>APL Materials</i> , 2020, 8, .	2.2	22
47	Retina-Inspired Carbon Nitride-Based Photonic Synapses for Selective Detection of UV Light. <i>Advanced Materials</i> , 2020, 32, e1906899.	11.1	222
48	A 2D Titanium Carbide MXene Flexible Electrode for High-Efficiency Light-Emitting Diodes. <i>Advanced Materials</i> , 2020, 32, e2000919.	11.1	122
49	Electroluminescence of Perovskite Nanocrystals with Ligand Engineering. <i>Trends in Chemistry</i> , 2020, 2, 837-849.	4.4	22
50	Performance analysis of magnetic gear with Halbach array for high power and high speed. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2020, 64, 959-967.	0.3	0
51	Degradation Protection of Color Dyes Encapsulated by Graphene Barrier Films. <i>Chemistry of Materials</i> , 2019, 31, 7173-7177.	3.2	10
52	Quasi Two-Dimensional Perovskites: Efficient Ruddlesden-Popper Perovskite Light-Emitting Diodes with Randomly Oriented Nanocrystals (Adv. Funct. Mater. 27/2019). <i>Advanced Functional Materials</i> , 2019, 29, 1970187.	7.8	6
53	Versatile neuromorphic electronics by modulating synaptic decay of single organic synaptic transistor: From artificial neural networks to neuro-prosthetics. <i>Nano Energy</i> , 2019, 65, 104035.	8.2	115
54	Low-dimensional iodide perovskite nanocrystals enable efficient red emission. <i>Nanoscale</i> , 2019, 11, 12793-12797.	2.8	13

#	ARTICLE	IF	CITATIONS
55	P&#x10: Efficient Quantum Dot Light-Emitting Diodes by Reducing Oxygen Vacancies of ZnO Nanoparticles with Recycling Process. Digest of Technical Papers SID International Symposium, 2019, 50, 1666-1668.	0.1	1
56	Boosting Efficiency in Polycrystalline Metal Halide Perovskite Light-Emitting Diodes. ACS Energy Letters, 2019, 4, 1134-1149.	8.8	68
57	Perovskites for Next-Generation Optical Sources. Chemical Reviews, 2019, 119, 7444-7477.	23.0	640
58	Organic Synapses for Neuromorphic Electronics: From Brain-Inspired Computing to Sensorimotor Nerveonics. Accounts of Chemical Research, 2019, 52, 964-974.	7.6	213
59	Wearable Bioelectronics: Opportunities for Chemistry. Accounts of Chemical Research, 2019, 52, 521-522.	7.6	43
60	Value-Added Recycling of Inexpensive Carbon Sources to Graphene and Carbon Nanotubes. Advanced Sustainable Systems, 2019, 3, 1800016.	2.7	20
61	Dimensionality Dependent Plasticity in Halide Perovskite Artificial Synapses for Neuromorphic Computing. Advanced Electronic Materials, 2019, 5, 1900008.	2.6	109
62	Ideal conducting polymer anode for perovskite light-emitting diodes by molecular interaction decoupling. Nano Energy, 2019, 60, 324-331.	8.2	28
63	Flexible artificial synesthesia electronics with sound-synchronized electroluminescence. Nano Energy, 2019, 59, 773-783.	8.2	21
64	Efficient Ruddlesden-Popper Perovskite Light-Emitting Diodes with Randomly Oriented Nanocrystals. Advanced Functional Materials, 2019, 29, 1901225.	7.8	95
65	Efficient Perovskite Light-Emitting Diodes Using Polycrystalline Core-Shell-Mimicked Nanograins. Advanced Functional Materials, 2019, 29, 1902017.	7.8	76
66	Emerging Halide Perovskite Materials and Devices for Optoelectronics. Advanced Materials, 2019, 31, e1905077.	11.1	9
67	Perovskite LEDs: Strategies to Improve Luminescence Efficiency of Metal-Halide Perovskites and Light-Emitting Diodes (Adv. Mater. 47/2019). Advanced Materials, 2019, 31, 1970335.	11.1	9
68	Fine Control of Perovskite Crystallization and Reducing Luminescence Quenching Using Self-Doped Polyaniline Hole Injection Layer for Efficient Perovskite Light-Emitting Diodes. Advanced Functional Materials, 2019, 29, 1807535.	7.8	58
69	Strategies to Improve Luminescence Efficiency of Metal-Halide Perovskites and Light-Emitting Diodes. Advanced Materials, 2019, 31, e1804595.	11.1	102
70	Strategies to Improve Electrical and Electronic Properties of PEDOT:PSS for Organic and Perovskite Optoelectronic Devices. Macromolecular Research, 2019, 27, 2-9.	1.0	21
71	Direct-printed nanoscale metal-oxide-wire electronics. Nano Energy, 2019, 58, 437-446.	8.2	36
72	High-Efficiency Polycrystalline Perovskite Light-Emitting Diodes Based on Mixed Cations. ACS Nano, 2018, 12, 2883-2892.	7.3	109

#	ARTICLE	IF	CITATIONS
73	Energy level alignment of dipolar interface layer in organic and hybrid perovskite solar cells. Journal of Materials Chemistry C, 2018, 6, 2915-2924.	2.7	62
74	Influence of A-site cation on the thermal stability of metal halide perovskite polycrystalline films. Journal of Information Display, 2018, 19, 53-60.	2.1	22
75	Improving the Stability of Metal Halide Perovskite Materials and Light-Emitting Diodes. Advanced Materials, 2018, 30, e1704587.	11.1	368
76	Solution-Processed n-Type Graphene Doping for Cathode in Inverted Polymer Light-Emitting Diodes. ACS Applied Materials & Interfaces, 2018, 10, 4874-4881.	4.0	24
77	Deformable Organic Nanowire Field-Effect Transistors. Advanced Materials, 2018, 30, 1704401.	11.1	82
78	Ultrasensitive artificial synapse based on conjugated polyelectrolyte. Nano Energy, 2018, 48, 575-581.	8.2	85
79	Ultra-High-Resolution Organic Light-Emitting Diodes with Color Conversion Electrode. ACS Photonics, 2018, 5, 1891-1897.	3.2	11
80	One-dimensional conjugated polymer nanomaterials for flexible and stretchable electronics. Journal of Materials Chemistry C, 2018, 6, 3538-3550.	2.7	42
81	Exciton and lattice dynamics in low-temperature processable CsPbBr <sub>3</sub> thin-films. Materials Today Energy, 2018, 7, 199-207.	2.5	62
82	3D Printed Ion-Selective Field Effect Transistors. , 2018, , .		0
83	Stretchable organic optoelectronic sensorimotor synapse. Science Advances, 2018, 4, eaat7387.	4.7	359
84	Increased luminescent efficiency of perovskite light emitting diodes based on modified two-step deposition method providing gradient concentration. APL Materials, 2018, 6, 111101.	2.2	3
85	Highly Luminescent Organic Nanorods from Air Oxidation of <i>p</i> -Substituted Anilines for Freestanding Deep-Red Color Filters. Advanced Optical Materials, 2018, 6, 1800577.	3.6	2
86	Nanosinusoidal Surface Zinc Oxide for Optical Out-coupling of Inverted Organic Light-Emitting Diodes. ACS Photonics, 2018, 5, 4061-4067.	3.2	15
87	Extremely stable graphene electrodes doped with macromolecular acid. Nature Communications, 2018, 9, 2037.	5.8	96
88	Color Purifying Optical Nanothin Film for Three Primary Colors in Optoelectronics. ACS Photonics, 2018, 5, 3322-3330.	3.2	21
89	A bioinspired flexible organic artificial afferent nerve. Science, 2018, 360, 998-1003.	6.0	982
90	Metal Halide Perovskites: From Crystal Formations to Light-Emitting Diode Applications. Small Methods, 2018, 2, 1800093.	4.6	36

#	ARTICLE	IF	CITATIONS
91	Nanometric Plasmonic Rulers Based on Orthogonal Plasmonic Gap Modes in Metal Nanoblocks. Applied Sciences (Switzerland), 2018, 8, 386.	1.3	1
92	Charge carrier recombination and ion migration in metal-halide perovskite nanoparticle films for efficient light-emitting diodes. Nano Energy, 2018, 52, 329-335.	8.2	64
93	Efficient Flexible Organic/Inorganic Hybrid Perovskite Light-Emitting Diodes Based on Graphene Anode. Advanced Materials, 2017, 29, 1605587.	11.1	200
94	Large-scale Highly Aligned Nanowire Printing. Macromolecular Materials and Engineering, 2017, 302, 1600507.	1.7	22
95	Organic light emitting board for dynamic interactive display. Nature Communications, 2017, 8, 14964.	5.8	80
96	Highly Conductive Transparent and Flexible Electrodes Including Double-Stacked Thin Metal Films for Transparent Flexible Electronics. ACS Applied Materials & Interfaces, 2017, 9, 16343-16350.	4.0	39
97	Graphene-based flexible electronic devices. Materials Science and Engineering Reports, 2017, 118, 1-43.	14.8	194
98	Improvement of both efficiency and stability in organic photovoltaics by using water-soluble anionic conjugated polyelectrolyte interlayer. Materials Today Energy, 2017, 5, 66-71.	2.5	8
99	P&#127: Angle Insensitive Flexible Color Filter Electrodes. Digest of Technical Papers SID International Symposium, 2017, 48, 1738-1741.	0.1	2
100	Highly Efficient Light-Emitting Diodes of Colloidal Metal-Halide Perovskite Nanocrystals beyond Quantum Size. ACS Nano, 2017, 11, 6586-6593.	7.3	310
101	Hybrid Perovskites: Effective Crystal Growth for Optoelectronic Applications. Advanced Energy Materials, 2017, 7, 1602596.	10.2	62
102	High-Efficiency Solution-Processed Inorganic Metal Halide Perovskite Light-Emitting Diodes. Advanced Materials, 2017, 29, 1700579.	11.1	193
103	Structural and Thermal Disorder of Solution-Processed CH <sub>3</sub> NH <sub>3</sub> PbBr <sub>3</sub> Hybrid Perovskite Thin Films. ACS Applied Materials & Interfaces, 2017, 9, 10344-10348.	4.0	32
104	Room-Temperature-Processable Wire-Templated Nanoelectrodes for Flexible and Transparent All-Wire Electronics. ACS Nano, 2017, 11, 3681-3689.	7.3	52
105	Direct growth of graphene-dielectric bi-layer structure on device substrates from Si-based polymer. 2D Materials, 2017, 4, 024001.	2.0	12
106	Device architecture for efficient, low-hysteresis flexible perovskite solar cells: Replacing TiO <sub>2</sub> with C60 assisted by polyethylenimine ethoxylated interfacial layers. Solar Energy Materials and Solar Cells, 2017, 161, 338-346.	3.0	49
107	Large-scale metal nanoelectrode arrays based on printed nanowire lithography for nanowire complementary inverters. Nanoscale, 2017, 9, 15766-15772.	2.8	13
108	Unravelling additive-based nanocrystal pinning for high efficiency organic-inorganic halide perovskite light-emitting diodes. Nano Energy, 2017, 42, 157-165.	8.2	98

#	ARTICLE	IF	CITATIONS
109	A correlation between small-molecule dependent nanomorphology and device performance of organic light-emitting diodes with ternary blend emitting layers. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9761-9769.	2.7	11
110	Polaronic Charge Carrier–Lattice Interactions in Lead Halide Perovskites. <i>ChemSusChem</i> , 2017, 10, 3705-3711.	3.6	18
111	Universal high work function flexible anode for simplified ITO-free organic and perovskite light-emitting diodes with ultra-high efficiency. <i>NPG Asia Materials</i> , 2017, 9, e411-e411.	3.8	60
112	Ultrapure Green Light-Emitting Diodes Using Two-Dimensional Formamidinium Perovskites: Achieving Recommendation 2020 Color Coordinates. <i>Nano Letters</i> , 2017, 17, 5277-5284.	4.5	221
113	Thermal effect analysis on crosstalk and performance of optoelectronic transmitter modules for optical interconnects. <i>Optical and Quantum Electronics</i> , 2017, 49, 1.	1.5	1
114	Interface-Engineered Charge-Transport Properties in Benzenedithiol Molecular Electronic Junctions via Chemically p-Doped Graphene Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 42043-42049.	4.0	10
115	Design of full-duplex and multifunction bidirectional CMOS transceiver for optical interconnect applications. <i>Optical and Quantum Electronics</i> , 2017, 49, 1.	1.5	0
116	Conducting Polymers as Anode Buffer Materials in Organic and Perovskite Optoelectronics. <i>Advanced Optical Materials</i> , 2017, 5, 1600512.	3.6	63
117	Solution-processed electron-only tandem polymer light-emitting diodes for broad wavelength light emission. <i>Journal of Materials Chemistry C</i> , 2017, 5, 110-117.	2.7	20
118	A Metal-Insulator-Metal Deep Subwavelength Cavity Based on Cutoff Frequency Modulation. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 86.	1.3	8
119	Refractive index sensing and surface-enhanced Raman spectroscopy using silver–gold layered bimetallic plasmonic crystals. <i>Beilstein Journal of Nanotechnology</i> , 2017, 8, 2492-2503.	1.5	4
120	High efficiency perovskite light-emitting diodes of ligand-engineered colloidal formamidinium lead bromide nanoparticles. <i>Nano Energy</i> , 2017, 38, 51-58.	8.2	195
121	Low cross-talk, deep subwavelength plasmonic metal/insulator/metal waveguide intersections with broadband tunability. <i>Photonics Research</i> , 2016, 4, 272.	3.4	9
122	Efficient Visible Quasi-2D Perovskite Light-Emitting Diodes. <i>Advanced Materials</i> , 2016, 28, 7515-7520.	11.1	554
123	Humidity controlled crystallization of thin $\text{CH}_3\text{NH}_3\text{PbI}_3$ films for high performance perovskite solar cell. <i>Physica Status Solidi - Rapid Research Letters</i> , 2016, 10, 381-387.	1.2	39
124	Versatile p-Type Chemical Doping to Achieve Ideal Flexible Graphene Electrodes. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 6197-6201.	7.2	78
125	Simple, Inexpensive, and Rapid Approach to Fabricate Cross-Shaped Memristors Using an Inorganic Nanowire Digital Alignment Technique and a One-Step Reduction Process. <i>Advanced Materials</i> , 2016, 28, 527-532.	11.1	35
126	Scalable Noninvasive Organic Fiber Lithography for Large-Area Optoelectronics. <i>Advanced Optical Materials</i> , 2016, 4, 967-972.	3.6	13



#	ARTICLE	IF	CITATIONS
127	Versatile p-type Chemical Doping to Achieve Ideal Flexible Graphene Electrodes. <i>Angewandte Chemie</i> , 2016, 128, 6305-6309.	1.6	8
128	Nanowires: Simple, Inexpensive, and Rapid Approach to Fabricate Cross-shaped Memristors Using an Inorganic Nanowire Digital Alignment Technique and a One-step Reduction Process ( <i>Adv. Mater.</i> 3/2016). <i>Advanced Materials</i> , 2016, 28, 591-591.	11.1	0
129	Controlled surface oxidation of multi-layered graphene anode to increase hole injection efficiency in organic electronic devices. <i>2D Materials</i> , 2016, 3, 014003.	2.0	12
130	A field-induced hole generation layer for high performance alternating current polymer electroluminescence and its application to extremely flexible devices. <i>Journal of Materials Chemistry C</i> , 2016, 4, 4434-4441.	2.7	17
131	Optical transceiver with in-chip temperature compensation module design and fabrication. <i>Optical and Quantum Electronics</i> , 2016, 48, 1.	1.5	0
132	Perovskite Light-Emitting Diodes: Efficient Visible Quasi-2D Perovskite Light-Emitting Diodes ( <i>Adv. Mater.</i> ) Tj ETQq0 0 0 rgBT /Over	11.1	16
133	Metal halide perovskite light emitters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11694-11702.	3.3	465
134	Versatile Metal Nanowiring Platform for Large-scale Nano- and Opto-Electronic Devices. <i>Advanced Materials</i> , 2016, 28, 9109-9116.	11.1	69
135	Approaching ultimate flexible organic light-emitting diodes using a graphene anode. <i>NPG Asia Materials</i> , 2016, 8, e303-e303.	3.8	55
136	Artificial Synapses: Organometal Halide Perovskite Artificial Synapses ( <i>Adv. Mater.</i> 28/2016). <i>Advanced Materials</i> , 2016, 28, 6019-6019.	11.1	5
137	High Color-Purity Green, Orange, and Red Light-Emitting Diodes Based on Chemically Functionalized Graphene Quantum Dots. <i>Scientific Reports</i> , 2016, 6, 24205.	1.6	72
138	Synergetic electrode architecture for efficient graphene-based flexible organic light-emitting diodes. <i>Nature Communications</i> , 2016, 7, 11791.	5.8	163
139	Magnetic domains in H-mediated Zn <sub>0.9</sub> Co <sub>0.1</sub> O microdisk arrays. <i>RSC Advances</i> , 2016, 6, 57375-57379.	1.7	1
140	Ultra-high-efficiency solution-processed simplified small-molecule organic light-emitting diodes using universal host materials. <i>Science Advances</i> , 2016, 2, e1601428.	4.7	122
141	Opto-Electronic Devices: Versatile Metal Nanowiring Platform for Large-scale Nano- and Opto-Electronic Devices ( <i>Adv. Mater.</i> 41/2016). <i>Advanced Materials</i> , 2016, 28, 9232-9232.	11.1	2
142	Organic core-sheath nanowire artificial synapses with femtojoule energy consumption. <i>Science Advances</i> , 2016, 2, e1501326.	4.7	406
143	OLEDs: Scalable Noninvasive Organic Fiber Lithography for Large-Area Optoelectronics ( <i>Advanced</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock	3.6	1
144	Highly Efficient, Simplified, Solution-Processed Thermally Activated Delayed Fluorescence Organic Light-Emitting Diodes. <i>Advanced Materials</i> , 2016, 28, 734-741.	11.1	133

#	ARTICLE	IF	CITATIONS
145	Self-Doped Conducting Polymer as a Hole-Extraction Layer in Organic-Inorganic Hybrid Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2016, 3, 1500678.	1.9	93
146	N-Induced Electronic States of Carbon Nanodots Toward White Electroluminescence. <i>Advanced Optical Materials</i> , 2016, 4, 276-284.	3.6	60
147	Effects of thermal treatment on organic-inorganic hybrid perovskite films and luminous efficiency of light-emitting diodes. <i>Current Applied Physics</i> , 2016, 16, 1069-1074.	1.1	23
148	Laminated Graphene Films for Flexible Transparent Thin Film Encapsulation. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 14725-14731.	4.0	78
149	Organometal Halide Perovskite Artificial Synapses. <i>Advanced Materials</i> , 2016, 28, 5916-5922.	11.1	319
150	On-Fabrication Solid-State Doping of Graphene by an Electron-Transporting Metal Oxide Layer for Efficient Inverted Organic Solar Cells. <i>Advanced Energy Materials</i> , 2016, 6, 1600172.	10.2	46
151	Synergetic Influences of Mixed-Host Emitting Layer Structures and Hole Injection Layers on Efficiency and Lifetime of Simplified Phosphorescent Organic Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 6152-6163.	4.0	43
152	Universal energy level tailoring of self-organized hole extraction layers in organic solar cells and organic-inorganic hybrid perovskite solar cells. <i>Energy and Environmental Science</i> , 2016, 9, 932-939.	15.6	218
153	Recent progress in fabrication techniques of graphene nanoribbons. <i>Materials Horizons</i> , 2016, 3, 186-207.	6.4	127
154	Design and analysis of a multichannel transceiver for high-speed optical interconnects. <i>Optical and Quantum Electronics</i> , 2016, 48, 1.	1.5	0
155	Planar heterojunction organometal halide perovskite solar cells: roles of interfacial layers. <i>Energy and Environmental Science</i> , 2016, 9, 12-30.	15.6	449
156	Improving the Efficiency of Flexible Organic Light-emitting Diodes via Alternating High- and Low-index Layers. , 2016, , .		1
157	Solar Cells: Planar CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Perovskite Solar Cells with Constant 17.2% Average Power Conversion Efficiency Irrespective of the Scan Rate ( <i>Adv. Mater.</i> 22/2015). <i>Advanced Materials</i> , 2015, 27, 3464-3464.	11.1	3
158	Value-added Synthesis of Graphene: Recycling Industrial Carbon Waste into Electrodes for High-Performance Electronic Devices. <i>Scientific Reports</i> , 2015, 5, 16710.	1.6	36
159	Flexible Lamination Encapsulation. <i>Advanced Materials</i> , 2015, 27, 4308-4314.	11.1	61
160	Elucidating the Role of Conjugated Polyelectrolyte Interlayers for High-Efficiency Organic Photovoltaics. <i>ChemSusChem</i> , 2015, 8, 3062-3068.	3.6	27
161	Silver-Based Nanoparticles for Surface Plasmon Resonance in Organic Optoelectronics. <i>Particle and Particle Systems Characterization</i> , 2015, 32, 164-175.	1.2	106
162	Dual-Function Metal-Insulator-Metal Plasmonic Optical Filter. <i>IEEE Photonics Journal</i> , 2015, 7, 1-8.	1.0	9

#	ARTICLE	IF	CITATIONS
163	B12-O-24<i>In-situ</i>observation of temperature dependent nanomorphology-performance relations in emitting layer of OLEDs by TEM. Microscopy (Oxford, England), 2015, 64, i30.2-i30.	0.7	0
164	Spectral tuning of an add-drop filter by using double dielectric microdisks. , 2015, , .		0
165	Flexible Encapsulation: Flexible Lamination Encapsulation (Adv. Mater. 29/2015). Advanced Materials, 2015, 27, 4387-4387.	11.1	2
166	Three-dimensional plasmonic ruler based on silver metal blocks. , 2015, , .		0
167	Overcoming the electroluminescence efficiency limitations of perovskite light-emitting diodes. Science, 2015, 350, 1222-1225.	6.0	2,440
168	Light-Emitting Diodes: Multicolored Organic/Inorganic Hybrid Perovskite Light-Emitting Diodes (Adv.) Tj ETQq0 0.0 rgBT /gOverlock 10	11.1	8
169	Elucidating the Crucial Role of Hole Injection Layer in Degradation of Organic Light-Emitting Diodes. ACS Applied Materials & Interfaces, 2015, 7, 3117-3125.	4.0	59
170	Controllable n-type Doping on CVD-Grown Single- and Double-Layer Graphene Mixture. Advanced Materials, 2015, 27, 1619-1623.	11.1	43
171	Improvement of work function and hole injection efficiency of graphene anode using CHF <sub>3</sub> plasma treatment. 2D Materials, 2015, 2, 014002.	2.0	17
172	Study on the formation of magnetic nanoclusters and change in spin ordering in Co-doped ZnO using magnetic susceptibility. RSC Advances, 2015, 5, 65840-65846.	1.7	4
173	Temperature-dependent nanomorphology-performance relations in binary iridium complex blend films for organic light emitting diodes. Physical Chemistry Chemical Physics, 2015, 17, 21555-21563.	1.3	8
174	Planar CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Perovskite Solar Cells with Constant 17.2% Average Power Conversion Efficiency Irrespective of the Scan Rate. Advanced Materials, 2015, 27, 3424-3430.	11.1	435
175	Spatial mapping of refractive index based on a plasmonic tapered channel waveguide. Optics Express, 2015, 23, 5907.	1.7	4
176	Flexible transparent electrodes for organic light-emitting diodes. Journal of Information Display, 2015, 16, 71-84.	2.1	43
177	Flexible organic light-emitting diodes for solid-state lighting. Journal of Photonics for Energy, 2015, 5, 053599.	0.8	34
178	Synergistic Effects of Doping and Thermal Treatment on Organic Semiconducting Nanowires. ACS Applied Materials & Interfaces, 2015, 7, 18909-18914.	4.0	14
179	Bimolecular Crystals with an Intercalated Structure Improve Poly(p-phenylenevinylene)-Based Organic Photovoltaic Cells. ChemSusChem, 2015, 8, 337-344.	3.6	10
180	Multicolored Organic/Inorganic Hybrid Perovskite Light-Emitting Diodes. Advanced Materials, 2015, 27, 1248-1254.	11.1	1,077

#	ARTICLE	IF	CITATIONS
181	Organic Nanowire Fabrication and Device Applications. <i>Small</i> , 2015, 11, 45-62.	5.2	97
182	Hysteresis-free flexible perovskite solar cells with evaporated organic electron transport layers. , 2015, , .		0
183	Copper Nanowires: Individually Position-Addressable Metal-Nanofiber Electrodes for Large-Area Electronics ( <i>Adv. Mater.</i> 47/2014). <i>Advanced Materials</i> , 2014, 26, 8067-8067.	11.1	0
184	Charge transport and morphology of pentacene films confined in nano-patterned region. <i>NPG Asia Materials</i> , 2014, 6, e91-e91.	3.8	12
185	Individually Position-Addressable Metal-Nanofiber Electrodes for Large-Area Electronics. <i>Advanced Materials</i> , 2014, 26, 8010-8016.	11.1	53
186	N-Doped Graphene Field-Effect Transistors with Enhanced Electron Mobility and Air-Stability. <i>Small</i> , 2014, 10, 1999-2005.	5.2	68
187	Polyethylene Imine as an Ideal Interlayer for Highly Efficient Inverted Polymer Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2014, 24, 3808-3814.	7.8	196
188	Three-Dimensional Nanostructured Indium-Tin-Oxide Electrodes for Enhanced Performance of Bulk Heterojunction Organic Solar Cells. <i>Advanced Energy Materials</i> , 2014, 4, 1301566.	10.2	27
189	Sensitive Hydrogen Sensors Based on Gold-Palladium Double Nanoblock. <i>IEEE Photonics Technology Letters</i> , 2014, 26, 2232-2235.	1.3	5
190	A systematic identification of efficiency enrichment between thiazole and benzothiazole based yellow iridium(iii) complexes. <i>Journal of Materials Chemistry C</i> , 2014, 2, 9398-9405.	2.7	22
191	An Easy Route to Red Emitting Homoleptic Ir <sup>III</sup> Complex for Highly Efficient Solution-Processed Phosphorescent Organic Light-Emitting Diodes. <i>Chemistry - A European Journal</i> , 2014, 20, 8260-8264.	1.7	38
192	Non-Volatile Ferroelectric Memory with Position-Addressable Polymer Semiconducting Nanowire. <i>Small</i> , 2014, 10, 1976-1984.	5.2	54
193	Design of small-area transimpedance optical receiver module for optical interconnects. , 2014, , .		3
194	Electrospun polymer/quantum dot composite fibers as down conversion phosphor layers for white light-emitting diodes. <i>RSC Advances</i> , 2014, 4, 11585.	1.7	50
195	Role of Ultrathin Metal Fluoride Layer in Organic Photovoltaic Cells: Mechanism of Efficiency and Lifetime Enhancement. <i>ChemSusChem</i> , 2014, 7, 1125-1132.	3.6	33
196	Boosting the Power Conversion Efficiency of Perovskite Solar Cells Using Self-Organized Polymeric Hole Extraction Layers with High Work Function. <i>Advanced Materials</i> , 2014, 26, 6461-6466.	11.1	321
197	Flexible and Transparent Metallic Grid Electrodes Prepared by Evaporative Assembly. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 12380-12387.	4.0	128
198	A roll-to-roll welding process for planarized silver nanowire electrodes. <i>Nanoscale</i> , 2014, 6, 11828-11834.	2.8	161

#	ARTICLE	IF	CITATIONS
199	Ultrathin Organic Solar Cells with Graphene Doped by Ferroelectric Polarization. ACS Applied Materials & Interfaces, 2014, 6, 3299-3304.	4.0	91
200	Organic solar cells using CVD-grown graphene electrodes. Nanotechnology, 2014, 25, 014012.	1.3	81
201	Rapid Fabrication of Designable Large-Scale Aligned Graphene Nanoribbons by Electrohydrodynamic Nanowire Lithography. Advanced Materials, 2014, 26, 3459-3464.	11.1	59
202	Electroluminescence from Graphene Quantum Dots Prepared by Amidative Cutting of Tattered Graphite. Nano Letters, 2014, 14, 1306-1311.	4.5	260
203	Fabrication of high-quality single-crystal Cu thin films using radio-frequency sputtering. Scientific Reports, 2014, 4, 6230.	1.6	43
204	Sub-Micrometer-Sized Spectrometer by Using Plasmonic Tapered Channel-Waveguide. Journal of the Optical Society of Korea, 2014, 18, 788-792.	0.6	2
205	Extremely Bright Full Color Alternating Current Electroluminescence of Solution-Blended Fluorescent Polymers with Self-Assembled Block Copolymer Micelles. ACS Nano, 2013, 7, 10809-10817.	7.3	50
206	Electrospun Organic Nanofiber Electronics and Photonics. Macromolecular Materials and Engineering, 2013, 298, 475-486.	1.7	83
207	Air-stable inverted structure of hybrid solar cells using a cesium-doped ZnO electron transport layer prepared by a sol-gel process. Journal of Materials Chemistry A, 2013, 1, 11802.	5.2	30
208	Macromol. Mater. Eng. 5/2013. Macromolecular Materials and Engineering, 2013, 298, 600-600.	1.7	1
209	Improvement of power conversion efficiency of P3HT:CdSe hybrid solar cells by enhanced interconnection of CdSe nanorods via decomposable selenourea. Journal of Materials Chemistry A, 2013, 1, 2401.	5.2	12
210	Large-scale organic nanowire lithography and electronics. Nature Communications, 2013, 4, 1773.	5.8	262
211	Constructing inverse opal structured hematite photoanodes via electrochemical process and their application to photoelectrochemical water splitting. Physical Chemistry Chemical Physics, 2013, 15, 11717.	1.3	38
212	Graphene growth from polymers. Carbon Letters, 2013, 14, 145-151.	3.3	5
213	Analysis of thermal effects on crosstalk and performance of optoelectronic transmitter modules. , 2012, , .		1
214	Lithographically patterned anodic aluminum oxide (AAO) nanostructures for fluorescence enhancement. , 2012, , .		4
215	Short turn-on/off time linear voltage regulator with data detector for power-aware optical interconnect system. , 2012, , .		1
216	Extremely efficient flexible organic light-emitting diodes with modified graphene anode. Nature Photonics, 2012, 6, 105-110.	15.6	1,272

#	ARTICLE	IF	CITATIONS
217	Electrophosphorescent devices with solution processible emitter and hole transport layer stack. <i>Current Applied Physics</i> , 2012, 12, e38-e41.	1.1	9
218	High-efficiency polymer photovoltaic cells using a solution-processable insulating interfacial nanolayer: the role of the insulating nanolayer. <i>Journal of Materials Chemistry</i> , 2012, 22, 25148.	6.7	41
219	Inverse opal tungsten trioxide films with mesoporous skeletons: synthesis and photoelectrochemical responses. <i>Chemical Communications</i> , 2012, 48, 11939.	2.2	35
220	Controlling Surface Enrichment in Polymeric Hole Extraction Layers to Achieve High Efficiency Organic Photovoltaic Cells. <i>ChemSusChem</i> , 2012, 5, 2053-2057.	3.6	28
221	Dramatic Substituent Effects on the Photoluminescence of Boron Complexes of 2-(Benzothiazol-2-yl)phenols. <i>Chemistry - A European Journal</i> , 2012, 18, 9886-9893.	1.7	109
222	Molecularly Controlled Interfacial Layer Strategy Toward Highly Efficient Simple Structured Organic Light-Emitting Diodes. <i>Advanced Materials</i> , 2012, 24, 1487-1493.	11.1	92
223	Ultrahigh density array of CdSe nanorods for CdSe/polymer hybrid solar cells: enhancement in short-circuit current density. <i>Journal of Materials Chemistry</i> , 2011, 21, 12449.	6.7	22
224	Soft Embossing of Nanoscale Optical and Plasmonic Structures in Glass. <i>ACS Nano</i> , 2011, 5, 5763-5774.	7.3	30
225	AC Field-Induced Polymer Electroluminescence with Single Wall Carbon Nanotubes. <i>Nano Letters</i> , 2011, 11, 966-972.	4.5	68
226	Synthesis of transparent mesoporous tungsten trioxide films with enhanced photoelectrochemical response: application to unassisted solar water splitting. <i>Energy and Environmental Science</i> , 2011, 4, 1465.	15.6	142
227	Graphenes Converted from Polymers. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 493-497.	2.1	158
228	Photoreactive low-bandgap 4H-cyclopenta[2,1-b:3,4-b <sup>2</sup> ]dithiophene and 4,7-di(thiophen-2-yl)benzo[c][1,2,5]thiadiazole-based alternating copolymer for polymer solar cell. <i>Organic Electronics</i> , 2011, 12, 269-278.	1.4	25
229	Polyaniline-Based Conducting Polymer Compositions with a High Work Function for Hole Injection Layers in Organic Light-Emitting Diodes: Formation of Ohmic Contacts. <i>ChemSusChem</i> , 2011, 4, 363-368.	3.6	49
230	Inside Cover: Polyaniline-Based Conducting Polymer Compositions with a High Work Function for Hole-Injection Layers in Organic Light-Emitting Diodes: Formation of Ohmic Contacts ( <i>ChemSusChem</i> )	3.6	49
231	Soluble Self-Doped Conducting Polymer Compositions with Tunable Work Function as Hole Injection/Extraction Layers in Organic Optoelectronics. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 6274-6277.	7.2	95
232	Morphological and electrical effect of an ultrathin iridium oxide hole extraction layer on P3HT:PCBM bulk-heterojunction solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 1146-1150.	3.0	23
233	Optical link between FPGA microprocessors using a fiber-embedded rigid PCB. , 2010, , .		3
234	Approaches Toward Efficient and Stable Electron Extraction Contact in Organic Photovoltaic Cells: Inspiration from Organic Light-Emitting Diodes. <i>Electronic Materials Letters</i> , 2010, 6, 41-50.	1.0	42

#	ARTICLE	IF	CITATIONS
235	Highly Efficient Hybrid Inorganic-Organic Light-Emitting Diodes by using Air-Stable Metal Oxides and a Thick Emitting Layer. <i>ChemSusChem</i> , 2010, 3, 1021-1023.	3.6	31
236	Pattern Formation of Silver Nanoparticles in 1D, 2D, and 3D Microstructures Fabricated by a Photo- and Thermal Reduction Method. <i>Advanced Functional Materials</i> , 2010, 20, 2296-2302.	7.8	21
237	Highly Efficient p-n and Tandem Organic Light-Emitting Devices Using an Air-Stable and Low-Temperature-Evaporable Metal Azide as an n-Dopant. <i>Advanced Functional Materials</i> , 2010, 20, 1797-1802.	7.8	136
238	Roles of Interlayers in Efficient Organic Photovoltaic Devices. <i>Macromolecular Rapid Communications</i> , 2010, 31, 2095-2108.	2.0	92
239	Synchronous vapor-phase polymerization of poly(3,4-ethylenedioxythiophene) and poly(3-hexylthiophene) copolymer systems for tunable optoelectronic properties. <i>Organic Electronics</i> , 2010, 11, 1668-1675.	1.4	20
240	Positive Effects of E-Beam Irradiation in Inorganic Particle Based Separators for Lithium-Ion Battery. <i>Journal of the Electrochemical Society</i> , 2010, 157, A31.	1.3	21
241	Solution processable small molecules for organic light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2010, 20, 6392.	6.7	555
242	Crosstalk analysis of planar and multi-chip transmitter modules for optical PCB applications. , 2010, , .		2
243	Controlled TiO <sub>2</sub> Nanotube Arrays as an Active Material for High Power Energy-Storage Devices. <i>Journal of the Electrochemical Society</i> , 2009, 156, A584.	1.3	62
244	Characteristics of Solution-Processed Small-Molecule Organic Films and Light-Emitting Diodes Compared with their Vacuum-Deposited Counterparts. <i>Advanced Functional Materials</i> , 2009, 19, 1625-1630.	7.8	176
245	Designing a Stable Cathode with Multiple Layers to Improve the Operational Lifetime of Polymer Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2009, 19, 1863-1868.	7.8	26
246	Three-Dimensional Bulk Heterojunction Morphology for Achieving High Internal Quantum Efficiency in Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2009, 19, 2398-2406.	7.8	236
247	Fabrication of the flexible pentacene thin-film transistors on 304 and 430 stainless steel (SS) substrate. <i>Organic Electronics</i> , 2009, 10, 970-977.	1.4	24
248	A High Performance Nondoped Blue Organic Light-Emitting Device Based on a Diphenylfluoranthene-Substituted Fluorene Derivative. <i>Journal of Physical Chemistry C</i> , 2009, 113, 6227-6230.	1.5	40
249	Air stable and low temperature evaporable Li <sub>3</sub> N as a n type dopant in organic light-emitting diodes. <i>Synthetic Metals</i> , 2009, 159, 1664-1666.	2.1	16
250	Fabrication of Poly(3-hexylthiophene) Thin Films by Vapor-Phase Polymerization for Optoelectronic Device Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2009, 1, 1567-1571.	4.0	14
251	Optimization of 3D Plasmonic Crystal Structures for Refractive Index Sensing. <i>Journal of Physical Chemistry C</i> , 2009, 113, 10493-10499.	1.5	34
252	Comparison of long- and short-wavelength optical transmitters for optical PCB applications. <i>Proceedings of SPIE</i> , 2009, , .	0.8	1

#	ARTICLE	IF	CITATIONS
253	Seeing Molecules by Eye: Surface Plasmon Resonance Imaging at Visible Wavelengths with High Spatial Resolution and Submonolayer Sensitivity. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 5013-5017.	7.2	62
254	Control of the Surface Composition of a Conductingâ€”Polymer Complex Film to Tune the Work Function. <i>Advanced Functional Materials</i> , 2008, 18, 2246-2252.	7.8	151
255	Waterâ€”Soluble Polyfluorenes as an Electron Injecting Layer in PLEDs for Extremely High Quantum Efficiency. <i>Advanced Materials</i> , 2008, 20, 1624-1629.	11.1	83
256	Transparent flexible conductor of poly(methyl methacrylate) containing highly-dispersed multiwalled carbon nanotube. <i>Organic Electronics</i> , 2008, 9, 1-13.	1.4	34
257	Surface smoothness and conductivity control of vapor-phase polymerized poly(3,4-ethylenedioxythiophene) thin coating for flexible optoelectronic applications. <i>Thin Solid Films</i> , 2008, 516, 6020-6027.	0.8	28
258	Growth, detachment and transfer of highly-ordered TiO <sub>2</sub> nanotube arrays: use in dye-sensitized solar cells. <i>Chemical Communications</i> , 2008, , 2867.	2.2	218
259	Study on a set of bis-cyclometalated Ir(III) complexes with a common ancillary ligand. <i>Dalton Transactions</i> , 2008, , 4732.	1.6	36
260	Spin-Assembled Nanolayer of a Hyperbranched Polymer on the Anode in Organic Light-Emitting Diodes: The Mechanism of Hole Injection and Electron Blocking. <i>Langmuir</i> , 2008, 24, 12704-12709.	1.6	14
261	High-efficiency stacked white organic light-emitting diodes. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	169
262	Effects of Organic Lithium Salt Ultrathin Films on the Electron Injection Efficiency in OLED. <i>Molecular Crystals and Liquid Crystals</i> , 2008, 491, 109-113.	0.4	1
263	Solution-Processed High-Efficiency Organic Phosphorescent Devices Utilizing a Blue Ir(III) Complex. <i>Journal of Nanoscience and Nanotechnology</i> , 2008, 8, 2990-2995.	0.9	0
264	A stable blue host material for organic light-emitting diodes. <i>Applied Physics Letters</i> , 2007, 91, .	1.5	28
265	Highly efficient red electrophosphorescence from a solution-processed zwitterionic cyclometalated iridium(III) complex. <i>Applied Physics Letters</i> , 2007, 91, 211106.	1.5	24
266	High-efficiency and stable optical transmitter using VCSEL-direct-bonded connector for optical interconnection. <i>Optics Express</i> , 2007, 15, 15767.	1.7	9
267	Synthesis and Nonvolatile Memory Behavior of Redox-Active Conjugated Polymer-Containing Ferrocene. <i>Journal of the American Chemical Society</i> , 2007, 129, 9842-9843.	6.6	154
268	Layer-by-Layer Spin Self-Assembled Hole Injection Layers Containing a Perfluorinated Ionomer for Efficient Polymer Light-Emitting Diodes. <i>Macromolecular Rapid Communications</i> , 2007, 28, 1366-1372.	2.0	19
269	Novel Hyperbranched Phthalocyanine as a Hole Injection Nanolayer in Organic Lightâ€”Emitting Diodes. <i>Macromolecular Rapid Communications</i> , 2007, 28, 1657-1662.	2.0	41
270	A systematic doping strategy to control the emission spectrum of ternary luminescent polymer blends for white emission. <i>Optical Materials</i> , 2007, 30, 486-491.	1.7	16



#	ARTICLE	IF	CITATIONS
271	Control of emission outcoupling in liquid-crystalline fluorescent polymer films. <i>Organic Electronics</i> , 2007, 8, 317-324.	1.4	9
272	A soluble self-doped conducting polyaniline graft copolymer as a hole injection layer in polymer light-emitting diodes. <i>Polymer</i> , 2007, 48, 7236-7240.	1.8	29
273	Hole-transporting interlayers for improving the device lifetime in the polymer light-emitting diodes. <i>Applied Physics Letters</i> , 2006, 89, 123505.	1.5	64
274	Quantitative multispectral biosensing and 1D imaging using quasi-3D plasmonic crystals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 17143-17148.	3.3	321
275	Solution processed high-performance organic thin film transistors. , 2006, , .		0
276	Effect of Thermal Annealing on the Charge Carrier Mobility in a Polymer Electroluminescent Device. <i>Molecular Crystals and Liquid Crystals</i> , 2006, 462, 241-248.	0.4	1
277	Molecular monolayer modification of the cathode in organic light-emitting diodes. <i>Applied Physics Letters</i> , 2006, 89, 223511.	1.5	16
278	White polymer light-emitting devices from ternary-polymer blend with concentration gradient. <i>Chemical Physics Letters</i> , 2005, 403, 293-297.	1.2	34
279	Regenerated surface plasmon polaritons. <i>Applied Physics Letters</i> , 2005, 86, 141105.	1.5	18
280	Hole-injecting conducting-polymer compositions for highly efficient and stable organic light-emitting diodes. <i>Applied Physics Letters</i> , 2005, 87, 231106.	1.5	75
281	Subwavelength light bending by metal slit structures. <i>Optics Express</i> , 2005, 13, 9652.	1.7	185
282	Organic light-emitting diodes formed by soft contact lamination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 429-433.	3.3	126
283	Low-threshold lasing in a microcavity of fluorene-based liquid-crystalline polymer blends. <i>Journal of Applied Physics</i> , 2003, 93, 1367-1370.	1.1	18
284	Low-threshold blue amplified spontaneous emission in a statistical copolymer and its blend. <i>Applied Physics Letters</i> , 2002, 81, 424-426.	1.5	33
285	Application of a Novel Fullerene-Containing Copolymer to Electroluminescent Devices. <i>Chemistry of Materials</i> , 2002, 14, 4281-4285.	3.2	27
286	High-efficiency polymer light-emitting devices using organic salts: A multilayer structure to improve light-emitting electrochemical cells. <i>Applied Physics Letters</i> , 2002, 81, 214-216.	1.5	46
287	Photoluminescence characteristics of a highly soluble fullerene-containing polymer. <i>Macromolecular Research</i> , 2002, 10, 278-281.	1.0	5
288	Improvement of EL efficiency in polymer light-emitting diodes by heat treatments. <i>Synthetic Metals</i> , 2001, 117, 249-251.	2.1	24

#	ARTICLE	IF	CITATIONS
289	White emission from a ternary polymer blend by incomplete cascade energy transfer. <i>Synthetic Metals</i> , 2001, 122, 437-441.	2.1	31
290	Efficient Photoluminescence and Electroluminescence from Environmentally Stable Polymer/Clay Nanocomposites. <i>Chemistry of Materials</i> , 2001, 13, 2217-2222.	3.2	62
291	Excitation energy transfer in dye-doped ternary polymer blends for light-emitting diodes and lasers. <i>Current Applied Physics</i> , 2001, 1, 363-366.	1.1	14
292	White Emission from a Polymer Blend Light-Emitting Diode by Incomplete Cascade Energy Transfer. <i>Molecular Crystals and Liquid Crystals</i> , 2001, 371, 435-438.	0.3	3
293	Polymer light-emitting devices using ionomers as an electron injecting and hole blocking layer. <i>Journal of Applied Physics</i> , 2001, 90, 2128-2134.	1.1	58
294	Use of a Single Anionic Conductor as a Hole-Injecting Material for Polymer Light-Emitting Diodes. <i>Molecular Crystals and Liquid Crystals</i> , 2001, 371, 207-210.	0.3	1
295	Luminescent Spectral Changes in Polymer Light-Emitting Diodes after Heat Treatments. <i>Molecular Crystals and Liquid Crystals</i> , 2000, 349, 451-454.	0.3	4
296	Improved Quantum Efficiency by Overneutralization of Ionomers Used in Polymer Light-Emitting Diodes. <i>Molecular Crystals and Liquid Crystals</i> , 2000, 349, 455-458.	0.3	1
297	Effect of electrical annealing on the luminous efficiency of thermally annealed polymer light-emitting diodes. <i>Applied Physics Letters</i> , 2000, 77, 3334-3336.	1.5	53
298	Evidence of band bending observed by electroabsorption studies in polymer light emitting device with ionomer/Al or LiF/Al cathode. <i>Applied Physics Letters</i> , 2000, 76, 2152-2154.	1.5	65
299	Improvement of quantum efficiency in polymer light-emitting diodes by a single-ion conductor. <i>Applied Physics Letters</i> , 2000, 76, 3161-3163.	1.5	26