

Xiao-Ju Wen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5482868/publications.pdf>

Version: 2024-02-01

83
papers

8,057
citations

24978

57
h-index

56606

83
g-index

83
all docs

83
docs citations

83
times ranked

5653
citing authors

#	ARTICLE	IF	CITATIONS
1	Metal-organic framework-derived CuCo/carbon as an efficient magnetic heterogeneous catalyst for persulfate activation and ciprofloxacin degradation. <i>Journal of Hazardous Materials</i> , 2022, 424, 127196.	6.5	85
2	Integrating the Z-scheme heterojunction and hot electrons injection into a plasmonic-based Zn ₂ In ₂ S ₅ /W ₁₈ O ₄₉ composite induced improved molecular oxygen activation for photocatalytic degradation and antibacterial performance. <i>Journal of Colloid and Interface Science</i> , 2022, 610, 953-969.	5.0	59
3	Construction of dual S-scheme Ag ₂ CO ₃ /Bi ₄ O ₅ I ₂ /g-C ₃ N ₄ heterostructure photocatalyst with enhanced visible-light photocatalytic degradation for tetracycline. <i>Chemical Engineering Journal</i> , 2022, 438, 135471.	6.6	82
4	Insights into the role of reactive oxygen species in photocatalytic H ₂ O ₂ generation and OTC removal over a novel BN/Zn ₃ In ₂ S ₆ heterojunction. <i>Journal of Hazardous Materials</i> , 2022, 438, 129483.	6.5	39
5	A study on advanced oxidation mechanism of MnCo ₂ O ₄ /g-C ₃ N ₄ degradation of nitrobenzene: Sacrificial oxidation and radical oxidation. <i>Chemical Engineering Journal</i> , 2021, 403, 126400.	6.6	64
6	Highly crystalline porous carbon nitride with electron accumulation capacity: Promoting exciton dissociation and charge carrier generation for photocatalytic molecular oxygen activation. <i>Chemical Engineering Journal</i> , 2021, 409, 128030.	6.6	60
7	Highly efficient activation of peroxymonosulfate by Co ₃ O ₄ /Bi ₂ WO ₆ p-n heterojunction composites for the degradation of ciprofloxacin under visible light irradiation. <i>Journal of Colloid and Interface Science</i> , 2021, 588, 19-30.	5.0	147
8	Efficient photocatalytic nitrogen fixation to ammonia over bismuth monoxide quantum dots-modified defective ultrathin graphitic carbon nitride. <i>Chemical Engineering Journal</i> , 2021, 406, 126868.	6.6	84
9	Incorporating Fe ₃ C into B, N co-doped CNTs: Non-radical-dominated peroxymonosulfate catalytic activation mechanism. <i>Chemical Engineering Journal</i> , 2021, 405, 126686.	6.6	94
10	Highly efficient activation of peroxymonosulfate by Co ₃ O ₄ /Bi ₂ MoO ₆ p-n heterostructure composites for the degradation of norfloxacin under visible light irradiation. <i>Separation and Purification Technology</i> , 2021, 259, 118109.	3.9	118
11	Efficient photocatalytic H ₂ evolution and Cr(VI) reduction under visible light using a novel Z-scheme SnIn ₄ S ₈ /CeO ₂ heterojunction photocatalysts. <i>Journal of Hazardous Materials</i> , 2021, 416, 126217.	6.5	107
12	Interfacial Co-N bond bridged CoB/g-C ₃ N ₄ Schottky junction with modulated charge transfer dynamics for highly efficient photocatalytic <i>Staphylococcus aureus</i> inactivation. <i>Chemical Engineering Journal</i> , 2021, 422, 130029.	6.6	52
13	Anchoring CuFe ₂ O ₄ nanoparticles into N-doped carbon nanosheets for peroxymonosulfate activation: Built-in electric field dominated radical and non-radical process. <i>Chemical Engineering Journal</i> , 2021, 426, 130850.	6.6	91
14	Constructing a plasma-based Schottky heterojunction for near-infrared-driven photothermal synergistic water disinfection: Synergetic effects and antibacterial mechanisms. <i>Chemical Engineering Journal</i> , 2021, 426, 131902.	6.6	112
15	2D/2D Heterojunction systems for the removal of organic pollutants: A review. <i>Advances in Colloid and Interface Science</i> , 2021, 297, 102540.	7.0	51
16	A dual transfer strategy for boosting reactive oxygen species generation in ultrathin Z-scheme heterojunction driven by electronic field. <i>Chemical Engineering Journal</i> , 2020, 384, 123236.	6.6	60
17	Efficient degradation of Levofloxacin with magnetically separable ZnFe ₂ O ₄ /NCDs/Ag ₂ CO ₃ Z-scheme heterojunction photocatalyst: Vis-NIR light response ability and mechanism insight. <i>Chemical Engineering Journal</i> , 2020, 383, 123192.	6.6	123
18	Recent developments on AgI based heterojunction photocatalytic systems in photocatalytic application. <i>Chemical Engineering Journal</i> , 2020, 383, 123083.	6.6	147

#	ARTICLE	IF	CITATIONS
19	Photocatalytic degradation of sulfamethazine using a direct Z-Scheme AgI/Bi ₄ V ₂ O ₁₁ photocatalyst: Mineralization activity, degradation pathways and promoted charge separation mechanism. <i>Journal of Hazardous Materials</i> , 2020, 385, 121508.	6.5	206
20	Steering exciton dissociation and charge migration in green synthetic oxygen-substituted ultrathin porous graphitic carbon nitride for boosted photocatalytic reactive oxygen species generation. <i>Chemical Engineering Journal</i> , 2020, 385, 123919.	6.6	123
21	Lanthanum hydroxides modified poly(epichlorohydrin)-ethylenediamine composites for highly efficient phosphate removal and bacteria disinfection. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 588, 124344.	2.3	9
22	Dual-channel charges transfer strategy with synergistic effect of Z-scheme heterojunction and LSPR effect for enhanced quasi-full-spectrum photocatalytic bacterial inactivation: new insight into interfacial charge transfer and molecular oxygen activation. <i>Applied Catalysis B: Environmental</i> , 2020, 264, 118465.	10.8	219
23	Visible-light-driven activation of peroxymonosulfate for accelerating ciprofloxacin degradation using CeO ₂ /Co ₃ O ₄ p-n heterojunction photocatalysts. <i>Chemical Engineering Journal</i> , 2020, 391, 123612.	6.6	159
24	Insight into photocatalytic nitrogen fixation on graphitic carbon nitride: Defect-dopant strategy of nitrogen defect and boron dopant. <i>Chemical Engineering Journal</i> , 2020, 396, 125395.	6.6	92
25	In situ constructing 2D/1D MgIn ₂ S ₄ /CdS heterojunction system with enhanced photocatalytic activity towards treatment of wastewater and H ₂ production. <i>Journal of Colloid and Interface Science</i> , 2020, 576, 264-279.	5.0	109
26	Effective adsorption of chloroanilines from aqueous solution by m-phenylenediamine modified hyper-cross-linked resin: Kinetic, equilibrium, and thermodynamic studies. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 601, 124996.	2.3	12
27	Novel Z-scheme W ₁₈ O ₄₉ /CeO ₂ heterojunction for improved photocatalytic hydrogen evolution. <i>Journal of Colloid and Interface Science</i> , 2020, 579, 297-306.	5.0	73
28	Few-layer graphitic carbon nitride nanosheet with controllable functionalization as an effective metal-free activator for peroxymonosulfate photocatalytic activation: Role of the energy band bending. <i>Chemical Engineering Journal</i> , 2020, 401, 126072.	6.6	99
29	Hollow tubular graphitic carbon nitride catalyst with adjustable nitrogen vacancy: Enhanced optical absorption and carrier separation for improving photocatalytic activity. <i>Chemical Engineering Journal</i> , 2020, 402, 126185.	6.6	89
30	Silver-based semiconductor Z-scheme photocatalytic systems for environmental purification. <i>Journal of Hazardous Materials</i> , 2020, 390, 122128.	6.5	122
31	Attachment of Ag/AgCl nanoparticles on CdMoO ₄ microspheres for effective degradation of doxycycline under visible light irradiation: Degradation pathways and mineralization activity. <i>Journal of Molecular Liquids</i> , 2019, 288, 111063.	2.3	42
32	Enhanced activation of peroxymonosulfate by magnetic Co ₃ MnFeO ₆ nanoparticles for removal of carbamazepine: Efficiency, synergetic mechanism and stability. <i>Chemical Engineering Journal</i> , 2019, 362, 851-864.	6.6	121
33	Boosting molecular oxygen activation ability in self-assembled plasmonic p-n semiconductor photocatalytic heterojunction of WO ₃ /Ag@Ag ₂ O. <i>Chemical Engineering Journal</i> , 2019, 372, 12-25.	6.6	78
34	Fabrication of a zinc tungstate-based a p-n heterojunction photocatalysts towards refractory pollutants degradation under visible light irradiation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 573, 137-145.	2.3	28
35	Construction of a high-performance photocatalytic fuel cell (PFC) based on plasmonic silver modified Cr-BiOCl nanosheets for simultaneous electricity production and pollutant removal. <i>Nanoscale</i> , 2019, 11, 6662-6676.	2.8	44
36	Constructing magnetic and high-efficiency AgI/CuFe ₂ O ₄ photocatalysts for inactivation of <i>Escherichia coli</i> and <i>Staphylococcus aureus</i> under visible light: Inactivation performance and mechanism analysis. <i>Science of the Total Environment</i> , 2019, 668, 730-742.	3.9	42

#	ARTICLE	IF	CITATIONS
37	Construction of 2D heterojunction system with enhanced photocatalytic performance: Plasmonic Bi and reduced graphene oxide co-modified Bi ₅ O ₇ I with high-speed charge transfer channels. <i>Journal of Hazardous Materials</i> , 2019, 361, 245-258.	6.5	132
38	Fabrication of visible-light-driven silver iodide modified iodine-deficient bismuth oxyiodides Z-scheme heterojunctions with enhanced photocatalytic activity for <i>Escherichia coli</i> inactivation and tetracycline degradation. <i>Journal of Colloid and Interface Science</i> , 2019, 533, 636-648.	5.0	79
39	In situ synthesis of visible-light-driven Z-scheme AgI/Bi ₂ WO ₆ heterojunction photocatalysts with enhanced photocatalytic activity. <i>Ceramics International</i> , 2019, 45, 6340-6349.	2.3	85
40	Photo-removal of 2,2,4,4-tetrabromodiphenyl ether in liquid medium by reduced graphene oxide bridged artificial Z-scheme system of Ag@Ag ₃ PO ₄ /g-C ₃ N ₄ . <i>Chemical Engineering Journal</i> , 2019, 361, 373-386.	6.6	101
41	Facile assembly of g-C ₃ N ₄ /Ag ₂ CO ₃ /graphene oxide with a novel dual Z-scheme system for enhanced photocatalytic pollutant degradation. <i>Applied Surface Science</i> , 2019, 475, 421-434.	3.1	109
42	Insight into the energy band alignment of magnetically separable Ag ₂ O/ZnFe ₂ O ₄ p-n heterostructure with rapid charge transfer assisted visible light photocatalysis. <i>Journal of Catalysis</i> , 2019, 370, 289-303.	3.1	165
43	Integrating the plasmonic effect and p-n heterojunction into a novel Ag/Ag ₂ O/PbBiO ₂ Br photocatalyst: Broadened light absorption and accelerated charge separation co-mediated highly efficient visible/NIR light photocatalysis. <i>Chemical Engineering Journal</i> , 2019, 360, 349-363.	6.6	165
44	Co-Mn layered double hydroxide as an effective heterogeneous catalyst for degradation of organic dyes by activation of peroxymonosulfate. <i>Chemosphere</i> , 2018, 204, 11-21.	4.2	193
45	Controllable fabrication of a novel heterojunction composite: AgBr and Ag@Ag ₂ O co-modified Ag ₂ CO ₃ with excellent photocatalytic performance towards refractory pollutant degradation. <i>New Journal of Chemistry</i> , 2018, 42, 3270-3281.	1.4	17
46	Combination of efficient charge separation with the assistance of novel dual Z-scheme system: self-assembly photocatalyst Ag@AgI/BiOI modified oxygen-doped carbon nitride nanosheet with enhanced photocatalytic performance. <i>Catalysis Science and Technology</i> , 2018, 8, 1161-1175.	2.1	99
47	Photocatalytic degradation of ciprofloxacin by a novel Z-scheme CeO ₂ @Ag/AgBr photocatalyst: Influencing factors, possible degradation pathways, and mechanism insight. <i>Journal of Catalysis</i> , 2018, 358, 141-154.	3.1	406
48	A facile strategy to fabricate hollow cadmium sulfide nanospheres with nanoparticles-textured surface for hexavalent chromium reduction and bacterial inactivation. <i>Journal of Colloid and Interface Science</i> , 2018, 514, 396-406.	5.0	29
49	Construction of highly efficient and stable ternary AgBr/Ag/PbBiO ₂ Br Z-scheme photocatalyst under visible light irradiation: Performance and mechanism insight. <i>Journal of Colloid and Interface Science</i> , 2018, 513, 852-865.	5.0	110
50	Photocatalytic degradation of levofloxacin by ternary Ag ₂ CO ₃ /CeO ₂ /AgBr photocatalyst under visible-light irradiation: Degradation pathways, mineralization ability, and an accelerated interfacial charge transfer process study. <i>Journal of Catalysis</i> , 2018, 358, 211-223.	3.1	189
51	Template-free synthesis of three-dimensional porous CdS/TiO ₂ with high stability and excellent visible photocatalytic activity. <i>Materials Chemistry and Physics</i> , 2018, 212, 69-77.	2.0	40
52	Enhanced <i>Escherichia coli</i> inactivation and oxytetracycline hydrochloride degradation by a Z-scheme silver iodide decorated bismuth vanadate nanocomposite under visible light irradiation. <i>Journal of Colloid and Interface Science</i> , 2018, 512, 272-281.	5.0	73
53	A novel Ag ₂ O/CeO ₂ heterojunction photocatalysts for photocatalytic degradation of enrofloxacin: possible degradation pathways, mineralization activity and an in depth mechanism insight. <i>Applied Catalysis B: Environmental</i> , 2018, 221, 701-714.	10.8	389
54	Ultrathin BiOCl Single-Crystalline Nanosheets with Large Reactive Facets Area and High Electron Mobility Efficiency: A Superior Candidate for High-Performance Dye Self-Photosensitization Photocatalytic Fuel Cell. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 39723-39734.	4.0	51

#	ARTICLE	IF	CITATIONS
55	One-step in situ synthesis of CdS/SnO ₂ heterostructure with excellent photocatalytic performance for Cr(VI) reduction and tetracycline degradation. <i>Chemical Engineering Journal</i> , 2018, 352, 863-875.	6.6	115
56	Construction of Direct Z-Scheme Ag ₂ Bi ₂ Sn ₂ O ₇ Nanojunction System with Enhanced Photocatalytic Activity: Accelerated Interfacial Charge Transfer Induced Efficient Cr(VI) Reduction, Tetracycline Degradation and <i>Escherichia coli</i> Inactivation. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 8003-8018.	3.2	171
57	Enhanced photocatalytic activity of CdS/SnS ₂ nanocomposite with highly-efficient charge transfer and visible light utilization for selective reduction of 4-nitroaniline. <i>Journal of Colloid and Interface Science</i> , 2018, 532, 557-570.	5.0	37
58	SrTiO ₃ nanocubes decorated with Ag/AgCl nanoparticles as photocatalysts with enhanced visible-light photocatalytic activity towards the degradation of dyes, phenol and bisphenol A. <i>Environmental Science: Nano</i> , 2017, 4, 585-595.	2.2	172
59	AgI nanoparticles-decorated CeO ₂ microsheets photocatalyst for the degradation of organic dye and tetracycline under visible-light irradiation. <i>Journal of Colloid and Interface Science</i> , 2017, 497, 368-377.	5.0	106
60	Controlled Growth of BiOCl with Large {010} Facets for Dye Self-Photosensitization Photocatalytic Fuel Cells Application. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 4619-4629.	3.2	76
61	Fabrication of SnO ₂ Nanoparticles/BiOI n ⁺ p Heterostructure for Wider Spectrum Visible-Light Photocatalytic Degradation of Antibiotic Oxytetracycline Hydrochloride. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 5134-5147.	3.2	223
62	Synthesis of Ag/AgCl hollow spheres based on the Cu ₂ O nanospheres as template and their excellent photocatalytic property. <i>Molecular Catalysis</i> , 2017, 436, 100-110.	1.0	22
63	Highly enhanced visible light photocatalytic activity of CeO ₂ through fabricating a novel n junction BiOBr/CeO ₂ . <i>Catalysis Communications</i> , 2017, 90, 51-55.	1.6	121
64	Effective removal of colourless pollutants and organic dyes by Ag@AgCl nanoparticle-modified CaSn(OH) ₆ composite under visible light irradiation. <i>New Journal of Chemistry</i> , 2017, 41, 5334-5346.	1.4	38
65	Ag/AgCl nanoparticles-modified CdSnO ₃ ·3H ₂ O nanocubes photocatalyst for the degradation of methyl orange and antibiotics under visible light irradiation. <i>Journal of Colloid and Interface Science</i> , 2017, 505, 96-104.	5.0	33
66	Novel n heterojunction BiOI/CeO ₂ photocatalyst for wider spectrum visible-light photocatalytic degradation of refractory pollutants. <i>Dalton Transactions</i> , 2017, 46, 4982-4993.	1.6	123
67	A fluorescent ratiometric sensor based on covalent immobilization of chalcone derivative and porphyrin Zinc for detecting water content in organic solvents. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 1046-1056.	4.0	44
68	Study of the photocatalytic degradation pathway of norfloxacin and mineralization activity using a novel ternary Ag/AgCl-CeO ₂ photocatalyst. <i>Journal of Catalysis</i> , 2017, 355, 73-86.	3.1	195
69	An in depth mechanism insight of the degradation of multiple refractory pollutants via a novel SrTiO ₃ /BiOI heterojunction photocatalysts. <i>Journal of Catalysis</i> , 2017, 356, 283-299.	3.1	105
70	In-situ synthesis of visible-light-driven plasmonic Ag/AgCl-CdWO ₄ photocatalyst. <i>Ceramics International</i> , 2017, 43, 1922-1929.	2.3	54
71	Facile fabrication of BiOIO ₃ /BiOBr composites with enhanced visible light photocatalytic activity. <i>RSC Advances</i> , 2016, 6, 64617-64625.	1.7	20
72	DTC-GO as Effective Adsorbent for the Removal of Cu ²⁺ and Cd ²⁺ from Aqueous Solution. <i>Water, Air, and Soil Pollution</i> , 2016, 227, 1.	1.1	15

#	ARTICLE	IF	CITATIONS
73	An internal reference fluorescent pH sensor with two pH-sensitive fluorophores carrier. <i>Sensors and Actuators B: Chemical</i> , 2016, 234, 593-601.	4.0	19
74	Synthesis of fern-like Ag/AgCl/CaTiO ₃ plasmonic photocatalysts and their enhanced visible-light photocatalytic properties. <i>RSC Advances</i> , 2016, 6, 47873-47882.	1.7	65
75	Enhanced visible light photocatalytic activity of CdMoO ₄ microspheres modified with AgI nanoparticles. <i>Catalysis Communications</i> , 2016, 86, 124-128.	1.6	31
76	High-efficiency visible-light AgI/Ag/Bi ₂ MoO ₆ as a Z-scheme photocatalyst for environmental applications. <i>RSC Advances</i> , 2016, 6, 10221-10228.	1.7	46
77	Facile synthesis of a visible light $\hat{\pm}$ -Fe ₂ O ₃ /BiOBr composite with high photocatalytic performance. <i>RSC Advances</i> , 2016, 6, 4035-4042.	1.7	44
78	Inactivation performance and mechanism of Escherichia coli in aqueous system exposed to iron oxide loaded graphene nanocomposites. <i>Journal of Hazardous Materials</i> , 2014, 276, 66-76.	6.5	87
79	Fluorescence sensor for water in organic solvents prepared from covalent immobilization of 4-morpholinyl-1, 8-naphthalimide. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 1067-1074.	1.9	106
80	Fluorescence water sensor based on covalent immobilization of chalcone derivative. <i>Analytica Chimica Acta</i> , 2006, 577, 264-270.	2.6	141
81	A novel fluorescence ratiometric pH sensor based on covalently immobilized piperazinyl-1,8-naphthalimide and benzothioxanthene. <i>Sensors and Actuators B: Chemical</i> , 2006, 114, 308-315.	4.0	79
82	A ratiometric fluorescence sensor with broad dynamic range based on two pH-sensitive fluorophores. <i>Analyst</i> , 2005, 130, 1551.	1.7	60
83	Covalently immobilized aminonaphthalimide as fluorescent carrier for the preparation of optical sensors. <i>Analytical and Bioanalytical Chemistry</i> , 2002, 372, 519-524.	1.9	35