

Anumantha G Kanthasamy

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/5484657/publications.pdf>

Version: 2024-02-01

212
papers

19,920
citations

18482

62
h-index

12272

133
g-index

220
all docs

220
docs citations

220
times ranked

31986
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). Autophagy, 2016, 12, 1-222.	9.1	4,701
2	Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 2012, 8, 445-544.	9.1	3,122
3	Inflammasome inhibition prevents α -synuclein pathology and dopaminergic neurodegeneration in mice. Science Translational Medicine, 2018, 10, .	12.4	493
4	Gut microbiome in health and disease: Linking the microbiomeâ€“gutâ€“brain axis and environmental factors in the pathogenesis of systemic and neurodegenerative diseases. , 2016, 158, 52-62.		394
5	Mechanism of intranasal drug delivery directly to the brain. Life Sciences, 2018, 195, 44-52.	4.3	385
6	Mitochondria-targeted antioxidants for treatment of Parkinson's disease: Preclinical and clinical outcomes. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2014, 1842, 1282-1294.	3.8	268
7	Neurotoxicity of pesticides. Acta Neuropathologica, 2019, 138, 343-362.	7.7	265
8	NMDA Receptor Activation Produces Concurrent Generation of Nitric Oxide and Reactive Oxygen Species: Implications for Cell Death. Journal of Neurochemistry, 1995, 65, 2016-2021.	3.9	253
9	Caspase-3-Dependent Proteolytic Cleavage of Protein Kinase C δ Is Essential for Oxidative Stress-Mediated Dopaminergic Cell Death after Exposure to Methylcyclopentadienyl Manganese Tricarbonyl. Journal of Neuroscience, 2002, 22, 1738-1751.	3.6	210
10	Mitochondrial impairment in microglia amplifies NLRP3 inflammasome proinflammatory signaling in cell culture and animal models of Parkinson's disease. Npj Parkinson's Disease, 2017, 3, 30.	5.3	189
11	Environmental Neurotoxic Pesticide Increases Histone Acetylation to Promote Apoptosis in Dopaminergic Neuronal Cells: Relevance to Epigenetic Mechanisms of Neurodegeneration. Molecular Pharmacology, 2010, 77, 621-632.	2.3	181
12	Dieldrin-Induced Neurotoxicity: Relevance to Parkinson's Disease Pathogenesis. NeuroToxicology, 2005, 26, 701-719.	3.0	172
13	Dieldrin-induced oxidative stress and neurochemical changes contribute to apoptotic cell death in dopaminergic cells. Free Radical Biology and Medicine, 2001, 31, 1473-1485.	2.9	171
14	Fyn kinase regulates misfolded α -synuclein uptake and NLRP3 inflammasome activation in microglia. Journal of Experimental Medicine, 2019, 216, 1411-1430.	8.5	169
15	Manganese-Induced Neurotoxicity: New Insights Into the Triad of Protein Misfolding, Mitochondrial Impairment, and Neuroinflammation. Frontiers in Neuroscience, 2019, 13, 654.	2.8	167
16	Caspase-3 dependent proteolytic activation of protein kinase C δ mediates and regulates 1-methyl-4-phenylpyridinium (MPP ⁺)-induced apoptotic cell death in dopaminergic cells: relevance to oxidative stress in dopaminergic degeneration. European Journal of Neuroscience, 2003, 18, 1387-1401.	2.6	158
17	Neuroprotection by a mitochondria-targeted drug in a Parkinson's disease model. Free Radical Biology and Medicine, 2010, 49, 1674-1684.	2.9	153
18	Dieldrin induces apoptosis by promoting caspase-3-dependent proteolytic cleavage of protein kinase C δ in dopaminergic cells: relevance to oxidative stress and dopaminergic degeneration. Neuroscience, 2003, 119, 945-964.	2.3	151

#	ARTICLE	IF	CITATIONS
19	Protein Kinase C δ Is a Key Downstream Mediator of Manganese-Induced Apoptosis in Dopaminergic Neuronal Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 313, 46-55.	2.5	143
20	α -Synuclein Negatively Regulates Protein Kinase C δ Expression to Suppress Apoptosis in Dopaminergic Neurons by Reducing p300 Histone Acetyltransferase Activity. <i>Journal of Neuroscience</i> , 2011, 31, 2035-2051.	3.6	136
21	Fyn Kinase Regulates Microglial Neuroinflammatory Responses in Cell Culture and Animal Models of Parkinson's Disease. <i>Journal of Neuroscience</i> , 2015, 35, 10058-10077.	3.6	136
22	Molecular mechanisms underlying protective effects of quercetin against mitochondrial dysfunction and progressive dopaminergic neurodegeneration in cell culture and MitoPark transgenic mouse models of Parkinson's Disease. <i>Journal of Neurochemistry</i> , 2017, 141, 766-782.	3.9	134
23	Manganese promotes the aggregation and prion-like cell-to-cell exosomal transmission of α -synuclein. <i>Science Signaling</i> , 2019, 12, .	3.6	129
24	Neuroprotective Effect of Protein Kinase C δ Inhibitor Rottlerin in Cell Culture and Animal Models of Parkinson's Disease. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 322, 913-922.	2.5	125
25	Role of Proteolytic Activation of Protein Kinase C δ in Oxidative Stress-Induced Apoptosis. <i>Antioxidants and Redox Signaling</i> , 2003, 5, 609-620.	5.4	122
26	Manganese nanoparticle activates mitochondrial dependent apoptotic signaling and autophagy in dopaminergic neuronal cells. <i>Toxicology and Applied Pharmacology</i> , 2011, 256, 227-240.	2.8	121
27	Epigallocatechin Gallate Has a Neurorescue Effect in a Mouse Model of Parkinson Disease. <i>Journal of Nutrition</i> , 2017, 147, 1926-1931.	2.9	111
28	Pharmacological inhibition of neuronal NADPH oxidase protects against 1-methyl-4-phenylpyridinium (MPP $^{+}$)-induced oxidative stress and apoptosis in mesencephalic dopaminergic neuronal cells. <i>NeuroToxicology</i> , 2007, 28, 988-997.	3.0	108
29	Neuroprotective effect of the natural iron chelator, phytic acid in a cell culture model of Parkinson's disease. <i>Toxicology</i> , 2008, 245, 101-108.	4.2	107
30	Mito-Apocynin Prevents Mitochondrial Dysfunction, Microglial Activation, Oxidative Damage, and Progressive Neurodegeneration in MitoPark Transgenic Mice. <i>Antioxidants and Redox Signaling</i> , 2017, 27, 1048-1066.	5.4	107
31	Manganese exposure induces neuroinflammation by impairing mitochondrial dynamics in astrocytes. <i>NeuroToxicology</i> , 2018, 64, 204-218.	3.0	106
32	Paraquat induces epigenetic changes by promoting histone acetylation in cell culture models of dopaminergic degeneration. <i>NeuroToxicology</i> , 2011, 32, 586-595.	3.0	105
33	Vanadium induces dopaminergic neurotoxicity via protein kinase C δ dependent oxidative signaling mechanisms: Relevance to etiopathogenesis of Parkinson's disease. <i>Toxicology and Applied Pharmacology</i> , 2009, 240, 273-285.	2.8	103
34	Manganese activates NLRP3 inflammasome signaling and propagates exosomal release of ASC in microglial cells. <i>Science Signaling</i> , 2019, 12, .	3.6	103
35	Anti-inflammatory and neuroprotective effects of an orally active apocynin derivative in pre-clinical models of Parkinson's disease. <i>Journal of Neuroinflammation</i> , 2012, 9, 241.	7.2	98
36	Nanoneuromedicines for degenerative, inflammatory, and infectious nervous system diseases. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2015, 11, 751-767.	3.3	98

#	ARTICLE	IF	CITATIONS
37	Î±-Synuclein Real-Time Quaking-Induced Conversion in the Submandibular Glands of Parkinson's Disease Patients. <i>Movement Disorders</i> , 2020, 35, 268-278.	3.9	98
38	Tyrosine Phosphorylation Regulates the Proteolytic Activation of Protein Kinase CÎ in Dopaminergic Neuronal Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 28721-28730.	3.4	97
39	Proteasome inhibitor MG-132 induces dopaminergic degeneration in cell culture and animal models. <i>NeuroToxicology</i> , 2006, 27, 807-815.	3.0	93
40	Mitoapocynin Treatment Protects Against Neuroinflammation and Dopaminergic Neurodegeneration in a Preclinical Animal Model of Parkinson's Disease. <i>Journal of Neuroimmune Pharmacology</i> , 2016, 11, 259-278.	4.1	93
41	Monitoring intracellular nitric oxide formation by dichlorofluorescein in neuronal cells. <i>Journal of Neuroscience Methods</i> , 1995, 61, 15-21.	2.5	92
42	Protein Kinase CÎ Negatively Regulates Tyrosine Hydroxylase Activity and Dopamine Synthesis by Enhancing Protein Phosphatase-2A Activity in Dopaminergic Neurons. <i>Journal of Neuroscience</i> , 2007, 27, 5349-5362.	3.6	92
43	Prokineticin-2 promotes chemotaxis and alternative A2 reactivity of astrocytes. <i>Glia</i> , 2018, 66, 2137-2157.	4.9	92
44	DNA Aptamers That Bind to PrP ^C and Not Prp ^{Sc} Show Sequence and Structure Specificity. <i>Experimental Biology and Medicine</i> , 2006, 231, 204-214.	2.4	89
45	Blinded <sc>RT-qPCR</sc> Analysis of <sc>Î±-Synuclein</sc> Biomarker in Skin Tissue From Parkinson's Disease Patients. <i>Movement Disorders</i> , 2020, 35, 2230-2239.	3.9	88
46	Dieldrin Induces Ubiquitin-Proteasome Dysfunction in Î±-Synuclein Overexpressing Dopaminergic Neuronal Cells and Enhances Susceptibility to Apoptotic Cell Death. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 315, 69-79.	2.5	84
47	Normal Cellular Prion Protein Protects against Manganese-Induced Oxidative Stress and Apoptotic Cell Death. <i>Toxicological Sciences</i> , 2007, 98, 495-509.	3.1	84
48	Î±-Synuclein Protects Against Manganese Neurotoxic Insult During the Early Stages of Exposure in a Dopaminergic Cell Model of Parkinson's Disease. <i>Toxicological Sciences</i> , 2015, 143, 454-468.	3.1	84
49	A simple magnetic separation method for high-yield isolation of pure primary microglia. <i>Journal of Neuroscience Methods</i> , 2011, 194, 287-296.	2.5	83
50	Organophosphate pesticide chlorpyrifos impairs STAT1 signaling to induce dopaminergic neurotoxicity: Implications for mitochondria mediated oxidative stress signaling events. <i>Neurobiology of Disease</i> , 2018, 117, 82-113.	4.4	83
51	Protein kinase CÎ upregulation in microglia drives neuroinflammatory responses and dopaminergic neurodegeneration in experimental models of Parkinson's disease. <i>Neurobiology of Disease</i> , 2016, 93, 96-114.	4.4	82
52	Oxidative Stress and Mitochondrial-Mediated Apoptosis in Dopaminergic Cells Exposed to Methylcyclopentadienyl Manganese Tricarbonyl. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 302, 26-35.	2.5	81
53	Neuronal protection against oxidative insult by polyanhydride nanoparticle-based mitochondria-targeted antioxidant therapy. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017, 13, 809-820.	3.3	80
54	Interaction of metals with prion protein: Possible role of divalent cations in the pathogenesis of prion diseases. <i>NeuroToxicology</i> , 2006, 27, 777-787.	3.0	79

#	ARTICLE	IF	CITATIONS
55	The Gut-Brain Axis in Neurodegenerative Diseases and Relevance of the Canine Model: A Review. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 130.	3.4	76
56	Blood lipid and oxidative stress responses to soy protein with isoflavones and phytic acid in postmenopausal women. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 590-596.	4.7	75
57	Prokineticin-2 upregulation during neuronal injury mediates a compensatory protective response against dopaminergic neuronal degeneration. <i>Nature Communications</i> , 2016, 7, 12932.	12.8	75
58	Methamphetamine-induced neurotoxicity linked to ubiquitin-proteasome system dysfunction and autophagy-related changes that can be modulated by protein kinase C delta in dopaminergic neuronal cells. <i>Neuroscience</i> , 2012, 210, 308-332.	2.3	74
59	Environmental neurotoxicant manganese regulates exosome-mediated extracellular miRNAs in cell culture model of Parkinson's disease: Relevance to α -synuclein misfolding in metal neurotoxicity. <i>NeuroToxicology</i> , 2018, 64, 267-277.	3.0	71
60	The Peptidyl-prolyl Isomerase Pin1 Up-regulation and Proapoptotic Function in Dopaminergic Neurons. <i>Journal of Biological Chemistry</i> , 2013, 288, 21955-21971.	3.4	68
61	Methamphetamine Induces Autophagy and Apoptosis in a Mesencephalic Dopaminergic Neuronal Culture Model: Role of Cathepsin-D in Methamphetamine-Induced Apoptotic Cell Death. <i>Annals of the New York Academy of Sciences</i> , 2006, 1074, 234-244.	3.8	67
62	Proteolytic activation of proapoptotic kinase protein kinase $C\delta$ by tumor necrosis factor α death receptor signaling in dopaminergic neurons during neuroinflammation. <i>Journal of Neuroinflammation</i> , 2012, 9, 82.	7.2	66
63	Ultrasensitive Detection of Aggregated α -Synuclein in Glial Cells, Human Cerebrospinal Fluid, and Brain Tissue Using the RT-QulC Assay: New High-Throughput Neuroimmune Biomarker Assay for Parkinsonian Disorders. <i>Journal of NeuroImmune Pharmacology</i> , 2019, 14, 423-435.	4.1	66
64	Dopaminergic Neurotoxicity of Cyanide: Neurochemical, Histological, and Behavioral Characterization. <i>Toxicology and Applied Pharmacology</i> , 1994, 126, 156-163.	2.8	65
65	Wild-type α -synuclein interacts with pro-apoptotic proteins PKC δ and BAD to protect dopaminergic neuronal cells against MPP+-induced apoptotic cell death. <i>Molecular Brain Research</i> , 2005, 139, 137-152.	2.3	65
66	Involvement of c-Abl Kinase in Microglial Activation of NLRP3 Inflammasome and Impairment in Autolysosomal System. <i>Journal of NeuroImmune Pharmacology</i> , 2017, 12, 624-660.	4.1	65
67	Suppression of caspase-3-dependent proteolytic activation of protein kinase $C\delta$ by small interfering RNA prevents MPP+-induced dopaminergic degeneration. <i>Molecular and Cellular Neurosciences</i> , 2004, 25, 406-421.	2.2	64
68	Dopaminergic neurotoxicant 6-OHDA induces oxidative damage through proteolytic activation of PKC δ in cell culture and animal models of Parkinson's disease. <i>Toxicology and Applied Pharmacology</i> , 2011, 256, 314-323.	2.8	64
69	Activation of protein kinase $C\delta$ by proteolytic cleavage contributes to manganese-induced apoptosis in dopaminergic cells: protective role of Bcl-2. <i>Biochemical Pharmacology</i> , 2005, 69, 133-146.	4.4	63
70	A novel peptide inhibitor targeted to caspase-3 cleavage site of a proapoptotic kinase protein kinase C delta (PKC δ) protects against dopaminergic neuronal degeneration in Parkinson's disease models. <i>Free Radical Biology and Medicine</i> , 2006, 41, 1578-1589.	2.9	63
71	Mixed-lineage kinase 3 phosphorylates prolyl-isomerase Pin1 to regulate its nuclear translocation and cellular function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8149-8154.	7.1	62
72	Histone Hyperacetylation Up-regulates Protein Kinase $C\delta$ in Dopaminergic Neurons to Induce Cell Death. <i>Journal of Biological Chemistry</i> , 2014, 289, 34743-34767.	3.4	62

#	ARTICLE	IF	CITATIONS
73	Microarray analysis of oxidative stress regulated genes in mesencephalic dopaminergic neuronal cells: Relevance to oxidative damage in Parkinson's disease. <i>Neurochemistry International</i> , 2007, 50, 834-847.	3.8	61
74	Role of oxidative stress in methamphetamine-induced dopaminergic toxicity mediated by protein kinase C β . <i>Behavioural Brain Research</i> , 2012, 232, 98-113.	2.2	61
75	Environmental neurotoxic chemicals-induced ubiquitin proteasome system dysfunction in the pathogenesis and progression of Parkinson's disease. , 2007, 114, 327-344.		58
76	Environmental neurotoxin dieldrin induces apoptosis via caspase-3-dependent proteolytic activation of protein kinase C delta (PKCdelta): Implications for neurodegeneration in Parkinson's disease. <i>Molecular Brain</i> , 2008, 1, 12.	2.6	58
77	Status Epilepticus: Behavioral and Electroencephalography Seizure Correlates in Kainate Experimental Models. <i>Frontiers in Neurology</i> , 2018, 9, 7.	2.4	57
78	Alterations in mitochondrial dynamics induced by tebufenpyrad and pyridaben in a dopaminergic neuronal cell culture model. <i>NeuroToxicology</i> , 2016, 53, 302-313.	3.0	56
79	Effects of manganese on tyrosine hydroxylase (TH) activity and TH-phosphorylation in a dopaminergic neural cell line. <i>Toxicology and Applied Pharmacology</i> , 2011, 254, 65-71.	2.8	55
80	Acute hydrogen sulfide-induced neuropathology and neurological sequelae: challenges for translational neuroprotective research. <i>Annals of the New York Academy of Sciences</i> , 2016, 1378, 5-16.	3.8	55
81	Nano-enabled delivery of diverse payloads across complex biological barriers. <i>Journal of Controlled Release</i> , 2015, 219, 548-559.	9.9	54
82	Thieno[3,2-b]- and Thieno[2,3-b]pyrrole Bioisosteric Analogues of the Hallucinogen and Serotonin Agonist N,N-Dimethyltryptamine. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 1106-1111.	6.4	53
83	5-Hydroxytryptamine 1A Receptor Activation Protects against N-Methyl-D-aspartate-Induced Apoptotic Cell Death in Striatal and Mesencephalic Cultures. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 304, 913-923.	2.5	53
84	Alterations in bioenergetic function induced by Parkinson's disease mimetic compounds: lack of correlation with superoxide generation. <i>Journal of Neurochemistry</i> , 2012, 122, 941-951.	3.9	52
85	N-Acetyl Cysteine Protects against Methamphetamine-Induced Dopaminergic Neurodegeneration via Modulation of Redox Status and Autophagy in Dopaminergic Cells. <i>Parkinson's Disease</i> , 2012, 2012, 1-11.	1.1	51
86	Emerging neurotoxic mechanisms in environmental factors-induced neurodegeneration. <i>NeuroToxicology</i> , 2012, 33, 833-837.	3.0	50
87	Role of the Fyn-PKC β signaling in SE-induced neuroinflammation and epileptogenesis in experimental models of temporal lobe epilepsy. <i>Neurobiology of Disease</i> , 2018, 110, 102-121.	4.4	50
88	Molecular Signatures of Neuroinflammation Induced by α -Synuclein Aggregates in Microglial Cells. <i>Frontiers in Immunology</i> , 2020, 11, 33.	4.8	50
89	Kv1.3 modulates neuroinflammation and neurodegeneration in Parkinson's disease. <i>Journal of Clinical Investigation</i> , 2020, 130, 4195-4212.	8.2	50
90	Dieldrin Promotes Proteolytic Cleavage of Poly(ADP-Ribose) Polymerase and Apoptosis in Dopaminergic Cells: Protective Effect of Mitochondrial Anti-Apoptotic Protein Bcl-2. <i>NeuroToxicology</i> , 2004, 25, 589-598.	3.0	49

#	ARTICLE	IF	CITATIONS
91	Copper-induced structural conversion templates prion protein oligomerization and neurotoxicity. <i>Science Advances</i> , 2016, 2, e1600014.	10.3	48
92	Proteasome inhibitor-induced apoptosis is mediated by positive feedback amplification of PKC δ proteolytic activation and mitochondrial translocation. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 2467-2481.	3.6	47
93	Role of neurotoxins and traumatic brain injury in α -synuclein protein misfolding and aggregation. <i>Brain Research Bulletin</i> , 2017, 133, 60-70.	3.0	47
94	Manganese Upregulates Cellular Prion Protein and Contributes to Altered Stabilization and Proteolysis: Relevance to Role of Metals in Pathogenesis of Prion Disease. <i>Toxicological Sciences</i> , 2010, 115, 535-546.	3.1	46
95	Exosomes in Toxicology: Relevance to Chemical Exposure and Pathogenesis of Environmentally Linked Diseases. <i>Toxicological Sciences</i> , 2017, 158, 3-13.	3.1	46
96	Chronic Low-Dose Oxidative Stress Induces Caspase-3-Dependent PKC δ Proteolytic Activation and Apoptosis in a Cell Culture Model of Dopaminergic Neurodegeneration. <i>Annals of the New York Academy of Sciences</i> , 2008, 1139, 197-205.	3.8	45
97	A novel mitochondrially-targeted apocynin derivative prevents hyposmia and loss of motor function in the leucine-rich repeat kinase 2 (LRRK2R1441G) transgenic mouse model of Parkinson's disease. <i>Neuroscience Letters</i> , 2014, 583, 159-164.	2.1	45
98	Experimental Transmission of the Chronic Wasting Disease Agent to Swine after Oral or Intracranial Inoculation. <i>Journal of Virology</i> , 2017, 91, .	3.4	43
99	Novel cell death signaling pathways in neurotoxicity models of dopaminergic degeneration: Relevance to oxidative stress and neuroinflammation in Parkinson's disease. <i>NeuroToxicology</i> , 2010, 31, 555-561.	3.0	41
100	Accelerated accumulation of retinal α -synuclein (pSer129) and tau, neuroinflammation, and autophagic dysregulation in a seeded mouse model of Parkinson's disease. <i>Neurobiology of Disease</i> , 2019, 121, 1-16.	4.4	41
101	Vanadium exposure induces olfactory dysfunction in an animal model of metal neurotoxicity. <i>NeuroToxicology</i> , 2014, 43, 73-81.	3.0	40
102	Manganese exposure exacerbates progressive motor deficits and neurodegeneration in the MitoPark mouse model of Parkinson's disease: Relevance to gene and environment interactions in metal neurotoxicity. <i>NeuroToxicology</i> , 2018, 64, 240-255.	3.0	38
103	Transcriptional Regulation of Pro-apoptotic Protein Kinase C δ . <i>Journal of Biological Chemistry</i> , 2011, 286, 19840-19859.	3.4	37
104	Neuroprotective Effect of Resveratrol Against Methamphetamine-Induced Dopaminergic Apoptotic Cell Death in a Cell Culture Model of Neurotoxicity. <i>Current Neuropharmacology</i> , 2011, 9, 49-53.	2.9	37
105	Cholecystokinin and Alzheimer's disease: a biomarker of metabolic function, neural integrity, and cognitive performance. <i>Neurobiology of Aging</i> , 2019, 76, 201-207.	3.1	37
106	Opposing roles of prion protein in oxidative stress- and ER stress-induced apoptotic signaling. <i>Free Radical Biology and Medicine</i> , 2008, 45, 1530-1541.	2.9	36
107	PKC δ inhibition enhances tyrosine hydroxylase phosphorylation in mice after methamphetamine treatment. <i>Neurochemistry International</i> , 2011, 59, 39-50.	3.8	36
108	Temporal Resolution of Misfolded Prion Protein Transport, Accumulation, Glial Activation, and Neuronal Death in the Retinas of Mice Inoculated with Scrapie. <i>American Journal of Pathology</i> , 2016, 186, 2302-2309.	3.8	36

#	ARTICLE	IF	CITATIONS
109	Environmental neurotoxic pesticide dieldrin activates a non receptor tyrosine kinase to promote pkc δ -mediated dopaminergic apoptosis in a dopaminergic neuronal cell model. <i>NeuroToxicology</i> , 2011, 32, 567-577.	3.0	35
110	Diapocynin prevents early Parkinson's disease symptoms in the leucine-rich repeat kinase 2 (LRRK2R1441G) transgenic mouse. <i>Neuroscience Letters</i> , 2013, 549, 57-62.	2.1	35
111	Reactive oxygen species generated by cyanide mediate toxicity in rat pheochromocytoma cells. <i>Toxicology Letters</i> , 1997, 93, 47-54.	0.8	34
112	Proteolytic Activation of Proapoptotic Kinase PKC δ Is Regulated by Overexpression of Bcl-2. <i>Annals of the New York Academy of Sciences</i> , 2003, 1010, 683-686.	3.8	34
113	Mechanistic Interplay Between Autophagy and Apoptotic Signaling in Endosulfan-Induced Dopaminergic Neurotoxicity: Relevance to the Adverse Outcome Pathway in Pesticide Neurotoxicity. <i>Toxicological Sciences</i> , 2019, 169, 333-352.	3.1	34
114	Loss of the dystonia gene <i>Thap1</i> leads to transcriptional deficits that converge on common pathogenic pathways in dystonic syndromes. <i>Human Molecular Genetics</i> , 2019, 28, 1343-1356.	2.9	33
115	Role of protein kinase C in metabolic regulation of the cardiac Na ⁺ channel. <i>Heart Rhythm</i> , 2017, 14, 440-447.	0.7	32
116	Curcumin enhances paraquat-induced apoptosis of N27 mesencephalic cells via the generation of reactive oxygen species. <i>NeuroToxicology</i> , 2009, 30, 1008-1018.	3.0	30
117	Characterizing a mouse model for evaluation of countermeasures against hydrogen sulfide-induced neurotoxicity and neurological sequelae. <i>Annals of the New York Academy of Sciences</i> , 2017, 1400, 46-64.	3.8	30
118	HMGB1-RAGE Signaling Plays a Role in Organic Dust-Induced Microglial Activation and Neuroinflammation. <i>Toxicological Sciences</i> , 2019, 169, 579-592.	3.1	30
119	Activation of Protein Kinase C by Trimethyltin: Relevance to Neurotoxicity. <i>Journal of Neurochemistry</i> , 1995, 65, 2338-2343.	3.9	29
120	MitoPark transgenic mouse model recapitulates the gastrointestinal dysfunction and gut-microbiome changes of Parkinson's disease. <i>NeuroToxicology</i> , 2019, 75, 186-199.	3.0	29
121	Calcium mediation of cyanide-induced catecholamine release: Implications for neurotoxicity. <i>Toxicology and Applied Pharmacology</i> , 1991, 110, 275-282.	2.8	28
122	Mixed Lineage Kinase-c-Jun N-Terminal Kinase Axis: A Potential Therapeutic Target in Cancer. <i>Genes and Cancer</i> , 2013, 4, 334-341.	1.9	28
123	Environmental neurotoxicant-induced dopaminergic neurodegeneration: a potential link to impaired neuroinflammatory mechanisms. , 2019, 197, 61-82.		28
124	Protein kinase D1 (PKD1) activation mediates a compensatory protective response during early stages of oxidative stress-induced neuronal degeneration. <i>Molecular Neurodegeneration</i> , 2011, 6, 43.	10.8	27
125	Lasting Retinal Injury in a Mouse Model of Blast-Induced Trauma. <i>American Journal of Pathology</i> , 2017, 187, 1459-1472.	3.8	27
126	Effect of divalent metals on the neuronal proteasomal system, prion protein ubiquitination and aggregation. <i>Toxicology Letters</i> , 2012, 214, 288-295.	0.8	26

#	ARTICLE	IF	CITATIONS
127	Role of proteolytic activation of protein kinase C δ in the pathogenesis of prion disease. <i>Prion</i> , 2014, 8, 143-153.	1.8	26
128	Antagonism of cyanide toxicity by isosorbide dinitrate: possible role of nitric oxide. <i>Toxicology</i> , 1995, 104, 105-111.	4.2	25
129	Mitochondrial accumulation of polyubiquitinated proteins and differential regulation of apoptosis by polyubiquitination sites Lys48 and 63. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 1632-1643.	3.6	25
130	EGCG Protects against 6-OHDA-Induced Neurotoxicity in a Cell Culture Model. <i>Parkinson's Disease</i> , 2015, 2015, 1-10.	1.1	25
131	Integrated Organotypic Slice Cultures and RT-QulC (OSCAR) Assay: Implications for Translational Discovery in Protein Misfolding Diseases. <i>Scientific Reports</i> , 2017, 7, 43155.	3.3	25
132	Characterization and comparative analysis of a new mouse microglial cell model for studying neuroinflammatory mechanisms during neurotoxic insults. <i>NeuroToxicology</i> , 2018, 67, 129-140.	3.0	25
133	Accumulation of Labeled Cyanide in Neuronal Tissue. <i>Toxicology and Applied Pharmacology</i> , 1994, 129, 80-85.	2.8	24
134	Attenuation of 3,4-methylenedioxymethamphetamine (MDMA) induced neurotoxicity with the serotonin precursors tryptophan and 5-hydroxytryptophan. <i>Life Sciences</i> , 1994, 55, 1193-1198.	4.3	24
135	Blockade of PKC δ Proteolytic Activation by Loss of Function Mutants Rescues Mesencephalic Dopaminergic Neurons from Methylcyclopentadienyl Manganese Tricarbonyl (MMT)-Induced Apoptotic Cell Death. <i>Annals of the New York Academy of Sciences</i> , 2004, 1035, 271-289.	3.8	24
136	Phytic Acid Protects against 6-Hydroxydopamine-Induced Dopaminergic Neuron Apoptosis in Normal and Iron Excess Conditions in a Cell Culture Model. <i>Parkinson's Disease</i> , 2011, 2011, 1-6.	1.1	24
137	Molecular cloning, epigenetic regulation, and functional characterization of <i>Prkd1</i> gene promoter in dopaminergic cell culture models of Parkinson's disease. <i>Journal of Neurochemistry</i> , 2015, 135, 402-415.	3.9	24
138	Stereoselective LSD-like Activity in a Series of d-Lysergic Acid Amides of (R)- and (S)-2-Aminoalkanes. <i>Journal of Medicinal Chemistry</i> , 1995, 38, 958-966.	6.4	23
139	Neuroprotective effects of the strychnine-insensitive glycine site NMDA antagonist (R)-HA-966 in an experimental model of Parkinson's disease. <i>Brain Research</i> , 1997, 759, 1-8.	2.2	23
140	Transcranial magnetic stimulation of mouse brain using high-resolution anatomical models. <i>Journal of Applied Physics</i> , 2014, 115, .	2.5	23
141	Excitoprotective effect of felbamate in cultured cortical neurons. <i>Brain Research</i> , 1995, 705, 97-104.	2.2	22
142	Synthesis and Serotonin Receptor Affinities of a Series of trans-2-(Indol-3-yl)cyclopropylamine Derivatives. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 4995-5001.	6.4	22
143	Protein Kinase D1 (PKD1) Phosphorylation Promotes Dopaminergic Neuronal Survival during 6-OHDA-Induced Oxidative Stress. <i>PLoS ONE</i> , 2014, 9, e96947.	2.5	22
144	Identification of chronic brain protein changes and protein targets of serum auto-antibodies after blast-mediated traumatic brain injury. <i>Heliyon</i> , 2020, 6, e03374.	3.2	21

#	ARTICLE	IF	CITATIONS
145	Novel NMDA/glycine site antagonists attenuate cocaine-induced behavioral toxicity. <i>European Journal of Pharmacology</i> , 1997, 338, 233-242.	3.5	20
146	Quercetin. , 2016, , 447-452.		20
147	Ante-mortem detection of chronic wasting disease in recto-anal mucosa-associated lymphoid tissues from elk (<i>Cervus elaphus nelsoni</i>) using real-time quaking-induced conversion (RT-QuIC) assay: A blinded collaborative study. <i>Prion</i> , 2017, 11, 415-430.	1.8	20
148	Enhanced differentiation of human dopaminergic neuronal cell model for preclinical translational research in Parkinson's disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020, 1866, 165533.	3.8	20
149	Animal model of posthypoxic myoclonus: II. Neurochemical, pathologic, and pharmacologic characterization. <i>Movement Disorders</i> , 2000, 15, 31-38.	3.9	19
150	p73 gene in dopaminergic neurons is highly susceptible to manganese neurotoxicity. <i>NeuroToxicology</i> , 2017, 59, 231-239.	3.0	19
151	Rapid and Refined CD11b Magnetic Isolation of Primary Microglia with Enhanced Purity and Versatility. <i>Journal of Visualized Experiments</i> , 2017, , .	0.3	19
152	Cobinamide is effective for treatment of hydrogen sulfide-induced neurological sequelae in a mouse model. <i>Annals of the New York Academy of Sciences</i> , 2017, 1408, 61-78.	3.8	19
153	Biodegradable polyanhydride-based nanomedicines for blood to brain drug delivery. <i>Journal of Biomedical Materials Research - Part A</i> , 2018, 106, 2881-2890.	4.0	19
154	Emerging Roles of N6-Methyladenosine (m6A) Epitranscriptomics in Toxicology. <i>Toxicological Sciences</i> , 2021, 181, 13-22.	3.1	19
155	Does Nitric Oxide Synthase Contribute to the Pathogenesis of Alzheimer's Disease?. <i>Annals of the New York Academy of Sciences</i> , 2003, 1010, 639-642.	3.8	18
156	Hepcidin Plays a Key Role in 6-OHDA Induced Iron Overload and Apoptotic Cell Death in a Cell Culture Model of Parkinson's Disease. <i>Parkinson's Disease</i> , 2016, 2016, 1-7.	1.1	18
157	Infectious prion protein alters manganese transport and neurotoxicity in a cell culture model of prion disease. <i>NeuroToxicology</i> , 2011, 32, 554-562.	3.0	17
158	Exosomes as Mediators of Chemical-Induced Toxicity. <i>Current Environmental Health Reports</i> , 2019, 6, 73-79.	6.7	17
159	Mechanistic Insights Into Gut Microbiome Dysbiosis-Mediated Neuroimmune Dysregulation and Protein Misfolding and Clearance in the Pathogenesis of Chronic Neurodegenerative Disorders. <i>Frontiers in Neuroscience</i> , 2022, 16, 836605.	2.8	17
160	Antimyoclonic effect of gabapentin in a posthypoxic animal model of myoclonus. <i>European Journal of Pharmacology</i> , 1996, 297, 219-224.	3.5	16
161	Utilization of the CRISPR-Cas9 Gene Editing System to Dissect Neuroinflammatory and Neuropathological Mechanisms in Parkinson's Disease. <i>Journal of Neuroimmune Pharmacology</i> , 2019, 14, 595-607.	4.1	16
162	Tumor Necrosis Factor-Like Weak Inducer of Apoptosis (TWEAK) Enhances Activation of STAT3/NLRC4 Inflammasome Signaling Axis through PKC δ in Astrocytes: Implications for Parkinson's Disease. <i>Cells</i> , 2020, 9, 1831.	4.1	16

#	ARTICLE	IF	CITATIONS
163	Inhibition of potassium-stimulated dopamine release by the nitric oxide generator isosorbide dinitrate. <i>Neuropharmacology</i> , 1995, 34, 205-210.	4.1	15
164	Plasma membrane hyperpolarization by cyanide in chromaffin cells: role of potassium channels. <i>Archives of Toxicology</i> , 1994, 68, 370-374.	4.2	14
165	Subchronic administration of N-[2-(3,4-dichlorophenyl)ethyl]-N-methyl-2-(dimethylamino)ethylamine (BD1047) alters β_1 receptor binding. <i>European Journal of Pharmacology</i> , 1997, 324, 39-47.	3.5	14
166	PKC Delta Activation Promotes Endoplasmic Reticulum Stress (ERS) and NLR Family Pyrin Domain-Containing 3 (NLRP3) Inflammasome Activation Subsequent to Asynuclein-Induced Microglial Activation: Involvement of Thioredoxin-Interacting Protein (TXNIP)/Thioredoxin (Trx) Redoxisome Pathway. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 661505.	3.4	14
167	Mitochondrial dysfunction-induced H3K27 hyperacetylation perturbs enhancers in Parkinson's disease. <i>JCI Insight</i> , 2021, 6, .	5.0	14
168	Neurotoxicity of Vanadium. <i>Advances in Neurobiology</i> , 2017, 18, 287-301.	1.8	13
169	Peripheral versus Central Index of Metabolic Dysfunction and Associations with Clinical and Pathological Outcomes in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1313-1324.	2.6	13
170	Is Cerebrospinal Fluid Superoxide Dismutase 1 a Biomarker of Tau But Not Amyloid-Induced Neurodegeneration in Alzheimer's Disease?. <i>Antioxidants and Redox Signaling</i> , 2019, 31, 572-578.	5.4	13
171	Role of intracellular Cd ²⁺ in catecholamine release and lethality in PC12 cells. <i>Toxicology Letters</i> , 1995, 81, 151-157.	0.8	12
172	Prokineticin signaling in heart-brain developmental axis: Therapeutic options for heart and brain injuries. <i>Pharmacological Research</i> , 2020, 160, 105190.	7.1	12
173	Chronic Manganese Exposure and the Enteric Nervous System: An <i>in Vitro</i> and Mouse <i>in Vivo</i> Study. <i>Environmental Health Perspectives</i> , 2021, 129, 87005.	6.0	12
174	Fluid and Tissue Biomarkers of Lewy Body Dementia: Report of an LBDA Symposium. <i>Frontiers in Neurology</i> , 2021, 12, 805135.	2.4	12
175	Fyn kinase mediates pro-inflammatory response in a mouse model of endotoxemia: Relevance to translational research. <i>European Journal of Pharmacology</i> , 2020, 881, 173259.	3.5	11
176	An Ex Vivo Brain Slice Culture Model of Chronic Wasting Disease: Implications for Disease Pathogenesis and Therapeutic Development. <i>Scientific Reports</i> , 2020, 10, 7640.	3.3	11
177	Characterization of nonmotor behavioral impairments and their neurochemical mechanisms in the MitoPark mouse model of progressive neurodegeneration in Parkinson's disease. <i>Experimental Neurology</i> , 2021, 341, 113716.	4.1	11
178	Fyn amplifies NLRP3 inflammasome signaling in Parkinson's disease. <i>Aging</i> , 2019, 11, 5871-5873.	3.1	11
179	Environmental neurotoxic pesticide exposure induces gut inflammation and enteric neuronal degeneration by impairing enteric glial mitochondrial function in pesticide models of Parkinson's disease: Potential relevance to gut-brain axis inflammation in Parkinson's disease pathogenesis. <i>International Journal of Biochemistry and Cell Biology</i> , 2022, 147, 106225.	2.8	11
180	Epigallocatechin Gallate Protects against TNF α - or H ₂ O ₂ - Induced Apoptosis by Modulating Iron Related Proteins in a Cell Culture Model. <i>International Journal for Vitamin and Nutrition Research</i> , 2018, 88, 158-165.	1.5	10

#	ARTICLE	IF	CITATIONS
181	Posthypoxic myoclonus animal models. <i>Advances in Neurology</i> , 2002, 89, 295-306.	0.8	10
182	<i>Clostridioides difficile</i> Infection Dysregulates Brain Dopamine Metabolism. <i>Microbiology Spectrum</i> , 2022, 10, e0007322.	3.0	10
183	Functionalized polyanhydride nanoparticles for improved treatment of mitochondrial dysfunction. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2022, 110, 450-459.	3.4	9
184	Targeted Toxicants to Dopaminergic Neuronal Cell Death. <i>Methods in Molecular Biology</i> , 2015, 1254, 239-252.	0.9	7
185	Enzyme Immunoassay-Based Platform for Accurate Detection of Serum Pathological Î±-Synuclein in Parkinson's Disease Patients. <i>ACS Chemical Neuroscience</i> , 2020, 11, 4179-4190.	3.5	6
186	Neuroprotective Effect of Green Tea Polyphenol, EGCG in Animal Model of Parkinson's Disease. <i>FASEB Journal</i> , 2008, 22, 677-677.	0.5	6
187	Organic dust-induced mitochondrial dysfunction could be targeted via cGAS-STING or cytoplasmic NOX-2 inhibition using microglial cells and brain slice culture models. <i>Cell and Tissue Research</i> , 2021, 384, 465-486.	2.9	5
188	<i>In vitro</i> amplification of scrapie and chronic wasting disease PrP ^{res} using baculovirus-expressed recombinant PrP as substrate. <i>Prion</i> , 2014, 8, 393-403.	1.8	4
189	Differential arousal regulation by prokineticin 2 signaling in the nocturnal mouse and the diurnal monkey. <i>Molecular Brain</i> , 2016, 9, 78.	2.6	4
190	Transcranial magnetic stimulation promotes the proliferation of dopaminergic neuronal cells in vitro. <i>AIP Advances</i> , 2018, 8, .	1.3	4
191	Fyn Kinase-Mediated PKCÎ³ Y311 Phosphorylation Induces Dopaminergic Degeneration in Cell Culture and Animal Models: Implications for the Identification of a New Pharmacological Target for Parkinson's Disease. <i>Frontiers in Pharmacology</i> , 2021, 12, 631375.	3.5	4
192	Antimyoclonic and neuroprotective effects of lamotrigine in an animal model of cardiac arrest. <i>Restorative Neurology and Neuroscience</i> , 1999, 15, 45-56.	0.7	4
193	Chronic Traumatic Encephalopathy. , 2017, , 599-620.		3
194	The role of manganese in neuroinflammation. <i>Advances in Neurotoxicology</i> , 2019, 3, 121-131.	1.9	3
195	Phytic Acid Protects Against 6-OHDA and Iron Induced Apoptosis in Cell Culture Model of Parkinson's Disease. <i>FASEB Journal</i> , 2006, 20, A192.	0.5	3
196	Emerging Microbiome Genetic Engineering Technology for Stable Levodopa Delivery in Parkinson's Disease. <i>FASEB Journal</i> , 2022, 36, .	0.5	3
197	Measurement of Proteasomal Dysfunction in Cell Models of Dopaminergic Degeneration. <i>Methods in Molecular Biology</i> , 2011, 758, 293-305.	0.9	2
198	Characterization of Astrocytic Response after Experiencing Cavitation In Vitro. <i>Global Challenges</i> , 2020, 4, 1900014.	3.6	2

#	ARTICLE	IF	CITATIONS
199	Organic dust exposure induces stress response and mitochondrial dysfunction in monocytic cells. <i>Histochemistry and Cell Biology</i> , 2021, 155, 699-718.	1.7	2
200	Nanotechnology-mediated therapeutic strategies against synucleinopathies in neurodegenerative disease. <i>Current Opinion in Chemical Engineering</i> , 2021, 31, 100673.	7.8	2
201	Interleukin-6 and lactate dehydrogenase expression in a novel <i>ex vivo</i> rocking model of equine corneal epithelial wound healing. <i>Veterinary Ophthalmology</i> , 2021, 24, 509-519.	1.0	2
202	Mitoapocynin Attenuates Organic Dust Exposure-Induced Neuroinflammation and Sensory-Motor Deficits in a Mouse Model. <i>Frontiers in Cellular Neuroscience</i> , 2022, 16, 817046.	3.7	2
203	Disruption of intracellular signaling. , 2020, , 81-96.		1
204	Novel NOX2 inhibitor Mito-Apocynin Protects Against LPS-Induced Endotoxemia Pre-Clinical Animal Model. <i>FASEB Journal</i> , 2019, 33, lb39.	0.5	1
205	Animal models of Parkinson's disease. , 0, , 411-437.		0
206	Neuroprotective and Neurotoxic Properties of α -Synuclein in Cell Culture Models of Dopaminergic Degeneration. , 2008, , 475-490.		0
207	Cell signaling mechanisms in developmental neurotoxicity. , 2011, , 835-845.		0
208	Biomarkers of Parkinson's disease. , 2014, , 817-831.		0
209	Agrochemicals-Induced Dopaminergic Neurotoxicity: Role of Mitochondria-Mediated Oxidative Stress and Protein Clearance Mechanisms. <i>Current Topics in Neurotoxicity</i> , 2015, , 171-204.	0.4	0
210	Ultra-sensitive detection of pathological α -synuclein in human tissues and biofluids using the RT-QuIC Assay: Relevance to development of circulating and peripheral biomarkers for diagnosing α -synucleinopathies and other protein misfolding diseases. <i>FASEB Journal</i> , 2019, 33, lb88.	0.5	0
211	Mitochondrial Impairment Upregulates MICOS Expression in a Human Microglial Cell Model. <i>FASEB Journal</i> , 2019, 33, lb19.	0.5	0
212	The Role of ZBP1 in the Neuroinflammatory Response in Glia Cell Models of Parkinson's Disease. <i>FASEB Journal</i> , 2019, 33, lb16.	0.5	0