

# Bruno O Villoutreix

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5485759/publications.pdf>

Version: 2024-02-01

221  
papers

9,172  
citations

36271

51  
h-index

58549

82  
g-index

239  
all docs

239  
docs citations

239  
times ranked

10334  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Kinase signaling as a drug target modality for regulation of vascular hyperpermeability: A case for ARDS therapy development. <i>Drug Discovery Today</i> , 2022, , .   | 3.2 | 0         |
| 2  | Machine learning-driven identification of drugs inhibiting cytochrome P450 2C9. <i>PLoS Computational Biology</i> , 2022, 18, e1009820.   | 1.5 | 11        |
| 3  | Dominant negative mutation in oxalate transporter<i>SLC26A6</i> associated with enteric hyperoxaluria and nephrolithiasis. <i>Journal of Medical Genetics</i> , 2022, 59, 1035-1043.  | 1.5 | 7         |
| 4  | Novel treatment strategy for NRAS-mutated melanoma through a selective inhibitor of CD147/VEGFR-2 interaction. <i>Oncogene</i> , 2022, 41, 2254-2264.   | 2.6 | 5         |
| 5  | A new ChEMBL dataset for the similarity-based target fishing engine FastTargetPred: Annotation of an exhaustive list of linear tetrapeptides. <i>Data in Brief</i> , 2022, 42, 108159.  | 0.5 | 2         |
| 6  | Furin and COVID-19: Structure, Function and Chemoinformatic Analysis of Representative Active Site Inhibitors. <i>Frontiers in Drug Discovery</i> , 2022, 2, .  | 1.1 | 7         |
| 7  | The first laminin G-like domain of protein S is essential for binding and activation of Tyro3 receptor and intracellular signalling. <i>Biochemistry and Biophysics Reports</i> , 2022, 30, 101263.                                       | 0.7 | 0         |
| 8  | Virtual screening web servers: designing chemical probes and drug candidates in the cyberspace. <i>Briefings in Bioinformatics</i> , 2021, 22, 1790-1818.   | 3.2 | 81        |
| 9  | Resources and computational strategies to advance small molecule SARS-CoV-2 discovery: Lessons from the pandemic and preparing for future health crises. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 2537-2548. | 1.9 | 18        |
| 10 | In Silico Investigation of the New UK (B.1.1.7) and South African (501Y.V2) SARS-CoV-2 Variants with a Focus at the ACE2â€“Spike RBD Interface. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1695.                      | 1.8 | 72        |
| 11 | Antihistamine and cationic amphiphilic drugs, old molecules as new tools against the COVID-19?. <i>Medical Hypotheses</i> , 2021, 148, 110508.  | 0.8 | 9         |
| 12 | Chemoinformatic Analysis of Psychotropic and Antihistaminic Drugs in the Light of Experimental Anti-SARS-CoV-2 Activities. <i>Advances and Applications in Bioinformatics and Chemistry</i> , 2021, Volume 14, 71-85.                     | 1.6 | 12        |
| 13 | Role of Gly197 in the structure and function of protein C. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2021, 1865, 129892.  | 1.1 | 1         |
| 14 | Antithrombin Resistance Rescues Clotting Defect of Homozygous Prothrombin-Y510N Dysprothrombinemia. <i>Thrombosis and Haemostasis</i> , 2021, , .   | 1.8 | 0         |
| 15 | PAK1-Dependent Antitumor Effect of AAC-11â€™Derived Peptides on SÃ©zary Syndrome Malignant CD4+ T Lymphocytes. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2261-2271.e5.   | 0.3 | 3         |
| 16 | Computational Analysis of Chemical Space of Natural Compounds Interacting with Sulfotransferases. <i>Molecules</i> , 2021, 26, 6360.  | 1.7 | 3         |
| 17 | Anti-tumor effect of anti-apoptosis clone 11 protein-derived peptides on SÃ©zary syndrome malignant CD4+ T lymphocytes. <i>European Journal of Cancer</i> , 2021, 156, S14.   | 1.3 | 0         |
| 18 | Demystifying the Molecular Basis of Pyrazoloquinolinones Recognition at the Extracellular Î±1+Î²3-Interface of the GABA <sub>A</sub> Receptor by Molecular Modeling. <i>Frontiers in Pharmacology</i> , 2020, 11, 561834.                 | 1.6 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Fast Rescoring Protocols to Improve the Performance of Structure-Based Virtual Screening Performed on Protein-Protein Interfaces. <i>Journal of Chemical Information and Modeling</i> , 2020, 60, 3910-3934.                      | 2.5 | 14        |
| 20 | Structure-based drug repositioning over the human TMPRSS2 protease domain: search for chemical probes able to repress SARS-CoV-2 Spike protein cleavages. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 153, 105495. | 1.9 | 40        |
| 21 | Ile73Asn mutation in protein C introduces a new N-linked glycosylation site on the first EGF-domain of protein C and causes thrombosis. <i>Haematologica</i> , 2020, 105, 1712-1722.  | 1.7 | 8         |
| 22 | Anti-Factor B Antibodies and Acute Postinfectious GN in Children. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 829-840.   | 3.0 | 50        |
| 23 | FastTargetPred: a program enabling the fast prediction of putative protein targets for input chemical databases. <i>Bioinformatics</i> , 2020, 36, 4225-4226.   | 1.8 | 5         |
| 24 | Gly197Arg mutation in protein C causes recurrent thrombosis in a heterozygous carrier. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 1141-1153.  | 1.9 | 5         |
| 25 | Prevention of COVID-19 by drug repurposing: rationale from drugs prescribed for mental disorders. <i>Drug Discovery Today</i> , 2020, 25, 1287-1290.  | 3.2 | 26        |
| 26 | Thr90Ser Mutation in Antithrombin is Associated with Recurrent Thrombosis in a Heterozygous Carrier. <i>Thrombosis and Haemostasis</i> , 2020, 120, 1045-1055.  | 1.8 | 5         |
| 27 | Analysis of protein missense alterations by combining sequence- and structure-based methods. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2020, 8, e1166.   | 0.6 | 25        |
| 28 | Fr-PPICChem: An Academic Compound Library Dedicated to Protein-Protein Interactions. <i>ACS Chemical Biology</i> , 2020, 15, 1566-1574.   | 1.6 | 29        |
| 29 | ELA/APELA precursor cleaved by furin displays tumor suppressor function in renal cell carcinoma through mTORC1 activation. <i>JCI Insight</i> , 2020, 5, .  | 2.3 | 25        |
| 30 | Rigorous sampling of docking poses unveils binding hypothesis for the halogenated ligands of L-type Amino acid Transporter 1 (LAT1). <i>Scientific Reports</i> , 2019, 9, 15061.  | 1.6 | 23        |
| 31 | A Free Web-Based Protocol to Assist Structure-Based Virtual Screening Experiments. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4648.   | 1.8 | 16        |
| 32 | Analysis of solvent-exposed and buried co-crystallized ligands: a case study to support the design of novel protein-protein interaction inhibitors. <i>Drug Discovery Today</i> , 2019, 24, 551-559.                              | 3.2 | 20        |
| 33 | Breast Cancer Targeting through Inhibition of the Endoplasmic Reticulum-Based Apoptosis Regulator Nrh/BCL2L10. <i>Cancer Research</i> , 2018, 78, 1404-1417.  | 0.4 | 34        |
| 34 | Expression and functional characterization of two natural heparin-binding site variants of antithrombin. <i>Journal of Thrombosis and Haemostasis</i> , 2018, 16, 330-341.  | 1.9 | 7         |
| 35 | Insights into molecular mechanisms of drug metabolism dysfunction of human CYP2C9*30. <i>PLoS ONE</i> , 2018, 13, e0197249.   | 1.1 | 24        |
| 36 | Online structure-based screening of purchasable approved drugs and natural compounds: retrospective examples of drug repositioning on cancer targets. <i>Oncotarget</i> , 2018, 9, 32346-32361.                                   | 0.8 | 25        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Acute genetic ablation of pendrin lowers blood pressure in mice. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw393.  | 0.4 | 31        |
| 38 | Computational Biology and Chemistry in MTi: Emphasis on the Prediction of Some ADMET Properties. <i>Molecular Informatics</i> , 2017, 36, 1700008.   | 1.4 | 3         |
| 39 | Computational analysis of calculated physicochemical and ADMET properties of protein-protein interaction inhibitors. <i>Scientific Reports</i> , 2017, 7, 46277.   | 1.6 | 128       |
| 40 | FAF-Drugs4: free ADME-tox filtering computations for chemical biology and early stages drug discovery. <i>Bioinformatics</i> , 2017, 33, 3658-3660.  | 1.8 | 230       |
| 41 | In silico model of the human ClC-Kb chloride channel: pore mapping, biostructural pathology and drug screening. <i>Scientific Reports</i> , 2017, 7, 7249.   | 1.6 | 15        |
| 42 | Identification of insulin-sensitizing molecules acting by disrupting the interaction between the Insulin Receptor and Grb14. <i>Scientific Reports</i> , 2017, 7, 16901.   | 1.6 | 4         |
| 43 | AMMOS2: a web server for protein-ligand-water complexes refinement via molecular mechanics. <i>Nucleic Acids Research</i> , 2017, 45, W350-W355.   | 6.5 | 24        |
| 44 | Pan-assay interference compounds (PAINS) that may not be too painful for chemical biology projects. <i>Drug Discovery Today</i> , 2017, 22, 1131-1133.   | 3.2 | 26        |
| 45 | Pharmacogenomics of the cytochrome P450 2C family: impacts of amino acid variations on drug metabolism. <i>Drug Discovery Today</i> , 2017, 22, 366-376.   | 3.2 | 58        |
| 46 | Gly74Ser mutation in protein C causes thrombosis due to a defect in protein S-dependent anticoagulant function. <i>Thrombosis and Haemostasis</i> , 2017, 117, 1358-1369.  | 1.8 | 8         |
| 47 | Blockade of the malignant phenotype by $\beta$ -subunit selective noncovalent inhibition of immuno- and constitutive proteasomes. <i>Oncotarget</i> , 2017, 8, 10437-10449.                                      | 0.8 | 13        |
| 48 | A Cell-Penetrating Peptide Targeting AAC-11 Specifically Induces Cancer Cells Death. <i>Cancer Research</i> , 2016, 76, 5479-5490.   | 0.4 | 51        |
| 49 | Discoidin Domains as Emerging Therapeutic Targets. <i>Trends in Pharmacological Sciences</i> , 2016, 37, 641-659.  | 4.0 | 21        |
| 50 | Combining bioinformatics, chemoinformatics and experimental approaches to design chemical probes: Applications in the field of blood coagulation. <i>Annales Pharmaceutiques Francaises</i> , 2016, 74, 253-266. | 0.4 | 2         |
| 51 | iPPI-DB: an online database of modulators of protein-protein interactions. <i>Nucleic Acids Research</i> , 2016, 44, D542-D547.  | 6.5 | 49        |
| 52 | An exploration of the 3D chemical space has highlighted a specific shape profile for the compounds intended to inhibit protein-protein interactions. <i>BMC Bioinformatics</i> , 2015, 16, A5.                   | 1.2 | 3         |
| 53 | In Silico Approaches Assisting the Rational Design of Low Molecular Weight Protein-Protein Interaction Modulators. , 2015, , 441-482.  |     | 0         |
| 54 | Amino acid residues in the laminin G domains of protein S involved in tissue factor pathway inhibitor interaction. <i>Thrombosis and Haemostasis</i> , 2015, 113, 976-987.                                       | 1.8 | 12        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Genetic polymorphisms associated with increased risk of developing chronic myelogenous leukemia. <i>Oncotarget</i> , 2015, 6, 36269-36277.  | 0.8  | 27        |
| 56 | FAF-Drugs3: a web server for compound property calculation and chemical library design. <i>Nucleic Acids Research</i> , 2015, 43, W200-W207.  | 6.5  | 237       |
| 57 | <i>Theileria</i> parasites secrete a prolyl isomerase to maintain host leukocyte transformation. <i>Nature</i> , 2015, 520, 378-382.  | 13.7 | 100       |
| 58 | DNA damage-induced nuclear translocation of Apaf-1 is mediated by nucleoporin Nup107. <i>Cell Cycle</i> , 2015, 14, 1242-1251.  | 1.3  | 26        |
| 59 | Functional characterization of two novel non-synonymous alterations in CD46 and a Q950H change in factor H found in atypical hemolytic uremic syndrome patients. <i>Molecular Immunology</i> , 2015, 65, 367-376.                           | 1.0  | 24        |
| 60 | In silico design of low molecular weight protein-protein interaction inhibitors: Overall concept and recent advances. <i>Progress in Biophysics and Molecular Biology</i> , 2015, 119, 20-32.   | 1.4  | 56        |
| 61 | Strategies in the Search for New Lead Compounds or Original Working Hypotheses. , 2015, , 73-99.  |      | 15        |
| 62 | Application Strategies for the Primary Structure-Activity Relationship Exploration. , 2015, , 301-318.  |      | 2         |
| 63 | MTiOpenScreen: a web server for structure-based virtual screening. <i>Nucleic Acids Research</i> , 2015, 43, W448-W454.   | 6.5  | 159       |
| 64 | Computational investigations of hERG channel blockers: New insights and current predictive models. <i>Advanced Drug Delivery Reviews</i> , 2015, 86, 72-82.   | 6.6  | 82        |
| 65 | Therapeutic Targeting of Nuclear $\beta$ -Tubulin in RB1-Negative Tumors. <i>Molecular Cancer Research</i> , 2015, 13, 1073-1082.   | 1.5  | 13        |
| 66 | Integrated structure- and ligand-based in silico approach to predict inhibition of cytochrome P450 2D6. <i>Bioinformatics</i> , 2015, 31, 3930-3937.  | 1.8  | 27        |
| 67 | Drug-Like Protein-Protein Interaction Modulators: Challenges and Opportunities for Drug Discovery and Chemical Biology. <i>Molecular Informatics</i> , 2014, 33, 414-437.   | 1.4  | 93        |
| 68 | EFFICIENCY OF A HIERARCHICAL DOCKING PROTOCOL FOR COMPUTATIONAL LIGAND SCREENING AGAINST HOMOLOGY MODELS. <i>Biomedical Engineering - Applications, Basis and Communications</i> , 2014, 26, 1450024.                                       | 0.3  | 1         |
| 69 | Which Three-Dimensional Characteristics Make Efficient Inhibitors of Protein-Protein Interactions?. <i>Journal of Chemical Information and Modeling</i> , 2014, 54, 3067-3079.  | 2.5  | 38        |
| 70 | Identification of Small Inhibitory Molecules Targeting the Bfl-1 Anti-Apoptotic Protein That Alleviates Resistance to ABT-737. <i>Journal of Biomolecular Screening</i> , 2014, 19, 1035-1046.  | 2.6  | 11        |
| 71 | Ligand Efficiency Driven Design of New Inhibitors of <i>Mycobacterium tuberculosis</i> Transcriptional Repressor EthR Using Fragment Growing, Merging, and Linking Approaches. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 4876-4888. | 2.9  | 59        |
| 72 | Discovery of novel inhibitors of vascular endothelial growth factor-Neuropilin-1 interaction by structure-based virtual screening. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 4042-4048.   | 1.4  | 35        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Identification of novel small molecule inhibitors of activated protein C. <i>Thrombosis Research</i> , 2014, 133, 1105-1114.  | 0.8 | 14        |
| 74 | Rational design of small molecules targeting the C2 domain of coagulation factor VIII. <i>Blood</i> , 2014, 123, 113-120.   | 0.6 | 22        |
| 75 | 1,2,4-Triazole derivatives as transient inactivators of kallikreins involved in skin diseases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 4547-4551.   | 1.0 | 29        |
| 76 | Identification by in silico and in vitro screenings of small organic molecules acting as reversible inhibitors of kallikreins. <i>European Journal of Medicinal Chemistry</i> , 2013, 70, 661-668.                              | 2.6 | 19        |
| 77 | Aggrecanase-2 inhibitors based on the acylthiosemicarbazide zinc-binding group. <i>European Journal of Medicinal Chemistry</i> , 2013, 69, 244-261.   | 2.6 | 13        |
| 78 | iPPI-DB: a manually curated and interactive database of small non-peptide inhibitors of protein-protein interactions. <i>Drug Discovery Today</i> , 2013, 18, 958-968.  | 3.2 | 91        |
| 79 | Molecular basis of coagulation factor V deficiency caused by the R1698W inter-domain mutation. <i>Thrombosis and Haemostasis</i> , 2013, 110, 31-38.  | 1.8 | 3         |
| 80 | One hundred thousand mouse clicks down the road: selected online resources supporting drug discovery collected over a decade. <i>Drug Discovery Today</i> , 2013, 18, 1081-1089.  | 3.2 | 76        |
| 81 | Insights into an Original Pocket-Ligand Pair Classification: A Promising Tool for Ligand Profile Prediction. <i>PLoS ONE</i> , 2013, 8, e63730.   | 1.1 | 18        |
| 82 | 1,2,4-Oxadiazoles Identified by Virtual Screening and their Non-Covalent Inhibition of the Human 20S Proteasome. <i>Current Medicinal Chemistry</i> , 2013, 20, 2351-2362.  | 1.2 | 25        |
| 83 | In Silico Mechanistic Profiling to Probe Small Molecule Binding to Sulfotransferases. <i>PLoS ONE</i> , 2013, 8, e73587.  | 1.1 | 23        |
| 84 | Analysis of Binding Sites on Complement Factor I Using Artificial N-Linked Glycosylation. <i>Journal of Biological Chemistry</i> , 2012, 287, 13572-13583.  | 1.6 | 9         |
| 85 | A Leap into the Chemical Space of Protein-Protein Interaction Inhibitors. <i>Current Pharmaceutical Design</i> , 2012, 18, 4648-4667.   | 0.9 | 64        |
| 86 | Design and synthesis of novel bis-thiazolone derivatives as micromolar CDC25 phosphatase inhibitors: Effect of dimerisation on phosphatase inhibition. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 7345-7350. | 1.0 | 19        |
| 87 | In Silico Prediction of Aqueous Solubility: A Multimodel Protocol Based on Chemical Similarity. <i>Molecular Pharmaceutics</i> , 2012, 9, 3127-3135.  | 2.3 | 33        |
| 88 | Established and Emerging Trends in Computational Drug Discovery in the Structural Genomics Era. <i>Chemistry and Biology</i> , 2012, 19, 29-41.   | 6.2 | 57        |
| 89 | Toward in silico structure-based ADMET prediction in drug discovery. <i>Drug Discovery Today</i> , 2012, 17, 44-55.   | 3.2 | 220       |
| 90 | AMMOS Software: Method and Application. <i>Methods in Molecular Biology</i> , 2012, 819, 127-141.   | 0.4 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Tyrosine Kinase Syk Non-Enzymatic Inhibitors and Potential Anti-Allergic Drug-Like Compounds Discovered by Virtual and In Vitro Screening. PLoS ONE, 2011, 6, e21117.                                | 1.1 | 23        |
| 92  | Targeting the Proangiogenic VEGF-VEGFR Protein-Protein Interface with Drug-like Compounds by In Silico and In Vitro Screening. Chemistry and Biology, 2011, 18, 1631-1639.                           | 6.2 | 38        |
| 93  | Three-dimensional structure generators of drug-like compounds: DG-AMMOS, an open-source package. Expert Opinion on Drug Discovery, 2011, 6, 339-351.   | 2.5 | 9         |
| 94  | The FAF-Drugs2 server: a multistep engine to prepare electronic chemical compound collections. Bioinformatics, 2011, 27, 2018-2020.  | 1.8 | 81        |
| 95  | Chemical Libraries for Virtual Screening. , 2011, , 1-19.  |     | 1         |
| 96  | Mutations in complement factor I as found in atypical hemolytic uremic syndrome lead to either altered secretion or altered function of factor I. European Journal of Immunology, 2010, 40, 172-185. | 1.6 | 58        |
| 97  | Editorial [Hot topic: Structure-Based Virtual Screening (Guest Editor: Walter Filgueira De Azevedo) Tj ETQq1 1 0.784314 rgBT /Overlook   | 1.0 | 26        |
| 98  | Novel Organic Proteasome Inhibitors Identified by Virtual and in Vitro Screening. Journal of Medicinal Chemistry, 2010, 53, 509-513.   | 2.9 | 42        |
| 99  | How to choose relevant multiple receptor conformations for virtual screening: a test case of Cdk2 and normal mode analysis. European Biophysics Journal, 2010, 39, 1365-1372.                        | 1.2 | 68        |
| 100 | In silico studies of blood coagulation proteins: from mosaic proteases to nonenzymatic cofactor inhibitors. Current Opinion in Structural Biology, 2010, 20, 168-179.                                | 2.6 | 14        |
| 101 | Rationalizing the chemical space of protein-protein interaction inhibitors. Drug Discovery Today, 2010, 15, 220-229.   | 3.2 | 185       |
| 102 | Druggable pockets and binding site centric chemical space: a paradigm shift in drug discovery. Drug Discovery Today, 2010, 15, 656-667.  | 3.2 | 249       |
| 103 | New non-hydroxamic ADAMTS-5 inhibitors based on the 1,2,4-triazole-3-thiol scaffold. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 6213-6216.  | 1.0 | 21        |
| 104 | Analysis of Binding Sites on Complement Factor I That Are Required for Its Activity. Journal of Biological Chemistry, 2010, 285, 6235-6245.  | 1.6 | 28        |
| 105 | Mutations in components of complement influence the outcome of Factor I-associated atypical hemolytic uremic syndrome. Kidney International, 2010, 77, 339-349.                                      | 2.6 | 163       |
| 106 | Tensin2 reduces intracellular phosphatidylinositol 3,4,5-trisphosphate levels at the plasma membrane. Biochemical and Biophysical Research Communications, 2010, 399, 396-401.                       | 1.0 | 15        |
| 107 | Designing Focused Chemical Libraries Enriched in Protein-Protein Interaction Inhibitors using Machine-Learning Methods. PLoS Computational Biology, 2010, 6, e1000695.                               | 1.5 | 110       |
| 108 | Zebrafish ProVEGF-C Expression, Proteolytic Processing and Inhibitory Effect of Unprocessed ProVEGF-C during Fin Regeneration. PLoS ONE, 2010, 5, e11438.  | 1.1 | 20        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Characterization of the Complement Inhibitory Function of Rhesus Rhadinovirus Complement Control Protein (RCP). <i>Journal of Biological Chemistry</i> , 2009, 284, 505-514.   | 1.6 | 23        |
| 110 | Development of Novel Thiazolopyrimidines as CDC25B Phosphatase Inhibitors. <i>ChemMedChem</i> , 2009, 4, 633-648.  | 1.6 | 84        |
| 111 | Genetic, molecular and functional analyses of complement factor I deficiency. <i>European Journal of Immunology</i> , 2009, 39, 310-323.   | 1.6 | 53        |
| 112 | DG-AMMOS: A New tool to generate 3D conformation of small molecules using Distance Geometry and Automated Molecular Mechanics Optimization for in silico Screening. <i>BMC Chemical Biology</i> , 2009, 9, 6.                                    | 1.6 | 38        |
| 113 | MED-3DMC: A new tool to generate 3D conformation ensembles of small molecules with a Monte Carlo sampling of the conformational space. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 1405-1409.                                     | 2.6 | 26        |
| 114 | Structure-Based Virtual Ligand Screening: Recent Success Stories. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2009, 12, 1000-1016.  | 0.6 | 114       |
| 115 | Defining the structure of membrane-bound human blood coagulation factor Va. <i>Journal of Thrombosis and Haemostasis</i> , 2008, 6, 76-82.   | 1.9 | 25        |
| 116 | MS-DOCK: Accurate multiple conformation generator and rigid docking protocol for multi-step virtual ligand screening. <i>BMC Bioinformatics</i> , 2008, 9, 184.  | 1.2 | 102       |
| 117 | FAF-Drugs2: Free ADME/tox filtering tool to assist drug discovery and chemical biology projects. <i>BMC Bioinformatics</i> , 2008, 9, 396.   | 1.2 | 221       |
| 118 | AMMOS: Automated Molecular Mechanics Optimization tool for in silico Screening. <i>BMC Bioinformatics</i> , 2008, 9, 438.  | 1.2 | 44        |
| 119 | A novel druglike spleen tyrosine kinase binder prevents anaphylactic shock when administered orally. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 188-194.e3.  | 1.5 | 27        |
| 120 | Molecular and functional analysis of complement factor I mutations in atypical haemolytic uraemic syndrome patients. <i>Molecular Immunology</i> , 2008, 45, 4131.   | 1.0 | 0         |
| 121 | Characterization of the complement inhibitory function of Rhesus rhadinovirus. <i>Molecular Immunology</i> , 2008, 45, 4172-4173.  | 1.0 | 0         |
| 122 | Receptor-Based Virtual Ligand Screening for the Identification of Novel CDC25 Phosphatase Inhibitors. <i>Journal of Chemical Information and Modeling</i> , 2008, 48, 157-165.   | 2.5 | 43        |
| 123 | A Novel Non-Synonymous Polymorphism (p.Arg240His) in C4b-Binding Protein Is Associated with Atypical Hemolytic Uremic Syndrome and Leads to Impaired Alternative Pathway Cofactor Activity. <i>Journal of Immunology</i> , 2008, 180, 6385-6391. | 0.4 | 50        |
| 124 | Mapping of the Factor Xa Binding Site on Factor Va by Site-directed Mutagenesis. <i>Journal of Biological Chemistry</i> , 2008, 283, 20805-20812.  | 1.6 | 19        |
| 125 | In Silico-In Vitro Screening of Protein-Protein Interactions: Towards the Next Generation of Therapeutics. <i>Current Pharmaceutical Biotechnology</i> , 2008, 9, 103-122.   | 0.9 | 59        |
| 126 | Combining Ligand- and Structure-Based Methods in Drug Design Projects. <i>Current Computer-Aided Drug Design</i> , 2008, 4, 250-258.   | 0.8 | 27        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Screening Outside the Catalytic Site: Inhibition of Macromolecular Interactions Through Structure-Based Virtual Ligand Screening Experiments. <i>The Open Biochemistry Journal</i> , 2008, 2, 29-37.  | 0.3 | 17        |
| 128 | Editorial [Hot Topic: Virtual Screening (Guest Editor: Bruno O. Villoutreix) ]. <i>Current Computer-Aided Drug Design</i> , 2008, 4, 154-155.   | 0.8 | 0         |
| 129 | Molecular Characterization of the Interaction between Porins of <i>Neisseria gonorrhoeae</i> and C4b-Binding Protein. <i>Journal of Immunology</i> , 2007, 179, 540-547.  | 0.4 | 19        |
| 130 | Free Resources to Assist Structure-Based Virtual Ligand Screening Experiments. <i>Current Protein and Peptide Science</i> , 2007, 8, 381-411.   | 0.7 | 104       |
| 131 | Frog: a Free Online drug 3D conformation generator. <i>Nucleic Acids Research</i> , 2007, 35, W568-W572.  | 6.5 | 86        |
| 132 | Kaposi's sarcoma-associated herpes virus complement control protein: KCP " complement inhibition and more. <i>Molecular Immunology</i> , 2007, 44, 11-22.   | 1.0 | 18        |
| 133 | Design of protein-membrane interaction inhibitors by virtual ligand screening, proof of concept with the C2 domain of factor V. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12697-12702.                      | 3.3 | 50        |
| 134 | MED-SuMoLig: A New Ligand-Based Screening Tool for Efficient Scaffold Hopping. <i>Journal of Chemical Information and Modeling</i> , 2007, 47, 1097-1110.   | 2.5 | 34        |
| 135 | Protein Structure Analysis Online. <i>Current Protocols in Protein Science</i> , 2007, 50, Unit 2.13.   | 2.8 | 1         |
| 136 | Structure-based virtual ligand screening with LigandFit: Pose prediction and enrichment of compound collections. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007, 68, 712-725.   | 1.5 | 45        |
| 137 | A Formylated Hexapeptide Ligand Mimics the Ability of Wnt-5a to Impair Migration of Human Breast Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 2740-2749.   | 1.6 | 107       |
| 138 | The Kaposi's sarcoma-associated herpesvirus complement control protein (KCP) binds to heparin and cell surfaces via positively charged amino acids in CCP1 <sup>2</sup> . <i>Molecular Immunology</i> , 2006, 43, 1665-1675.  | 1.0 | 42        |
| 139 | Prothrombin deficiency caused by compound heterozygosity for two novel mutations in the prothrombin gene associated with a bleeding tendency. <i>Thrombosis and Haemostasis</i> , 2006, 95, 195-198.  | 1.8 | 21        |
| 140 | Proposed structural models of the prothrombinase (FXa-FVa) complex. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006, 63, 440-450.  | 1.5 | 47        |
| 141 | Functional Analysis of the Factor IX Epidermal Growth Factor-Like Domain Mutation Ile66Thr Associated with Mild Hemophilia B. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2006, 35, 370-375. | 0.5 | 2         |
| 142 | FAF-Drugs: free ADME/tox filtering of compound collections. <i>Nucleic Acids Research</i> , 2006, 34, W738-W744.  | 6.5 | 115       |
| 143 | Receptor-Based Computational Screening of Compound Databases: The Main Docking-Scoring Engines. <i>Current Protein and Peptide Science</i> , 2006, 7, 369-393.  | 0.7 | 47        |
| 144 | Editorial [Hot Topic: Structure-Based Virtual Ligand Screening (Guest Editor: Bruno O. Villoutreix)]. <i>Current Protein and Peptide Science</i> , 2006, 7, 367-367.  | 0.7 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | The $\hat{3}$ -carboxyglutamic acid domain of anticoagulant protein S is involved in activated protein C cofactor activity, independently of phospholipid binding. <i>Blood</i> , 2005, 105, 122-130.              | 0.6 | 33        |
| 146 | Fast Structure-Based Virtual Ligand Screening Combining FRED, DOCK, and Surflex. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 6012-6022.  | 2.9 | 106       |
| 147 | A critical role for Gly25 in the B chain of human thrombin. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 139-145.   | 1.9 | 9         |
| 148 | Molecular models of the procoagulant Factor VIIIa-Factor IXa complex. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 2044-2056.   | 1.9 | 31        |
| 149 | Regulation of Blood Coagulation by the Protein C Anticoagulant Pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1311-1320.   | 1.1 | 268       |
| 150 | PCE: web tools to compute protein continuum electrostatics. <i>Nucleic Acids Research</i> , 2005, 33, W372-W375.   | 6.5 | 51        |
| 151 | RPBS: a web resource for structural bioinformatics. <i>Nucleic Acids Research</i> , 2005, 33, W44-W49.   | 6.5 | 81        |
| 152 | The anticoagulant protein C pathway. <i>FEBS Letters</i> , 2005, 579, 3310-3316.   | 1.3 | 239       |
| 153 | The Kaposi's Sarcoma-associated Herpesvirus Complement Control Protein Mimics Human Molecular Mechanisms for Inhibition of the Complement System. <i>Journal of Biological Chemistry</i> , 2004, 279, 45093-45101. | 1.6 | 35        |
| 154 | Altered inactivation pathway of factor Va by activated protein C in the presence of heparin. <i>FEBS Journal</i> , 2004, 271, 2724-2736.   | 0.2 | 14        |
| 155 | Structural stability and heat-induced conformational change of two complement inhibitors: C4b-binding protein and factor H. <i>Protein Science</i> , 2004, 13, 1356-1364.  | 3.1 | 31        |
| 156 | Noonan syndrome type I with PTPN11 3 bp deletion: Structure-function implications. <i>Proteins: Structure, Function and Bioinformatics</i> , 2004, 58, 7-13.   | 1.5 | 15        |
| 157 | Functional Properties of Recombinant Factor V Mutated in a Potential Calcium-Binding Site. <i>Biochemistry</i> , 2004, 43, 5803-5810.  | 1.2 | 10        |
| 158 | Complement inhibitor C4b-binding proteinâ€”friend or foe in the innate immune system?. <i>Molecular Immunology</i> , 2004, 40, 1333-1346.  | 1.0 | 170       |
| 159 | Theoretical and Experimental Study of the D2194G Mutation in the C2 Domain of Coagulation Factor V. <i>Biophysical Journal</i> , 2004, 86, 488-498.  | 0.2 | 18        |
| 160 | Functions of human complement inhibitor C4b-binding protein in relation to its structure. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2004, 52, 83-95.  | 1.0 | 27        |
| 161 | Role of CCP2 of the C4b-binding protein $\hat{2}$ -chain in protein S binding evaluated by mutagenesis and monoclonal antibodies. <i>FEBS Journal</i> , 2003, 270, 93-100.   | 0.2 | 5         |
| 162 | Probing plasma clearance of the thrombin-antithrombin complex with a monoclonal antibody against the putative serpin-enzyme complex receptor-binding site. <i>FEBS Journal</i> , 2003, 270, 4059-4069.             | 0.2 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Functional analysis of the EGF-like domain mutations Pro55Ser and Pro55Leu, which cause mild hemophilia B. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 782-790.  | 1.9 | 10        |
| 164 | Molecular recognition in the protein C anticoagulant pathway. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 1525-1534.   | 1.9 | 76        |
| 165 | Mutations within the cyclooxygenase-1 gene in aspirin non-responders with recurrence of stroke. <i>Thrombosis Research</i> , 2003, 112, 275-283.   | 0.8 | 41        |
| 166 | Mutations in Î±-Chain of C4BP That Selectively Affect Its Factor I Cofactor Function. <i>Journal of Biological Chemistry</i> , 2003, 278, 43437-43442.   | 1.6 | 31        |
| 167 | Factor V New Brunswick: Ala221Val associated with FV deficiency reproduced in vitro and functionally characterized. <i>Blood</i> , 2003, 102, 1316-1322.   | 0.6 | 31        |
| 168 | Antithrombin Phe229Leu: a new homozygous variant leading to spontaneous antithrombin polymerization in vivo associated with severe childhood thrombosis. <i>Blood</i> , 2003, 102, 919-925.                            | 0.6 | 61        |
| 169 | Defining the Factor Xa-binding Site on Factor Va by Site-directed Glycosylation. <i>Journal of Biological Chemistry</i> , 2002, 277, 50022-50029.  | 1.6 | 36        |
| 170 | A Novel Interaction of Outer Membrane Protein A with C4b Binding Protein Mediates Serum Resistance of <i>Escherichia coli</i> K1. <i>Journal of Immunology</i> , 2002, 169, 6352-6360.                                 | 0.4 | 159       |
| 171 | The N-terminal Epidermal Growth Factor-like Domain of Coagulation Factor IX. <i>Journal of Biological Chemistry</i> , 2002, 277, 35616-35624.  | 1.6 | 14        |
| 172 | 3-Dimensional structure of membrane-bound coagulation factor VIII: modeling of the factor VIII heterodimer within a 3-dimensional density map derived by electron crystallography. <i>Blood</i> , 2002, 99, 1215-1223. | 0.6 | 154       |
| 173 | Structural Bioinformatics: Methods, Concepts and Applications to Blood Coagulation Proteins. <i>Current Protein and Peptide Science</i> , 2002, 3, 341-364.  | 0.7 | 18        |
| 174 | Two Clusters of Charged Residues Located in the Electropositive Face of the Von Willebrand Factor A1 Domain Are Essential for Heparin Binding. <i>Biochemistry</i> , 2002, 41, 6668-6678.                              | 1.2 | 36        |
| 175 | Protein C Deficiency caused by Homozygosity for a Novel PROC D180G Mutation â€“ in vitro Expression and Structural Analysis of the Mutation. <i>Thrombosis and Haemostasis</i> , 2002, 88, 632-638.                    | 1.8 | 7         |
| 176 | Structural Requirements of Anticoagulant Protein S for Its Binding to the Complement Regulator C4b-binding Protein. <i>Journal of Biological Chemistry</i> , 2002, 277, 15099-15106.                                   | 1.6 | 24        |
| 177 | Proposed lipocalin fold for apolipoprotein M based on bioinformatics and site-directed mutagenesis. <i>FEBS Letters</i> , 2001, 499, 127-132.  | 1.3 | 83        |
| 178 | Characterization and Structural Impact of Five Novel PROS1 Mutations in Eleven Protein S-deficient Families. <i>Thrombosis and Haemostasis</i> , 2001, 86, 1392-1399.  | 1.8 | 16        |
| 179 | Defect of Heparin Binding in Plasma and Recombinant von Willebrand Factor with Type 2 von Willebrand Disease Mutations. <i>Thrombosis and Haemostasis</i> , 2001, 86, 1459-1465.                                       | 1.8 | 2         |
| 180 | Three-dimensional model of the SHBG-like region of anticoagulant protein S: New structure-function insights. <i>Proteins: Structure, Function and Bioinformatics</i> , 2001, 43, 203-216.                              | 1.5 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Screening the molecular surface of human anticoagulant protein C: a search for interaction sites. <i>Journal of Computer-Aided Molecular Design</i> , 2001, 15, 13-27.  | 1.3 | 12        |
| 182 | Localization of a Hydrophobic Binding Site for Anticoagulant Protein S on the $\hat{I}^2$ -Chain of Complement Regulator C4b-binding Protein. <i>Journal of Biological Chemistry</i> , 2001, 276, 4330-4337.  | 1.6 | 19        |
| 183 | Secondary Substrate-binding Exosite in the Serine Protease Domain of Activated Protein C Important for Cleavage at Arg-506 but Not at Arg-306 in Factor Va. <i>Journal of Biological Chemistry</i> , 2001, 276, 23105-23108.                                      | 1.6 | 45        |
| 184 | Structural and Energetic Characteristics of the Heparin-binding Site in Antithrombotic Protein C. <i>Journal of Biological Chemistry</i> , 2001, 276, 24122-24128.  | 1.6 | 52        |
| 185 | Factor VIII Inhibitors in Two Families with Mild Haemophilia A: Structural Analysis of the Mutations. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2000, 30, 268-279.                     | 0.5 | 13        |
| 186 | Human C4b-Binding Protein Has Overlapping, But Not Identical, Binding Sites for C4b and Streptococcal M Proteins. <i>Journal of Immunology</i> , 2000, 164, 5328-5336.  | 0.4 | 74        |
| 187 | Positively charged amino acids at the interface between $\hat{I}^1$ -chain CCP1 and CCP2 of C4BP are required for regulation of the classical C3-convertase. <i>Molecular Immunology</i> , 2000, 37, 445-453.   | 1.0 | 31        |
| 188 | Quaternary Structure of the HSC70 Cochaperone HIP. <i>Biochemistry</i> , 2000, 39, 307-315.   | 1.2 | 23        |
| 189 | Tracking Structural Features Leading to Resistance of Activated Protein C to $\hat{I}^1$ -antitrypsin. <i>Biochemistry</i> , 2000, 39, 2853-2860.   | 1.2 | 17        |
| 190 | Activated Protein C $\hat{I}^1$ -Protein C Inhibitor Complex Formation: Characterization of a Neopeptide Provides Evidence for Extensive Insertion of the Reactive Center Loop. <i>Biochemistry</i> , 2000, 39, 15713-15720.                                      | 1.2 | 20        |
| 191 | Mutations in a potential phospholipid binding loop in the C2 domain of factor V affecting the assembly of the prothrombinase complex. <i>Blood Coagulation and Fibrinolysis</i> , 2000, 11, 89-100.   | 0.5 | 1         |
| 192 | In Vitro Characterisation of Two Naturally Occurring Mutations in the Thrombin-sensitive Region of Anticoagulant Protein S. <i>Thrombosis and Haemostasis</i> , 1999, 82, 1627-1633.  | 1.8 | 17        |
| 193 | Involvement of Lys 62[217] and Lys 63[218] of Human Anticoagulant Protein C in Heparin Stimulation of Inhibition by the Protein C Inhibitor. <i>Thrombosis and Haemostasis</i> , 1999, 82, 72-79.   | 1.8 | 29        |
| 194 | Structural prediction and analysis of endothelial cell protein C/activated protein C receptor. <i>Protein Engineering, Design and Selection</i> , 1999, 12, 833-840.  | 1.0 | 22        |
| 195 | A Cluster of Positively Charged Amino Acids in the C4BP $\hat{I}^1$ -Chain Is Crucial for C4b Binding and Factor I Cofactor Function. <i>Journal of Biological Chemistry</i> , 1999, 274, 19237-19245.  | 1.6 | 98        |
| 196 | The complement regulator C4b-binding protein analyzed by molecular modeling, bioinformatics and computer-aided experimental design. <i>Immunopharmacology</i> , 1999, 42, 121-134.  | 2.0 | 19        |
| 197 | Probing the activation of protein C by the thrombin-thrombomodulin complex using structural analysis, site-directed mutagenesis, and computer modeling. <i>Proteins: Structure, Function and Bioinformatics</i> , 1999, 35, 218-234.                              | 1.5 | 34        |
| 198 | Partial Glycosylation of Asn2181 in Human Factor V as a Cause of Molecular and Functional Heterogeneity. Modulation of Glycosylation Efficiency by Mutagenesis of the Consensus Sequence for N-Linked Glycosylation. <i>Biochemistry</i> , 1999, 38, 13584-13591. | 1.2 | 64        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Interspecies Loop Grafting in the Protease Domain of Human Protein C Yielding Enhanced Catalytic and Anticoagulant Activity. <i>Thrombosis and Haemostasis</i> , 1999, 82, 1078-1087.   | 1.8 | 20        |
| 200 | The C4b-binding protein-protein S interaction is hydrophobic in nature. <i>BBA - Proteins and Proteomics</i> , 1998, 1388, 181-189.   | 2.1 | 18        |
| 201 | Structural investigation of C4b-binding protein by molecular modeling: Localization of putative binding sites. , 1998, 31, 391-405.   |     | 39        |
| 202 | Molecular Models for the two Discoidin Domains of Human Blood Coagulation Factor V. <i>Journal of Molecular Modeling</i> , 1998, 4, 268-275.  | 0.8 | 30        |
| 203 | Molecular Model for the C-type Lectin Domain of Human Thrombomodulin. <i>Journal of Molecular Modeling</i> , 1998, 4, 310-322.  | 0.8 | 13        |
| 204 | Determination and analysis of antigenic epitopes of prostate specific antigen (PSA) and human glandular kallikrein 2 (hk2) using synthetic peptides and computer modeling. <i>Protein Science</i> , 1998, 7, 259-269.   | 3.1 | 60        |
| 205 | Structural investigation of the A domains of human blood coagulation factor V by molecular modeling. <i>Protein Science</i> , 1998, 7, 1317-1325.   | 3.1 | 82        |
| 206 | Amino Acid Residues in Thrombin-sensitive Region and First Epidermal Growth Factor Domain of Vitamin K-dependent Protein S Determining Specificity of the Activated Protein C Cofactor Function. <i>Journal of Biological Chemistry</i> , 1998, 273, 27449-27458. | 1.6 | 35        |
| 207 | Topological Studies of the Amino Terminal Modules of Vitamin K-dependent Protein S Using Monoclonal Antibody Epitope Mapping and Molecular Modeling. <i>Thrombosis and Haemostasis</i> , 1998, 80, 798-804.   | 1.8 | 20        |
| 208 | Structural analysis of an anti-estradiol antibody. <i>Molecular Immunology</i> , 1997, 34, 1215-1226.   | 1.0 | 20        |
| 209 | A theoretical model for the Gla-TSR-EGF-1 region of the anticoagulant cofactor protein S: from biostructural pathology to species-specific cofactor activity. <i>Journal of Computer-Aided Molecular Design</i> , 1997, 11, 293-304.                              | 1.3 | 35        |
| 210 | Local electrostatic potentials in pyridoxal phosphate labelled horse heart cytochrome c. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1997, 37, 74-83.  | 1.7 | 9         |
| 211 | SHBG region of the anticoagulant cofactor protein S: Secondary structure prediction, circular dichroism spectroscopy, and analysis of naturally occurring mutations. , 1997, 29, 478-491.   |     | 32        |
| 212 | Calcium binding to tandem repeats of EGF-like modules. Expression and characterization of the EGF-like modules of human Notch-1 implicated in receptor-ligand interactions. <i>Protein Science</i> , 1997, 6, 2059-2071.  | 3.1 | 57        |
| 213 | Structural investigation of the alpha-1-antichymotrypsin: Prostate-specific antigen complex by comparative model building. <i>Protein Science</i> , 1996, 5, 836-851.   | 3.1 | 32        |
| 214 | A Two-Allele Polymorphism in Protein C Inhibitor with Varying Frequencies in Different Ethnic Populations. <i>Thrombosis and Haemostasis</i> , 1996, 75, 062-069.   | 1.8 | 8         |
| 215 | Comparative modeling of the three CP modules of the Å-chain of C4BP and evaluation of potential sites of interaction with protein S. <i>Protein Engineering, Design and Selection</i> , 1995, 8, 1253-1258.   | 1.0 | 15        |
| 216 | Characterization of a cDNA for Rhesus Monkey Protein C Inhibitor - Evidence for N-Terminal Involvement in Heparin Stimulation. <i>Thrombosis and Haemostasis</i> , 1995, 74, 1079-1087.   | 1.8 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | A structural model for the prostate disease marker, human prostate-specific antigen. <i>Protein Science</i> , 1994, 3, 2033-2044.   | 3.1 | 71        |
| 218 | Structural basis for type I and type II deficiencies of antithrombotic plasma protein C: Patterns revealed by three-dimensional molecular modelling of mutations of the protease domain. <i>Proteins: Structure, Function and Bioinformatics</i> , 1994, 18, 367-380. | 1.5 | 42        |
| 219 | Structural modeling and electrostatic properties of aspartate transcarbamylase from <i>Saccharomyces cerevisiae</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 1994, 19, 230-243.  | 1.5 | 15        |
| 220 | Analysis of Protein S C4b-Binding Protein Interactions by Homology Modeling and Inhibitory Antibodies. <i>Biochemistry</i> , 1994, 33, 11073-11078.   | 1.2 | 20        |
| 221 | Post-Pandemic Drug Discovery and Development: Facing Present and Future Challenges. <i>Frontiers in Drug Discovery</i> , 0, 1, .  | 1.1 | 9         |