M Muoofcmtaz Mazicioglu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5486472/publications.pdf

Version: 2024-02-01

78 papers 1,699 citations

20 h-index 315739 38 g-index

79 all docs

79 docs citations

times ranked

79

2402 citing authors

#	Article	IF	Citations
1	Insulin Resistance in Obese Children and Adolescents: HOMA-IR Cut-Off Levels in the Prepubertal and Pubertal Periods - Original Article. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2010, 2, 100-106.	0.9	230
2	Waist circumference percentiles for 7- to 17-year-old Turkish children and adolescents. European Journal of Pediatrics, 2008, 167, 383-389.	2.7	161
3	Neck circumference: an additional tool of screening overweight and obesity in childhood. European Journal of Pediatrics, 2010, 169, 733-739.	2.7	97
4	Neck circumference as a novel parameter to determine metabolic risk factors in obese children. European Journal of Clinical Investigation, 2012, 42, 623-630.	3.4	77
5	All-age relationship between arm span and height in different ethnic groups. European Respiratory Journal, 2014, 44, 905-912.	6.7	77
6	Waist Circumference and Mid-Upper Arm Circumference in Evaluation of Obesity in Children Aged Between 6 and 17 Years-Original Article. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2010, 2, 144-150.	0.9	67
7	Reference Body Mass Index Curves for Turkish Children 6 to 18 Years of Age. Journal of Pediatric Endocrinology and Metabolism, 2008, 21, 827-36.	0.9	62
8	Body Weight, Length and Head Circumference at Birth in a Cohort of Turkish Newborns. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2012, 4, 132-139.	0.9	62
9	Body fat reference curves for healthy Turkish children and adolescents. European Journal of Pediatrics, 2010, 169, 1329-1335.	2.7	59
10	The prevalence of frailty and related factors in community-dwelling Turkish elderly according to modified Fried Frailty Index and FRAIL scales. Aging Clinical and Experimental Research, 2015, 27, 703-709.	2.9	55
11	Muscle function-dependent sarcopenia and cut-off values of possible predictors in community-dwelling Turkish elderly: calf circumference, midarm muscle circumference and walking speed. European Journal of Clinical Nutrition, 2015, 69, 1087-1090.	2.9	47
12	Percentiles and mean values for neck circumference in Turkish children aged 6–18 years. Acta Paediatrica, International Journal of Paediatrics, 2010, 99, 1847-1853.	1.5	43
13	Married men's opinions and involvement regarding family planning in rural areas. Contraception, 2003, 67, 133-137.	1.5	40
14	The relationship between sleep duration and obesity in Turkish children and adolescents. Acta Paediatrica, International Journal of Paediatrics, 2009, 98, 699-702.	1.5	39
15	Cross-sectional reference values for mid-upper arm circumference, triceps skinfold thickness and arm fat area of Turkish children and adolescents. International Journal of Food Sciences and Nutrition, 2009, 60, 267-281.	2.8	32
16	Turkish General Practitioners and Complementary/Alternative Medicine. Journal of Alternative and Complementary Medicine, 2007, 13, 1007-1010.	2.1	29
17	The absence of insulin resistance in metabolic syndrome definition leads to underdiagnosing of metabolic risk in obese patients. European Journal of Pediatrics, 2012, 171, 1331-1337.	2.7	29
18	Anthropometric risk factors for elevated blood pressure in adolescents in Turkey aged 11–17. Pediatric Nephrology, 2010, 25, 2327-2334.	1.7	27

#	Article	IF	Citations
19	Chilled ceiling and displacement ventilation system for energy savings: A case study. International Journal of Energy Research, 2007, 31, 743-759.	4.5	25
20	Restless legs syndrome and pregnancy in Kayseri, Turkey: A hospital based survey. Sleep and Biological Rhythms, 2010, 8, 137-143.	1.0	23
21	Waist circumference percentiles among Turkish children under the age of 6 years. European Journal of Pediatrics, 2013, 172, 59-69.	2.7	19
22	The risk analysis of arm fat area in Turkish children and adolescents. Annals of Human Biology, 2009, 36, 28-37.	1.0	17
23	The Relationship Between Blood Pressure and Sleep Duration in Turkish Children: A Cross-Sectional Study. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2018, 10, 51-58.	0.9	17
24	Is Plasma Homocysteine Level Associated With Metabolic Syndrome Components in Adolescents?. Metabolic Syndrome and Related Disorders, 2009, 7, 357-362.	1.3	16
25	Body mass index percentiles for Turkish children aged 0–84 months. Annals of Human Biology, 2011, 38, 676-680.	1.0	16
26	Change in reference body mass index percentiles and deviation in overweight and obesity over 3 years in Turkish children and adolescents. Journal of Pediatric Endocrinology and Metabolism, 2014, 27, 1121-9.	0.9	16
27	Age references for the arm span and stature of Turkish children and adolescents. Annals of Human Biology, 2009, 36, 308-319.	1.0	15
28	Fatty liver is a good indicator of subclinical atherosclerosis risk in obese children and adolescents regardless of liver enzyme elevation. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, e107-13.	1,5	15
29	Wrist Circumference and Frame Size Percentiles in 6-17-Year-Old Turkish Children and Adolescents in Kayseri. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2017, 9, 329-336.	0.9	14
30	Low back pain prevalence in Turkish pregnant women1. Journal of Back and Musculoskeletal Rehabilitation, 2006, 19, 89-96.	1.1	13
31	QUALITY OF LIFE IN TURKISH UNIVERSITY STUDENTS AND ITS RELATIONSHIP TO LEVELS OF STATE-TRAIT ANXIETY. Social Behavior and Personality, 2008, 36, 417-424.	0.6	13
32	Decreased high-density lipoprotein cholesterol and insulin resistance were the most common criteria in 12- to 19-year-old adolescents. European Journal of Nutrition, 2010, 49, 219-225.	3.9	13
33	Head Circumference Growth Reference Charts for Turkish Children Aged 0-84 Months. Pediatric Neurology, 2012, 46, 307-311.	2.1	13
34	Growth Hormone, Insulin Like Growth Factor-1, and Insulin-like Growth Factor-Binding Protein-3 Levels in the Neonatal Period: A Preliminary Study. Journal of Pediatric Endocrinology and Metabolism, 2010, 23, 885-9.	0.9	12
35	Oral Health, Obesity Status and Nutritional Habits in Turkish Children and Adolescents: An Epidemiological Study. Balkan Medical Journal, 2016, 33, 164-172.	0.8	12
36	The prevalence and related factors of restless leg syndrome in the community dwelling elderly; in Kayseri, Turkey: A cross-sectional study. Archives of Gerontology and Geriatrics, 2016, 65, 29-35.	3.0	12

#	Article	IF	CITATIONS
37	Arm Anthropometry Indices in Turkish Children and Adolescents: Changes Over a Three-Year Period. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2014, 6, 216-226.	0.9	11
38	The modified checklist for autism in Turkish toddlers: A different cultural adaptation sample. Research in Autism Spectrum Disorders, 2016, 21, 121-127.	1.5	11
39	Neck Circumference to Assess Obesity in Preschool Children. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2017, 9, 17-23.	0.9	11
40	Change in waist circumference over 3 years in Turkish children and adolescents. Annals of Human Biology, 2013, 40, 419-425.	1.0	10
41	Relationship between Neck Circumference and Non-Alcoholic Fatty Liver Disease in Childhood Obesity. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2016, 8, 32-39.	0.9	10
42	Prevalence of cognitive impairment and related risk factors incommunity-dwelling elderly in Kayseri, Turkey. Turkish Journal of Medical Sciences, 2015, 45, 1167-1172.	0.9	9
43	Nutritional status and related risk factors which may lead to functional decline in community-dwelling Turkish elderly. European Geriatric Medicine, 2014, 5, 294-297.	2.8	8
44	Determining abdominal obesity cut-offs and relevant risk factors for anthropometric indices in Turkish children and adolescents. Journal of Pediatric Endocrinology and Metabolism, 2015, 28, 525-32.	0.9	8
45	Risk factors for overweight and obesity in children aged 2–6 years. Journal of Pediatric Endocrinology and Metabolism, 2017, 30, 499-505.	0.9	8
46	Assessment of healthy lifestyle behaviors in traveling seasonal agricultural workers. Public Health, 2020, 180, 149-153.	2.9	8
47	The Weight and Height Percentiles in 6-18 Year Old Children in Kayseri and Comparison with Istanbul Data. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2011, 1, 129-135.	0.9	8
48	Lamivudine for chronic hepatitis B in adults. The Cochrane Library, 2007, , .	2.8	7
49	Residents' views about family medicine specialty education in Turkey. BMC Medical Education, 2010, 10, 29.	2.4	7
50	Pegylated interferon for chronic hepatitis B. The Cochrane Library, 0, , .	2.8	6
51	The anthropometric measuring methods for monitoring growth and development: the methodology of growth follow-up. Türkiye Aile Hekimliği Dergisi, 2011, 15, 101-108.	0.2	5
52	Weight and Height Percentiles For 0-84- Month-Old Children in Kayseri - A Central Anatolian City in Turkey. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2011, 3, 184-191.	0.9	5
53	Height, Weight and Body Mass Index Percentiles of Children Aged 6-14 Years Living at Moderate Altitudes. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2012, 4, 14-20.	0.9	5
54	The impact of sleep duration on frailty in community-dwelling Turkish older adults. Sleep and Biological Rhythms, 2020, 18, 243-248.	1.0	5

#	Article	IF	CITATIONS
55	Exophthalmometric References of 7-18 Year-old Children in Kayseri, Turkey. Journal of Pediatric Endocrinology and Metabolism, 2010, 23, 27-37.	0.9	4
56	The Association of Serum Sialic Acid with Carotid Intima-Media Thickness and Anthropometric and Metabolic Parameters in Obese Children and Adolescents. Annals of Nutrition and Metabolism, 2011, 59, 139-144.	1.9	4
57	Growth Patterns of Children of Same Geographic Background Reared in Different Environments. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2014, 6, 233-237.	0.9	4
58	Validity of simplified nutritional appetite questionnaire for Turkish community-dwelling elderly and determining cut-off according to mini nutritional assessment. Archives of Gerontology and Geriatrics, 2019, 83, 31-36.	3.0	4
59	Growth curves for Turkish Girls with Turner Syndrome: Results of the Turkish Turner Syndrome Study Group. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2015, 7, 183-191.	0.9	4
60	Prevalence of and influencing factors for chronic headaches among pregnant women. International Journal of Gynecology and Obstetrics, 2012, 117, 144-147.	2.3	3
61	Ibni Sina (Avicenna) the most known and greatest Turkish medical doctor in late ancient world. Archives of Gynecology and Obstetrics, 2015, 292, 473-474.	1.7	3
62	Depressive symptom profile of Turkish students experiencing back pain. Social Behavior and Personality, 2009, 37, 155-162.	0.6	2
63	Intrauterine device use does not increase the incidence of anti-hepatitis C seropositivity among monogamous women in Turkey. Contraception, 2009, 80, 261-265.	1.5	2
64	Four-site skinfolds thickness percentiles of schoolchildren and adolescents in Turkey. Public Health Nutrition, 2021, 24, 5414-5425.	2.2	2
65	Therapeutic approaches on the interaction between SARS-CoV2 and ACE2: a biochemical perspective. Turkish Journal of Biochemistry, 2020, 45, 643-650.	0.5	2
66	Fat and fat free mass index reference percentiles of healthy Turkish children and adolescent in Turkey. , 2020, , 8-15.		2
67	Normal standards of eye projection in Turkish children 6 to 17 years of age. Graefe's Archive for Clinical and Experimental Ophthalmology, 2010, 248, 1809-1815.	1.9	1
68	Interpopliteal distance percentiles to diagnose bowleg in O–84 month-old Turkish children. European Journal of Pediatrics, 2011, 170, 1143-1150.	2.7	1
69	Final comment on the nationality of Ibni Sina. Archives of Gynecology and Obstetrics, 2016, 293, 925-927.	1.7	1
70	The nationality of Ibni Sina (Avicenna). Archives of Gynecology and Obstetrics, 2016, 293, 219-220.	1.7	1
71	Comparison of Updated Weight and Height Percentiles with Previous References in 6-17-Year-Old Children in Kayseri, Turkey. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2017, 9, 39-47.	0.9	1
72	Impact of Oral Health on Nutritional Status in Community-dwelling Older Adults in Turkey. European Journal of Geriatrics and Gerontology, 2019, 1, 29-35.	0.2	1

#	Article	IF	CITATIONS
73	Weight for Length/Height Percentiles in Infants and Young Children in Kayseri/Turkey. JCRPE Journal of Clinical Research in Pediatric Endocrinology, 2013, 5, 224-228.	0.9	O
74	Kayseri American Hospital activity in early 1900's. Türkiye Aile Hekimliği Dergisi, 2009, 13, 99-103.	0.2	0
75	ASSESSMENT OF ETIOLOGIC FACTORS IN CHILDREN WITH ATTENTION DEFICIT HYPERACTIVITY DISORDER: SERUM LEVELS OF BORON AND SELENIUM. Turkish Journal of Family Medicine & Primary Care, 2014, , 1.	0.6	O
76	The Effects of Ancient or Old Health Believes on Daily Life: Review. Türkiye Klinikleri Tıp Etiği, Hukuku Ve Tarihi Dergisi, 2015, 23, 22-27.	0.1	0
77	Do We Postpone Having a Child? The Assesment of Maternal Age at First Delivery in the Last 15 Years in Kayseri. Turkiye Klinikleri Jinekoloji Obstetrik, 2016, 26, 214-219.	0.0	O
78	Which frailty scale is best to predict 4-year mortality in community-dwelling Turkish older people: FRAIL scale or Fried Frailty Index?. Erciyes Medical Journal, 0, , .	0.0	0