Iain B Mcinnes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5488448/publications.pdf

Version: 2024-02-01

36303 17592 25,739 134 51 121 citations h-index g-index papers 141 141 141 27220 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Tyrosine kinase 2 and Janus kinase‒signal transducer and activator of transcription signaling and inhibition in plaque psoriasis. Journal of the American Academy of Dermatology, 2022, 86, 148-157.	1.2	51
2	Does Age Matter in Psoriatic Arthritis? A Narrative Review. Journal of Rheumatology, 2022, 49, 1085-1091.	2.0	13
3	A review of JAK–STAT signalling in the pathogenesis of spondyloarthritis and the role of JAK inhibition. Rheumatology, 2022, 61, 1783-1794.	1.9	31
4	2021 update of the EULAR points to consider on the use of immunomodulatory therapies in COVID-19. Annals of the Rheumatic Diseases, 2022, 81, 34-40.	0.9	26
5	<scp>Longa€ferm</scp> Efficacy and Safety of Guselkumab, a Monoclonal Antibody Specific to the p19 Subunit of Interleukinâ€23, Through Two Years: Results From a Phase <scp>Ill</scp> , Randomized, <scp>Doubleâ€Blind</scp> , <scp>Placeboâ€Controlled</scp> Study Conducted in <scp>Biologicâ€Naive</scp> Patients With Active Psoriatic Arthritis. Arthritis and Rheumatology, 2022,	5.6	41
6	74, 475-405 Efficacy and safety of guselkumab in patients with active psoriatic arthritis who are inadequate responders to tumour necrosis factor inhibitors: results through one year of a phase IIIb, randomised, controlled study (COSMOS). Annals of the Rheumatic Diseases, 2022, 81, 359-369.	0.9	47
7	Sustained and improved guselkumab response in patients with active psoriatic arthritis regardless of baseline demographic and disease characteristics: pooled results through week 52 of two phase III, randomised, placebo-controlled studies. RMD Open, 2022, 8, e002195.	3.8	11
8	Targeted systemic therapies for psoriatic arthritis: a systematic review and comparative synthesis of short-term articular, dermatological, enthesitis and dactylitis outcomes. RMD Open, 2022, 8, e002074.	3.8	27
9	Association of Cardiac Biomarkers With Cardiovascular Outcomes in Patients With Psoriatic Arthritis and Psoriasis: A Longitudinal Cohort Study. Arthritis and Rheumatology, 2022, 74, 1184-1192.	5.6	5
10	Dissecting the molecular control of immune cell accumulation in the inflamed joint. JCI Insight, 2022, 7, .	5.0	2
11	Effect of upadacitinib on reducing pain in patients with active psoriatic arthritis or ankylosing spondylitis: post hoc analysis of three randomised clinical trials. RMD Open, 2022, 8, e002049.	3.8	8
12	Psoriatic arthritis from a mechanistic perspective. Nature Reviews Rheumatology, 2022, 18, 311-325.	8.0	49
13	OA36 $\hat{a} \in f$ Bimekizumab in patients with psoriatic arthritis: achievement and maintenance of Psoriatic Arthritis Response Criteria responses through 3 years in a phase 2b open-label extension study. Rheumatology, 2022, 61, .	1.9	0
14	Levelling the playing field of RMD research across Europe to address patients' needs: the emerging EULAR Research Centre. RMD Open, 2022, 8, e002456.	3.8	0
15	Efficacy and Safety of Guselkumab, an Interleukinâ€23p19–Specific Monoclonal Antibody, Through One Year in Biologicâ€Naive Patients With Psoriatic Arthritis. Arthritis and Rheumatology, 2021, 73, 604-616.	5.6	48
16	Stromal "activation―markers do not confer pathogenic activity in tendinopathy. Translational Sports Medicine, 2021, 4, 268-279.	1.1	5
17	Brodalumab in psoriatic arthritis: results from the randomised phase III AMVISION-1 and AMVISION-2 trials. Annals of the Rheumatic Diseases, 2021, 80, 185-193.	0.9	79
18	IL-23 orchestrating immune cell activation in arthritis. Rheumatology, 2021, 60, iv4-iv15.	1.9	9

#	Article	IF	CITATIONS
19	EULAR points to consider on pathophysiology and use of immunomodulatory therapies in COVID-19. Annals of the Rheumatic Diseases, 2021, 80, 698-706.	0.9	37
20	Trial of Upadacitinib and Adalimumab for Psoriatic Arthritis. New England Journal of Medicine, 2021, 384, 1227-1239.	27.0	143
21	Resolution of enthesitis by guselkumab and relationships to disease burden: 1-year results of two phase 3 psoriatic arthritis studies. Rheumatology, 2021, 60, 5337-5350.	1.9	18
22	P173â€fEfficacy and safety of upadacitinib versus placebo and adalimumab in patients with active PsA and inadequate response to non-biologic DMARDs (SELECT-PSA-1): a double-blind, randomised controlled phase III trial. Rheumatology, 2021, 60, .	1.9	0
23	P174â \in f Upadacitinib response rates in patients with psoriatic arthritis enrolled in the SELECT-PsA-1 and SELECT-PsA-2 trials assessed according to modified PsARC. Rheumatology, 2021, 60, .	1.9	1
24	Guselkumab induces robust reduction in acute phase proteins and type 17 effector cytokines in active psoriatic arthritis: results from phase 3 trials. RMD Open, 2021, 7, e001679.	3.8	19
25	Single cell and spatial transcriptomics in human tendon disease indicate dysregulated immune homeostasis. Annals of the Rheumatic Diseases, 2021, 80, 1494-1497.	0.9	33
26	Comparative effectiveness of guselkumab in psoriatic arthritis: results from systematic literature review and network meta-analysis. Rheumatology, 2021, 60, 2109-2121.	1.9	44
27	Reframing Immune-Mediated Inflammatory Diseases through Signature Cytokine Hubs. New England Journal of Medicine, 2021, 385, 628-639.	27.0	156
28	Translational targeting of inflammation and fibrosis in frozen shoulder: Molecular dissection of the T cell/IL-17A axis. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	18
29	Immune-mediated inflammatory disease therapeutics: past, present and future. Nature Reviews Immunology, 2021, 21, 680-686.	22.7	106
30	Clinically relevant patient clusters identified by machine learning from the clinical development programme of secukinumab in psoriatic arthritis. RMD Open, 2021, 7, e001845.	3.8	11
31	Long-term outcomes following severe COVID-19 infection: a propensity matched cohort study. BMJ Open Respiratory Research, 2021, 8, e001080.	3.0	21
32	Tofacitinib inhibits CD4 T cell polarisation to Th1 during priming thereby leading to clinical impact in a model of experimental arthritis. Clinical and Experimental Rheumatology, 2021, , .	0.8	0
33	Articular and Extra-Articular Benefits in ACR20 Non-responders at Week 104 Treated With Apremilast: Pooled Analysis of Three Randomized Controlled Trials. Rheumatology and Therapy, 2021, 8, 1677-1691.	2.3	1
34	Alopecia areata is characterized by dysregulation in systemic type 17 and type 2 cytokines, which may contribute to diseaseâ€associated psychological morbidity. British Journal of Dermatology, 2020, 182, 130-137.	1.5	52
35	Secukinumab Immunogenicity over 52 Weeks in Patients with Psoriatic Arthritis and Ankylosing Spondylitis. Journal of Rheumatology, 2020, 47, 539-547.	2.0	16
36	Effect of Secukinumab on the Different GRAPPA-OMERACT Core Domains in Psoriatic Arthritis: A Pooled Analysis of 2049 Patients. Journal of Rheumatology, 2020, 47, 854-864.	2.0	10

#	Article	IF	Citations
37	Attenuation of Dupuytren's fibrosis via targeting of the STAT1 modulated IL-13Rα1 response. Science Advances, 2020, 6, eaaz8272.	10.3	16
38	Secukinumab versus adalimumab for treatment of active psoriatic arthritis (EXCEED): a double-blind, parallel-group, randomised, active-controlled, phase 3b trial. Lancet, The, 2020, 395, 1496-1505.	13.7	178
39	The IL-23/IL-17A axis in spondyloarthritis: therapeutics informing pathogenesis?. Current Opinion in Rheumatology, 2020, 32, 349-356.	4.3	14
40	EULAR recommendations for the management of psoriatic arthritis with pharmacological therapies: 2019 update. Annals of the Rheumatic Diseases, 2020, 79, 700.1-712.	0.9	609
41	Safety of synthetic and biological DMARDs: a systematic literature review informing the 2019 update of the EULAR recommendations for the management of rheumatoid arthritis. Annals of the Rheumatic Diseases, 2020, 79, 760-770.	0.9	205
42	Guselkumab in biologic-naive patients with active psoriatic arthritis (DISCOVER-2): a double-blind, randomised, placebo-controlled phase 3 trial. Lancet, The, 2020, 395, 1126-1136.	13.7	206
43	Bimekizumab in patients with active psoriatic arthritis: results from a 48-week, randomised, double-blind, placebo-controlled, dose-ranging phase 2b trial. Lancet, The, 2020, 395, 427-440.	13.7	122
44	COVID-19 and the cardiovascular system: implications for risk assessment, diagnosis, and treatment options. Cardiovascular Research, 2020, 116, 1666-1687.	3.8	1,074
45	In Human Autoimmunity, a Substantial Component of the B Cell Repertoire Consists of Polyclonal, Barely Mutated IgG+ve B Cells. Frontiers in Immunology, 2020, 11, 395.	4.8	16
46	GO-DACT: a phase 3b randomised, double-blind, placebo-controlled trial of GOlimumab plus methotrexate (MTX) versus placebo plus MTX in improving DACTylitis in MTX-naive patients with psoriatic arthritis. Annals of the Rheumatic Diseases, 2020, 79, 490-498.	0.9	41
47	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. Annals of the Rheumatic Diseases, 2020, 79, 685-699.	0.9	1,860
48	Immunoglobulin A antibodies to oxidized collagen type II as a potential biomarker for the stratification of spondyloarthritis from rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2020, 49, 281-291.	1.1	5
49	Molecular imaging of inflammation - Current and emerging technologies for diagnosis and treatment. , 2020, 211, 107550.		45
50	A Vision for Cytokine Biology with 20/20 Clarity. Function, 2020, 2, zqaa042.	2.3	1
51	Arthritis prevention in the pre-clinical phase of RA with abatacept (the APIPPRA study): a multi-centre, randomised, double-blind, parallel-group, placebo-controlled clinical trial protocol. Trials, 2019, 20, 429.	1.6	77
52	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). European Journal of Immunology, 2019, 49, 1457-1973.	2.9	766
53	Responsiveness of Serum Câ€Reactive Protein, Interleukinâ€17A, and Interleukinâ€17F Levels to Ustekinumab in Psoriatic Arthritis: Lessons From Two Phase III, Multicenter, Doubleâ€Blind, Placeboâ€Controlled Trials. Arthritis and Rheumatology, 2019, 71, 1660-1669.	5.6	13
54	Matching-adjusted indirect comparison: secukinumab versus infliximab in biologic-naive patients with psoriatic arthritis. Journal of Comparative Effectiveness Research, 2019, 8, 497-510.	1.4	15

#	Article	IF	CITATIONS
55	Association Between Enthesitis and Health-related Quality of Life in Psoriatic Arthritis in Biologic-naive Patients from 2 Phase III Ustekinumab Trials. Journal of Rheumatology, 2019, 46, 1458-1461.	2.0	11
56	Limits of traditional evidence-based medicine methodologies exemplified by the novel era in psoriatic arthritis drug development. Expert Review of Clinical Immunology, 2019, 15, 441-444.	3.0	2
57	Rheumatoid arthritis and depression: an inflammatory perspective. Lancet Psychiatry, the, 2019, 6, 164-173.	7.4	238
58	The rationale for Janus kinase inhibitors for the treatment of spondyloarthritis. Rheumatology, 2019, 58, 197-205.	1.9	68
59	Lipid profile and effect of statin treatment in pooled phase II and phase III baricitinib studies. Annals of the Rheumatic Diseases, 2018, 77, 988-995.	0.9	41
60	Rheumatoid arthritis. Nature Reviews Disease Primers, 2018, 4, 18001.	30.5	1,441
61	Visualising the interaction of CD4 T cells and DCs in the evolution of inflammatory arthritis. Annals of the Rheumatic Diseases, 2018, 77, 579-588.	0.9	26
62	Efficacy and safety of secukinumab administration by autoinjector in patients with psoriatic arthritis: results from a randomized, placebo-controlled trial (FUTURE 3). Arthritis Research and Therapy, 2018, 20, 47.	3.5	117
63	P059â€Ex vivo comparison of baricitinib, upadacitinib, filgotinib and tofacitinib for cytokine signalling in human leukocyte subpopulations. , 2018, , .		1
64	Treating axial spondyloarthritis and peripheral spondyloarthritis, especially psoriatic arthritis, to target: 2017 update of recommendations by an international task force. Annals of the Rheumatic Diseases, 2018, 77, 3-17.	0.9	484
65	Model answers: Rational application of murine models in arthritis research. European Journal of Immunology, 2018, 48, 32-38.	2.9	19
66	<i>In vivo</i> multiplex molecular imaging of vascular inflammation using surface-enhanced Raman spectroscopy. Theranostics, 2018, 8, 6195-6209.	10.0	56
67	Secukinumab for psoriatic arthritis: comparative effectiveness versus licensed biologics/apremilast: a network meta-analysis. Journal of Comparative Effectiveness Research, 2018, 7, 1107-1123.	1.4	35
68	The extending scope of kinase inhibition in immune diseases. Lancet, The, 2018, 392, 2328-2331.	13.7	2
69	Secukinumab provides rapid and sustained pain relief in psoriatic arthritis over 2Âyears: results from the FUTURE 2 study. Arthritis Research and Therapy, 2018, 20, 113.	3.5	24
70	Urinary proteomics can define distinct diagnostic inflammatory arthritis subgroups. Scientific Reports, 2017, 7, 40473.	3.3	32
71	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. Annals of the Rheumatic Diseases, 2017, 76, 960-977.	0.9	3,366
72	Elevated ACKR2 expression is a common feature of inflammatory arthropathies. Rheumatology, 2017, 56, 1607-1617.	1.9	9

#	Article	IF	CITATIONS
73	Managing rheumatic and musculoskeletal diseases â€" past, present and future. Nature Reviews Rheumatology, 2017, 13, 443-448.	8.0	117
74	Guidelines for the use of flow cytometry and cell sorting in immunological studies < sup > * < /sup > . European Journal of Immunology, 2017, 47, 1584-1797.	2.9	505
75	Interleukin-6 blockade raises LDL via reduced catabolism rather than via increased synthesis: a cytokine-specific mechanism for cholesterol changes in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2017, 76, 1949-1952.	0.9	63
76	Targeting danger molecules in tendinopathy: the HMGB1/TLR4 axis. RMD Open, 2017, 3, e000456.	3.8	33
77	MicroRNA29a Treatment Improves Early Tendon Injury. Molecular Therapy, 2017, 25, 2415-2426.	8.2	51
78	Wounds that heal and wounds that don't â^' The role of the IL-33/ST2 pathway in tissue repair and tumorigenesis. Seminars in Cell and Developmental Biology, 2017, 61, 41-50.	5.0	31
79	RHEUMATOID ARTHRITIS: PATHOGENESIS204. $\hat{a} \in f$ CHARACTERIZATION OF SYNOVIUM TISSUES MACROPHAGE OR RHEUMATOID ARTHRITIS PATIENTS. Rheumatology, 2017, 56, .	F 1.9	0
80	Assessment of murine collagen-induced arthritis by longitudinal non-invasive duplexed molecular optical imaging. Rheumatology, 2016, 55, kev361.	1.9	22
81	Abatacept Inhibition of T Cell Priming in Mice by Induction of a Unique Transcriptional Profile That Reduces Their Ability to Activate Antigenâ€Presenting Cells. Arthritis and Rheumatology, 2016, 68, 627-638.	5.6	23
82	Targeting ultrasound remission in early rheumatoid arthritis: the results of the TaSER study, a randomised clinical trial. Annals of the Rheumatic Diseases, 2016, 75, 1043-1050.	0.9	167
83	Long-term study of the impact of methotrexate on serum cytokines and lymphocyte subsets in patients with active rheumatoid arthritis: correlation with pharmacokinetic measures. RMD Open, 2016, 2, e000287.	3.8	46
84	OP0008â€Synovial Fibroblast Proliferation Is Enhanced by Microrna-223 Delivery through Monocyte-Derived Microparticles. Annals of the Rheumatic Diseases, 2016, 75, 55.3-56.	0.9	0
85	A10.07â€The kinetic cytokine/chemokine secretory profile in surgical models of osteoarthritis. Annals of the Rheumatic Diseases, 2016, 75, A75.2-A75.	0.9	O
86	Effect of IL-6 receptor blockade on high-sensitivity troponin T and NT-proBNP in rheumatoid arthritis. Atherosclerosis, 2016, 254, 167-171.	0.8	20
87	Ustekinumab Treatment and Improvement of Physical Function and Healthâ€Related Quality of Life in Patients With Psoriatic Arthritis. Arthritis Care and Research, 2016, 68, 1812-1822.	3.4	27
88	Efficacy and safety of ustekinumab in psoriatic arthritis patients with peripheral arthritis and physician-reported spondylitis: post-hoc analyses from two phase III, multicentre, double-blind, placebo-controlled studies (PSUMMIT-1/PSUMMIT-2). Annals of the Rheumatic Diseases, 2016, 75, 1984-1988.	0.9	131
89	MicroRNA-155 influences B-cell function through PU.1 in rheumatoid arthritis. Nature Communications, 2016, 7, 12970.	12.8	97
90	MicroRNA-155 regulates monocyte chemokine and chemokine receptor expression in Rheumatoid Arthritis. Rheumatology, 2016, 55, 2056-2065.	1.9	84

#	Article	IF	Citations
91	A1.10â€The GM-CSF/CCL17 axis in the rheumatoid synovial environment. Annals of the Rheumatic Diseases, 2016, 75, A4.2-A5.	0.9	0
92	FRIOO51â€In Vivo Imaging To Characterise The Specificity, Function and Behavior of The CD4+ T Cells Initiating Articular Inflammation. Annals of the Rheumatic Diseases, 2016, 75, 444.2-444.	0.9	0
93	The Scottish Early Rheumatoid Arthritis (SERA) Study: an inception cohort and biobank. BMC Musculoskeletal Disorders, 2016, 17, 461.	1.9	22
94	Efficacy of Subcutaneous Secukinumab in Patients with Active Psoriatic Arthritis Stratified by Prior Tumor Necrosis Factor Inhibitor Use: Results from the Randomized Placebo-controlled FUTURE 2 Study. Journal of Rheumatology, 2016, 43, 1713-1717.	2.0	77
95	Mast Cells Contribute to <i>Porphyromonas gingivalisâ€"</i> ii>induced Bone Loss. Journal of Dental Research, 2016, 95, 704-710.	5.2	25
96	A Cytomegalovirus Peptide-Specific Antibody Alters Natural Killer Cell Homeostasis and Is Shared in Several Autoimmune Diseases. Cell Host and Microbe, 2016, 19, 400-408.	11.0	25
97	Spinal cord oligodendrocyteâ€derived alarmin ILâ€33 mediates neuropathic pain. FASEB Journal, 2016, 30, 54-65.	0.5	121
98	Ankylosing spondylitis patients display altered dendritic cell and T cell populations that implicate pathogenic roles for the IL-23 cytokine axis and intestinal inflammation. Rheumatology, 2016, 55, 120-132.	1.9	32
99	Psoriatic arthritis: embracing pathogenetic and clinical heterogeneity?. Clinical and Experimental Rheumatology, 2016, 34, 9-11.	0.8	10
100	Cytokines as Therapeutic Targets in Rheumatoid Arthritis and Other Inflammatory Diseases. Pharmacological Reviews, 2015, 67, 280-309.	16.0	266
101	Artery Tertiary Lymphoid Organs Control Aorta Immunity and Protect against Atherosclerosis via Vascular Smooth Muscle Cell Lymphotoxin \hat{l}^2 Receptors. Immunity, 2015, 42, 1100-1115.	14.3	179
102	Secukinumab, a human anti-interleukin-17A monoclonal antibody, in patients with psoriatic arthritis (FUTURE 2): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet, The, 2015, 386, 1137-1146.	13.7	722
103	The atypical chemokine receptor ACKR2 suppresses Th17 responses to protein autoantigens. Immunology and Cell Biology, 2015, 93, 167-176.	2.3	18
104	Cellular imaging in rheumatic diseases. Nature Reviews Rheumatology, 2015, 11, 357-367.	8.0	14
105	Secukinumab Inhibition of Interleukin-17A in Patients with Psoriatic Arthritis. New England Journal of Medicine, 2015, 373, 1329-1339.	27.0	629
106	Periodontitis in the absence of B cells and specific antiâ€bacterial antibody. Molecular Oral Microbiology, 2015, 30, 160-169.	2.7	46
107	The active metabolite of spleen tyrosine kinase inhibitor fostamatinib abrogates the CD4+ T cell-priming capacity of dendritic cells. Rheumatology, 2015, 54, 169-177.	1.9	15
108	Elevated interleukin-10: A new cause of dyslipidemia leading to severe HDL deficiency. Journal of Clinical Lipidology, 2015, 9, 81-90.	1.5	38

#	Article	IF	CITATIONS
109	Tightening Up? Impact of Musculoskeletal Ultrasound Disease Activity Assessment on Early Rheumatoid Arthritis Patients Treated Using a Treat to Target Strategy. Arthritis Care and Research, 2014, 66, 19-26.	3.4	52
110	Small-molecule therapeutics in rheumatoid arthritis: Scientific rationale, efficacy and safety. Best Practice and Research in Clinical Rheumatology, 2014, 28, 605-624.	3.3	32
111	Efficacy and safety of the anti-IL-12/23 p40 monoclonal antibody, ustekinumab, in patients with active psoriatic arthritis despite conventional non-biological and biological anti-tumour necrosis factor therapy: 6-month and 1-year results of the phase 3, multicentre, double-blind, placebo-controlled, randomised PSUMMIT 2 trial. Annals of the Rheumatic Diseases, 2014, 73, 990-999.	0.9	576
112	Efficacy and safety of secukinumab, a fully human anti-interleukin-17A monoclonal antibody, in patients with moderate-to-severe psoriatic arthritis: a 24-week, randomised, double-blind, placebo-controlled, phase II proof-of-concept trial. Annals of the Rheumatic Diseases, 2014, 73, 349-356.	0.9	308
113	Ustekinumab, an anti-IL-12/23 p40 monoclonal antibody, inhibits radiographic progression in patients with active psoriatic arthritis: results of an integrated analysis of radiographic data from the phase 3, multicentre, randomised, double-blind, placebo-controlled PSUMMIT-1 and PSUMMIT-2 trials. Annals of the Rheumatic Diseases, 2014, 73, 1000-1006.	0.9	255
114	Efficacy and safety of ustekinumab in patients with active psoriatic arthritis: 1 year results of the phase 3, multicentre, double-blind, placebo-controlled PSUMMIT 1 trial. Lancet, The, 2013, 382, 780-789.	13.7	688
115	Anti-interleukin-17A monoclonal antibody secukinumab in treatment of ankylosing spondylitis: a randomised, double-blind, placebo-controlled trial. Lancet, The, 2013, 382, 1705-1713.	13.7	518
116	Efficacy and safety of mavrilimumab in subjects with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2013, 72, 1445-1452.	0.9	149
117	Back to the future: oral targeted therapy for RA and other autoimmune diseases. Nature Reviews Rheumatology, 2013, 9, 173-182.	8.0	106
118	Changes in lipid levels with inflammation and therapy in RA: a maturing paradigm. Nature Reviews Rheumatology, 2013, 9, 513-523.	8.0	212
119	Metabolic Profiling Predicts Response to Anti–Tumor Necrosis Factor α Therapy in Patients With Rheumatoid Arthritis. Arthritis and Rheumatism, 2013, 65, 1448-1456.	6.7	121
120	OP0272â€Abatacept is highly effective in inhibiting T cell priming but fails to induce T cell tolerance after primary antigen encounter. Annals of the Rheumatic Diseases, 2013, 71, 148.2-148.	0.9	1
121		5.4	81
122	The Pathogenesis of Rheumatoid Arthritis. New England Journal of Medicine, 2011, 365, 2205-2219.	27.0	4,200
123	Arthritis in space and time – To boldly go!. FEBS Letters, 2011, 585, 3640-3648.	2.8	5
124	Breach of self tolerance in rheumatoid arthritis: a role for Th17 effector T cells?. Annals of the Rheumatic Diseases, 2011, 70, A50-A50.	0.9	0
125	Tumour necrosis factor \hat{A} blockade reduces circulating N-terminal pro-brain natriuretic peptide levels in patients with active rheumatoid arthritis: results from a prospective cohort study. Annals of the Rheumatic Diseases, 2010, 69, 1281-1285.	0.9	53
126	Golimumab, a new human tumor necrosis factor α antibody, administered every four weeks as a subcutaneous injection in psoriatic arthritis: Twentyâ€four–week efficacy and safety results of a randomized, placeboâ€controlled study. Arthritis and Rheumatism, 2009, 60, 976-986.	6.7	547

#	Article	IF	CITATIONS
127	Does practice mirror the evidence base in the treatment of rheumatoid arthritis?. Clinical Rheumatology, 2009, 28, 961-970.	2.2	1
128	Interleukin-18: a therapeutic target in rheumatoid arthritis?. Arthritis Research, 2005, 7, 38.	2.0	51
129	Inducing Experimental Arthritis and Breaking Self-Tolerance to Joint-Specific Antigens with Trackable, Ovalbumin-Specific T Cells. Journal of Immunology, 2004, 173, 151-156.	0.8	52
130	A Novel Therapeutic Approach Targeting Articular Inflammation Using the Filarial Nematode-Derived Phosphorylcholine-Containing Glycoprotein ES-62. Journal of Immunology, 2003, 171, 2127-2133.	0.8	196
131	Selective Expression and Functions of Interleukin 18 Receptor on T Helper (Th) Type 1 but not Th2 Cells. Journal of Experimental Medicine, 1998, 188, 1485-1492.	8.5	330
132	Interleukin-15 mediates T cell-dependent regulation of tumor necrosis factor- $\hat{l}\pm$ production in rheumatoid arthritis. Nature Medicine, 1997, 3, 189-195.	30.7	711
133	The role of interleukin–15 in T–cell migration and activation in rheumatoid arthritis. Nature Medicine, 1996, 2, 175-182.	30.7	463
134	To facitinib inhibits CD4 T cell polarisation to Th1 during priming thereby leading to clinical impact in a model of experimental arthritis. Clinical and Experimental Rheumatology, 0 , , .	0.8	0