

# Johan Lindbäck

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5493925/publications.pdf>

Version: 2024-02-01

81  
papers

6,277  
citations

71102

41  
h-index

66911

78  
g-index

86  
all docs

86  
docs citations

86  
times ranked

7690  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Outcomes with Drug-Eluting Stents versus Bare-Metal Stents in Sweden. <i>New England Journal of Medicine</i> , 2007, 356, 1009-1019.	27.0	1,113
2	The novel biomarker-based ABC (age, biomarkers, clinical history)-bleeding risk score for patients with atrial fibrillation: a derivation and validation study. <i>Lancet</i> , The, 2016, 387, 2302-2311.	13.7	389
3	Association Between Adoption of Evidence-Based Treatment and Survival for Patients With ST-Elevation Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1677.	7.4	356
4	The ABC (age, biomarkers, clinical history) stroke risk score: a biomarker-based risk score for predicting stroke in atrial fibrillation. <i>European Heart Journal</i> , 2016, 37, 1582-1590.	2.2	329
5	Long-term Outcome of Primary Percutaneous Coronary Intervention vs Prehospital and In-Hospital Thrombolysis for Patients With ST-Elevation Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2006, 296, 1749.	7.4	239
6	Influence of Renal Function on the Effects of Early Revascularization in Non-ST-Elevation Myocardial Infarction. <i>Circulation</i> , 2009, 120, 851-858.	1.6	235
7	Long-Term Safety and Efficacy of Drug-Eluting versus Bare-Metal Stents in Sweden. <i>New England Journal of Medicine</i> , 2009, 360, 1933-1945.	27.0	223
8	The 2000 Tularemia Outbreak: A Case-Control Study of Risk Factors in Disease-Endemic and Emergent Areas, Sweden. <i>Emerging Infectious Diseases</i> , 2002, 8, 956-960.	4.3	134
9	Pre-hospital thrombolysis delivered by paramedics is associated with reduced time delay and mortality in ambulance-transported real-life patients with ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2006, 27, 1146-1152.	2.2	132
10	Improved but still high short- and long-term mortality rates after myocardial infarction in patients with diabetes mellitus: a time-trend report from the Swedish Register of Information and Knowledge about Swedish Heart Intensive Care Admission. <i>Heart</i> , 2006, 93, 1577-1583.	2.9	131
11	Relation between renal function, presentation, use of therapies and in-hospital complications in acute coronary syndrome: data from the SWEDEHEART register. <i>Journal of Internal Medicine</i> , 2010, 268, 40-49.	6.0	128
12	Stent Thrombosis in Sweden. <i>Circulation: Cardiovascular Interventions</i> , 2009, 2, 401-408.	3.9	121
13	Serial analyses of N-terminal pro-B-type natriuretic peptide in patients with non-ST-segment elevation acute coronary syndromes. <i>Journal of the American College of Cardiology</i> , 2005, 45, 533-541.	2.8	115
14	Troponin-T and N-Terminal Pro-B-Type Natriuretic Peptide Predict Mortality Benefit From Coronary Revascularization in Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2006, 48, 1146-1154.	4.8	109
15	Digoxin and mortality in atrial fibrillation: a prospective cohort study. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 959-971.	1.9	102
16	Biomarker-Based Risk Model to Predict Cardiovascular Mortality in Patients With Stable Coronary Disease. <i>Journal of the American College of Cardiology</i> , 2017, 70, 813-826.	2.8	95
17	Anticoagulation Therapy in Atrial Fibrillation in Combination With Acute Myocardial Infarction Influences Long-Term Outcome. <i>Circulation</i> , 2005, 112, 3225-3231.	1.6	94
18	Is the Increase in Notifications of Chlamydia trachomatis Infections in Sweden the Result of Changes in Prevalence, Sampling Frequency or Diagnostic Methods?. <i>Scandinavian Journal of Infectious Diseases</i> , 2002, 34, 28-34.	1.5	92

#	ARTICLE	IF	CITATIONS
19	A biomarker-based risk score to predict death in patients with atrial fibrillation: the ABC (age, Tj ETQq1 1 0.784314 rBT /Overlock 10 T	2.2	92
20	Angiotensin-converting enzyme 2 (ACE2) levels in relation to risk factors for COVID-19 in two large cohorts of patients with atrial fibrillation. <i>European Heart Journal</i> , 2020, 41, 4037-4046.	2.2	90
21	Differences in Restenosis Rate With Different Drug-Eluting Stents in Patients With and Without Diabetes Mellitus. <i>Journal of the American College of Cardiology</i> , 2009, 53, 1660-1667.	2.8	88
22	The effect of azithromycin and Chlamydomphilia pneumonia infection on expansion of small abdominal aortic aneurysms - A prospective randomized double-blind trial. <i>Journal of Vascular Surgery</i> , 2009, 50, 23-29.	1.1	88
23	Biochemical indicators of cardiac and renal function in a healthy elderly population. <i>Clinical Biochemistry</i> , 2004, 37, 210-216.	1.9	82
24	Clinical Spectrum and Transmission Characteristics of Infection with Norwalk-like Virus: Findings from a Large Community Outbreak in Sweden. <i>Clinical Infectious Diseases</i> , 2001, 33, 622-628.	5.8	77
25	Comorbidity and Myocardial Dysfunction Are the Main Explanations for the Higher 1-Year Mortality in Acute Myocardial Infarction With Left Bundle-Branch Block. <i>Circulation</i> , 2004, 110, 1896-1902.	1.6	77
26	Performance and Validation of a Novel Biomarker-Based Stroke Risk Score for Atrial Fibrillation. <i>Circulation</i> , 2016, 134, 1697-1707.	1.6	76
27	Association between environmental risk factors and campylobacter infections in Sweden. <i>Epidemiology and Infection</i> , 2004, 132, 317-325.	2.1	69
28	Similar outcome with an invasive strategy in men and women with non-ST-elevation acute coronary syndromes. <i>European Heart Journal</i> , 2011, 32, 3128-3136.	2.2	68
29	Dengue Fever in Travelers to the Tropics, 1998 and 1999. <i>Emerging Infectious Diseases</i> , 2003, 9, 438-442.	4.3	65
30	Cardiovascular and Cancer Mortality in Very Elderly Post-Myocardial Infarction Patients Receiving Statin Treatment. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1362-1369.	2.8	58
31	Cockcroft-Gault is better than the Modification of Diet in Renal Disease study formula at predicting outcome after a myocardial infarction: Data from the Swedish Web-system for Enhancement and Development of Evidence-based care in Heart disease Evaluated According to Recommended Therapies (SWEDFHEART). <i>American Heart Journal</i> , 2010, 159, 979-986.	2.7	57
32	An acute inflammatory reaction induced by myocardial damage is superimposed on a chronic inflammation in unstable coronary artery disease. <i>American Heart Journal</i> , 2005, 149, 619-626.	2.7	56
33	Safety and efficacy of drug-eluting vs. bare metal stents in patients with diabetes mellitus: long-term follow-up in the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>European Heart Journal</i> , 2010, 31, 177-186.	2.2	56
34	Dyslipidemia and Risk of Cardiovascular Events in Patients With Atrial Fibrillation Treated With Oral Anticoagulation Therapy: Insights From the ARISTOTLE (Apixaban for Reduction in Stroke and Other) Tj ETQq0 0 0 rBT /Overlock 10 Tf	3.7	51
35	A One-Year Study of Foodborne Illnesses in the Municipality of Uppsala, Sweden. <i>Emerging Infectious Diseases</i> , 2001, 7, 588-592.	4.3	51
36	Long-Term Survival After Carotid Endarterectomy for Asymptomatic Stenosis. <i>Stroke</i> , 2006, 37, 2886-2891.	2.0	48

#	ARTICLE	IF	CITATIONS
37	Outcomes of carotid endarterectomy for asymptomatic stenosis in Sweden are improving: Results from a population-based registry. <i>Journal of Vascular Surgery</i> , 2006, 44, 79-85.	1.1	46
38	Expansion of Small-diameter Abdominal Aortic Aneurysms is Not Reflected by the Release of Inflammatory Mediators IL-6, MMP-9 and CRP in Plasma. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009, 37, 420-424.	1.5	46
39	Effect of Angiotensin-Converting Enzyme Inhibition on One-Year Mortality and Frequency of Repeat Acute Myocardial Infarction in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2010, 105, 1229-1234.	1.6	45
40	Poor adherence to neonatal resuscitation guidelines exposed; an observational study using camera surveillance at a tertiary hospital in Nepal. <i>BMC Pediatrics</i> , 2014, 14, 233.	1.7	45
41	Near Absence of Vancomycin-Resistant Enterococci but High Carriage Rates of Quinolone-Resistant Ampicillin-Resistant Enterococci among Hospitalized Patients and Nonhospitalized Individuals in Sweden. <i>Journal of Clinical Microbiology</i> , 1999, 37, 3509-3513.	3.9	45
42	Epidemiological Investigation of a Food-borne Gastroenteritis Outbreak Caused by Norwalk-like Virus in 30 Day-care Centres. <i>Scandinavian Journal of Infectious Diseases</i> , 2002, 34, 115-121.	1.5	38
43	Screening of Multiple Biomarkers Associated With Ischemic Stroke in Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2020, 9, e018984.	3.7	37
44	Risk factors for exclusive breastfeeding lasting less than two months – Identifying women in need of targeted breastfeeding support. <i>PLoS ONE</i> , 2017, 12, e0179402.	2.5	35
45	Prediction of Residual Risk by Ceramide-Phospholipid Score in Patients With Stable Coronary Heart Disease on Optimal Medical Therapy. <i>Journal of the American Heart Association</i> , 2020, 9, e015258.	3.7	34
46	Blood glucose in acute stroke, different therapeutic targets for diabetic and non-diabetic patients?. <i>Acta Neurologica Scandinavica</i> , 2005, 112, 81-87.	2.1	32
47	Outcome of Drug-Eluting Versus Bare-Metal Stenting Used According to On- and Off-Label Criteria. <i>Journal of the American College of Cardiology</i> , 2009, 53, 1389-1398.	2.8	32
48	Association between statin treatment and outcome in relation to renal function in survivors of myocardial infarction. <i>Kidney International</i> , 2011, 79, 997-1004.	5.2	29
49	Biomarker-Based Risk Prediction With the ABC-AF Scores in Patients With Atrial Fibrillation Not Receiving Oral Anticoagulation. <i>Circulation</i> , 2021, 143, 1863-1873.	1.6	28
50	Deconstructing the “black box” of the Camberwell assessment of need score in mental health services evaluation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 714-719.	3.1	25
51	Postoperative atelectasis – a randomised trial investigating a ventilatory strategy and low oxygen fraction during recovery. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 681-688.	1.6	25
52	Work at inpatient care units is associated with an increased risk of SARS-CoV-2 infection; a cross-sectional study of 8679 healthcare workers in Sweden. <i>Upsala Journal of Medical Sciences</i> , 2020, 125, 305-310.	0.9	25
53	Hospital therapy traditions influence long-term survival in patients with acute myocardial infarction. <i>American Heart Journal</i> , 2005, 149, 82-90.	2.7	23
54	Risk of Recurrent Stroke and Death After First Stroke in Long-Distance Ski Race Participants. <i>Journal of the American Heart Association</i> , 2015, 4, e002469.	3.7	23

#	ARTICLE	IF	CITATIONS
55	Risk of ischemic stroke and utility of CHA <sub>2</sub> DS <sub>2</sub> -VASc score in women and men with atrial fibrillation. <i>Clinical Cardiology</i> , 2019, 42, 1003-1009.	1.8	23
56	Efficacy and safety of clopidogrel after PCI with stenting in patients on oral anticoagulants with acute coronary syndrome. <i>EuroIntervention</i> , 2011, 6, 1046-1052.	3.2	22
57	Population density and mortality among individuals in motor vehicle crashes. <i>Injury Prevention</i> , 2010, 16, 302-308.	2.4	20
58	Repeated Measurements of Cardiac Biomarkers in Atrial Fibrillation and Validation of the ABC Stroke Score Over Time. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	20
59	Survival and incidence of cardiovascular diseases in participants in a long-distance ski race (Vasaloppet, Sweden) compared with the background population. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2018, 4, 91-97.	4.0	20
60	Risk of recurrent ischaemic events after myocardial infarction in long-distance ski race participants. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 282-290.	1.8	17
61	Multiplex protein screening of biomarkers associated with major bleeding in patients with atrial fibrillation treated with oral anticoagulation. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 2726-2737.	3.8	17
62	Achievement of Secondary Preventive Goals After Acute Myocardial Infarction. <i>Journal of Cardiovascular Nursing</i> , 2009, 24, 362-368.	1.1	16
63	Inadequate adherence to Swedish guidelines for uncomplicated lower urinary tract infections among adults in general practice. <i>Apmis</i> , 2017, 125, 816-821.	2.0	16
64	Extracellular vesicles in atrial fibrillation and stroke. <i>Thrombosis Research</i> , 2020, 193, 180-189.	1.7	15
65	Low frequency of antibiotic resistance among urine isolates of <i>Escherichia coli</i> in the community, despite a major hospital outbreak with <i>Klebsiella pneumoniae</i> producing CTX-M-15 in Uppsala County. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 243-248.	1.5	12
66	Correction for regression dilution bias using replicates from subjects with extreme first measurements. <i>Statistics in Medicine</i> , 2007, 26, 2246-2257.	1.6	9
67	Prehospital diagnosis and start of treatment reduces time delay and mortality in real-life patients with STEMI. <i>Journal of Electrocardiology</i> , 2005, 38, 186.	0.9	8
68	Risk markers of incident atrial fibrillation in patients with coronary heart disease. <i>American Heart Journal</i> , 2021, 233, 92-101.	2.7	7
69	Evaluation of the prognostic value of GDF-15, ABC-AF-bleeding score and ABC-AF-death score in patients with atrial fibrillation across different geographical areas. <i>Open Heart</i> , 2021, 8, e001471.	2.3	7
70	A case-control study of risk factors for urinary acquisition of <i>Klebsiella pneumoniae</i> producing CTX-M-15 in an outbreak situation in Sweden. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 439-444.	1.5	6
71	Association of Different Estimates of Renal Function With Cardiovascular Mortality and Bleeding in Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2020, 9, e017155.	3.7	6
72	Biomarkers and heart failure events in patients with atrial fibrillation in the ARISTOTLE trial evaluated by a multi-state model. <i>American Heart Journal</i> , 2022, 251, 13-24.	2.7	6

#	ARTICLE	IF	CITATIONS
73	Evaluation of the Age, Biomarkers, and Clinical Historyâ€”Bleeding Risk Score in Patients With Atrial Fibrillation With Combined Aspirin and Anticoagulation Therapy Enrolled in the ARISTOTLE and RE-LY Trials. JAMA Network Open, 2020, 3, e2015943.	5.9	5
74	Legumain in Acute Coronary Syndromes: A Substudy of the PLATO (Platelet Inhibition and Patient) Tj ETQq0 0 0 rgBT/Overlogk 10 Tf 50	3.7	10
75	Maximum likelihood estimation of correction for dilution bias in simple linear regression using replicates from subjects with extreme first measurements. Statistics in Medicine, 2008, 27, 4397-4407.	1.6	4
76	The ABC risk score for patients with atrial fibrillation â€” Authors' reply. Lancet, The, 2016, 388, 1980-1981.	13.7	3
77	A general scoreâ€”independent test for orderâ€”restricted inference. Statistics in Medicine, 2018, 37, 3078-3090.	1.6	3
78	The Met Needs Index: a new metric for outcome assessment in mental health services. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 425-432.	3.1	1
79	RISK OF STROKE IN WOMEN AND MEN WITH ATRIAL FIBRILLATION AND ONLY ONE ADDITIONAL CHA2DS2-VASC RISK FACTOR. Journal of the American College of Cardiology, 2017, 69, 327.	2.8	1
80	Percutaneous Coronary Intervention vs Thrombolysis for ST-Elevation Myocardial Infarctionâ€”Reply. JAMA - Journal of the American Medical Association, 2007, 297, 1313.	7.4	0
81	Association of GDF-15, hs-cTnT and NT-proBNP with coronary artery disease in patients undergoing elective angiography. Future Cardiology, 0, , .	1.2	0