Johan Lindbäck

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5493925/publications.pdf

Version: 2024-02-01

66911 71102 6,277 81 41 78 citations h-index g-index papers 86 86 86 7690 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-------------------|-----------------|
| 1 | Biomarkers and heart failure events in patients with atrial fibrillation in the ARISTOTLE trial evaluated by a multi-state model. American Heart Journal, 2022, 251, 13-24. | 2.7 | 6 |
| 2 | Risk markers of incident atrial fibrillation in patients with coronary heart disease. American Heart Journal, 2021, 233, 92-101. | 2.7 | 7 |
| 3 | Evaluation of the prognostic value of GDF-15, ABC-AF-bleeding score and ABC-AF-death score in patients with atrial fibrillation across different geographical areas. Open Heart, 2021, 8, e001471. | 2.3 | 7 |
| 4 | Biomarker-Based Risk Prediction With the ABC-AF Scores in Patients With Atrial Fibrillation Not Receiving Oral Anticoagulation. Circulation, 2021, 143, 1863-1873. | 1.6 | 28 |
| 5 | Multiplex protein screening of biomarkers associated with major bleeding in patients with atrial fibrillation treated with oral anticoagulation. Journal of Thrombosis and Haemostasis, 2021, 19, 2726-2737. | 3.8 | 17 |
| 6 | Angiotensin-converting enzyme 2 (ACE2) levels in relation to risk factors for COVID-19 in two large cohorts of patients with atrial fibrillation. European Heart Journal, 2020, 41, 4037-4046. | 2.2 | 90 |
| 7 | Work at inpatient care units is associated with an increased risk of SARS-CoV-2 infection; a cross-sectional study of 8679 healthcare workers in Sweden. Upsala Journal of Medical Sciences, 2020, 125, 305-310. | 0.9 | 25 |
| 8 | Extracellular vesicles in atrial fibrillation and stroke. Thrombosis Research, 2020, 193, 180-189. | 1.7 | 15 |
| 9 | Association of Different Estimates of Renal Function With Cardiovascular Mortality and Bleeding in Atrial Fibrillation. Journal of the American Heart Association, 2020, 9, e017155. | 3.7 | 6 |
| 10 | Evaluation of the Age, Biomarkers, and Clinical History–Bleeding Risk Score in Patients With Atrial Fibrillation With Combined Aspirin and Anticoagulation Therapy Enrolled in the ARISTOTLE and RE-LY Trials. JAMA Network Open, 2020, 3, e2015943. | 5.9 | 5 |
| 11 | Legumain in Acute Coronary Syndromes: A Substudy of the PLATO (Platelet Inhibition and Patient) Tj ETQq $1\ 1\ 0$. | 784314 rş | gBŢ/Overlock |
| 12 | Screening of Multiple Biomarkers Associated With Ischemic Stroke in Atrial Fibrillation. Journal of the American Heart Association, 2020, 9, e018984. | 3.7 | 37 |
| 13 | Prediction of Residual Risk by Ceramideâ€Phospholipid Score in Patients With Stable Coronary Heart Disease on Optimal Medical Therapy. Journal of the American Heart Association, 2020, 9, e015258. | 3.7 | 34 |
| 14 | Risk of ischemic stroke and utility of CHA ₂ DS ₂ â€VASc score in women and men with atrial fibrillation. Clinical Cardiology, 2019, 42, 1003-1009. | 1.8 | 23 |
| 15 | Survival and incidence of cardiovascular diseases in participants in a long-distance ski race (Vasaloppet, Sweden) compared with the background population. European Heart Journal Quality of Care & C | 4.0 | 20 |
| 16 | Dyslipidemia and Risk of Cardiovascular Events in Patients With Atrial Fibrillation Treated With Oral Anticoagulation Therapy: Insights From the ARISTOTLE (Apixaban for Reduction in Stroke and Other) Tj ETQq0 0 | 0 | verlock 10 Tf ! |
| 17 | A biomarker-based risk score to predict death in patients with atrial fibrillation: the ABC (age,) Tj ETQq1 1 0.7843 | 314 rgBT / 2.2 | Overlock 10 T |
| 18 | A general scoreâ€independent test for orderâ€restricted inference. Statistics in Medicine, 2018, 37, 3078-3090. | 1.6 | 3 |

| # | Article | IF | Citations |
|----|--|------------|-----------|
| 19 | Inadequate adherence to Swedish guidelines for uncomplicated lower urinary tract infections among adults in general practice. Apmis, 2017, 125, 816-821. | 2.0 | 16 |
| 20 | RISK OF STROKE IN WOMEN AND MEN WITH ATRIAL FIBRILLATION AND ONLY ONE ADDITIONAL CHA2DS2-VASC RISK FACTOR. Journal of the American College of Cardiology, 2017, 69, 327. | 2.8 | 1 |
| 21 | Biomarker-Based Risk Model to PredictÂCardiovascular Mortality in PatientsÂWithÂStableÂCoronaryÂDisease. Journal of the American College of Cardiology, 2017, 70, 813-826. | 2.8 | 95 |
| 22 | Repeated Measurements of Cardiac Biomarkers in Atrial Fibrillation and Validation of the ABC Stroke Score Over Time. Journal of the American Heart Association, 2017, 6, . | 3.7 | 20 |
| 23 | Risk factors for exclusive breastfeeding lasting less than two months—Identifying women in need of targeted breastfeeding support. PLoS ONE, 2017, 12, e0179402. | 2.5 | 35 |
| 24 | The novel biomarker-based ABC (age, biomarkers, clinical history)-bleeding risk score for patients with atrial fibrillation: a derivation and validation study. Lancet, The, 2016, 387, 2302-2311. | 13.7 | 389 |
| 25 | Performance and Validation of a Novel Biomarker-Based Stroke Risk Score for Atrial Fibrillation. Circulation, 2016, 134, 1697-1707. | 1.6 | 76 |
| 26 | The ABC risk score for patients with atrial fibrillation – Authors' reply. Lancet, The, 2016, 388, 1980-1981. | 13.7 | 3 |
| 27 | Risk of recurrent ischaemic events after myocardial infarction in long-distance ski race participants. European Journal of Preventive Cardiology, 2016, 23, 282-290. | 1.8 | 17 |
| 28 | The ABC (age, biomarkers, clinical history) stroke risk score: a biomarker-based risk score for predicting stroke in atrial fibrillation. European Heart Journal, 2016, 37, 1582-1590. | 2.2 | 329 |
| 29 | Risk of Recurrent Stroke and Death After First Stroke in Longâ€Distance Ski Race Participants. Journal of the American Heart Association, 2015, 4, e002469. | 3.7 | 23 |
| 30 | Poor adherence to neonatal resuscitation guidelines exposed; an observational study using camera surveillance at a tertiary hospital in Nepal. BMC Pediatrics, 2014, 14, 233. | 1.7 | 45 |
| 31 | Postâ€operative atelectasis – a randomised trial investigating a ventilatory strategy and low oxygen fraction during recovery. Acta Anaesthesiologica Scandinavica, 2014, 58, 681-688. | 1.6 | 25 |
| 32 | Association Between Adoption of Evidence-Based Treatment and Survival for Patients With ST-Elevation Myocardial Infarction. JAMA - Journal of the American Medical Association, 2011, 305, 1677. | 7.4 | 356 |
| 33 | Similar outcome with an invasive strategy in men and women with non-ST-elevation acute coronary syndromes. European Heart Journal, 2011, 32, 3128-3136. | 2.2 | 68 |
| 34 | Association between statin treatment and outcome in relation to renal function in survivors of myocardial infarction. Kidney International, 2011, 79, 997-1004. | 5.2 | 29 |
| 35 | Efficacy and safety of clopidogrel after PCI with stenting in patients on oral anticoagulants with acute coronary syndrome. EuroIntervention, 2011, 6, 1046-1052. | 3.2 | 22 |
| 36 | The Met Needs Index: a new metric for outcome assessment in mental health services. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 425-432. | 3.1 | 1 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 37 | Effect of Angiotensin-Converting Enzyme Inhibition on One-Year Mortality and Frequency of Repeat Acute Myocardial Infarction in Patients With Acute Myocardial Infarction. American Journal of Cardiology, 2010, 105, 1229-1234. | 1.6 | 45 |
| 38 | Relation between renal function, presentation, use of therapies and inâ€hospital complications in acute coronary syndrome: data from the SWEDEHEART register. Journal of Internal Medicine, 2010, 268, 40-49. | 6.0 | 128 |
| 39 | Population density and mortality among individuals in motor vehicle crashes. Injury Prevention, 2010, 16, 302-308. | 2.4 | 20 |
| 40 | Safety and efficacy of drug-eluting vs. bare metal stents in patients with diabetes mellitus: long-term follow-up in the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). European Heart Journal, 2010, 31, 177-186. | 2.2 | 56 |
| 41 | Cardiovascular and Cancer Mortality in Very Elderly Post-Myocardial Infarction Patients Receiving Statin Treatment. Journal of the American College of Cardiology, 2010, 55, 1362-1369. | 2.8 | 58 |
| 42 | Cockcroft-Gault is better than the Modification of Diet in Renal Disease study formula at predicting outcome after a myocardial infarction: Data from the Swedish Web-system for Enhancement and Development of Evidence-based care in Heart disease Evaluated According to Recommended Therapies (SWEDEHEART). American Heart Journal, 2010, 159, 979-986. | 2.7 | 57 |
| 43 | Low frequency of antibiotic resistance among urine isolates of Escherichia coli in the community, despite a major hospital outbreak with Klebsiella pneumoniae producing CTX-M-15 in Uppsala County. Scandinavian Journal of Infectious Diseases, 2010, 42, 243-248. | 1.5 | 12 |
| 44 | A case–control study of risk factors for urinary acquisition of Klebsiella pneumoniae producing CTX-M-15 in an outbreak situation in Sweden. Scandinavian Journal of Infectious Diseases, 2010, 42, 439-444. | 1.5 | 6 |
| 45 | Long-Term Safety and Efficacy of Drug-Eluting versus Bare-Metal Stents in Sweden. New England Journal of Medicine, 2009, 360, 1933-1945. | 27.0 | 223 |
| 46 | Influence of Renal Function on the Effects of Early Revascularization in Non-ST-Elevation Myocardial Infarction. Circulation, 2009, 120, 851-858. | 1.6 | 235 |
| 47 | Stent Thrombosis in Sweden. Circulation: Cardiovascular Interventions, 2009, 2, 401-408. | 3.9 | 121 |
| 48 | Expansion of Small-diameter Abdominal Aortic Aneurysms is Not Reflected by the Release of Inflammatory Mediators IL-6, MMP-9 and CRP in Plasma. European Journal of Vascular and Endovascular Surgery, 2009, 37, 420-424. | 1.5 | 46 |
| 49 | Outcome of Drug-Eluting Versus Bare-Metal Stenting Used According to On- and Off-Label Criteria. Journal of the American College of Cardiology, 2009, 53, 1389-1398. | 2.8 | 32 |
| 50 | Differences in Restenosis Rate With Different Drug-Eluting Stents in Patients With and Without Diabetes Mellitus. Journal of the American College of Cardiology, 2009, 53, 1660-1667. | 2.8 | 88 |
| 51 | The effect of azithromycin and Chlamydophilia pneumonia infection on expansion of small abdominal aortic aneurysms - A prospective randomized double-blind trial. Journal of Vascular Surgery, 2009, 50, 23-29. | 1.1 | 88 |
| 52 | Achievement of Secondary Preventive Goals After Acute Myocardial Infarction. Journal of Cardiovascular Nursing, 2009, 24, 362-368. | 1.1 | 16 |
| 53 | Deconstructing the â€~black box' of the Camberwell assessment of need score in mental health services evaluation. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 714-719. | 3.1 | 25 |
| 54 | Maximum likelihood estimation of correction for dilution bias in simple linear regression using replicates from subjects with extreme first measurements. Statistics in Medicine, 2008, 27, 4397-4407. | 1.6 | 4 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Percutaneous Coronary Intervention vs Thrombolysis for ST-Elevation Myocardial Infarctionâ€"Reply. JAMA - Journal of the American Medical Association, 2007, 297, 1313. | 7.4 | 0 |
| 56 | Long-Term Outcomes with Drug-Eluting Stents versus Bare-Metal Stents in Sweden. New England Journal of Medicine, 2007, 356, 1009-1019. | 27.0 | 1,113 |
| 57 | Correction for regression dilution bias using replicates from subjects with extreme first measurements. Statistics in Medicine, 2007, 26, 2246-2257. | 1.6 | 9 |
| 58 | Digoxin and mortality in atrial fibrillation: a prospective cohort study. European Journal of Clinical Pharmacology, 2007, 63, 959-971. | 1.9 | 102 |
| 59 | Long-Term Survival After Carotid Endarterectomy for Asymptomatic Stenosis. Stroke, 2006, 37, 2886-2891. | 2.0 | 48 |
| 60 | Outcomes of carotid endarterectomy for asymptomatic stenosis in Sweden are improving: Results from a population-based registry. Journal of Vascular Surgery, 2006, 44, 79-85. | 1.1 | 46 |
| 61 | Troponin-T and N-Terminal Pro-B-Type Natriuretic Peptide Predict Mortality Benefit From Coronary Revascularization in Acute Coronary Syndromes. Journal of the American College Cardiology, 2006, 48, 1146-1154. | of.8 | 109 |
| 62 | Pre-hospital thrombolysis delivered by paramedics is associated with reduced time delay and mortality in ambulance-transported real-life patients with ST-elevation myocardial infarction. European Heart Journal, 2006, 27, 1146-1152. | 2.2 | 132 |
| 63 | Improved but still high short- and long-term mortality rates after myocardial infarction in patients with diabetes mellitus: a time-trend report from the Swedish Register of Information and Knowledge about Swedish Heart Intensive Care Admission. Heart, 2006, 93, 1577-1583. | 2.9 | 131 |
| 64 | Long-term Outcome of Primary Percutaneous Coronary Intervention vs Prehospital and In-Hospital Thrombolysis for Patients With ST-Elevation Myocardial Infarction. JAMA - Journal of the American Medical Association, 2006, 296, 1749. | 7.4 | 239 |
| 65 | Blood glucose in acute stroke, different therapeutic targets for diabetic and non-diabetic patients?. Acta Neurologica Scandinavica, 2005, 112, 81-87. | 2.1 | 32 |
| 66 | Prehospital diagnosis and start of treatment reduces time delay and mortality in real-life patients with STEMI. Journal of Electrocardiology, 2005, 38, 186. | 0.9 | 8 |
| 67 | Anticoagulation Therapy in Atrial Fibrillation in Combination With Acute Myocardial Infarction Influences Long-Term Outcome. Circulation, 2005, 112, 3225-3231. | 1.6 | 94 |
| 68 | Hospital therapy traditions influence long-term survival in patients with acute myocardial infarction. American Heart Journal, 2005, 149, 82-90. | 2.7 | 23 |
| 69 | An acute inflammatory reaction induced by myocardial damage is superimposed on a chronic inflammation in unstable coronary artery disease. American Heart Journal, 2005, 149, 619-626. | 2.7 | 56 |
| 70 | Serial analyses of N-terminal pro-B-type natriuretic peptide in patients with non–ST-segment elevation acute coronary syndromes. Journal of the American College of Cardiology, 2005, 45, 533-541. | 2.8 | 115 |
| 71 | Comorbidity and Myocardial Dysfunction Are the Main Explanations for the Higher 1-Year Mortality in Acute Myocardial Infarction With Left Bundle-Branch Block. Circulation, 2004, 110, 1896-1902. | 1.6 | 77 |
| 72 | Biochemical indicators of cardiac and renal function in a healthy elderly population. Clinical Biochemistry, 2004, 37, 210-216. | 1.9 | 82 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Association between environmental risk factors and campylobacter infections in Sweden. Epidemiology and Infection, 2004, 132, 317-325. | 2.1 | 69 |
| 74 | Dengue Fever in Travelers to the Tropics, 1998 and 1999. Emerging Infectious Diseases, 2003, 9, 438-442. | 4.3 | 65 |
| 75 | Is the Increase in Notifications of Chlamydia trachomatis Infections in Sweden the Result of Changes in Prevalence, Sampling Frequency or Diagnostic Methods?. Scandinavian Journal of Infectious Diseases, 2002, 34, 28-34. | 1.5 | 92 |
| 76 | Epidemiological Investigation of a Food-borne Gastroenteritis Outbreak Caused by Norwalk-like Virus in 30 Day-care Centres. Scandinavian Journal of Infectious Diseases, 2002, 34, 115-121. | 1.5 | 38 |
| 77 | The 2000 Tularemia Outbreak: A Case-Control Study of Risk Factors in Disease-Endemic and Emergent Areas, Sweden. Emerging Infectious Diseases, 2002, 8, 956-960. | 4.3 | 134 |
| 78 | Clinical Spectrum and Transmission Characteristics of Infection with Norwalkâ€Like Virus: Findings from a Large Community Outbreak in Sweden. Clinical Infectious Diseases, 2001, 33, 622-628. | 5.8 | 77 |
| 79 | A One-Year Study of Foodborne Illnesses in the Municipality of Uppsala, Sweden. Emerging Infectious Diseases, 2001, 7, 588-592. | 4.3 | 51 |
| 80 | Near Absence of Vancomycin-Resistant Enterococci but High Carriage Rates of Quinolone-Resistant Ampicillin-Resistant Enterococci among Hospitalized Patients and Nonhospitalized Individuals in Sweden. Journal of Clinical Microbiology, 1999, 37, 3509-3513. | 3.9 | 45 |
| 81 | Association of GDF-15, hs-cTnT and NT-proBNP with coronary artery disease in patients undergoing elective angiography. Future Cardiology, 0, , . | 1.2 | O |