

# M Ángeles Lillo-RÃ³denas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5499151/publications.pdf>

Version: 2024-02-01

73  
papers

6,122  
citations

126907

33  
h-index

79698

73  
g-index

74  
all docs

74  
docs citations

74  
times ranked

6572  
citing authors

#	ARTICLE	IF	CITATIONS
1	Solid matter and soluble compounds collected from cigarette smoke and heated tobacco product aerosol using a laboratory designed puffing setup. <i>Environmental Research</i> , 2022, 206, 112619.	7.5	3
2	Chemical Activation of Lignocellulosic Precursors and Residues: What Else to Consider?. <i>Molecules</i> , 2022, 27, 1630.	3.8	19
3	Enhancement of the TiO <sub>2</sub> photoactivity for propene oxidation by carbon incorporation using saccharose in hydrothermal synthesis. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104941.	6.7	6
4	TiO <sub>2</sub> and TiO <sub>2</sub> -Carbon Hybrid Photocatalysts for Diuron Removal from Water. <i>Catalysts</i> , 2021, 11, 457.	3.5	5
5	Ru Catalysts Supported on Commercial and Biomass-Derived Activated Carbons for the Transformation of Levulinic Acid into $\beta$ -Valerolactone under Mild Conditions. <i>Catalysts</i> , 2021, 11, 559.	3.5	9
6	Design of carbon supports for metal-catalyzed acetylene hydrochlorination. <i>Nature Communications</i> , 2021, 12, 4016.	12.8	35
7	Advantages of the Incorporation of Luffa-Based Activated Carbon to Titania for Improving the Removal of Methylene Blue from Aqueous Solution. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 7607.	2.5	4
8	Comparison of particulate matter emission and soluble matter collected from combustion cigarettes and heated tobacco products using a setup designed to simulate puffing regimes. <i>Chemical Engineering Journal Advances</i> , 2021, 8, 100144.	5.2	6
9	Impact of TiO <sub>2</sub> Surface Defects on the Mechanism of Acetaldehyde Decomposition under Irradiation of a Fluorescent Lamp. <i>Catalysts</i> , 2021, 11, 1281.	3.5	5
10	Photocatalytic Oxidation of Propane Using Hydrothermally Prepared Anatase-Brookite-Rutile TiO <sub>2</sub> Samples. An In Situ DRIFTS Study. <i>Nanomaterials</i> , 2020, 10, 1314.	4.1	8
11	Mesoporous Activated Carbon Supported Ru Catalysts to Efficiently Convert Cellulose into Sorbitol by Hydrolytic Hydrogenation. <i>Energies</i> , 2020, 13, 4394.	3.1	7
12	Understanding the rate performance of microporous carbons in aqueous electrolytes. <i>Electrochimica Acta</i> , 2020, 350, 136408.	5.2	3
13	Novel monoliths prepared from sucrose avoiding binder and thermal treatment. <i>Microporous and Mesoporous Materials</i> , 2019, 284, 78-81.	4.4	6
14	Spherical activated carbons for the adsorption of a real multicomponent VOC mixture. <i>Carbon</i> , 2019, 148, 214-223.	10.3	65
15	Cellulose hydrolysis catalysed by mesoporous activated carbons functionalized under mild conditions. <i>SN Applied Sciences</i> , 2019, 1, 1.	2.9	12
16	TiO <sub>2</sub> Modification with Transition Metallic Species (Cr, Co, Ni, and Cu) for Photocatalytic Abatement of Acetic Acid in Liquid Phase and Propene in Gas Phase. <i>Materials</i> , 2019, 12, 40.	2.9	21
17	One step hydrothermal synthesis of TiO <sub>2</sub> with variable HCl concentration: Detailed characterization and photocatalytic activity in propene oxidation. <i>Applied Catalysis B: Environmental</i> , 2018, 220, 645-653.	20.2	61
18	Effect of the Preparation Method (Sol-Gel or Hydrothermal) and Conditions on the TiO <sub>2</sub> Properties and Activity for Propene Oxidation. <i>Materials</i> , 2018, 11, 2227.	2.9	40

#	ARTICLE	IF	CITATIONS
19	Spherical Activated Carbons with High Mechanical Strength Directly Prepared from Selected Spherical Seeds. <i>Materials</i> , 2018, 11, 770.	2.9	23
20	New Carbon Monoliths for Supercapacitor Electrodes. Looking at the Double Layer. <i>ChemElectroChem</i> , 2017, 4, 1016-1025.	3.4	10
21	Cu/TiO <sub>2</sub> photocatalysts for the conversion of acetic acid into biogas and hydrogen. <i>Catalysis Today</i> , 2017, 287, 78-84.	4.4	26
22	Synthesis of TiO <sub>2</sub> with Hierarchical Porosity for the Photooxidation of Propene. <i>Molecules</i> , 2017, 22, 2243.	3.8	17
23	INORGANIC CHEMISTRY TEACHING MATERIALS FOR MOBILE LEARNING AND/OR "BRING YOUR OWN DEVICE" STRATEGY. <i>EDULEARN Proceedings</i> , 2017, , .	0.0	1
24	Factors governing the adsorption of ethanol on spherical activated carbons. <i>Carbon</i> , 2015, 83, 240-249.	10.3	34
25	Spherical carbons: Synthesis, characterization and activation processes. <i>Carbon</i> , 2014, 68, 296-307.	10.3	242
26	Synthesis of high surface area TiO <sub>2</sub> nanoparticles by mild acid treatment with HCl or HI for photocatalytic propene oxidation. <i>Applied Catalysis B: Environmental</i> , 2014, 154-155, 285-293.	20.2	32
27	Spherical activated carbon as an enhanced support for TiO <sub>2</sub> /AC photocatalysts. <i>Carbon</i> , 2014, 67, 104-118.	10.3	72
28	Activation of a spherical carbon for toluene adsorption at low concentration. <i>Carbon</i> , 2014, 77, 616-626.	10.3	32
29	Photocatalytic oxidation of propene in gas phase at low concentration by optimized TiO <sub>2</sub> nanoparticles. <i>Applied Catalysis B: Environmental</i> , 2013, 134-135, 333-343.	20.2	28
30	Carbon nanofibres as substrates for the preparation of TiO <sub>2</sub> nanostructured photocatalysts. <i>Applied Catalysis B: Environmental</i> , 2012, 127, 291-299.	20.2	18
31	Hydrothermal and conventional H <sub>3</sub> PO <sub>4</sub> activation of two natural bio-fibers. <i>Carbon</i> , 2012, 50, 3158-3169.	10.3	54
32	Benzene and toluene adsorption at low concentration on activated carbon fibres. <i>Adsorption</i> , 2011, 17, 473-481.	3.0	110
33	CO <sub>2</sub> separation by carbon molecular sieve monoliths prepared from nitrated coal tar pitch. <i>Fuel Processing Technology</i> , 2011, 92, 915-919.	7.2	33
34	Use of thermoplastic polyurethane elastomers in the preparation of fabric/activated carbon composites. <i>Journal of Applied Polymer Science</i> , 2010, 118, 3509-3517.	2.6	4
35	New insights on the direct activation of isotropic petroleum pitch by alkaline hydroxides. <i>Fuel Processing Technology</i> , 2010, 91, 145-149.	7.2	10
36	Regeneration of activated carbons saturated with benzene or toluene using an oxygen-containing atmosphere. <i>Chemical Engineering Science</i> , 2010, 65, 2190-2198.	3.8	42

#	ARTICLE	IF	CITATIONS
37	Evidence for the presence of cyanide during carbon activation by KOH. Carbon, 2010, 48, 1032-1037.	10.3	15
38	Spherical activated carbons for low concentration toluene adsorption. Carbon, 2010, 48, 2625-2633.	10.3	56
39	Amorphous Carbon Nanofibers and Their Activated Carbon Nanofibers as Supercapacitor Electrodes. Journal of Physical Chemistry C, 2010, 114, 10302-10307.	3.1	240
40	Removal of odour-causing compounds using carbonaceous adsorbents/catalysts prepared from sewage sludge. Water Science and Technology, 2009, 59, 1371-1376.	2.5	12
41	Amorphous carbon nanofibres inducing high specific capacitance of deposited hydrous ruthenium oxide. Electrochimica Acta, 2009, 54, 7452-7457.	5.2	29
42	Enhanced methane storage of chemically and physically activated carbide-derived carbon. Journal of Power Sources, 2009, 191, 560-567.	7.8	111
43	Isotropic petroleum pitch as a carbon precursor for the preparation of activated carbons by KOH activation. Carbon, 2009, 47, 2141-2142.	10.3	37
44	TiO <sub>2</sub> nanotubes and CNT@TiO <sub>2</sub> hybrid materials for the photocatalytic oxidation of propene at low concentration. Applied Catalysis B: Environmental, 2009, 92, 377-383.	20.2	149
45	Activated Carbons for the Removal of Low-Concentration Gaseous Toluene at the Semipilot Scale. Industrial & Engineering Chemistry Research, 2009, 48, 2066-2075.	3.7	28
46	Capacitance of KOH activated carbide-derived carbons. Physical Chemistry Chemical Physics, 2009, 11, 4943.	2.8	89
47	NO adsorption on activated carbon fibers from iron-containing pitch. Microporous and Mesoporous Materials, 2008, 108, 294-302.	4.4	26
48	Understanding RuO <sub>2</sub> ·xH <sub>2</sub> O/carbon nanofibre composites as supercapacitor electrodes. Journal of Power Sources, 2008, 176, 417-425.	7.8	82
49	Photocatalytic activity of TiO <sub>2</sub> -based materials for the oxidation of propene and benzene at low concentration in presence of humidity. Applied Catalysis B: Environmental, 2008, 84, 691-698.	20.2	45
50	Carbonaceous adsorbents for NH <sub>3</sub> removal at room temperature. Carbon, 2008, 46, 176-178.	10.3	17
51	Effects of different carbon materials on MgH <sub>2</sub> decomposition. Carbon, 2008, 46, 126-137.	10.3	158
52	Further insights into the activation process of sewage sludge-based precursors by alkaline hydroxides. Chemical Engineering Journal, 2008, 142, 168-174.	12.7	53
53	Enhancement of the photocatalytic activity of pelletized TiO <sub>2</sub> for the oxidation of propene at low concentration. Applied Catalysis B: Environmental, 2008, 77, 284-293.	20.2	24
54	SO <sub>2</sub> retention on CaO/activated carbon sorbents. Part II: Effect of the activated carbon support. Fuel, 2008, 87, 2544-2550.	6.4	18

#	ARTICLE	IF	CITATIONS
55	SO <sub>2</sub> retention on CaO/activated carbon sorbents. Part III. Study of the retention and regeneration conditions. <i>Fuel</i> , 2008, 87, 3170-3175.	6.4	10
56	Effects of Carbon-Supported Nickel Catalysts on MgH <sub>2</sub> Decomposition. <i>Journal of Physical Chemistry C</i> , 2008, 112, 5984-5992.	3.1	62
57	Controlling Porosity to Improve Activated Carbon Applications. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2008, , 97-106.	0.2	2
58	A New Generation of Sludge-Based Adsorbents for H <sub>2</sub> S Abatement at Room Temperature. <i>Environmental Science &amp; Technology</i> , 2007, 41, 4375-4381.	10.0	68
59	SO <sub>2</sub> retention on CaO/activated carbon sorbents. Part I: Importance of calcium loading and dispersion. <i>Fuel</i> , 2007, 86, 677-683.	6.4	31
60	The influence of iron chloride addition to the precursor pitch on the formation of activated carbon fibers. <i>Microporous and Mesoporous Materials</i> , 2007, 100, 202-209.	4.4	16
61	Causes of supercapacitors ageing in organic electrolyte. <i>Journal of Power Sources</i> , 2007, 171, 1046-1053.	7.8	348
62	Activated carbons prepared by pyrolysis of mixtures of carbon precursor/alkaline hydroxide. <i>Journal of Analytical and Applied Pyrolysis</i> , 2007, 80, 166-174.	5.5	131
63	Photocatalytic oxidation of propene at low concentration. <i>Applied Catalysis B: Environmental</i> , 2007, 71, 298-309.	20.2	30
64	High surface area materials prepared from sewage sludge-based precursors. <i>Chemosphere</i> , 2006, 65, 132-140.	8.2	150
65	Competitive adsorption of a benzene-toluene mixture on activated carbons at low concentration. <i>Carbon</i> , 2006, 44, 1455-1463.	10.3	164
66	Behaviour of activated carbons with different pore size distributions and surface oxygen groups for benzene and toluene adsorption at low concentrations. <i>Carbon</i> , 2005, 43, 1758-1767.	10.3	472
67	Electrochemical Regeneration of Activated Carbon Saturated with Toluene. <i>Journal of Applied Electrochemistry</i> , 2005, 35, 319-325.	2.9	68
68	About reactions occurring during chemical activation with hydroxides. <i>Carbon</i> , 2004, 42, 1371-1375.	10.3	342
69	HRTEM study of activated carbons prepared by alkali hydroxide activation of anthracite. <i>Carbon</i> , 2004, 42, 1305-1310.	10.3	36
70	Understanding chemical reactions between carbons and NaOH and KOH. <i>Carbon</i> , 2003, 41, 267-275.	10.3	1,003
71	Usefulness of chemically activated anthracite for the abatement of VOC at low concentrations. <i>Fuel Processing Technology</i> , 2002, 77-78, 331-336.	7.2	33
72	Preparation of activated carbons from Spanish anthracite. <i>Carbon</i> , 2001, 39, 741-749.	10.3	608

#	ARTICLE	IF	CITATIONS
73	Preparation of activated carbons from Spanish anthracite. Carbon, 2001, 39, 751-759.	10.3	256