

Jenny L Donovan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5500920/publications.pdf>

Version: 2024-02-01

342
papers

28,570
citations

5876

81
h-index

6818

155
g-index

354
all docs

354
docs citations

354
times ranked

32253
citing authors

#	ARTICLE	IF	CITATIONS
1	Feasibility and safety of radical prostatectomy for oligoâ€metastatic prostate cancer: the Testing Radical prostatectomy in men with prostate cancer and oligoâ€Metastases to the bone (TRoMbone) trial. BJU International, 2022, 130, 43-53.	1.3	26
2	Arthroscopic hip surgery compared with personalised hip therapy in people over 16 years old with femoroacetabular impingement syndrome: UK FASHIoN RCT. Health Technology Assessment, 2022, 26, 1-236.	1.3	3
3	Development of a new adapted QuinteT Recruitment Intervention (QRI-Two) for rapid application to RCTs underway with enrolment shortfallsâ€to identify previously hidden barriers and improve recruitment. Trials, 2022, 23, 258.	0.7	10
4	Functional and quality of life outcomes of localised prostate cancer treatments (Prostate Testing) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.3	23
5	Variations in policies for accessing elective musculoskeletal procedures in the English National Health Service: A documentary analysis. Journal of Health Services Research and Policy, 2022, , 135581962210915.	0.8	1
6	The high-volume haemodiafiltration vs high-flux haemodialysis registry trial (H4RT): a multi-centre, unblinded, randomised, parallel-group, superiority study to compare the effectiveness and cost-effectiveness of high-volume haemodiafiltration and high-flux haemodialysis in people with kidney failure on maintenance dialysis using linkage to routine healthcare databases for outcomes. Trials, 2022, 23, .	0.7	13
7	Evidence of detrimental effects of prenatal alcohol exposure on offspring birthweight and neurodevelopment from a systematic review of quasi-experimental studies. International Journal of Epidemiology, 2021, 49, 1972-1995.	0.9	39
8	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. Nature Genetics, 2021, 53, 65-75.	9.4	264
9	Circulating adiponectin and leptin and risk of overall and aggressive prostate cancer: a systematic review and meta-analysis. Scientific Reports, 2021, 11, 320.	1.6	15
10	Additional SNPs improve risk stratification of a polygenic hazard score for prostate cancer. Prostate Cancer and Prostatic Diseases, 2021, 24, 532-541.	2.0	16
11	Polygenic hazard score is associated with prostate cancer in multi-ethnic populations. Nature Communications, 2021, 12, 1236.	5.8	40
12	â€We tend to get pad happyâ€™: a qualitative study of health practitionersâ€™ perspectives on the quality of continence care for older people in hospital. BMJ Open Quality, 2021, 10, e001380.	0.4	5
13	Identification of a serum biomarker signature associated with metastatic prostate cancer. Proteomics - Clinical Applications, 2021, 15, 2000025.	0.8	3
14	Commissioner, clinician, and patient experiences of a preâ€surgical health optimisation programme â€ a qualitative study. BMC Health Services Research, 2021, 21, 409.	0.9	3
15	Evaluating an enhanced quality improvement intervention in maternity units: PReCePT trial protocol. BMJ Open Quality, 2021, 10, e001204.	0.4	8
16	What empirical research has been undertaken on the ethics of clinical research in India? A systematic scoping review and narrative synthesis. BMJ Global Health, 2021, 6, e004729.	2.0	5
17	â€Overnight, things changed. Suddenly, we were in itâ€™: a qualitative study exploring how surgical teams mitigated risks of COVID-19. BMJ Open, 2021, 11, e046662.	0.8	3
18	Menâ€™s experiences of radiotherapy treatment for localized prostate cancer and its long-term treatment side effects: a longitudinal qualitative study. Cancer Causes and Control, 2021, 32, 261-269.	0.8	8

#	ARTICLE	IF	CITATIONS
19	Recruiters's™ perspectives and experiences of trial recruitment processes: a qualitative evidence synthesis protocol. <i>BMJ Open</i> , 2021, 11, e045233.	0.8	1
20	Using qualitative research methods to understand how surgical procedures and devices are introduced into NHS hospitals: the Lotus study protocol. <i>BMJ Open</i> , 2021, 11, e049234.	0.8	2
21	The ProtecT trial: analysis of the patient cohort, baseline risk stratification and disease progression. <i>BJU International</i> , 2020, 125, 506-514.	1.3	32
22	Ten-year Mortality, Disease Progression, and Treatment-related Side Effects in Men with Localised Prostate Cancer from the ProtecT Randomised Controlled Trial According to Treatment Received. <i>European Urology</i> , 2020, 77, 320-330.	0.9	107
23	The ProtecT randomised trial cost-effectiveness analysis comparing active monitoring, surgery, or radiotherapy for prostate cancer. <i>British Journal of Cancer</i> , 2020, 123, 1063-1070.	2.9	15
24	Strategies adopted by men to deal with uncertainty and anxiety when following an active surveillance/monitoring protocol for localised prostate cancer and implications for care: a longitudinal qualitative study embedded within the ProtecT trial. <i>BMJ Open</i> , 2020, 10, e036024.	0.8	7
25	Patients's™ experiences of life after bariatric surgery and follow-up care: a qualitative study. <i>BMJ Open</i> , 2020, 10, e035013.	0.8	35
26	The effect of sample size on polygenic hazard models for prostate cancer. <i>European Journal of Human Genetics</i> , 2020, 28, 1467-1475.	1.4	14
27	Online help for people with suicidal thoughts provided by charities and healthcare organisations: a qualitative study of users's™ perceptions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1157-1166.	1.6	11
28	Systematic review and meta-analysis of the associations between body mass index, prostate cancer, advanced prostate cancer, and prostate-specific antigen. <i>Cancer Causes and Control</i> , 2020, 31, 431-449.	0.8	53
29	Adjuvant chemotherapy in upper tract urothelial carcinoma (the POUT trial): a phase 3, open-label, randomised controlled trial. <i>Lancet, The</i> , 2020, 395, 1268-1277.	6.3	311
30	A Genetic Risk Score to Personalize Prostate Cancer Screening, Applied to Population Data. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1731-1738.	1.1	27
31	The implementation and utility of patient screening logs in a multicentre randomised controlled oncology trial. <i>Trials</i> , 2020, 21, 629.	0.7	1
32	Active monitoring, radical prostatectomy and radical radiotherapy in PSA-detected clinically localised prostate cancer: the ProtecT three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-176.	1.3	22
33	Comparison of Multiparametric Magnetic Resonance Imaging and Targeted Biopsy With Systematic Biopsy Alone for the Diagnosis of Prostate Cancer. <i>JAMA Network Open</i> , 2019, 2, e198427.	2.8	47
34	Longer-term efficiency and safety of increasing the frequency of whole blood donation (INTERVAL): extension study of a randomised trial of 20's™757 blood donors. <i>Lancet Haematology</i> , the, 2019, 6, e510-e520.	2.2	17
35	Factors associated with trial recruitment, preferences, and treatments received were elucidated in a comprehensive cohort study. <i>Journal of Clinical Epidemiology</i> , 2019, 113, 200-213.	2.4	6
36	“What's™ fair to an individual is not always fair to a population”: A qualitative study of patients and their health professionals using the Cancer Drugs Fund. <i>Health Policy</i> , 2019, 123, 706-712.	1.4	3

#	ARTICLE	IF	CITATIONS
37	Dressing use issues in primary abdominal wounds: a qualitative study of health staff and patient views. <i>British Journal of Nursing</i> , 2019, 28, S10-S18.	0.3	0
38	Catheter-based closure of the patent ductus arteriosus in preterm infants: considerations in the design of a randomized trial. <i>Journal of Perinatology</i> , 2019, 39, 1437-1438.	0.9	3
39	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019, 10, 431.	5.8	88
40	Pre-trial qualitative work with health care professionals to refine the design and delivery of a randomised controlled trial on kidney care. <i>Trials</i> , 2019, 20, 224.	0.7	9
41	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF1, IGF2, IGFBP1, IGFBP2 and IGFBP3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , 2019, 145, 3244-3256.	2.3	14
42	Intensive Triangulation of Qualitative Research and Quantitative Data to Improve Recruitment to Randomized Trials: The QuinteT Approach. <i>Qualitative Health Research</i> , 2019, 29, 672-679.	1.0	38
43	Germline DNA Repair Gene Mutations in Young-onset Prostate Cancer Cases in the UK: Evidence for a More Extensive Genetic Panel. <i>European Urology</i> , 2019, 76, 329-337.	0.9	48
44	Longitudinal study of use and cost of subacromial decompression surgery: the need for effective evaluation of surgical procedures to prevent overtreatment and wasted resources. <i>BMJ Open</i> , 2019, 9, e030229.	0.8	16
45	Effect of green tea and lycopene on the insulin-like growth factor system: the ProDiet randomized controlled trial. <i>European Journal of Cancer Prevention</i> , 2019, 28, 569-575.	0.6	7
46	The QuinteT Recruitment Intervention supported five randomized trials to recruit to target: a mixed-methods evaluation. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 108-120.	2.4	49
47	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019, 79, 274-285.	0.4	25
48	Circulating Metabolic Biomarkers of Screen-Detected Prostate Cancer in the ProtecT Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 208-216.	1.1	21
49	Investigating the effects of lycopene and green tea on the metabolome of men at risk of prostate cancer: The ProDiet randomised controlled trial. <i>International Journal of Cancer</i> , 2019, 144, 1918-1928.	2.3	37
50	Synthesizing Qualitative Data Sets to Improve the Design of Trials and Complex Health Interventions: A Worked Example. <i>Qualitative Health Research</i> , 2019, 29, 693-699.	1.0	4
51	Laparoscopically assisted versus open oesophagectomy for patients with oesophageal cancer—the Randomised Oesophagectomy: Minimally Invasive or Open (ROMIO) study: protocol for a randomised controlled trial (RCT). <i>BMJ Open</i> , 2019, 9, e030907.	0.8	23
52	Three wound-dressing strategies to reduce surgical site infection after abdominal surgery: the Bluebelle feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-166.	1.3	10
53	Effect of a Low-Intensity PSA-Based Screening Intervention on Prostate Cancer Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 883.	3.8	296
54	Estimating the sensitivity of a prostate cancer screening programme for different PSA cut-off levels: A UK case study. <i>Cancer Epidemiology</i> , 2018, 52, 99-105.	0.8	8

#	ARTICLE	IF	CITATIONS
55	Value of Intact Prostate Specific Antigen and Human Kallikrein 2 in the 4 Kallikrein Predictive Model: An Individual Patient Data Meta-Analysis. <i>Journal of Urology</i> , 2018, 199, 1470-1474.	0.2	11
56	An observational study showed that explaining randomization using gambling-related metaphors and computer-agency descriptions impeded randomized clinical trial recruitment. <i>Journal of Clinical Epidemiology</i> , 2018, 99, 75-83.	2.4	25
57	Developing new age-specific prostate-specific antigen thresholds for testing for prostate cancer. <i>Cancer Causes and Control</i> , 2018, 29, 383-388.	0.8	15
58	Progress in clinical research in surgery and IDEAL. <i>Lancet, The</i> , 2018, 392, 88-94.	6.3	66
59	A prospective cohort and extended comprehensive-cohort design provided insights about the generalizability of a pragmatic trial: the ProtecT prostate cancer trial. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 35-46.	2.4	16
60	Training health professionals to recruit into challenging randomized controlled trials improved confidence: the development of the QuinteT randomized controlled trial recruitment training intervention. <i>Journal of Clinical Epidemiology</i> , 2018, 95, 34-44.	2.4	28
61	Self-responsibility, rationing and treatment decision making – managing moral narratives alongside fiscal reality in the obesity surgery clinic. <i>Health Expectations</i> , 2018, 21, 606-614.	1.1	17
62	Polygenic hazard score to guide screening for aggressive prostate cancer: development and validation in large scale cohorts. <i>BMJ: British Medical Journal</i> , 2018, 360, j5757.	2.4	153
63	Experiencing menopause in the UK: The interrelated narratives of normality, distress, and transformation. <i>Journal of Women and Aging</i> , 2018, 30, 520-540.	0.5	30
64	Arthroscopic subacromial decompression for subacromial shoulder pain (CSAW): a multicentre, pragmatic, parallel group, placebo-controlled, three-group, randomised surgical trial. <i>Lancet, The</i> , 2018, 391, 329-338.	6.3	343
65	Germline variation at 8q24 and prostate cancer risk in men of European ancestry. <i>Nature Communications</i> , 2018, 9, 4616.	5.8	43
66	ProDiet: A Phase II Randomized Placebo-controlled Trial of Green Tea Catechins and Lycopene in Men at Increased Risk of Prostate Cancer. <i>Cancer Prevention Research</i> , 2018, 11, 687-696.	0.7	32
67	A randomized controlled feasibility trial of green tea and lycopene interventions in men at elevated risk of prostate cancer (ProDiet). <i>European Journal of Surgical Oncology</i> , 2018, 44, S39-S40.	0.5	0
68	Time for a “Radical” Change to Active Surveillance for Prostate Cancer?. <i>European Urology</i> , 2018, 74, 281-282.	0.9	4
69	Hip arthroscopy versus best conservative care for the treatment of femoroacetabular impingement syndrome (UK FASHIoN): a multicentre randomised controlled trial. <i>Lancet, The</i> , 2018, 391, 2225-2235.	6.3	407
70	Development of a framework to improve the process of recruitment to randomised controlled trials (RCTs): the SEAR (Screened, Eligible, Approached, Randomised) framework. <i>Trials</i> , 2018, 19, 50.	0.7	48
71	Using the internet for suicide-related purposes: Contrasting findings from young people in the community and self-harm patients admitted to hospital. <i>PLoS ONE</i> , 2018, 13, e0197712.	1.1	39
72	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018, 50, 928-936.	9.4	652

#	ARTICLE	IF	CITATIONS
73	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018, 9, 2256.	5.8	88
74	Overcoming difficulties with equipoise to enable recruitment to a randomised controlled trial of partial ablation vs radical prostatectomy for unilateral localised prostate cancer. <i>BJU International</i> , 2018, 122, 970-977.	1.3	17
75	Partial ablation versus radical prostatectomy in intermediate-risk prostate cancer: the PART feasibility RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-96.	1.3	33
76	Experiences of accessing obesity surgery on the NHS: a qualitative study. <i>Journal of Public Health</i> , 2017, 39, fdv209.	1.0	7
77	Patient flow within UK emergency departments: a systematic review of the use of computer simulation modelling methods. <i>BMJ Open</i> , 2017, 7, e015007.	0.8	83
78	Clinical and patient-reported outcomes of <scp>SPARE</scp> – a randomised feasibility study of selective bladder preservation versus radical cystectomy. <i>BJU International</i> , 2017, 120, 639-650.	1.3	105
79	Understanding and Improving Recruitment to Randomised Controlled Trials: Qualitative Research Approaches. <i>European Urology</i> , 2017, 72, 789-798.	0.9	105
80	Patient-Reported Outcomes Following Treatment for Localized Prostate Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 1121.	3.8	15
81	Efficiency and safety of varying the frequency of whole blood donation (INTERVAL): a randomised trial of 45 000 donors. <i>Lancet, The</i> , 2017, 390, 2360-2371.	6.3	222
82	Height, selected genetic markers and prostate cancer risk: results from the PRACTICAL consortium. <i>British Journal of Cancer</i> , 2017, 117, 734-743.	2.9	7
83	Cross-sectional study evaluating data quality of the National Cancer Registration and Analysis Service (NCRAS) prostate cancer registry data using the Cluster randomised trial of PSA testing for Prostate cancer (CAP). <i>BMJ Open</i> , 2017, 7, e015994.	0.8	11
84	Post-diagnosis serum insulin-like growth factors in relation to dietary and lifestyle changes in the Prostate testing for cancer and Treatment (Protect) trial. <i>Cancer Causes and Control</i> , 2017, 28, 877-888.	0.8	2
85	Core information sets for informed consent to surgical interventions: baseline information of importance to patients and clinicians. <i>BMC Medical Ethics</i> , 2017, 18, 29.	1.0	29
86	Exploring patients'™ treatment journeys following randomisation in mental health trials to improve future trial conduct: a synthesis of multiple qualitative data sets. <i>Trials</i> , 2017, 18, 279.	0.7	7
87	Investigating the possible causal role of coffee consumption with prostate cancer risk and progression using Mendelian randomization analysis. <i>International Journal of Cancer</i> , 2017, 140, 322-328.	2.3	17
88	<i>â€˜She believed in meâ€™</i>. What patients with depression value in their relationship with practitioners. A secondary analysis of multiple qualitative data sets. <i>Health Expectations</i> , 2017, 20, 85-97.	1.1	8
89	Properties of the 4-Kallikrein Panel Outside the Diagnostic Gray Zone: Meta-Analysis of Patients with Positive Digital Rectal Examination or Prostate Specific Antigen 10 ng/ml and Above. <i>Journal of Urology</i> , 2017, 197, 607-613.	0.2	18
90	Mortality Among Men with Advanced Prostate Cancer Excluded from the ProtecT Trial. <i>European Urology</i> , 2017, 71, 381-388.	0.9	41

#	ARTICLE	IF	CITATIONS
91	Alcohol consumption and prostate cancer incidence and progression: A Mendelian randomisation study. <i>International Journal of Cancer</i> , 2017, 140, 75-85.	2.3	28
92	Low alcohol consumption and pregnancy and childhood outcomes: time to change guidelines indicating apparently "safe" levels of alcohol during pregnancy? A systematic review and meta-analyses. <i>BMJ Open</i> , 2017, 7, e015410.	0.8	125
93	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. <i>PLoS ONE</i> , 2017, 12, e0187741.	1.1	34
94	Informed consent in randomised controlled trials: development and preliminary evaluation of a measure of Participatory and Informed Consent (PIC). <i>Trials</i> , 2017, 18, 327.	0.7	9
95	A mixed-methods feasibility and external pilot study to inform a large pragmatic randomised controlled trial of the effects of surgical wound dressing strategies on surgical site infections (Bluebelle Phase B): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 401.	0.7	13
96	Prostate-specific antigen (PSA) testing of men in UK general practice: a 10-year longitudinal cohort study. <i>BMJ Open</i> , 2017, 7, e017729.	0.8	27
97	Integration of research and practice to improve public health and healthcare delivery through a collaborative 'Health Integration Team' model - a qualitative investigation. <i>BMC Health Services Research</i> , 2016, 16, 201.	0.9	8
98	"The trial is owned by the team, not by an individual": a qualitative study exploring the role of teamwork in recruitment to randomised controlled trials in surgical oncology. <i>Trials</i> , 2016, 17, 212.	0.7	24
99	Optimising recruitment and informed consent in randomised controlled trials: the development and implementation of the Quintet Recruitment Intervention (QRI). <i>Trials</i> , 2016, 17, 283.	0.7	162
100	Conveying Equipoise during Recruitment for Clinical Trials: Qualitative Synthesis of Clinicians' Practices across Six Randomised Controlled Trials. <i>PLoS Medicine</i> , 2016, 13, e1002147.	3.9	82
101	Prostate-specific antigen patterns in US and European populations: comparison of six diverse cohorts. <i>BJU International</i> , 2016, 118, 911-918.	1.3	5
102	PALB2, CHEK2 and ATM rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016, 53, 800-811.	1.5	174
103	Validating the use of Hospital Episode Statistics data and comparison of costing methodologies for economic evaluation: an end-of-life case study from the Cluster randomised trial of PSA testing for Prostate cancer (CAP). <i>BMJ Open</i> , 2016, 6, e011063.	0.8	23
104	Validation of the National Cancer Registration and Analysis Service prostate cancer registry with data from the CAP study. <i>Lancet, The</i> , 2016, 388, S77.	6.3	0
105	A new simple six-step model to promote recruitment to RCTs was developed and successfully implemented. <i>Journal of Clinical Epidemiology</i> , 2016, 76, 166-174.	2.4	34
106	Circulating Folate and Vitamin B12 and Risk of Prostate Cancer: A Collaborative Analysis of Individual Participant Data from Six Cohorts Including 6875 Cases and 8104 Controls. <i>European Urology</i> , 2016, 70, 941-951.	0.9	46
107	Polyunsaturated fatty acids and prostate cancer risk: a Mendelian randomisation analysis from the PRACTICAL consortium. <i>British Journal of Cancer</i> , 2016, 115, 624-631.	2.9	23
108	Assessing the role of insulin-like growth factors and binding proteins in prostate cancer using Mendelian randomization: Genetic variants as instruments for circulating levels. <i>International Journal of Cancer</i> , 2016, 139, 1520-1533.	2.3	26

#	ARTICLE	IF	CITATIONS
109	Symptomatic and quality of life outcomes after treatment for clinically localised prostate cancer: a systematic review. <i>BJU International</i> , 2016, 118, 193-204.	1.3	63
110	10-Year Outcomes after Monitoring, Surgery, or Radiotherapy for Localized Prostate Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1415-1424.	13.9	2,101
111	Patient-Reported Outcomes after Monitoring, Surgery, or Radiotherapy for Prostate Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1425-1437.	13.9	962
112	Patient-reported outcomes in the ProtecT randomized trial of clinically localized prostate cancer treatments: study design, and baseline urinary, bowel and sexual function and quality of life. <i>BJU International</i> , 2016, 118, 869-879.	1.3	52
113	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.	7.7	157
114	Investigating the prostate specific antigen, body mass index and age relationship: is an age-adjusted BMI-adjusted PSA model clinically useful?. <i>Cancer Causes and Control</i> , 2016, 27, 1465-1474.	0.8	17
115	Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. <i>Nature Communications</i> , 2016, 7, 10979.	5.8	50
116	Contemporary accuracy of death certificates for coding prostate cancer as a cause of death: Is reliance on death certification good enough? A comparison with blinded review by an independent cause of death evaluation committee. <i>British Journal of Cancer</i> , 2016, 115, 90-94.	2.9	38
117	Characteristics of men responding to an invitation to undergo testing for prostate cancer as part of a randomised trial. <i>Trials</i> , 2016, 17, 497.	0.7	5
118	A Comparison of Health Professionals' and Patients' Views of the Importance of Outcomes of Bariatric Surgery. <i>Obesity Surgery</i> , 2016, 26, 2738-2746.	1.1	39
119	Pubertal development and prostate cancer risk: Mendelian randomization study in a population-based cohort. <i>BMC Medicine</i> , 2016, 14, 66.	2.3	42
120	Research participation registers can increase opportunities for patients and the public to participate in health services research. <i>Journal of Health Services Research and Policy</i> , 2016, 21, 183-187.	0.8	5
121	A systematic review of geographical variation in access to chemotherapy. <i>BMC Cancer</i> , 2016, 16, 1.	1.1	195
122	An evaluation of a multi-component adult weight management on referral intervention in a community setting. <i>BMC Research Notes</i> , 2016, 9, 104.	0.6	7
123	Longitudinal prostate-specific antigen reference ranges: Choosing the underlying model of age-related changes. <i>Statistical Methods in Medical Research</i> , 2016, 25, 1875-1891.	0.7	7
124	Misclassification of outcome in case-control studies: Methods for sensitivity analysis. <i>Statistical Methods in Medical Research</i> , 2016, 25, 2377-2393.	0.7	23
125	Insertion of an SVA-E retrotransposon into the <i>CASP8</i> gene is associated with protection against prostate cancer. <i>Human Molecular Genetics</i> , 2016, 25, 1008-1018.	1.4	22
126	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. <i>Cancer Research</i> , 2016, 76, 2288-2300.	0.4	117

#	ARTICLE	IF	CITATIONS
127	Suicide and the Internet: Changes in the accessibility of suicide-related information between 2007 and 2014. <i>Journal of Affective Disorders</i> , 2016, 190, 370-375.	2.0	57
128	Validation of the Hospital Episode Statistics Outpatient Dataset in England. <i>Pharmacoeconomics</i> , 2016, 34, 161-168.	1.7	29
129	A Core Outcome Set for the Benefits and Adverse Events of Bariatric and Metabolic Surgery: The BARIACT Project. <i>PLoS Medicine</i> , 2016, 13, e1002187.	3.9	59
130	OPTIMA prelim: a randomised feasibility study of personalised care in the treatment of women with early breast cancer. <i>Health Technology Assessment</i> , 2016, 20, 1-202.	1.3	53
131	UK FASHIoN: feasibility study of a randomised controlled trial of arthroscopic surgery for hip impingement compared with best conservative care. <i>Health Technology Assessment</i> , 2016, 20, 1-172.	1.3	42
132	Comparing open and minimally invasive surgical procedures for oesophagectomy in the treatment of cancer: the ROMIO (Randomised Oesophagectomy: Minimally Invasive or Open) feasibility study and pilot trial. <i>Health Technology Assessment</i> , 2016, 20, 1-68.	1.3	37
133	Establishing nurse-led active surveillance for men with localised prostate cancer: development and formative evaluation of a model of care in the ProtecT trial. <i>BMJ Open</i> , 2015, 5, e008953.	0.8	18
134	The CSAW Study (Can Shoulder Arthroscopy Work?) – a placebo-controlled surgical intervention trial assessing the clinical and cost effectiveness of arthroscopic subacromial decompression for shoulder pain: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 210.	0.7	39
135	A systematic review of training programmes for recruiters to randomised controlled trials. <i>Trials</i> , 2015, 16, 432.	0.7	43
136	Novel ways to explore surgical interventions in randomised controlled trials: applying case study methodology in the operating theatre. <i>Trials</i> , 2015, 16, 589.	0.7	18
137	Prediction of individual genetic risk to prostate cancer using a polygenic score. <i>Prostate</i> , 2015, 75, 1467-1474.	1.2	54
138	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010–2011): A review of coroners' records. <i>Journal of Affective Disorders</i> , 2015, 183, 98-105.	2.0	117
139	Physical activity, alcohol consumption, BMI and smoking status before and after prostate cancer diagnosis in the ProtecT trial: Opportunities for lifestyle modification. <i>International Journal of Cancer</i> , 2015, 137, 1509-1515.	2.3	25
140	Associations of vitamin D pathway genes with circulating 25-hydroxyvitamin-D, 1,25-dihydroxyvitamin-D, and prostate cancer: a nested case-control study. <i>Cancer Causes and Control</i> , 2015, 26, 205-218.	0.8	33
141	Systematic Review and Meta-analysis of Factors Determining Change to Radical Treatment in Active Surveillance for Localized Prostate Cancer. <i>European Urology</i> , 2015, 67, 993-1005.	0.9	96
142	Standardisation of information submitted to an endpoint committee for cause of death assignment in a cancer screening trial – lessons learnt from CAP (Cluster randomised trial of PSA testing for) Tj ETQq0 0 0 rgBT1/0verlocke10 Tf 50 1	1.0	18
143	Equity of access to treatment on the Cancer Drugs Fund: A missed opportunity for cancer research?. <i>Journal of Cancer Policy</i> , 2015, 5, 25-30.	0.6	6
144	Risk Analysis of Prostate Cancer in PRACTICAL, a Multinational Consortium, Using 25 Known Prostate Cancer Susceptibility Loci. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1121-1129.	1.1	56

#	ARTICLE	IF	CITATIONS
145	Role of information in preparing men for transrectal ultrasound guided prostate biopsy: a qualitative study embedded in the ProtecT trial. <i>BMC Health Services Research</i> , 2015, 15, 80.	0.9	16
146	A simple technique to identify key recruitment issues in randomised controlled trials: Q-QAT - quanti-qualitative appointment timing. <i>Trials</i> , 2015, 16, 88.	0.7	25
147	The effects of height and BMI on prostate cancer incidence and mortality: a Mendelian randomization study in 20,848 cases and 20,214 controls from the PRACTICAL consortium. <i>Cancer Causes and Control</i> , 2015, 26, 1603-1616.	0.8	77
148	Multiple novel prostate cancer susceptibility signals identified by fine-mapping of known risk loci among Europeans. <i>Human Molecular Genetics</i> , 2015, 24, 5589-5602.	1.4	67
149	Gleason drift in the <sc>NIHR P</sc>rotec<sc>T</sc> study. <i>Histopathology</i> , 2015, 66, 438-446.	1.6	9
150	Exposure to, and searching for, information about suicide and self-harm on the Internet: Prevalence and predictors in a population based cohort of young adults. <i>Journal of Affective Disorders</i> , 2015, 185, 239-245.	2.0	84
151	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1142-1157.	2.2	107
152	Predicting High-Grade Cancer at Ten-Core Prostate Biopsy Using Four Kallikrein Markers Measured in Blood in the ProtecT Study. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	146
153	Maximising the impact of qualitative research in feasibility studies for randomised controlled trials: guidance for researchers. <i>Pilot and Feasibility Studies</i> , 2015, 1, 32.	0.5	240
154	Genome-Wide Association Study of Prostate Cancerâ€™Specific Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1796-1800.	1.1	27
155	How clinical rationing works in practice: A case study of morbid obesity surgery. <i>Social Science and Medicine</i> , 2015, 147, 288-295.	1.8	12
156	Implications of polygenic risk-stratified screening for prostate cancer on overdiagnosis. <i>Genetics in Medicine</i> , 2015, 17, 789-795.	1.1	87
157	A mixed methods study on the prioritisation of cancer and access to cancer drugs: the Cancer Drugs Fund in England. <i>Lancet, The</i> , 2015, 386, S17.	6.3	0
158	Incorporating Known Genetic Variants Does Not Improve the Accuracy of PSA Testing to Identify High Risk Prostate Cancer on Biopsy. <i>PLoS ONE</i> , 2015, 10, e0136735.	1.1	6
159	Using clinical practice variations as a method for commissioners and clinicians to identify and prioritise opportunities for disinvestment in health care: a cross-sectional study, systematic reviews and qualitative study. <i>Health Services and Delivery Research</i> , 2015, 3, 1-172.	1.4	23
160	Development, validation and evaluation of an instrument for active monitoring of men with clinically localised prostate cancer: systematic review, cohort studies and qualitative study. <i>Health Services and Delivery Research</i> , 2015, 3, 1-138.	1.4	4
161	Polymorphisms of an Innate Immune Gene, Toll-Like Receptor 4, and Aggressive Prostate Cancer Risk: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e110569.	1.1	24
162	A Contact-Based Intervention for People Recently Discharged from Inpatient Psychiatric Care: A Pilot Study. <i>Archives of Suicide Research</i> , 2014, 18, 131-143.	1.2	13

#	ARTICLE	IF	CITATIONS
163	Redefined by illness: meta-ethnography of qualitative studies on the experience of rheumatoid arthritis. <i>Disability and Rehabilitation</i> , 2014, 36, 1061-1071.	0.9	24
164	Fine-Mapping the HOXB Region Detects Common Variants Tagging a Rare Coding Allele: Evidence for Synthetic Association in Prostate Cancer. <i>PLoS Genetics</i> , 2014, 10, e1004129.	1.5	34
165	Adherence to Dietary and Lifestyle Recommendations and Prostate Cancer Risk in the Prostate Testing for Cancer and Treatment (ProtecT) Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2066-2077.	1.1	33
166	Active monitoring, radical prostatectomy, or radiotherapy for localised prostate cancer: study design and diagnostic and baseline results of the ProtecT randomised phase 3 trial. <i>Lancet Oncology</i> , The, 2014, 15, 1109-1118.	5.1	205
167	Men's knowledge and attitudes towards dietary prevention of a prostate cancer diagnosis: a qualitative study. <i>BMC Cancer</i> , 2014, 14, 812.	1.1	15
168	“Vicious Circles” <i>Qualitative Health Research</i> , 2014, 24, 1212-1220.	1.0	25
169	Genetic Variation in Prostate-Specific Antigen Detected Prostate Cancer and the Effect of Control Selection on Genetic Association Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1356-1365.	1.1	26
170	Patient advocacy and patient centredness in participant recruitment to randomized controlled trials: implications for informed consent. <i>Health Expectations</i> , 2014, 17, 670-682.	1.1	18
171	Evaluating the Prostate Cancer Prevention Trial High Grade prostate cancer risk calculator in 10 international biopsy cohorts: results from the prostate biopsy collaborative group. <i>World Journal of Urology</i> , 2014, 32, 185-191.	1.2	28
172	Clear obstacles and hidden challenges: understanding recruiter perspectives in six pragmatic randomised controlled trials. <i>Trials</i> , 2014, 15, 5.	0.7	194
173	Implementing disinvestment decisions in practice: a qualitative investigation of patient and clinician perspectives. <i>Lancet, The</i> , 2014, 384, S67.	6.3	1
174	The feasibility of a randomized controlled trial of esophagectomy for esophageal cancer - the ROMIO (Randomized Oesophagectomy: Minimally Invasive or Open) study: protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 200.	0.7	61
175	Training recruiters to randomized trials to facilitate recruitment and informed consent by exploring patients' treatment preferences. <i>Trials</i> , 2014, 15, 323.	0.7	50
176	A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. <i>Nature Genetics</i> , 2014, 46, 1103-1109.	9.4	408
177	The importance of dietary change for men diagnosed with and at risk of prostate cancer: a multi-centre interview study with men, their partners and health professionals. <i>BMC Family Practice</i> , 2014, 15, 81.	2.9	40
178	The By-Band study: gastric bypass or adjustable gastric band surgery to treat morbid obesity: study protocol for a multi-centre randomised controlled trial with an internal pilot phase. <i>Trials</i> , 2014, 15, 53.	0.7	36
179	Time to be BRAVE: is educating surgeons the key to unlocking the potential of randomised clinical trials in surgery? A qualitative study. <i>Trials</i> , 2014, 15, 80.	0.7	43
180	The intellectual challenges and emotional consequences of equipoise contributed to the fragility of recruitment in six randomized controlled trials. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 912-920.	2.4	114

#	ARTICLE	IF	CITATIONS
181	Quality of Life in Patients With Esophageal Squamous Cell Cancer Receiving Surgery or Definitive Chemoradiotherapy. <i>Annals of Surgery</i> , 2014, 259, e81.	2.1	5
182	“When You’re in the Hospital, You’re in a Sort of Bubble.” <i>Crisis</i> , 2014, 35, 154-160.	0.9	30
183	Men with prostate cancer make positive dietary changes following diagnosis and treatment. <i>Cancer Causes and Control</i> , 2013, 24, 1119-1128.	0.8	36
184	Comparing specialist medical care with specialist medical care plus the Lightning Process® for chronic fatigue syndrome or myalgic encephalomyelitis (CFS/ME): study protocol for a randomised controlled trial (SMILE Trial). <i>Trials</i> , 2013, 14, 444.	0.7	12
185	Common genetic variants associated with disease from genome-wide association studies are mutually exclusive in prostate cancer and rheumatoid arthritis. <i>BJU International</i> , 2013, 111, 1148-1155.	1.3	9
186	Very Low PSA Concentrations and Deletions of the KLK3 Gene. <i>Clinical Chemistry</i> , 2013, 59, 234-244.	1.5	12
187	Insulin-like growth factors (IGFs) and IGF-binding proteins in active monitoring of localized prostate cancer: a population-based observational study. <i>Cancer Causes and Control</i> , 2013, 24, 39-45.	0.8	8
188	Associations of adiponectin and leptin with stage and grade of PSA-detected prostate cancer: the ProtecT study. <i>Cancer Causes and Control</i> , 2013, 24, 323-334.	0.8	30
189	Qualitative interviewing with vulnerable populations: Individuals’ experiences of participating in suicide and self-harm based research. <i>Journal of Affective Disorders</i> , 2013, 145, 356-362.	2.0	110
190	Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , 2013, 45, 385-391.	9.4	492
191	Common variation in Kallikrein genes KLK5, KLK6, KLK12, and KLK13 and risk of prostate cancer and tumor aggressiveness. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 635-643.	0.8	30
192	Behavior theory for dietary interventions for cancer prevention: a systematic review of utilization and effectiveness in creating behavior change. <i>Cancer Causes and Control</i> , 2013, 24, 409-420.	0.8	38
193	A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. <i>Human Molecular Genetics</i> , 2013, 22, 408-415.	1.4	118
194	Psychological Impact of Prostate Biopsy: Physical Symptoms, Anxiety, and Depression. <i>Journal of Clinical Oncology</i> , 2013, 31, 4235-4241.	0.8	81
195	A genome-wide association scan (GWAS) for mean telomere length within the COGS project: identified loci show little association with hormone-related cancer risk. <i>Human Molecular Genetics</i> , 2013, 22, 5056-5064.	1.4	130
196	Fine-mapping identifies multiple prostate cancer risk loci at 5p15, one of which associates with TERT expression. <i>Human Molecular Genetics</i> , 2013, 22, 2520-2528.	1.4	100
197	Using Genetic Proxies for Lifecourse Sun Exposure to Assess the Causal Relationship of Sun Exposure with Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 597-606.	1.1	22
198	Associations of circulating 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D, and vitamin D pathway genes with prostate-specific antigen progression in men with localized prostate cancer undergoing active monitoring. <i>European Journal of Cancer Prevention</i> , 2013, 22, 121-125.	0.6	7

#	ARTICLE	IF	CITATIONS
199	Alcohol consumption and PSA-detected prostate cancer risk: A case-control nested in the ProtecT study. <i>International Journal of Cancer</i> , 2013, 132, 2176-2185.	2.3	31
200	The "Definitive" Trial of Surgical Cytoreduction in Advanced-Stage Ovarian Cancer. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 588-591.	1.2	5
201	Presenting Treatment Options to Men with Clinically Localized Prostate Cancer: The Acceptability of Active Surveillance/Monitoring. <i>Journal of the National Cancer Institute Monographs</i> , 2012, 2012, 191-196.	0.9	18
202	Circulating Insulin-Like Growth Factors and IGF-Binding Proteins in PSA-Detected Prostate Cancer: The Large Case-Control Study ProtecT. <i>Cancer Research</i> , 2012, 72, 503-515.	0.4	50
203	Short term outcomes of prostate biopsy in men tested for cancer by prostate specific antigen: prospective evaluation within ProtecT study. <i>BMJ: British Medical Journal</i> , 2012, 344, d7894-d7894.	2.4	211
204	The Effect of the School Environment on the Emotional Health of Adolescents: A Systematic Review. <i>Pediatrics</i> , 2012, 129, 925-949.	1.0	186
205	Associations of Lifestyle Factors and Anthropometric Measures with Repeat PSA Levels During Active Surveillance/Monitoring. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1877-1885.	1.1	19
206	Evaluating Genetic Risk for Prostate Cancer among Japanese and Latinos. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2048-2058.	1.1	51
207	A study based on whole-genome sequencing yields a rare variant at 8q24 associated with prostate cancer. <i>Nature Genetics</i> , 2012, 44, 1326-1329.	9.4	178
208	Evaluating the PCPT risk calculator in ten international biopsy cohorts: results from the Prostate Biopsy Collaborative Group. <i>World Journal of Urology</i> , 2012, 30, 181-187.	1.2	66
209	Associations of circulating retinol, vitamin E, and 1,25-dihydroxyvitamin D with prostate cancer diagnosis, stage, and grade. <i>Cancer Causes and Control</i> , 2012, 23, 1865-1873.	0.8	23
210	Predictors of Attendance for Prostate-Specific Antigen Screening Tests and Prostate Biopsy. <i>European Urology</i> , 2012, 62, 649-655.	0.9	22
211	Use of qualitative methods to improve health-care priority setting in practice. <i>Lancet, The</i> , 2012, 380, S61.	6.3	0
212	Associations of circulating 25-hydroxyvitamin D with prostate cancer diagnosis, stage and grade. <i>International Journal of Cancer</i> , 2012, 131, 1187-1196.	2.3	63
213	Predictors of 25-hydroxyvitamin D and its association with risk factors for prostate cancer: evidence from the Prostate testing for cancer and Treatment study. <i>Cancer Causes and Control</i> , 2012, 23, 575-588.	0.8	20
214	A cross-sectional analysis of the association between diet and insulin-like growth factor (IGF)-I, IGF-II, IGF-binding protein (IGFBP)-2, and IGFBP-3 in men in the United Kingdom. <i>Cancer Causes and Control</i> , 2012, 23, 907-917.	0.8	32
215	Importance of prostate volume in the European Randomised Study of Screening for Prostate Cancer (ERSPC) risk calculators: results from the prostate biopsy collaborative group. <i>World Journal of Urology</i> , 2012, 30, 149-155.	1.2	101
216	Information sources used by the suicidal to inform choice of method. <i>Journal of Affective Disorders</i> , 2012, 136, 702-709.	2.0	55

#	ARTICLE	IF	CITATIONS
217	Serum insulin-like growth factors and mortality in localised and advanced clinically detected prostate cancer. <i>Cancer Causes and Control</i> , 2012, 23, 347-354.	0.8	32
218	A germline variant in the TP53 polyadenylation signal confers cancer susceptibility. <i>Nature Genetics</i> , 2011, 43, 1098-1103.	9.4	251
219	A Peer Review Intervention for Monitoring and Evaluating sites (PRIME) that improved randomized controlled trial conduct and performance. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 628-636.	2.4	18
220	Exploring treatment preferences facilitated recruitment to randomized controlled trials. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1127-1136.	2.4	93
221	Psychometric Evaluation of a New Patient-Completed Questionnaire for Evaluating Anal Incontinence Symptoms and Impact on Quality of Life: The ICIQ-B. <i>Diseases of the Colon and Rectum</i> , 2011, 54, 1235-1250.	0.7	110
222	Prostate-specific antigen testing rates remain low in UK general practice: a cross-sectional study in six English cities. <i>BJU International</i> , 2011, 108, 1402-1408.	1.3	63
223	Seasonal variation in prostate-specific antigen levels: a large cross-sectional study of men in the UK. <i>BJU International</i> , 2011, 108, 1409-1414.	1.3	6
224	Implementing "translational" biomedical research: Convergence and divergence among clinical and basic scientists. <i>Social Science and Medicine</i> , 2011, 73, 945-952.	1.8	37
225	"Well it's like someone at the other end cares about you." A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. <i>General Hospital Psychiatry</i> , 2011, 33, 166-176.	1.2	47
226	Symptom recognition and help seeking for depression in young adults: a vignette study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 495-505.	1.6	40
227	Key issues in recruitment to randomised controlled trials with very different interventions: a qualitative investigation of recruitment to the SPARE trial (CRUK/07/011). <i>Trials</i> , 2011, 12, 78.	0.7	112
228	Association of diabetes mellitus with prostate cancer: Nested case-control study (Prostate testing) <i>Tj ETQq0 0 0.rgBT /Overlock 10 Tf</i>	2.8	56
229	Associations of aspirin, nonsteroidal anti-inflammatory drug and paracetamol use with PSA-detected prostate cancer: Findings from a large, population-based, case-control study (the ProtecT study). <i>International Journal of Cancer</i> , 2011, 128, 1442-1448.	2.3	41
230	PSA-detected prostate cancer and the potential for dedifferentiation: estimating the proportion capable of progression. <i>International Journal of Cancer</i> , 2011, 128, 1462-1470.	2.3	14
231	Validation of a modelling approach for estimating the likely effectiveness of cancer screening using cancer data on prevalence screening and incidence. <i>Cancer Epidemiology</i> , 2011, 35, 139-144.	0.8	4
232	Seven prostate cancer susceptibility loci identified by a multi-stage genome-wide association study. <i>Nature Genetics</i> , 2011, 43, 785-791.	9.4	265
233	Genome-wide association study identifies new prostate cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2011, 20, 3867-3875.	1.4	160
234	Association between Prostinogen (KLK15) Genetic Variants and Prostate Cancer Risk and Aggressiveness in Australia and a Meta-Analysis of GWAS Data. <i>PLoS ONE</i> , 2011, 6, e26527.	1.1	14

#	ARTICLE	IF	CITATIONS
235	The causal roles of vitamin B(12) and transcobalamin in prostate cancer: can Mendelian randomization analysis provide definitive answers?. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 316-27.	0.4	9
236	Part and parcel of teaching? Secondary school staff's views on supporting student emotional health and well-being. <i>British Educational Research Journal</i> , 2010, 36, 919-935.	1.4	116
237	The relation between adiposity throughout the life course and variation in IGFs and IGFFBPs: evidence from the ProtecT (Prostate testing for cancer and Treatment) study. <i>Cancer Causes and Control</i> , 2010, 21, 1829-1842.	0.8	26
238	Development of a New Method for Monitoring Prostate-Specific Antigen Changes in Men with Localised Prostate Cancer: A Comparison of Observational Cohorts. <i>European Urology</i> , 2010, 57, 446-452.	0.9	12
239	Routes to total joint replacement surgery: Patients' and clinicians' perceptions of need. <i>Arthritis Care and Research</i> , 2010, 62, 1252-1257.	1.5	48
240	Factors influencing the decision to use hanging as a method of suicide: qualitative study. <i>British Journal of Psychiatry</i> , 2010, 197, 320-325.	1.7	77
241	The usefulness of NICE guidance in practice: Different perspectives of managers, clinicians, and patients. <i>International Journal of Technology Assessment in Health Care</i> , 2010, 26, 317-322.	0.2	10
242	Genetic Correction of PSA Values Using Sequence Variants Associated with PSA Levels. <i>Science Translational Medicine</i> , 2010, 2, 62ra92.	5.8	140
243	Associations of Folate, Vitamin B12, Homocysteine, and Folate-Pathway Polymorphisms with Prostate-Specific Antigen Velocity in Men with Localized Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2833-2838.	1.1	20
244	Are patients receiving enough information about healthcare rationing? A qualitative study. <i>Journal of Medical Ethics</i> , 2010, 36, 88-92.	1.0	20
245	The Relationship between Prostate-Specific Antigen and Prostate Cancer Risk: The Prostate Biopsy Collaborative Group. <i>Clinical Cancer Research</i> , 2010, 16, 4374-4381.	3.2	86
246	The Desirability of Being Open About Health Care Rationing Decisions: Findings from a Qualitative Study of Patients and Clinical Professionals. <i>Journal of Health Services Research and Policy</i> , 2010, 15, 14-20.	0.8	28
247	Circulating Folate, Vitamin B12, Homocysteine, Vitamin B12 Transport Proteins, and Risk of Prostate Cancer: a Case-Control Study, Systematic Review, and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1632-1642.	1.1	142
248	Evaluation of Association of HNF1B Variants with Diverse Cancers: Collaborative Analysis of Data from 19 Genome-Wide Association Studies. <i>PLoS ONE</i> , 2010, 5, e10858.	1.1	28
249	Associations between an Obesity Related Genetic Variant (FTO rs9939609) and Prostate Cancer Risk. <i>PLoS ONE</i> , 2010, 5, e13485.	1.1	61
250	A polymorphism in the glucokinase gene that raises plasma fasting glucose, rs1799884, is associated with diabetes mellitus and prostate cancer: findings from a population-based, case-control study (the Tj ETQq0 0 OrgBT /Overclock 10 T		
251	Metabolic imbalance and prostate cancer progression. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010, 1, 248-71.	0.4	11
252	Feasibility and cost of obtaining informed consent for essential review of medical records in large-scale health services research. <i>Journal of Health Services Research and Policy</i> , 2009, 14, 77-81.	0.8	16

#	ARTICLE	IF	CITATIONS
253	Stage Shift in Psa-detected Prostate Cancers – Effect Modification by Gleason Score. <i>Journal of Medical Screening</i> , 2009, 16, 98-101.	1.1	19
254	Genetic Variants in the Vitamin D Receptor Are Associated with Advanced Prostate Cancer at Diagnosis: Findings from the Prostate Testing for Cancer and Treatment Study and a Systematic Review. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2874-2881.	1.1	64
255	Association of Folate-Pathway Gene Polymorphisms with the Risk of Prostate Cancer: a Population-Based Nested Case-Control Study, Systematic Review, and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2528-2539.	1.1	89
256	It's not just what you say, it's also how you say it: Opening the “black box” of informed consent appointments in randomised controlled trials. <i>Social Science and Medicine</i> , 2009, 68, 2018-2028.	1.8	154
257	Life course sun exposure and risk of prostate cancer: Population-based nested case-control study and meta-analysis. <i>International Journal of Cancer</i> , 2009, 125, 1414-1423.	2.3	49
258	A review of reporting of participant recruitment and retention in RCTs in six major journals. <i>Trials</i> , 2009, 10, 52.	0.7	131
259	Identification of new genetic risk factors for prostate cancer. <i>Asian Journal of Andrology</i> , 2009, 11, 49-55.	0.8	23
260	Identification of seven new prostate cancer susceptibility loci through a genome-wide association study. <i>Nature Genetics</i> , 2009, 41, 1116-1121.	9.4	389
261	Multiple loci on 8q24 associated with prostate cancer susceptibility. <i>Nature Genetics</i> , 2009, 41, 1058-1060.	9.4	273
262	Population-based prostate-specific antigen testing in the UK leads to a stage migration of prostate cancer. <i>BJU International</i> , 2009, 104, 1592-1598.	1.3	69
263	Associations of sexual dysfunction symptoms with PSA-detected localised and advanced prostate cancer: A case-control study nested within the UK population-based ProtecT (Prostate testing for) Tj ETQq1 1 0.784314 rgBT1/5 Overlook	1.4	13
264	Why is recruitment to trials difficult? An investigation into recruitment difficulties in an RCT of supported employment in patients with severe mental illness. <i>Contemporary Clinical Trials</i> , 2009, 30, 40-46.	0.8	107
265	Psychological distress and prostate specific antigen levels in men with and without prostate cancer. <i>Brain, Behavior, and Immunity</i> , 2009, 23, 1073-1078.	2.0	6
266	Development of a complex intervention improved randomization and informed consent in a randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 29-36.	2.4	133
267	Factors distinguishing general practitioners who more readily participated in a large randomized trial were identified. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 67-73.	2.4	12
268	Exploring the impact of patient views on “appropriate” use of services and help seeking: a mixed method study. <i>British Journal of General Practice</i> , 2009, 59, e226-e233.	0.7	36
269	The decision-related psychosocial concerns of men with localised prostate cancer: targets for intervention and research. <i>World Journal of Urology</i> , 2008, 26, 469-474.	1.2	36
270	A Patient-Centered Approach to Developing a Comprehensive Symptom and Quality of Life Assessment of Anal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 82-87.	0.7	77

#	ARTICLE	IF	CITATIONS
271	Multiple newly identified loci associated with prostate cancer susceptibility. <i>Nature Genetics</i> , 2008, 40, 316-321.	9.4	796
272	Tales of biographical disintegration: how parents make sense of their sons' suicides. <i>Sociology of Health and Illness</i> , 2008, 30, 237-254.	1.1	69
273	Secular trends in prostate cancer mortality, incidence and treatment: England and Wales, 1975-2004. <i>BJU International</i> , 2008, 101, 547-555.	1.3	53
274	Associations of lower urinary tract symptoms with prostate-specific antigen levels, and screen-detected localized and advanced prostate cancer: a case-control study nested within the UK population-based ProtecT (Prostate testing for cancer and Treatment) study. <i>BJU International</i> , 2008, 102, 1400-1406.	1.3	41
275	Prostate-specific antigen testing and prostate biopsy: are self-reported lower urinary tract symptoms and health-related quality of life associated with the decision to undergo these investigations?. <i>BJU International</i> , 2008, 102, 1629-1633.	1.3	10
276	Decision-Making about PSA Testing and Prostate Biopsies: A Qualitative Study Embedded in a Primary Care Randomised Trial. <i>European Urology</i> , 2008, 53, 1186-1193.	0.9	41
277	Contribution of a Single Repeat PSA Test to Prostate Cancer Risk Assessment: Experience from the ProtecT Study. <i>European Urology</i> , 2008, 53, 777-784.	0.9	19
278	Qualitative research to improve RCT recruitment: Issues arising in establishing research collaborations. <i>Contemporary Clinical Trials</i> , 2008, 29, 663-670.	0.8	48
279	Prostate-cancer mortality in the USA and UK in 1975-2004: an ecological study. <i>Lancet Oncology</i> , The, 2008, 9, 445-452.	5.1	231
280	Using qualitative research methods to improve recruitment to randomized controlled trials: The Quartet study. <i>Journal of Health Services Research and Policy</i> , 2008, 13, 92-96.	0.8	129
281	Multiple Novel Prostate Cancer Predisposition Loci Confirmed by an International Study: The PRACTICAL Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2052-2061.	1.1	148
282	Height and Prostate Cancer Risk: A Large Nested Case-Control Study (ProtecT) and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2325-2336.	1.1	83
283	Age and sex interaction in reported help seeking in response to chest pain. <i>British Journal of General Practice</i> , 2008, 58, 318-323.	0.7	14
284	Insulin-like Growth Factors, Their Binding Proteins, and Prostate Cancer Risk: Analysis of Individual Patient Data from 12 Prospective Studies. <i>Annals of Internal Medicine</i> , 2008, 149, 461.	2.0	263
285	Remapping the Body: Learning to Eat Again After Surgery for Esophageal Cancer. <i>Qualitative Health Research</i> , 2007, 17, 759-771.	1.0	74
286	Narrative Accounts of Hereditary Risk. <i>Qualitative Health Research</i> , 2007, 17, 510-520.	1.0	23
287	Cochrane Column. <i>International Journal of Epidemiology</i> , 2007, 36, 29-31.	0.9	3
288	Detection of prostate cancer in unselected young men: prospective cohort nested within a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 1139.	2.4	18

#	ARTICLE	IF	CITATIONS
289	Explaining non-help-seeking amongst young adults with mental distress: a dynamic interpretive model of illness behaviour. <i>Sociology of Health and Illness</i> , 2007, 29, 983-1002.	1.1	182
290	Continuing Controversy Over Monitoring Men With Localized Prostate Cancer: A Systematic Review of Programs in the Prostate Specific Antigen Era. <i>Journal of Urology</i> , 2006, 176, 439-449.	0.2	45
291	Establishing normal reference ranges for PSA change with age in a population-based study: The Krimpen study. <i>Prostate</i> , 2006, 66, 335-343.	1.2	23
292	Measuring the psychosocial impact of population-based prostate-specific antigen testing for prostate cancer in the UK. <i>BJU International</i> , 2006, 98, 777-782.	1.3	40
293	Satisfaction With Care: An Independent Outcome Measure in Surgical Oncology. <i>Annals of Surgical Oncology</i> , 2006, 13, 817-822.	0.7	54
294	Health-Related Quality of Life Measurement in Randomized Clinical Trials in Surgical Oncology. <i>Journal of Clinical Oncology</i> , 2006, 24, 3178-3186.	0.8	117
295	Young adults' perceptions of GPs as a help source for mental distress: a qualitative study. <i>British Journal of General Practice</i> , 2006, 56, 924-31.	0.7	74
296	Young adults' reluctance to seek help and use medications for mental distress. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 426.	2.0	1
297	Health-related quality of life during neoadjuvant treatment and surgery for localized esophageal carcinoma. <i>Cancer</i> , 2005, 103, 1791-1799.	2.0	122
298	Effects of Emotional Disclosure on Psychological and Physiological Outcomes in Patients with Rheumatoid Arthritis: An Exploratory Home-based Study. <i>Journal of Health Psychology</i> , 2005, 10, 277-285.	1.3	50
299	Does current evidence justify prostate cancer screening in Europe?. <i>Nature Clinical Practice Oncology</i> , 2005, 2, 538-539.	4.3	10
300	Factors associated with change in pain and disability over time: a community-based prospective observational study of hip and knee osteoarthritis. <i>British Journal of General Practice</i> , 2005, 55, 205-11.	0.7	73
301	A qualitative study of help seeking and primary care consultation prior to suicide. <i>British Journal of General Practice</i> , 2005, 55, 503-9.	0.7	42
302	Screening for prostate cancer. The case against. <i>Annals of the Royal College of Surgeons of England</i> , 2005, 87, 90-1; discussion 88.	0.3	0
303	The case against. <i>Annals of the Royal College of Surgeons of England</i> , 2005, 87, 90-1.	0.3	0
304	Factors affecting feasibility and acceptability of a practice-based educational intervention to support evidence-based prescribing: a qualitative study. <i>Family Practice</i> , 2004, 21, 661-669.	0.8	40
305	A scored form of the Bristol Female Lower Urinary Tract Symptoms questionnaire: Data from a randomized controlled trial of surgery for women with stress incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 73-82.	0.7	239
306	Screen-detected prostate cancer and the insulin-like growth factor axis: Results of a population-based case-control study. <i>International Journal of Cancer</i> , 2004, 108, 887-892.	2.3	51

#	ARTICLE	IF	CITATIONS
307	ICIQ: A brief and robust measure for evaluating the symptoms and impact of urinary incontinence. <i>Neurourology and Urodynamics</i> , 2004, 23, 322-330.	0.8	1,478
308	'Questerviews': using questionnaires in qualitative interviews as a method of integrating qualitative and quantitative health services research. <i>Journal of Health Services Research and Policy</i> , 2004, 9, 139-145.	0.8	84
309	Measurement of insulin-like growth factor axis does not enhance specificity of PSA-based prostate cancer screening. <i>Urology</i> , 2004, 64, 317-322.	0.5	12
310	Randomised controlled trial of effects of <i>Helicobacter pylori</i> infection and its eradication on heartburn and gastro-oesophageal reflux: Bristol helicobacter project. <i>BMJ: British Medical Journal</i> , 2004, 328, 1417.	2.4	11
311	Factors influencing help seeking in mentally distressed young adults: a cross-sectional survey. <i>British Journal of General Practice</i> , 2004, 54, 248-53.	0.7	127
312	Evaluating meta-ethnography: a synthesis of qualitative research on lay experiences of diabetes and diabetes care. <i>Social Science and Medicine</i> , 2003, 56, 671-684.	1.8	779
313	Perceptions of equipoise are crucial to trial participation: a qualitative study of men in the ProtecT study. <i>Contemporary Clinical Trials</i> , 2003, 24, 272-282.	2.0	118
314	Relationship between body mass and gastro-oesophageal reflux symptoms: The Bristol Helicobacter Project. <i>International Journal of Epidemiology</i> , 2003, 32, 645-650.	0.9	233
315	Screening for prostate cancer. <i>Lancet, The</i> , 2003, 361, 1122-1128.	6.3	227
316	Who can best recruit to randomized trials?. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 605-609.	2.4	68
317	Risk constructions among people who have a first-degree relative with cancer. <i>Health, Risk and Society</i> , 2003, 5, 53-69.	0.9	17
318	Including a 'no active intervention' arm in surgical trials is possible: evidence from the CLasP randomised trial. <i>Journal of Health Services Research and Policy</i> , 2003, 8, 209-214.	0.8	4
319	Reduced risk of atopic disorders in adults with <i>Helicobacter pylori</i> infection. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 637-640.	0.8	77
320	Patient expectations and total joint arthroplasty. <i>Journal of Rheumatology</i> , 2003, 30, 1656-7; author reply 1657.	1.0	9
321	Using meta ethnography to synthesise qualitative research: a worked example. <i>Journal of Health Services Research and Policy</i> , 2002, 7, 209-215.	0.8	833
322	Research in Black and White. <i>Qualitative Health Research</i> , 2002, 12, 816-825.	1.0	75
323	Quality improvement report: Improving design and conduct of randomised trials by embedding them in qualitative research: ProtecT (prostate testing for cancer and treatment) study * Commentary: presenting unbiased information to patients can be difficult. <i>BMJ: British Medical Journal</i> , 2002, 325, 766-770.	2.4	461
324	Transurethral Prostate Resection, Noncontact Laser Therapy or Conservative Management in Men With Symptoms of Benign Prostatic Enlargement? An Economic Evaluation. <i>Journal of Urology</i> , 2002, 168, 2476-2482.	0.2	16

#	ARTICLE	IF	CITATIONS
325	Inverse relationship between alcohol consumption and active <i>Helicobacter pylori</i> infection: the Bristol <i>Helicobacter</i> project. <i>American Journal of Gastroenterology</i> , 2002, 97, 2750-2755.	0.2	82
326	A placebo-controlled randomized trial of eradication of <i>Helicobacter pylori</i> in the general population:. <i>Contemporary Clinical Trials</i> , 2002, 23, 321-332.	2.0	31
327	“Why don’t they just tell me straight, why allocate it?” The struggle to make sense of participating in a randomised controlled trial. <i>Social Science and Medicine</i> , 2002, 55, 709-719.	1.8	204
328	Sexual satisfaction, quality of life and the transaction of intimacy in hospital patients—accounts of their (hetero)sexual relationships. <i>Sociology of Health and Illness</i> , 2002, 24, 89-113.	1.1	23
329	The significance and consequences of having painful and disabled joints in older age: co-existing accounts of normal and disrupted biographies. <i>Sociology of Health and Illness</i> , 2002, 24, 227-253.	1.1	209
330	Qualitative study of interpretation of reassurance among patients attending rheumatology clinics: “just a touch of arthritis, doctor?”. <i>BMJ: British Medical Journal</i> , 2000, 320, 541-544.	2.4	109
331	A prospective longitudinal study examining the quality of life of patients with esophageal carcinoma. <i>Cancer</i> , 2000, 88, 1781-1787.	2.0	284
332	A RANDOMIZED TRIAL COMPARING TRANSURETHRAL RESECTION OF THE PROSTATE, LASER THERAPY AND CONSERVATIVE TREATMENT OF MEN WITH SYMPTOMS ASSOCIATED WITH BENIGN PROSTATIC ENLARGEMENT: THE CLasP STUDY. <i>Journal of Urology</i> , 2000, 164, 65-70.	0.2	81
333	NOCTURNAL INCONTINENCE IN WOMEN: A HIDDEN PROBLEM. <i>Journal of Urology</i> , 2000, 164, 764-766.	0.2	15
334	A prospective longitudinal study examining the quality of life of patients with esophageal carcinoma. , 2000, 88, 1781.		7
335	Dilemmas in treating early prostate cancer: the evidence and a questionnaire survey of consultant urologists in the United Kingdom. <i>BMJ: British Medical Journal</i> , 1999, 318, 299-300.	2.4	40
336	Population requirement for primary hip-replacement surgery: a cross-sectional study. <i>Lancet</i> , The, 1999, 353, 1304-1309.	6.3	212
337	Use of symptom questionnaires in the assessment and follow-up of men with benign prostatic disease. <i>Current Opinion in Urology</i> , 1999, 9, 3-7.	0.9	4
338	Relationships between lower urinary tract symptoms and bladder outlet obstruction: Results from the ICS-BPH Study. <i>Neurourology and Urodynamics</i> , 1998, 17, 99-108.	0.8	107
339	Deprivation and cause specific morbidity: evidence from the Somerset and Avon survey of health. <i>BMJ: British Medical Journal</i> , 1996, 312, 287-292.	2.4	172
340	Patient Decision Making: The Missing Ingredient in Compliance Research. <i>International Journal of Technology Assessment in Health Care</i> , 1995, 11, 443-455.	0.2	229
341	The process of analysis during a grounded theory study of men during their partners' pregnancies. <i>Journal of Advanced Nursing</i> , 1995, 21, 708-715.	1.5	57
342	Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. <i>Research Methods in Medicine & Health Sciences</i> , 0, , 263208432211069.	0.7	3