

Dezene P W Huber

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5504062/publications.pdf>

Version: 2024-02-01

63
papers

2,652
citations

186265

28
h-index

189892

50
g-index

70
all docs

70
docs citations

70
times ranked

2531
citing authors

#	ARTICLE	IF	CITATIONS
1	Draft genome of the mountain pine beetle, <i>Dendroctonus ponderosae</i> Hopkins, a major forest pest. <i>Genome Biology</i> , 2013, 14, R27.	9.6	260
2	Pine monoterpenes and pine bark beetles: a marriage of convenience for defense and chemical communication. <i>Phytochemistry Reviews</i> , 2006, 5, 143-178.	6.5	233
3	Forest tent caterpillars (<i>Malacosoma disstria</i>) induce local and systemic diurnal emissions of terpenoid volatiles in hybrid poplar (<i>Populus trichocarpa</i> × <i>P. deltoides</i>): cDNA cloning, functional characterization, and patterns of gene expression of (E)-germacr. <i>Plant Journal</i> , 2004, 37, 603-616.	5.7	220
4	Genomics of hybrid poplar (<i>Populus trichocarpa</i> × <i>P. deltoides</i>) interacting with forest tent caterpillars (<i>Malacosoma disstria</i>): normalized and full-length cDNA libraries, expressed sequence tags, and a cDNA microarray for the study of insect-induced defences. <i>Molecular Ecology</i> , 2006, 15, 1275-1297.	3.9	183
5	Conservation of the genes for dissimilatory sulfite reductase from <i>Desulfovibrio vulgaris</i> and <i>Archaeoglobus fulgidus</i> allows their detection by PCR. <i>Applied and Environmental Microbiology</i> , 1995, 61, 290-296.	3.1	135
6	Transcriptome and full-length cDNA resources for the mountain pine beetle, <i>Dendroctonus ponderosae</i> Hopkins, a major insect pest of pine forests. <i>Insect Biochemistry and Molecular Biology</i> , 2012, 42, 525-536.	2.7	93
7	A survey of antennal responses by five species of coniferophagous bark beetles (Coleoptera: Tj ETQq1 1 0.784314, rBT /Overlock 10	1.9	83
8	Changes in anatomy and terpene chemistry in roots of Douglas-fir seedlings following treatment with methyl jasmonate. <i>Tree Physiology</i> , 2005, 25, 1075-1083.	3.1	77
9	GENOMIC HARDWIRING AND PHENOTYPIC PLASTICITY OF TERPENOID-BASED DEFENSES IN CONIFERS. <i>Journal of Chemical Ecology</i> , 2004, 30, 2399-2418.	1.8	73
10	Two Pheromones of Coniferophagous Bark Beetles Found in the Bark of Nonhost Angiosperms. <i>Journal of Chemical Ecology</i> , 1999, 25, 805-816.	1.8	71
11	Characterization of four terpene synthase cDNAs from methyl jasmonate-induced Douglas-fir, <i>Pseudotsuga menziesii</i> . <i>Phytochemistry</i> , 2005, 66, 1427-1439.	2.9	70
12	How the Mountain Pine Beetle (<i>Dendroctonus ponderosae</i>) Breached the Canadian Rocky Mountains. <i>Molecular Biology and Evolution</i> , 2014, 31, 1803-1815.	8.9	70
13	Global and comparative proteomic profiling of overwintering and developing mountain pine beetle, <i>Dendroctonus ponderosae</i> (Coleoptera: Curculionidae), larvae. <i>Insect Biochemistry and Molecular Biology</i> , 2012, 42, 890-901.	2.7	61
14	Angiosperm bark volatiles disrupt response of Douglas-fir beetle, <i>Dendroctonus pseudotsugae</i> , to attractant-baited traps. , 2001, 27, 217-233.		57
15	Disentangling Detoxification: Gene Expression Analysis of Feeding Mountain Pine Beetle Illuminates Molecular-Level Host Chemical Defense Detoxification Mechanisms. <i>PLoS ONE</i> , 2013, 8, e77777.	2.5	57
16	Protection of lodgepole pines from mass attack by mountain pine beetle, <i>Dendroctonus ponderosae</i> , with nonhost angiosperm volatiles and verbenone. <i>Entomologia Experimentalis Et Applicata</i> , 2001, 99, 131-141.	1.4	51
17	Comparison of lodgepole and jack pine resin chemistry: implications for range expansion by the mountain pine beetle, <i>Dendroctonus ponderosae</i> (Coleoptera: Curculionidae). <i>PeerJ</i> , 2014, 2, e240.	2.0	49
18	Protection of lodgepole pine from attack by the mountain pine beetle, <i>Dendroctonus ponderosae</i> (Coleoptera: Scolytidae) using high doses of verbenone in combination with nonhost bark volatiles. <i>Forestry Chronicle</i> , 2003, 79, 685-691.	0.6	47

#	ARTICLE	IF	CITATIONS
19	Differences in the constitutive terpene profile of lodgepole pine across a geographical range in British Columbia, and correlation with historical attack by mountain pine beetle. <i>Canadian Entomologist</i> , 2010, 142, 557-573.	0.8	46
20	Response of the pine engraver, <i>Ips pini</i> (Say) (Coleoptera: Scolytidae), to conophthorin and other angiosperm bark volatiles in the avoidance of non-hosts. <i>Agricultural and Forest Entomology</i> , 2001, 3, 225-232.	1.3	44
21	Isolation and extreme sex-specific expression of cytochrome P450 genes in the bark beetle, <i>Ips paraconfusus</i> , following feeding on the phloem of host ponderosa pine, <i>Pinus ponderosa</i> . <i>Insect Molecular Biology</i> , 2007, 16, 335-349.	2.0	44
22	Genetic Variation of Lodgepole Pine, <i>Pinus contorta</i> var. <i>latifolia</i> , Chemical and Physical Defenses that Affect Mountain Pine Beetle, <i>Dendroctonus ponderosae</i> , Attack and Tree Mortality. <i>Journal of Chemical Ecology</i> , 2011, 37, 1002-1012.	1.8	44
23	Protection of spruce from colonization by the bark beetle, <i>Ips perturbatus</i> , in Alaska. <i>Forest Ecology and Management</i> , 2008, 256, 1825-1839.	3.2	39
24	Lodgepole pine provenances differ in chemical defense capacities against foliage and stem diseases. <i>Canadian Journal of Forest Research</i> , 2010, 40, 2333-2344.	1.7	38
25	Seasonal shifts in accumulation of glycerol biosynthetic gene transcripts in mountain pine beetle, <i>Dendroctonus ponderosae</i> Hopkins (Coleoptera: Curculionidae), larvae. <i>PeerJ</i> , 2017, 5, e3284.	2.0	37
26	Antennal responses of the western pine beetle, <i>Dendroctonus brevicomis</i> (Coleoptera: Scolytidae) to volatiles of angiosperms and conifers. <i>Chemoecology</i> , 2007, 17, 209-221.	1.1	35
27	Response of <i>Dendroctonus brevicomis</i> to different release rates of nonhost angiosperm volatiles and verbenone in trapping and tree protection studies. <i>Journal of Applied Entomology</i> , 2009, 133, 143-154.	1.8	32
28	The Legacy of Attack: Implications of High Phloem Resin Monoterpene Levels in Lodgepole Pines Following Mass Attack by Mountain Pine Beetle, <i>Dendroctonus ponderosae</i> Hopkins. <i>Environmental Entomology</i> , 2012, 41, 392-398.	1.4	32
29	DIFFERENTIAL BIOACTIVITY OF CONOPHTHORIN ON FOUR SPECIES OF NORTH AMERICAN BARK BEETLES (COLEOPTERA: SCOLYTIDAE). <i>Canadian Entomologist</i> , 2000, 132, 649-653.	0.8	31
30	Successful colonization, reproduction, and new generation emergence in live interior hybrid spruce <i>Picea engelmannii</i> – <i>P. glauca</i> by mountain pine beetle <i>Dendroctonus ponderosae</i> . <i>Agricultural and Forest Entomology</i> , 2009, 11, 83-89.	1.3	30
31	Proteomics Indicators of the Rapidly Shifting Physiology from Whole Mountain Pine Beetle, <i>Dendroctonus ponderosae</i> (Coleoptera: Curculionidae), Adults during Early Host Colonization. <i>PLoS ONE</i> , 2014, 9, e110673.	2.5	30
32	Sizing up arthropod genomes: an evaluation of the impact of environmental variation on genome size estimates by flow cytometry and the use of qPCR as a method of estimation. <i>Genome</i> , 2013, 56, 505-510.	2.0	27
33	Nonhost Angiosperm Volatiles and Verbenone Disrupt Response of Western Pine Beetle, <i>Dendroctonus brevicomis</i> (Coleoptera: Scolytidae), to Attractant-Baited Traps. <i>Journal of Economic Entomology</i> , 2005, 98, 2041-2048.	1.8	24
34	Gene expression analysis of overwintering mountain pine beetle larvae suggests multiple systems involved in overwintering stress, cold hardiness, and preparation for spring development. <i>PeerJ</i> , 2016, 4, e2109.	2.0	23
35	Ecosystem, Location, and Climate Effects on Foliar Secondary Metabolites of Lodgepole Pine Populations from Central British Columbia. <i>Journal of Chemical Ecology</i> , 2011, 37, 607-621.	1.8	22
36	Responses of <i>Dendroctonus brevicomis</i> (Coleoptera: Curculionidae) in Behavioral Assays: Implications to Development of a Semiochemical-Based Tool for Tree Protection. <i>Journal of Economic Entomology</i> , 2012, 105, 149-160.	1.8	22

#	ARTICLE	IF	CITATIONS
37	Efficacy of Verbenone Plus for Protecting Ponderosa Pine Trees and Stands From <i>Dendroctonus brevicomis</i> (Coleoptera: Curculionidae) Attack in British Columbia and California. <i>Journal of Economic Entomology</i> , 2012, 105, 1668-1680.	1.8	21
38	Nonhost Angiosperm Volatiles and Verbenone Protect Individual Ponderosa Pines from Attack by Western Pine Beetle and Red Turpentine Beetle (Coleoptera: Curculionidae, Scolytinae). <i>Western Journal of Applied Forestry</i> , 2008, 23, 40-45.	0.5	19
39	Comparative Behavioural Responses of <i>Dryocoetes confusus</i> Swaine, <i>Dendroctonus rufipennis</i> (Kirby), and <i>Dendroctonus ponderosae</i> Hopkins (Coleoptera: Scolytidae) to Angiosperm Tree Bark Volatiles. <i>Environmental Entomology</i> , 2003, 32, 742-751.	1.4	14
40	Comparisons of mountain pine beetle (<i>Dendroctonus ponderosae</i> Hopkins) reproduction within a novel and traditional host: effects of insect natal history, colonized host species and competitors. <i>Agricultural and Forest Entomology</i> , 2013, 15, 310-320.	1.3	14
41	Nonhost Angiosperm Volatiles and Verbenone Disrupt Response of Western Pine Beetle, <i>Dendroctonus brevicomis</i> (Coleoptera: Scolytidae), to Attractant-Baited Traps. <i>Journal of Economic Entomology</i> , 2005, 98, 2041-2048.	1.8	13
42	Chromosome-level genome assembly reveals genomic architecture of northern range expansion in the mountain pine beetle, <i>Dendroctonus ponderosae</i> Hopkins (Coleoptera: Curculionidae). <i>Molecular Ecology Resources</i> , 2022, 22, 1149-1167.	4.8	11
43	The Proteomics and Transcriptomics of Early Host Colonization and Overwintering Physiology in the Mountain Pine Beetle, <i>Dendroctonus ponderosae</i> Hopkins (Coleoptera: Curculionidae). <i>Advances in Insect Physiology</i> , 2016, 50, 101-128.	2.7	9
44	Disruption of coniferophagous bark beetle (Coleoptera: Curculionidae: Scolytinae) mass attack using angiosperm nonhost volatiles: from concept to operational use. <i>Canadian Entomologist</i> , 2021, 153, 19-35.	0.8	9
45	10.1023/A:1018979916210. , 2011, , .		9
46	The Role of Terpene Synthases in the Direct and Indirect Defense of Conifers Against Insect Herbivory and Fungal Pathogens. , 2006, , 296-313.		8
47	Effect of natal and colonised host species on female host acceptance and male joining behaviour of the mountain pine beetle (Coleoptera: Curculionidae) using pine and spruce. <i>Canadian Entomologist</i> , 2015, 147, 39-45.	0.8	5
48	The Effect of Feeding and Mate Presence on the Pheromone Production of the Spruce Beetle (Coleoptera: Curculionidae). <i>Environmental Entomology</i> , 2018, 47, 1293-1299.	1.4	5
49	Single-generation effects on terpenoid defenses in lodgepole pine populations following mountain pine beetle infestation. <i>PLoS ONE</i> , 2018, 13, e0196063.	2.5	4
50	TRIA-Net: 10 years of collaborative research on turning risk into action for the mountain pine beetle epidemic. <i>Canadian Journal of Forest Research</i> , 2019, 49, iii-v.	1.7	4
51	Autumn shifts in cold tolerance metabolites in overwintering adult mountain pine beetles. <i>PLoS ONE</i> , 2020, 15, e0227203.	2.5	4
52	An Inexpensive Feeding Bioassay Technique for Stored-Product Insects. <i>Journal of Economic Entomology</i> , 2014, 107, 455-461.	1.8	3
53	Congratulations to The Canadian Entomologist on this, its sesquicentennial anniversary!. <i>Canadian Entomologist</i> , 2018, 150, 1-11.	0.8	3
54	Random and Directed Movement by Warren Root Collar Weevils (Coleoptera: Curculionidae), Relative to Size and Distance of Host Lodgepole Pine Trees. <i>Journal of Insect Science</i> , 2020, 20, .	1.5	2

#	ARTICLE	IF	CITATIONS
55	Determining diets for fishes (Actinopterygii) from a small interior British Columbia, Canada stream: a comparison of morphological and molecular approaches. <i>Canadian Entomologist</i> , 2020, 152, 702-720.	0.8	2
56	Identification of genes and gene expression associated with dispersal capacity in the mountain pine beetle, <i>Dendroctonus ponderosae</i> Hopkins (Coleoptera: Curculionidae). <i>PeerJ</i> , 2021, 9, e12382.	2.0	1
57	DNA barcode-based survey of Trichoptera in the Crooked River reveals three new species records for British Columbia. <i>PeerJ</i> , 2018, 6, e4221.	2.0	1
58	Special issue on managing bark and ambrosia beetles (Coleoptera: Curculionidae: Scolytinae) with semiochemicals: honouring the remarkable career of Dr. Steven J. Seybold. <i>Canadian Entomologist</i> , 2021, 153, 1-3.	0.8	0
59	Eight New Provincial Species Records of Mayflies (Ephemeroptera) from One Arctic Watershed River in British Columbia. <i>Western North American Naturalist</i> , 2019, 79, 1.	0.4	0
60	Autumn shifts in cold tolerance metabolites in overwintering adult mountain pine beetles. , 2020, 15, e0227203.		0
61	Autumn shifts in cold tolerance metabolites in overwintering adult mountain pine beetles. , 2020, 15, e0227203.		0
62	Autumn shifts in cold tolerance metabolites in overwintering adult mountain pine beetles. , 2020, 15, e0227203.		0
63	Autumn shifts in cold tolerance metabolites in overwintering adult mountain pine beetles. , 2020, 15, e0227203.		0