

ClÃ©ment d'Audigier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5519500/publications.pdf>

Version: 2024-02-01

17
papers

542
citations

687363

13
h-index

940533

16
g-index

17
all docs

17
docs citations

17
times ranked

1075
citing authors

#	ARTICLE	IF	CITATIONS
1	Thrombospondin-1 Is a Plasmatic Marker of Peripheral Arterial Disease That Modulates Endothelial Progenitor Cell Angiogenic Properties. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 551-559.	2.4	111
2	The Wnt Antagonist Dickkopf-1 Increases Endothelial Progenitor Cell Angiogenic Potential. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 2544-2552.	2.4	60
3	Treprostinil increases the number and angiogenic potential of endothelial progenitor cells in children with pulmonary hypertension. <i>Angiogenesis</i> , 2011, 14, 17-27.	7.2	52
4	Imbalance of circulating endothelial cells and progenitors in idiopathic pulmonary fibrosis. <i>Angiogenesis</i> , 2013, 16, 147-157.	7.2	52
5	HIF-Prolyl Hydroxylase 2 Inhibition Enhances the Efficiency of Mesenchymal Stem Cell-Based Therapies for the Treatment of Critical Limb Ischemia. <i>Stem Cells</i> , 2014, 32, 231-243.	3.2	41
6	Angiogenic potential of BM MSCs derived from patients with critical leg ischemia. <i>Bone Marrow Transplantation</i> , 2012, 47, 997-1000.	2.4	39
7	The profibrotic cytokine transforming growth factor- β 1 increases endothelial progenitor cell angiogenic properties. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 670-679.	3.8	36
8	Interleukin 8 is differently expressed and modulated by PAR-1 activation in early and late endothelial progenitor cells. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 2534-2546.	3.6	26
9	Evaluation of dabigatran, rivaroxaban and apixaban target-specific assays in a multicenter French study. <i>Thrombosis Research</i> , 2017, 158, 126-133.	1.7	26
10	Egfl7 Represses the Vasculogenic Potential of Human Endothelial Progenitor Cells. <i>Stem Cell Reviews and Reports</i> , 2018, 14, 82-91.	5.6	26
11	Forearm ischemia decreases endothelial colony-forming cell angiogenic potential. <i>Cytotherapy</i> , 2014, 16, 213-224.	0.7	24
12	Thrombin receptor PAR-1 activation on endothelial progenitor cells enhances chemotaxis-associated genes expression and leukocyte recruitment by a COX-2-dependent mechanism. <i>Angiogenesis</i> , 2015, 18, 347-359.	7.2	24
13	Targeting VEGFR1 on endothelial progenitors modulates their differentiation potential. <i>Angiogenesis</i> , 2014, 17, 603-616.	7.2	14
14	Underestimation of plasma level of factor V coagulant activity and fibrinogen concentration together with prolonged prothrombin time, activated partial thromboplastin time and thrombin time can result from pre-analytical very low calcium level in citrated. <i>International Journal of Laboratory Hematology</i> , 2016, 38, 50-53.	1.3	7
15	A natural variant with a point mutation resulting in a homozygous Arg to His substitution at position 388 in prothrombin. <i>Haematologica</i> , 2008, 93, 799-800.	3.5	3
16	Identification of Heparin-Induced Thrombocytopenia in Surgical Critically Ill Patients by Using the HIT Expert Probability Score: An Observational Pilot Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1515.	2.4	1
17	Les cellules endothéliales circulantes et les progéniteurs endothéliaux: produits de thérapie cellulaire ou biomarqueurs des pathologies vasculaires?. <i>Sang Thrombose Vaisseaux</i> , 2010, 22, 289-300.	0.1	0