

# Richard A Currie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5519858/publications.pdf>

Version: 2024-02-01

44  
papers

3,874  
citations

201674

27  
h-index

243625

44  
g-index

45  
all docs

45  
docs citations

45  
times ranked

3816  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of the predictive nature of the Genomic Allergen Rapid Detection (GARD) assay with mammalian assays in determining the skin sensitisation potential of agrochemical active ingredients. <i>Toxicology in Vitro</i> , 2021, 70, 105017.	2.4	4
2	Species differences in phenobarbital-mediated UGT gene induction in rat and human liver microtissues. <i>Toxicology Reports</i> , 2021, 8, 155-161.	3.3	11
3	A mathematical model of the role of aggregation in sonic hedgehog signalling. <i>PLoS Computational Biology</i> , 2021, 17, e1008562.	3.2	0
4	An evaluation of carcinogenicity predictors from short-term and sub chronic repeat-dose studies of agrochemicals in rats: Opportunities to refine and reduce animal use. <i>Toxicology Letters</i> , 2021, 351, 18-27.	0.8	2
5	An assay for screening xenobiotics for inhibition of rat thyroid gland peroxidase activity. <i>Xenobiotica</i> , 2020, 50, 318-322.	1.1	5
6	Cross-species comparison of CAR-mediated procarcinogenic key events in a 3D liver microtissue model. <i>Toxicology Reports</i> , 2019, 6, 998-1005.	3.3	8
7	Cardiovascular Effects and Molecular Mechanisms of Bisphenol A and Its Metabolite MBP in Zebrafish. <i>Environmental Science &amp; Technology</i> , 2019, 53, 463-474.	10.0	49
8	Highlight report: "Big data in the 3R's: outlook and recommendations", a roundtable summary. <i>Archives of Toxicology</i> , 2018, 92, 1015-1020.	4.2	10
9	A mathematical model of the mevalonate cholesterol biosynthesis pathway. <i>Journal of Theoretical Biology</i> , 2018, 443, 157-176.	1.7	18
10	Sedaxane's Use of Nuclear Receptor Transactivation Assays, Toxicogenomics, and Toxicokinetics as Part of a Mode of Action Framework for Rodent Liver Tumors. <i>Toxicological Sciences</i> , 2018, 162, 582-598.	3.1	12
11	The future trajectory of adverse outcome pathways: a commentary. <i>Archives of Toxicology</i> , 2018, 92, 1657-1661.	4.2	20
12	Dose-dependent effects on rat liver miRNAs 200a/b and 429: potential early biomarkers of liver carcinogenesis. <i>Toxicology Reports</i> , 2018, 5, 309-313.	3.3	5
13	The benefits and challenges of opening toxicology control data. <i>Toxicology Research</i> , 2017, 6, 578-579.	2.1	1
14	The nematode <i>Caenorhabditis elegans</i> as a tool to predict chemical activity on mammalian development and identify mechanisms influencing toxicological outcome. <i>Scientific Reports</i> , 2016, 6, 22965.	3.3	53
15	Phenobarbital and propiconazole toxicogenomic profiles in mice show major similarities consistent with the key role that constitutive androstane receptor (CAR) activation plays in their mode of action. <i>Toxicology</i> , 2014, 321, 80-88.	4.2	31
16	Time and dose-dependent effects of phenobarbital on the rat liver miRNAome. <i>Toxicology</i> , 2013, 314, 247-253.	4.2	27
17	A Metabolomics Investigation of Non-genotoxic Carcinogenicity in the Rat. <i>Journal of Proteome Research</i> , 2013, 12, 5775-5790.	3.7	16
18	Hepatic MicroRNA Profiles Offer Predictive and Mechanistic Insights After Exposure to Genotoxic and Epigenetic Hepatocarcinogens. <i>Toxicological Sciences</i> , 2012, 128, 532-543.	3.1	53

#	ARTICLE	IF	CITATIONS
19	Spiroindolines Identify the Vesicular Acetylcholine Transporter as a Novel Target for Insecticide Action. PLoS ONE, 2012, 7, e34712.	2.5	36
20	Toxicogenomics: The challenges and opportunities to identify biomarkers, signatures and thresholds to support mode-of-action. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2012, 746, 97-103.	1.7	27
21	Does Multi-Clause Learning Help in Real-World Applications?. Lecture Notes in Computer Science, 2012, , 221-237.	1.3	1
22	Application of a Bayesian Deconvolution Approach for High-Resolution <sup>1</sup> H NMR Spectra to Assessing the Metabolic Effects of Acute Phenobarbital Exposure in Liver Tissue. Analytical Chemistry, 2010, 82, 4479-4485.	6.5	26
23	An integrated functional genomic study of acute phenobarbital exposure in the rat. BMC Genomics, 2010, 11, 9.	2.8	43
24	Exocrine pancreas trans-differentiation to hepatocytes – A physiological response to elevated glucocorticoid in vivo. Journal of Steroid Biochemistry and Molecular Biology, 2009, 116, 76-85.	2.5	20
25	Mouse Liver Effects of Cyproconazole, a Triazole Fungicide: Role of the Constitutive Androstane Receptor. Toxicological Sciences, 2007, 99, 315-325.	3.1	83
26	Emerging evidence for the interrelationship of xenobiotic exposure and circadian rhythms: a review. Xenobiotica, 2006, 36, 1140-1151.	1.1	30
27	Mapping molecular responses to xenoestrogens through Gene Ontology and pathway analysis of toxicogenomic data. Reproductive Toxicology, 2005, 20, 433-440.	2.9	31
28	Gene Ontology Mapping as an Unbiased Method for Identifying Molecular Pathways and Processes Affected by Toxicant Exposure: Application to Acute Effects Caused by the Rodent Non-Genotoxic Carcinogen Diethylhexylphthalate. Toxicological Sciences, 2005, 86, 453-469.	3.1	62
29	E2A-PBX1 Interacts Directly with the KIX Domain of CBP/p300 in the Induction of Proliferation in Primary Hematopoietic Cells. Journal of Biological Chemistry, 2004, 279, 55362-55371.	3.4	63
30	Phenotypic Anchoring of Gene Expression Changes during Estrogen-Induced Uterine Growth. Environmental Health Perspectives, 2004, 112, 1589-1606.	6.0	54
31	TAPAS-1, a Novel Microdomain within the Unique N-terminal Region of the PDE4A1 cAMP-specific Phosphodiesterase That Allows Rapid, Ca <sup>2+</sup> -triggered Membrane Association with Selectivity for Interaction with Phosphatidic Acid. Journal of Biological Chemistry, 2002, 277, 28298-28309.	3.4	145
32	The PIF-binding pocket in PDK1 is essential for activation of S6K and SGK, but not PKB. EMBO Journal, 2001, 20, 4380-4390.	7.8	322
33	Identification of pleckstrin-homology-domain-containing proteins with novel phosphoinositide-binding specificities. Biochemical Journal, 2000, 351, 19.	3.7	452
34	Identification of pleckstrin-homology-domain-containing proteins with novel phosphoinositide-binding specificities. Biochemical Journal, 2000, 351, 19-31.	3.7	515
35	Identification of a pocket in the PDK1 kinase domain that interacts with PIF and the C-terminal residues of PKA. EMBO Journal, 2000, 19, 979-988.	7.8	285
36	Mdm2 binding to a conformationally sensitive domain on p53 can be modulated by RNA. FEBS Letters, 2000, 472, 93-98.	2.8	30

#	ARTICLE	IF	CITATIONS
37	Evidence That 3-Phosphoinositide-dependent Protein Kinase-1 Mediates Phosphorylation of p70 S6 Kinase in Vivo at Thr-412 as well as Thr-252. <i>Journal of Biological Chemistry</i> , 1999, 274, 37400-37406.	3.4	121
38	PDK1 acquires PDK2 activity in the presence of a synthetic peptide derived from the carboxyl terminus of PRK2. <i>Current Biology</i> , 1999, 9, 393-404.	3.9	434
39	Characterisation of a plant 3-phosphoinositide-dependent protein kinase-1 homologue which contains a pleckstrin homology domain. <i>FEBS Letters</i> , 1999, 451, 220-226.	2.8	123
40	Role of phosphatidylinositol 3,4,5-trisphosphate in regulating the activity and localization of 3-phosphoinositide-dependent protein kinase-1. <i>Biochemical Journal</i> , 1999, 337, 575-583.	3.7	352
41	DAPP1: a dual adaptor for phosphotyrosine and 3-phosphoinositides. <i>Biochemical Journal</i> , 1999, 342, 7.	3.7	70
42	DAPP1: a dual adaptor for phosphotyrosine and 3-phosphoinositides. <i>Biochemical Journal</i> , 1999, 342, 7-12.	3.7	150
43	Lipid signalling. <i>Current Biology</i> , 1998, 8, R865-R867.	3.9	13
44	The lipid transfer activity of phosphatidylinositol transfer protein is sufficient to account for enhanced phospholipase C activity in turkey erythrocyte ghosts. <i>Current Biology</i> , 1997, 7, 184-190.	3.9	33