

Jorge E GalÃ¡n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5521200/publications.pdf>

Version: 2024-02-01

109
papers

15,481
citations

22153

59
h-index

28297

105
g-index

117
all docs

117
docs citations

117
times ranked

10565
citing authors

#	ARTICLE	IF	CITATIONS
1	Protein delivery into eukaryotic cells by type III secretion machines. <i>Nature</i> , 2006, 444, 567-573.	27.8	938
2	RICK/Rip2/CARDIAK mediates signalling for receptors of the innate and adaptive immune systems. <i>Nature</i> , 2002, 416, 194-199.	27.8	827
3	<i>S. typhimurium</i> Encodes an Activator of Rho GTPases that Induces Membrane Ruffling and Nuclear Responses in Host Cells. <i>Cell</i> , 1998, 93, 815-826.	28.9	764
4	Salmonella Interactions with Host Cells: Type III Secretion at Work. <i>Annual Review of Cell and Developmental Biology</i> , 2001, 17, 53-86.	9.4	668
5	A Salmonella protein antagonizes Rac-1 and Cdc42 to mediate host-cell recovery after bacterial invasion. <i>Nature</i> , 1999, 401, 293-297.	27.8	507
6	Molecular genetic bases of Salmonella entry into host cells. <i>Molecular Microbiology</i> , 1996, 20, 263-271.	2.5	465
7	Bacterial Type III Secretion Systems: Specialized Nanomachines for Protein Delivery into Target Cells. <i>Annual Review of Microbiology</i> , 2014, 68, 415-438.	7.3	462
8	Salmonella spp. are cytotoxic for cultured macrophages. <i>Molecular Microbiology</i> , 1996, 21, 1101-1115.	2.5	386
9	A Salmonella inositol polyphosphatase acts in conjunction with other bacterial effectors to promote host cell actin cytoskeleton rearrangements and bacterial internalization. <i>Molecular Microbiology</i> , 2001, 39, 248-260.	2.5	348
10	Role of the caspase-1 inflammasome in <i>Salmonella typhimurium</i> pathogenesis. <i>Journal of Experimental Medicine</i> , 2006, 203, 1407-1412.	8.5	345
11	Structural Insights into the Assembly of the Type III Secretion Needle Complex. <i>Science</i> , 2004, 306, 1040-1042.	12.6	330
12	The Salmonella typhimurium invasion genes <i>invF</i> and <i>invG</i> encode homologues of the AraC and PulD family of proteins. <i>Molecular Microbiology</i> , 1994, 13, 555-568.	2.5	314
13	Common and Contrasting Themes of Plant and Animal Diseases. <i>Science</i> , 2001, 292, 2285-2289.	12.6	309
14	The invasion-associated type III system of Salmonella typhimurium directs the translocation of Sip proteins into the host cell. <i>Molecular Microbiology</i> , 1997, 24, 747-756.	2.5	294
15	Structural mimicry in bacterial virulence. <i>Nature</i> , 2001, 412, 701-705.	27.8	287
16	Common Themes in the Design and Function of Bacterial Effectors. <i>Cell Host and Microbe</i> , 2009, 5, 571-579.	11.0	281
17	Salmonella Modulates Vesicular Traffic by Altering Phosphoinositide Metabolism. <i>Science</i> , 2004, 304, 1805-1807.	12.6	279
18	YopJ of Yersinia pseudotuberculosis required for the inhibition of macrophage TNF α production and downregulation of the MAP kinases p38 and JNK. <i>Molecular Microbiology</i> , 1998, 27, 953-965.	2.5	278

#	ARTICLE	IF	CITATIONS
19	Maintenance of an unfolded polypeptide by a cognate chaperone in bacterial type III secretion. <i>Nature</i> , 2001, 414, 77-81.	27.8	272
20	Differential activation and function of Rho GTPases during Salmonella host cell interactions. <i>Journal of Cell Biology</i> , 2006, 175, 453-463.	5.2	250
21	Involvement of the epidermal growth factor receptor in the invasion of cultured mammalian cells by <i>Salmonella typhimurium</i> . <i>Nature</i> , 1992, 357, 588-589.	27.8	247
22	A secreted protein tyrosine phosphatase with modular effector domains in the bacterial pathogen <i>Salmonella typhimurium</i> . <i>Molecular Microbiology</i> , 1996, 21, 633-641.	2.5	245
23	Manipulation of the host actin cytoskeleton by <i>Salmonella</i> all in the name of entry. <i>Current Opinion in Microbiology</i> , 2005, 8, 10-15.	5.1	242
24	A Sorting Platform Determines the Order of Protein Secretion in Bacterial Type III Systems. <i>Science</i> , 2011, 331, 1188-1191.	12.6	241
25	The <i>Salmonella typhimurium</i> tyrosine phosphatase SptP is translocated into host cells and disrupts the actin cytoskeleton. <i>Molecular Microbiology</i> , 1998, 27, 359-368.	2.5	228
26	<i>Salmonella typhi</i> encodes a functional cytolethal distending toxin that is delivered into host cells by a bacterial-internalization pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 4614-4619.	7.1	215
27	Protein-Injection Machines in Bacteria. <i>Cell</i> , 2018, 172, 1306-1318.	28.9	214
28	Structure and function of the <i>Salmonella Typhi</i> chimaeric A2B5 typhoid toxin. <i>Nature</i> , 2013, 499, 350-354.	27.8	201
29	In Situ Molecular Architecture of the <i>Salmonella</i> Type III Secretion Machine. <i>Cell</i> , 2017, 168, 1065-1074.e10.	28.9	186
30	<i>Salmonella Typhimurium</i> Type III Secretion Effectors Stimulate Innate Immune Responses in Cultured Epithelial Cells. <i>PLoS Pathogens</i> , 2009, 5, e1000538.	4.7	177
31	Assembly of the inner rod determines needle length in the type III secretion injectisome. <i>Nature</i> , 2006, 441, 637-640.	27.8	176
32	Delivery of a <i>Salmonella Typhi</i> Exotoxin from a Host Intracellular Compartment. <i>Cell Host and Microbe</i> , 2008, 3, 30-38.	11.0	168
33	CROSS-TALK BETWEEN BACTERIAL PATHOGENS AND THEIR HOST CELLS. <i>Annual Review of Cell and Developmental Biology</i> , 1996, 12, 221-255.	9.4	155
34	<i>Salmonella enterica</i> Serovar Typhimurium Pathogenicity Island 1-Encoded Type III Secretion System Translocases Mediate Intimate Attachment to Nonphagocytic Cells. <i>Infection and Immunity</i> , 2009, 77, 2635-2642.	2.2	155
35	A Mouse Model for the Human Pathogen <i>Salmonella Typhi</i> . <i>Cell Host and Microbe</i> , 2010, 8, 369-376.	11.0	154
36	Metabolic Diversity in <i>Campylobacter jejuni</i> Enhances Specific Tissue Colonization. <i>Cell Host and Microbe</i> , 2008, 4, 425-433.	11.0	148

#	ARTICLE	IF	CITATIONS
37	A Rab32-Dependent Pathway Contributes to <i>Salmonella</i> Typhi Host Restriction. <i>Science</i> , 2012, 338, 960-963.	12.6	140
38	Organization and coordinated assembly of the type III secretion export apparatus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 17745-17750.	7.1	137
39	Cloning and molecular characterization of a gene involved in <i>Salmonella</i> adherence and invasion of cultured epithelial cells. <i>Molecular Microbiology</i> , 1993, 7, 89-98.	2.5	124
40	Topology and Organization of the <i>Salmonella typhimurium</i> Type III Secretion Needle Complex Components. <i>PLoS Pathogens</i> , 2010, 6, e1000824.	4.7	119
41	Cytotoxic distending toxin: limited damage as a strategy to modulate cellular functions. <i>Trends in Microbiology</i> , 2002, 10, 147-152.	7.7	118
42	Proteolytic targeting of Rab29 by an effector protein distinguishes the intracellular compartments of human-adapted and broad-host <i>Salmonella</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 18418-18423.	7.1	113
43	A Bacterial Pathogen Targets a Host Rab-Family GTPase Defense Pathway with a GAP. <i>Cell Host and Microbe</i> , 2016, 19, 216-226.	11.0	110
44	<i>Salmonella</i> Type III Secretion-Associated Protein InvE Controls Translocation of Effector Proteins into Host Cells. <i>Journal of Bacteriology</i> , 2002, 184, 4699-4708.	2.2	107
45	<i>Salmonella</i> Typhimurium and inflammation: a pathogen-centric affair. <i>Nature Reviews Microbiology</i> , 2021, 19, 716-725.	28.6	107
46	Host Adaptation of a Bacterial Toxin from the Human Pathogen <i>Salmonella</i> Typhi. <i>Cell</i> , 2014, 159, 1290-1299.	28.9	101
47	Visualization of the type III secretion mediated <i>Salmonella</i> host cell interface using cryo-electron tomography. <i>ELife</i> , 2018, 7, .	6.0	100
48	Selective Inhibition of Type III Secretion Activated Signaling by the <i>Salmonella</i> Effector AvrA. <i>PLoS Pathogens</i> , 2009, 5, e1000595.	4.7	96
49	Identification of <i>Campylobacter jejuni</i> Genes Involved in Its Interaction with Epithelial Cells. <i>Infection and Immunity</i> , 2010, 78, 3540-3553.	2.2	90
50	Antibacterial Flavonoids from Medicinal Plants Covalently Inactivate Type III Protein Secretion Substrates. <i>Journal of the American Chemical Society</i> , 2016, 138, 2209-2218.	13.7	87
51	Itaconate is an effector of a Rab GTPase cell-autonomous host defense pathway against <i>Salmonella</i> . <i>Science</i> , 2020, 369, 450-455.	12.6	87
52	The <i>Salmonella</i> Effector Protein SopA Modulates Innate Immune Responses by Targeting TRIM E3 Ligase Family Members. <i>PLoS Pathogens</i> , 2016, 12, e1005552.	4.7	79
53	A Family of <i>Salmonella</i> Type III Secretion Effector Proteins Selectively Targets the NF- κ B Signaling Pathway to Preserve Host Homeostasis. <i>PLoS Pathogens</i> , 2016, 12, e1005484.	4.7	79
54	<i>Salmonella</i> Modulation of Host Cell Gene Expression Promotes Its Intracellular Growth. <i>PLoS Pathogens</i> , 2013, 9, e1003668.	4.7	76

#	ARTICLE	IF	CITATIONS
55	Typhoid toxin provides a window into typhoid fever and the biology of <i>Salmonella</i> Typhi. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 6338-6344.	7.1	76
56	Molecular and functional analysis of the type III secretion signal of the <i>Salmonella enterica</i> InvJ protein. Molecular Microbiology, 2002, 46, 769-779.	2.5	71
57	Genetic Analysis of the <i>Salmonella enterica</i> Type III Secretion-Associated ATPase InvC Defines Discrete Functional Domains. Journal of Bacteriology, 2004, 186, 2402-2412.	2.2	71
58	Visualization and characterization of individual type III protein secretion machines in live bacteria. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 6098-6103.	7.1	69
59	Structural and Functional Characterization of the Bacterial Type III Secretion Export Apparatus. PLoS Pathogens, 2016, 12, e1006071.	4.7	66
60	A MyD88-Deficient Mouse Model Reveals a Role for Nramp1 in <i>Campylobacter jejuni</i> Infection. Infection and Immunity, 2007, 75, 1994-2003.	2.2	62
61	Characterization of SprA, an AraC-like transcriptional regulator encoded within the <i>Salmonella typhimurium</i> pathogenicity island 1. Molecular Microbiology, 1999, 33, 139-152.	2.5	61
62	Quantitative Proteomics of Intracellular <i>Campylobacter jejuni</i> Reveals Metabolic Reprogramming. PLoS Pathogens, 2012, 8, e1002562.	4.7	60
63	Determination of the Stoichiometry of the Complete Bacterial Type III Secretion Needle Complex Using a Combined Quantitative Proteomic Approach. Molecular and Cellular Proteomics, 2016, 15, 1598-1609.	3.8	58
64	Metabolic and fitness determinants for in vitro growth and intestinal colonization of the bacterial pathogen <i>Campylobacter jejuni</i> . PLoS Biology, 2017, 15, e2001390.	5.6	58
65	Taking control: Hijacking of Rab GTPases by intracellular bacterial pathogens. Small GTPases, 2018, 9, 182-191.	1.6	58
66	Novel Components of the Flagellar System in Epsilonproteobacteria. MBio, 2014, 5, e01349-14.	4.1	57
67	Engineering the type III secretion system in non-replicating bacterial minicells for antigen delivery. Nature Communications, 2013, 4, 1590.	12.8	56
68	Requirement of p21-activated Kinase (PAK) for <i>Salmonella typhimurium</i> -induced Nuclear Responses. Journal of Experimental Medicine, 1999, 189, 1479-1488.	8.5	48
69	Receptor-Mediated Sorting of Typhoid Toxin during Its Export from <i>Salmonella</i> Typhi-Infected Cells. Cell Host and Microbe, 2016, 20, 682-689.	11.0	46
70	High-resolution view of the type III secretion export apparatus in situ reveals membrane remodeling and a secretion pathway. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 24786-24795.	7.1	46
71	A <i>Salmonella</i> Typhi homologue of bacteriophage muramidases controls typhoid toxin secretion. EMBO Reports, 2013, 14, 95-102.	4.5	44
72	The Injectisome, a Complex Nanomachine for Protein Injection into Mammalian Cells. EcoSal Plus, 2019, 8, .	5.4	44

#	ARTICLE	IF	CITATIONS
73	The inner rod protein controls substrate switching and needle length in a <i>Salmonella</i> type III secretion system. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 817-822.	7.1	43
74	<i>Salmonella enterica</i> serovar-specific transcriptional reprogramming of infected cells. PLoS Pathogens, 2017, 13, e1006532.	4.7	42
75	Role of Autocleavage in the Function of a Type III Secretion Specificity Switch Protein in <i>Salmonella enterica</i> Serovar Typhimurium. MBio, 2015, 6, e01459-15.	4.1	40
76	Evolution of host adaptation in the <i>Salmonella</i> typhoid toxin. Nature Microbiology, 2017, 2, 1592-1599.	13.3	40
77	Peptidoglycan editing by a specific Id-transpeptidase controls the muramidase-dependent secretion of typhoid toxin. Nature Microbiology, 2018, 3, 1243-1254.	13.3	40
78	Decoding a <i>Salmonella</i> Typhi Regulatory Network that Controls Typhoid Toxin Expression within Human Cells. Cell Host and Microbe, 2018, 23, 65-76.e6.	11.0	38
79	NMR Model of PrgI-SipD Interaction and Its Implications in the Needle-Tip Assembly of the <i>Salmonella</i> Type III Secretion System. Journal of Molecular Biology, 2014, 426, 2958-2969.	4.2	36
80	<i>Salmonella</i> stimulates pro-inflammatory signalling through p21-activated kinases bypassing innate immune receptors. Nature Microbiology, 2018, 3, 1122-1130.	13.3	35
81	In Situ Structures of Polar and Lateral Flagella Revealed by Cryo-Electron Tomography. Journal of Bacteriology, 2019, 201, .	2.2	34
82	Contribution of Amino Acid Catabolism to the Tissue Specific Persistence of <i>Campylobacter jejuni</i> in a Murine Colonization Model. PLoS ONE, 2012, 7, e50699.	2.5	33
83	Investigation of the role of typhoid toxin in acute typhoid fever in a human challenge model. Nature Medicine, 2019, 25, 1082-1088.	30.7	33
84	Unique features in the intracellular transport of typhoid toxin revealed by a genome-wide screen. PLoS Pathogens, 2019, 15, e1007704.	4.7	33
85	Emerging insights into the biology of typhoid toxin. Current Opinion in Microbiology, 2017, 35, 70-77.	5.1	32
86	Role of SpaO in the assembly of the sorting platform of a <i>Salmonella</i> type III secretion system. PLoS Pathogens, 2019, 15, e1007565.	4.7	32
87	The <i>Salmonella</i> Type III Secretion System Inner Rod Protein PrgI Is Partially Folded. Journal of Biological Chemistry, 2012, 287, 25303-25311.	3.4	28
88	A protein secreted by the <i>Salmonella</i> type III secretion system controls needle filament assembly. ELife, 2018, 7, .	6.0	26
89	An evaluation of purified <i>Salmonella</i> Typhi protein antigens for the serological diagnosis of acute typhoid fever. Journal of Infection, 2017, 75, 104-114.	3.3	23
90	A polymorphic helix of a <i>Salmonella</i> needle protein relays signals defining distinct steps in type III secretion. PLoS Biology, 2019, 17, e3000351.	5.6	23

#	ARTICLE	IF	CITATIONS
91	Alternate subunit assembly diversifies the function of a bacterial toxin. <i>Nature Communications</i> , 2019, 10, 3684.	12.8	21
92	The <i>Salmonella</i> effector protein SopD targets Rab8 to positively and negatively modulate the inflammatory response. <i>Nature Microbiology</i> , 2021, 6, 658-671.	13.3	21
93	Biophysical characterization of SipA, an actin-binding protein from <i>Salmonella enterica</i> . <i>FEBS Letters</i> , 2000, 482, 81-84.	2.8	19
94	SnapShot: Effector Proteins of Type III Secretion Systems. <i>Cell</i> , 2007, 130, 192.e1-192.e2.	28.9	19
95	Characterization of a <i>Campylobacter jejuni</i> VirK Protein Homolog as a Novel Virulence Determinant. <i>Infection and Immunity</i> , 2009, 77, 5428-5436.	2.2	19
96	Bacterial toxins and the immune system. <i>Journal of Experimental Medicine</i> , 2005, 201, 321-323.	8.5	14
97	Mechanisms of substrate recognition by a typhoid toxin secretion-associated muramidase. <i>ELife</i> , 2020, 9, .	6.0	14
98	Structural Features Reminiscent of ATP-Driven Protein Translocases Are Essential for the Function of a Type III Secretion-Associated ATPase. <i>Journal of Bacteriology</i> , 2015, 197, 3007-3014.	2.2	12
99	Structural and enzymatic characterization of a host-specificity determinant from <i>Salmonella</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2014, 70, 384-391.	2.5	12
100	Cryo-EM structure of the needle filament tip complex of the <i>Salmonella</i> type III secretion injectisome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	12
101	The cell biology of microbial infections. <i>Journal of Cell Biology</i> , 2002, 158, 387-388.	5.2	7
102	Typhoid toxin sorting and exocytic transport from <i>Salmonella</i> Typhi-infected cells. <i>ELife</i> , 2022, 11, .	6.0	6
103	A novel anti-microbial function for a familiar Rab GTPase. <i>Small GTPases</i> , 2013, 4, 252-254.	1.6	5
104	Bacterial injection machines: Evolutionary diverse but functionally convergent. <i>Cellular Microbiology</i> , 2020, 22, e13157.	2.1	3
105	Generation and Characterization of Typhoid Toxin-Neutralizing Human Monoclonal Antibodies. <i>Infection and Immunity</i> , 2020, 88, .	2.2	3
106	Interaction of <i>Campylobacter jejuni</i> with Host Cells. , 2014, , 287-296.		2
107	The Injectisome, a Complex Nanomachine for Protein Injection into Mammalian Cells. , 2019, , 245-259.		1
108	A <i>Salmonella</i> inositol polyphosphatase acts in conjunction with other bacterial effectors to promote host cell actin cytoskeleton rearrangements and bacterial internalization. <i>Molecular Microbiology</i> , 2001, 40, 1461-1461.	2.5	0

#	ARTICLE	IF	CITATIONS
109	Modulation of the actin cytoskeleton by Salmonella. FASEB Journal, 2008, 22, 530.1.	0.5	0