
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5525914/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The photomorphogenic repressors BBX28 and BBX29 integrate light and brassinosteroid signaling to inhibit seedling development in Arabidopsis. Plant Cell, 2022, 34, 2266-2285.	6.6	17
2	Red-light is an environmental effector for mutualism between begomovirus and its vector whitefly. PLoS Pathogens, 2021, 17, e1008770.	4.7	26
3	CmRCD1 represses flowering by directly interacting with CmBBX8 in summer chrysanthemum. Horticulture Research, 2021, 8, 79.	6.3	11
4	BBX11 promotes red light-mediated photomorphogenic development by modulating phyB-PIF4 signaling. ABIOTECH, 2021, 2, 117-130.	3.9	16
5	RpoS Activates the Prodigionsin Production by Activating the Transcription of the RpoS-Dependent Pig Gene Cluster in Serratia marcescens FS14. Indian Journal of Microbiology, 2021, 61, 355-363.	2.7	3
6	Two component system CpxR/A regulates the prodigiosin biosynthesis by negative control in Serratia marcescens FS14. Biochemical and Biophysical Research Communications, 2021, 579, 136-140.	2.1	2
7	HY5: A Pivotal Regulator of Light-Dependent Development in Higher Plants. Frontiers in Plant Science, 2021, 12, 800989.	3.6	54
8	A missense mutation in WRKY32 converts its function from a positive regulator to a repressor of photomorphogenesis. New Phytologist, 2021, , .	7.3	8
9	COP1 and BBXsâ€HY5â€mediated light signal transduction in plants. New Phytologist, 2020, 228, 1748-1753.	7.3	98
10	COP9 signalosome: Discovery, conservation, activity, and function. Journal of Integrative Plant Biology, 2020, 62, 90-103.	8.5	66
11	CBF-phyB-PIF Module Links Light and Low Temperature Signaling. Trends in Plant Science, 2020, 25, 952-954.	8.8	22
12	BBX28/BBX29, HY5 and BBX30/31 form a feedback loop to fineâ€ŧune photomorphogenic development. Plant Journal, 2020, 104, 377-390.	5.7	46
13	COLD-REGULATED GENE27 Integrates Signals from Light and the Circadian Clock to Promote Hypocotyl Growth in Arabidopsis. Plant Cell, 2020, 32, 3155-3169.	6.6	32
14	Modulation of BIN2 kinase activity by HY5 controls hypocotyl elongation in the light. Nature Communications, 2020, 11, 1592.	12.8	61
15	Bâ€box proteins: Pivotal players in lightâ€mediated development in plants. Journal of Integrative Plant Biology, 2020, 62, 1293-1309.	8.5	79
16	The Photomorphogenic Central Repressor COP1: Conservation and Functional Diversification during Evolution. Plant Communications, 2020, 1, 100044.	7.7	95
17	A Positive Feedback Loop of BBX11–BBX21–HY5 Promotes Photomorphogenic Development in Arabidopsis. Plant Communications, 2020, 1, 100045.	7.7	39
18	Pyrethroid Carboxylesterase PytH from <i>Sphingobium faniae</i> JZ-2: Structure and Catalytic Mechanism. Applied and Environmental Microbiology, 2020, 86, .	3.1	25

#	Article	IF	CITATIONS
19	Origin and Evolution of Core Components Responsible for Monitoring Light Environment Changes during Plant Terrestrialization. Molecular Plant, 2019, 12, 847-862.	8.3	85
20	B-Box Containing Proteins BBX30 and BBX31, Acting Downstream of HY5, Negatively Regulate Photomorphogenesis in <i>Arabidopsis</i> . Plant Physiology, 2019, 180, 497-508.	4.8	69
21	BBX4, a phyB-interacting and modulated regulator, directly interacts with PIF3 to fine tune red light-mediated photomorphogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 26049-26056.	7.1	34
22	The B-Box Domain Protein BBX21 Promotes Photomorphogenesis. Plant Physiology, 2018, 176, 2365-2375.	4.8	78
23	Differential roles for ArcA and ArcB homologues in swarming motility in Serratia marcescens FS14. Antonie Van Leeuwenhoek, 2018, 111, 609-617.	1.7	13
24	Crystal structure of the periplasmic domain of TssL, a key membrane component of Type VI secretion system. International Journal of Biological Macromolecules, 2018, 120, 1474-1479.	7.5	3
25	COP1 SUPPRESSOR 4 promotes seedling photomorphogenesis by repressing <i>CCA1</i> and <i>PIF4</i> expression in <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 11631-11636.	7.1	12
26	Genome-wide regulation of light-controlled seedling morphogenesis by three families of transcription factors. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 6482-6487.	7.1	68
27	Multifaceted Roles of PIF4 in Plants. Trends in Plant Science, 2018, 23, 749-751.	8.8	32
28	Diurnal down-regulation of ethylene biosynthesis mediates biomass heterosis. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 5606-5611.	7.1	49
29	B-BOX DOMAIN PROTEIN28 Negatively Regulates Photomorphogenesis by Repressing the Activity of Transcription Factor HY5 and Undergoes COP1-Mediated Degradation. Plant Cell, 2018, 30, 2006-2019.	6.6	105
30	Myroilysin Is a New Bacterial Member of the M12A Family of Metzincin Metallopeptidases and Is Activated by a Cysteine Switch Mechanism. Journal of Biological Chemistry, 2017, 292, 5195-5206.	3.4	11
31	Crystal structure of MBP-PigG fusion protein and the essential function of PigG in the prodigiosin biosynthetic pathway in Serratia marcescens FS14. International Journal of Biological Macromolecules, 2017, 99, 394-400.	7.5	7
32	Crystal structure of the sensor domain of BaeS from Serratia marcescens FS14. Proteins: Structure, Function and Bioinformatics, 2017, 85, 1784-1790.	2.6	3
33	Noncanonical role of <i>Arabidopsis</i> COP1/SPA complex in repressing BIN2-mediated PIF3 phosphorylation and degradation in darkness. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 3539-3544.	7.1	109
34	Reply to Jin and Zhu: PINOID-mediated COP1 phosphorylation matters in photomorphogenesis in Arabidopsis. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E8136-E8137.	7.1	0
35	Light-Dependent Degradation of PIF3 by SCFEBF1/2 Promotes a Photomorphogenic Response in Arabidopsis. Current Biology, 2017, 27, 2420-2430.e6.	3.9	95
36	Phosphorylation and negative regulation of CONSTITUTIVELY PHOTOMORPHOGENIC 1 by PINOID <i>in Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 6617-6622.	7.1	23

#	Article	IF	CITATIONS
37	Identification of a toxic serralysin family protease with unique thermostable property from S. marcescens FS14. International Journal of Biological Macromolecules, 2016, 93, 98-106.	7.5	11
38	BBX21, an <i>Arabidopsis</i> B-box protein, directly activates <i>HY5</i> and is targeted by COP1 for 26S proteasome-mediated degradation. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 7655-7660.	7.1	204
39	Seedlings Transduce the Depth and Mechanical Pressure of Covering Soil Using COP1 and Ethylene to Regulate EBF1/EBF2 for Soil Emergence. Current Biology, 2016, 26, 139-149.	3.9	120
40	The role of COP1 in repression of photoperiodic flowering. F1000Research, 2016, 5, 178.	1.6	22
41	Arabidopsis COP1 SUPPRESSOR 2 Represses COP1 E3 Ubiquitin Ligase Activity through Their Coiled-Coil Domains Association. PLoS Genetics, 2015, 11, e1005747.	3.5	23
42	<i>Arabidopsis</i> DET1 degrades HFR1 but stabilizes PIF1 to precisely regulate seed germination. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 3817-3822.	7.1	69
43	EheA fromExiguobacteriumsp. yc3 is a novel thermostable DNase belonging to HNH endonuclease superfamily. FEMS Microbiology Letters, 2015, 362, fnv204.	1.8	3
44	Convergence of Light and ABA Signaling on the ABI5 Promoter. PLoS Genetics, 2014, 10, e1004197.	3.5	163
45	The RING-Finger E3 Ubiquitin Ligase COP1 SUPPRESSOR1 Negatively Regulates COP1 Abundance in Maintaining COP1 Homeostasis in Dark-Grown <i>Arabidopsis</i> Seedlings Â. Plant Cell, 2014, 26, 1981-1991.	6.6	41
46	Crystal structure of the catalytic domain of PigE: A transaminase involved in the biosynthesis of 2-methyl-3-n-amyl-pyrrole (MAP) from Serratia sp. FS14. Biochemical and Biophysical Research Communications, 2014, 447, 178-183.	2.1	12
47	Arabidopsis DE-ETIOLATED1 Represses Photomorphogenesis by Positively Regulating Phytochrome-Interacting Factors in the Dark. Plant Cell, 2014, 26, 3630-3645.	6.6	116
48	Beyond repression of photomorphogenesis: role switching of COP/DET/FUS in light signaling. Current Opinion in Plant Biology, 2014, 21, 96-103.	7.1	141
49	Expression, crystallization and preliminary crystallographic data analysis of PigI, a putative <scp>L</scp> -prolyl-AMP ligase from the prodigiosin synthetic pathway in <i>Serratia</i> . Acta Crystallographica Section F, Structural Biology Communications, 2014, 70, 624-627.	0.8	2
50	PHYTOCHROME INTERACTING FACTOR1 Enhances the E3 Ligase Activity of CONSTITUTIVE PHOTOMORPHOGENIC1 to Synergistically Repress Photomorphogenesis in <i>Arabidopsis</i> Â Â. Plant Cell, 2014, 26, 1992-2006.	6.6	78
51	<i>Arabidopsis</i> Phytochrome A Directly Targets Numerous Promoters for Individualized Modulation of Genes in a Wide Range of Pathways. Plant Cell, 2014, 26, 1949-1966.	6.6	73
52	The photomorphogenic repressors COP1 and DET1: 20 years later. Trends in Plant Science, 2012, 17, 584-593.	8.8	530
53	<i>Arabidopsis</i> CULLIN4-Damaged DNA Binding Protein 1 Interacts with CONSTITUTIVELY PHOTOMORPHOGENIC1-SUPPRESSOR OF PHYA Complexes to Regulate Photomorphogenesis and Flowering Time Â. Plant Cell, 2010, 22, 108-123.	6.6	182
54	<i>Arabidopsis</i> Transcription Factor ELONGATED HYPOCOTYL5 Plays a Role in the Feedback Regulation of Phytochrome A Signaling Â. Plant Cell, 2010, 22, 3634-3649.	6.6	165

#	Article	IF	CITATIONS
55	Biochemical Characterization of <i>Arabidopsis</i> Complexes Containing CONSTITUTIVELY PHOTOMORPHOGENIC1 and SUPPRESSOR OF PHYA Proteins in Light Control of Plant Development. Plant Cell, 2008, 20, 2307-2323.	6.6	202
56	Analysis of Transcription Factor HY5 Genomic Binding Sites Revealed Its Hierarchical Role in Light Regulation of Development. Plant Cell, 2007, 19, 731-749.	6.6	829
57	Light-regulated transcriptional networks in higher plants. Nature Reviews Genetics, 2007, 8, 217-230.	16.3	892
58	Arabidopsis CULLIN4 Forms an E3 Ubiquitin Ligase with RBX1 and the CDD Complex in Mediating Light Control of Development. Plant Cell, 2006, 18, 1991-2004.	6.6	194
59	Arabidopsis COP10 forms a complex with DDB1 and DET1 in vivo and enhances the activity of ubiquitin conjugating enzymes. Genes and Development, 2004, 18, 2172-2181.	5.9	186
60	From seed to seed: the role of photoreceptors in Arabidopsis development. Developmental Biology, 2003, 260, 289-297.	2.0	214
61	Analysis of the mutational effects of theCOP/DET/FUSloci on genome expression profiles reveals their overlapping yet not identical roles in regulatingArabidopsisseedling development. Development (Cambridge), 2003, 130, 969-981.	2.5	74
62	The COP1-SPA1 interaction defines a critical step in phytochrome A-mediated regulation of HY5 activity. Genes and Development, 2003, 17, 2642-2647.	5.9	403
63	Light Control of Arabidopsis Development Entails Coordinated Regulation of Genome Expression and Cellular Pathways. Plant Cell, 2001, 13, 2589-2607.	6.6	498
64	Targeted destabilization of HY5 during light-regulated development of Arabidopsis. Nature, 2000, 405, 462-466.	27.8	1,227