

Lionel Jarlan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5526626/publications.pdf>

Version: 2024-02-01

106
papers

4,185
citations

94433

37
h-index

128289

60
g-index

126
all docs

126
docs citations

126
times ranked

4330
citing authors

#	ARTICLE	IF	CITATIONS
1	Irrigation Mapping on Two Contrasted Climatic Contexts Using Sentinel-1 and Sentinel-2 Data. <i>Water (Switzerland)</i> , 2022, 14, 804.	2.7	12
2	Evapotranspiration estimates in a traditional irrigated area in semi-arid Mediterranean. Comparison of four remote sensing-based models. <i>Agricultural Water Management</i> , 2022, 270, 107728.	5.6	3
3	Snow hydrology in the Moroccan Atlas Mountains. <i>Journal of Hydrology: Regional Studies</i> , 2022, 42, 101101.	2.4	7
4	Irrigation Mapping Using Sentinel-1 and Sentinel-2 Data. , 2022, , .		0
5	Integrating thermal stress indexes within Shuttleworthâ€œWallace model for evapotranspiration mapping over a complex surface. <i>Irrigation Science</i> , 2021, 39, 45-61.	2.8	8
6	Projection of irrigation water demand based on the simulation of synthetic crop coefficients and climate change. <i>Hydrology and Earth System Sciences</i> , 2021, 25, 637-651.	4.9	16
7	Present and Future High-Resolution Climate Forcings over Semiarid Catchments: Case of the Tensift (Morocco). <i>Atmosphere</i> , 2021, 12, 370.	2.3	5
8	Hydrological Functioning of Maize Crops in Southwest France Using Eddy Covariance Measurements and a Land Surface Model. <i>Water (Switzerland)</i> , 2021, 13, 1481.	2.7	2
9	Irrigation Amounts and Timing Retrieval through Data Assimilation of Surface Soil Moisture into the FAO-56 Approach in the South Mediterranean Region. <i>Remote Sensing</i> , 2021, 13, 2667.	4.0	12
10	C-band radar data and in situ measurements for the monitoring of wheat crops in a semi-arid area (center of Morocco). <i>Earth System Science Data</i> , 2021, 13, 3707-3731.	9.9	8
11	Cereal Yield Forecasting with Satellite Drought-Based Indices, Weather Data and Regional Climate Indices Using Machine Learning in Morocco. <i>Remote Sensing</i> , 2021, 13, 3101.	4.0	39
12	Surface energy balance and flux partitioning of annual crops in southwestern France. <i>Agricultural and Forest Meteorology</i> , 2021, 308-309, 108529.	4.8	8
13	Irrigation Water Retrieval Through Data Assimilation of Surface Soil Moisture into the FAO-56 Approach in the South Mediterranean Region. , 2021, , .		0
14	A Review of Irrigation Information Retrievals from Space and Their Utility for Users. <i>Remote Sensing</i> , 2021, 13, 4112.	4.0	76
15	A Calibration/Disaggregation Coupling Scheme for Retrieving Soil Moisture at High Spatio-Temporal Resolution: Synergy between SMAP Passive Microwave, MODIS/Landsat Optical/Thermal and Sentinel-1 Radar Data. <i>Sensors</i> , 2021, 21, 7406.	3.8	1
16	Challenges for drought assessment in the Mediterranean region under future climate scenarios. <i>Earth-Science Reviews</i> , 2020, 210, 103348.	9.1	224
17	Monitoring of wheat crops using the backscattering coefficient and the interferometric coherence derived from Sentinel-1 in semi-arid areas. <i>Remote Sensing of Environment</i> , 2020, 251, 112050.	11.0	52
18	Potential for the Detection of Irrigation Events on Maize Plots Using Sentinel-1 Soil Moisture Products. <i>Remote Sensing</i> , 2020, 12, 1621.	4.0	34

#	ARTICLE	IF	CITATIONS
19	Linkages between Rainfed Cereal Production and Agricultural Drought through Remote Sensing Indices and a Land Data Assimilation System: A Case Study in Morocco. <i>Remote Sensing</i> , 2020, 12, 4018.	4.0	27
20	Drought Assessment using Micro-Wave Timeseries of Precipitation and Soil Moisture Over the Mena Region. , 2020, , .		3
21	Water Stress Detection Over Irrigated Wheat Crops in Semi-Arid Areas using the Diurnal Differences of Sentinel-1 Backscatter. , 2020, , .		3
22	C band radar crops monitoring at high temporal frequency: first results of the MOCTAR campaign. , 2020, , .		2
23	Temporal Decorrelation At C- And L-Band Over Olive Tree Plantations:First Insights From The Marocscat Campaigns. , 2020, , .		0
24	Surface Soil Moisture Retrieval Over Irrigated Wheat Crops in Semi-Arid Areas using Sentinel-1 Data. , 2020, , .		2
25	Evapotranspiration in the Mediterranean region. , 2020, , 23-49.		5
26	Evaluation of Backscattering Models and Support Vector Machine for the Retrieval of Bare Soil Moisture from Sentinel-1 Data. <i>Remote Sensing</i> , 2020, 12, 72.	4.0	69
27	Multi-Scale Evaluation of the TSEB Model over a Complex Agricultural Landscape in Morocco. <i>Remote Sensing</i> , 2020, 12, 1181.	4.0	6
28	Evapotranspiration partition using the multiple energy balance version of the ISBA-A-g<sub>s</sub& land surface model over two irrigated crops in a semi-arid Mediterranean region (Marrakech, Morocco). <i>Hydrology and Earth System Sciences</i> , 2020, 24, 3789-3814.	4.9	10
29	Evaluation of Groundwater Quality and Agricultural use Under a Semi-€arid Environment: Case of Agafay, Western Haouz, Morocco. <i>Irrigation and Drainage</i> , 2019, 68, 778-796.	1.7	7
30	Assessing the impact of global climate changes on irrigated wheat yields and water requirements in a semi-arid environment of Morocco. <i>Scientific Reports</i> , 2019, 9, 19142.	3.3	67
31	Ability of a soil-€vegetation-€atmosphere transfer model and a two-source energy balance model to predict evapotranspiration for several crops and climate conditions. <i>Hydrology and Earth System Sciences</i> , 2019, 23, 5033-5058.	4.9	8
32	Spatiotemporal characterization of current and future droughts in the High Atlas basins (Morocco). <i>Theoretical and Applied Climatology</i> , 2019, 135, 593-605.	2.8	26
33	Soil moisture estimation in Ferlo region (Senegal) using radar (ENVISAT/ASAR) and optical (SPOT/VEGETATION) data. <i>Egyptian Journal of Remote Sensing and Space Science</i> , 2018, 21, S13-S22.	2.0	4
34	Future Scenarios of Surface Water Resources Availability in North African Dams. <i>Water Resources Management</i> , 2018, 32, 1291-1306.	3.9	51
35	Calibrating an evapotranspiration model using radiometric surface temperature, vegetation cover fraction and near-surface soil moisture data. <i>Agricultural and Forest Meteorology</i> , 2018, 256-257, 104-115.	4.8	42
36	Toward a Surface Soil Moisture Product at High Spatiotemporal Resolution: Temporally Interpolated, Spatially Disaggregated SMOS Data. <i>Journal of Hydrometeorology</i> , 2018, 19, 183-200.	1.9	22

#	ARTICLE	IF	CITATIONS
37	Combining a Two Source Energy Balance Model Driven by MODIS and MSG-SEVIRI Products with an Aggregation Approach to Estimate Turbulent Fluxes over Sparse and Heterogeneous Vegetation in Sahel Region (Niger). <i>Remote Sensing</i> , 2018, 10, 974.	4.0	7
38	Variations of the Snow Water Equivalent in the Ourika Catchment (Morocco) over 2000â€“2018 Using Downscaled MERRA-2 Data. <i>Water (Switzerland)</i> , 2018, 10, 1120.	2.7	25
39	Climate change impacts on surface water resources in the Rheraya catchment (High Atlas, Morocco). <i>Hydrological Sciences Journal</i> , 2017, 62, 979-995.	2.6	88
40	Performance of the two-source energy budget (TSEB) model for the monitoring of evapotranspiration over irrigated annual crops in North Africa. <i>Agricultural Water Management</i> , 2017, 193, 71-88.	5.6	39
41	Normalizing land surface temperature data for elevation and illumination effects in mountainous areas: A case study using ASTER data over a steep-sided valley in Morocco. <i>Remote Sensing of Environment</i> , 2017, 189, 25-39.	11.0	64
42	Disaggregation of SMOS Soil Moisture to 100 m Resolution Using MODIS Optical/Thermal and Sentinel-1 Radar Data: Evaluation over a Bare Soil Site in Morocco. <i>Remote Sensing</i> , 2017, 9, 1155.	4.0	17
43	Evaluation and Aggregation Properties of Thermal Infra-Red-Based Evapotranspiration Algorithms from 100 m to the km Scale over a Semi-Arid Irrigated Agricultural Area. <i>Remote Sensing</i> , 2017, 9, 1178.	4.0	5
44	Evaluation of TRMM 3B42 V7 Rainfall Product over the Oum Er Rbia Watershed in Morocco. <i>Climate</i> , 2017, 5, 1.	2.8	112
45	The interactions between soilâ€“biosphereâ€“atmosphere (ISBA) land surface model multi-energy balance (MEB) option in SURFEXv8 â€“ Part 2: Introduction of a litter formulation and model evaluation for local-scale forest sites. <i>Geoscientific Model Development</i> , 2017, 10, 1621-1644.	3.6	19
46	The interactions between soilâ€“biosphereâ€“atmosphere land surface model with a multi-energy balance (ISBA-MEB) option in SURFEXv8 â€“ Part 1: Model description. <i>Geoscientific Model Development</i> , 2017, 10, 843-872.	3.6	70
47	Assessment of Soil Quality for a Semi-Arid Irrigated Under Citrus Orchard : Case of the Haouz Plain, Morocco. <i>European Scientific Journal</i> , 2017, 13, 367.	0.1	2
48	Using Satellite Scatterometers to Monitor Continental Surfaces. , 2016, , 79-113.		4
49	Combining stable isotopes, Eddy Covariance system and meteorological measurements for partitioning evapotranspiration, of winter wheat, into soil evaporation and plant transpiration in a semi-arid region. <i>Agricultural Water Management</i> , 2016, 177, 181-192.	5.6	65
50	Linkages between snow cover, temperature and rainfall and the North Atlantic Oscillation over Morocco. <i>Climate Research</i> , 2016, 69, 229-238.	1.1	15
51	Performance assessment of AquaCrop model for estimating evapotranspiration, soil water content and grain yield of winter wheat in Tensift Al Haouz (Morocco): Application to irrigation management. <i>Agricultural Water Management</i> , 2016, 163, 219-235.	5.6	109
52	Sub-chapter 2.3.2. Water resources in South Mediterranean catchments. , 2016, , 303-309.		4
53	A snow cover climatology for the Pyrenees from MODIS snow products. <i>Hydrology and Earth System Sciences</i> , 2015, 19, 2337-2351.	4.9	120
54	The SPARSE model for the prediction of water stress and evapotranspiration components from thermal infra-red data and its evaluation over irrigated and rainfed wheat. <i>Hydrology and Earth System Sciences</i> , 2015, 19, 4653-4672.	4.9	52

#	ARTICLE	IF	CITATIONS
55	Performance Metrics for Soil Moisture Downscaling Methods: Application to DISPATCH Data in Central Morocco. <i>Remote Sensing</i> , 2015, 7, 3783-3807.	4.0	69
56	Impact of Sowing Date on Yield and Water Use Efficiency of Wheat Analyzed through Spatial Modeling and FORMOSAT-2 Images. <i>Remote Sensing</i> , 2015, 7, 5951-5979.	4.0	50
57	Assessment of daily MODIS snow cover products to monitor snow cover dynamics over the Moroccan Atlas mountain range. <i>Remote Sensing of Environment</i> , 2015, 160, 72-86.	11.0	95
58	Spaceborne altimetry and scatterometry backscattering signatures at C- and Ku-bands over West Africa. <i>Remote Sensing of Environment</i> , 2015, 159, 117-133.	11.0	23
59	Remote Sensing of Water Resources in Semi-Arid Mediterranean Areas: the joint international laboratory TREMA. <i>International Journal of Remote Sensing</i> , 2015, 36, 4879-4917.	2.9	74
60	Linkages between common wheat yields and climate in Morocco (1982-2008). <i>International Journal of Biometeorology</i> , 2014, 58, 1489-502.	3.0	23
61	A Life-Size and Near Real-Time Test of Irrigation Scheduling with a Sentinel-2 Like Time Series (SPOT4-Take5) in Morocco. <i>Remote Sensing</i> , 2014, 6, 11182-11203.	4.0	27
62	Irrigation scheduling of a classical gravity network based on the Covariance Matrix Adaptation - Evolutionary Strategy algorithm. <i>Computers and Electronics in Agriculture</i> , 2014, 102, 64-72.	7.7	29
63	An image-based four-source surface energy balance model to estimate crop evapotranspiration from solar reflectance/thermal emission data (SEB-4S). <i>Agricultural and Forest Meteorology</i> , 2014, 184, 188-203.	4.8	68
64	Data Assimilation for the Monitoring of Continental Surfaces. , 2014, , 283-319.		2
65	Intercomparison of four remote-sensing-based energy balance methods to retrieve surface evapotranspiration and water stress of irrigated fields in semi-arid climate. <i>Hydrology and Earth System Sciences</i> , 2014, 18, 1165-1188.	4.9	84
66	Spatio-temporal variability of vegetation cover over Morocco (1982-2008): linkages with large scale climate and predictability. <i>International Journal of Climatology</i> , 2014, 34, 1245-1261.	3.5	12
67	A new irrigation priority index based on remote sensing data for assessing the networks irrigation scheduling. <i>Agricultural Water Management</i> , 2013, 119, 1-9.	5.6	36
68	Characterization of Evapotranspiration over Irrigated Crops in a Semi-arid Area (Marrakech, Morocco). <i>Journal of Hydrology</i> , 2013, 465, 1-14.	1.4	6
69	An Agent based Modeling for the Gravity Irrigation Management. <i>Procedia Environmental Sciences</i> , 2013, 19, 804-813.	1.4	5
70	The SudMed Program and the Joint International Laboratory TREMA: A Decade of Water Transfer Study in the Soil-plant-atmosphere System over Irrigated Crops in Semi-arid Area. <i>Procedia Environmental Sciences</i> , 2013, 19, 524-533.	1.4	27
71	Natural land carbon dioxide exchanges in the ECMWF integrated forecasting system: Implementation and offline validation. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 5923-5946.	3.3	113
72	Assessment of Equity and Adequacy of Water Delivery in Irrigation Systems Using Remote Sensing-Based Indicators in Semi-Arid Region, Morocco. <i>Water Resources Management</i> , 2013, 27, 4697-4714.	3.9	45

#	ARTICLE	IF	CITATIONS
73	Impact of a satellite-derived leaf area index monthly climatology in a global numerical weather prediction model. <i>International Journal of Remote Sensing</i> , 2013, 34, 3520-3542.	2.9	108
74	Data assimilation of surface soil moisture, temperature, and evapotranspiration estimates in a SVAT model over irrigated areas in semi-arid regions: what's best to constraint evapotranspiration predictions?. , 2013, , .		1
75	Polynomial search and global modeling: Two algorithms for modeling chaos. <i>Physical Review E</i> , 2012, 86, 046205.	2.1	30
76	EVALUATION OF THE SAP FLOW MEASUREMENTS DETERMINED WITH HEAT BALANCE METHOD FOR CITRUS ORCHARDS IN SEMI-ARID REGION. <i>Acta Horticulturae</i> , 2012, , 259-267.	0.2	11
77	An Integrated DSS for Groundwater Management Based on Remote Sensing. The Case of a Semi-arid Aquifer in Morocco. <i>Water Resources Management</i> , 2012, 26, 3209-3230.	3.9	53
78	Combined use of optical and radar satellite data for the monitoring of irrigation and soil moisture of wheat crops. <i>Hydrology and Earth System Sciences</i> , 2011, 15, 1117-1129.	4.9	66
79	Western European climate, and Pinot noir grape harvest dates in Burgundy, France, since the 17th th century. <i>Climate Research</i> , 2011, 46, 243-253.	1.1	9
80	Water use efficiency and yield of winter wheat under different irrigation regimes in a semi-arid region. <i>Agricultural Sciences</i> , 2011, 02, 273-282.	0.3	35
81	Integrated modelling of the water cycle in semi arid watersheds based on ground and satellite data: the SudMed project. <i>Proceedings of SPIE</i> , 2010, , .	0.8	0
82	Potentiality of optical and radar satellite data at high spatio-temporal resolutions for the monitoring of irrigated wheat crops in Morocco. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2010, 12, S32-S37.	2.8	40
83	Long-term analysis of snow-covered area in the Moroccan High-Atlas through remote sensing. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2010, 12, S109-S115.	2.8	37
84	Assessment of reference evapotranspiration methods in semi-arid regions: Can weather forecast data be used as alternate of ground meteorological parameters?. <i>Journal of Arid Environments</i> , 2010, 74, 1587-1596.	2.4	96
85	Modelling LAI at a regional scale with ISBA-A-gs: comparison with satellite-derived LAI over southwestern France. <i>Biogeosciences</i> , 2009, 6, 1389-1404.	3.3	43
86	The AMMA Land Surface Model Intercomparison Project (ALMIP). <i>Bulletin of the American Meteorological Society</i> , 2009, 90, 1865-1880.	3.3	165
87	The AMMA-CATCH Gourma observatory site in Mali: Relating climatic variations to changes in vegetation, surface hydrology, fluxes and natural resources. <i>Journal of Hydrology</i> , 2009, 375, 14-33.	5.4	140
88	Assimilation of SPOT/VEGETATION NDVI data into a sahelian vegetation dynamics model. <i>Remote Sensing of Environment</i> , 2008, 112, 1381-1394.	11.0	76
89	Evolutionary bi-objective optimization of a semi-arid vegetation dynamics model with NDVI and $\delta^{18}O$ satellite data. <i>Remote Sensing of Environment</i> , 2008, 112, 1365-1380.	11.0	28
90	Analysis of leaf area index in the ECMWF land surface model and impact on latent heat and carbon fluxes: Application to West Africa. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	80

#	ARTICLE	IF	CITATIONS
91	Joint assimilation of surface soil moisture and LAI observations into a land surface model. <i>Agricultural and Forest Meteorology</i> , 2008, 148, 1362-1373.	4.8	88
92	Spatio-temporal variability of NDVI and precipitation over southernmost South America: possible linkages between climate signals and epidemics. <i>Environmental Research Letters</i> , 2008, 3, 044008.	5.2	27
93	Characterization of the Interannual and Intraseasonal Variability of West African Vegetation between 1982 and 2002 by Means of NOAA AVHRR NDVI Data. <i>Journal of Climate</i> , 2007, 20, 1202-1218.	3.2	62
94	From Near-Surface to Root-Zone Soil Moisture Using Different Assimilation Techniques. <i>Journal of Hydrometeorology</i> , 2007, 8, 194-206.	1.9	156
95	Ability of the land surface model ISBA-A-gs to simulate leaf area index at the global scale: Comparison with satellites products. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	113
96	Tropical Atlantic moisture availability and precipitation over West Africa: Application to DEMETER hindcasts. <i>Geophysical Research Letters</i> , 2006, 33, .	4.0	3
97	Testing a sahelian grassland functioning model against herbage mass measurements. <i>Ecological Modelling</i> , 2006, 193, 437-446.	2.5	37
98	Using coarse remote sensing radar observations to control the trajectory of a simple Sahelian land surface model. <i>Remote Sensing of Environment</i> , 2005, 94, 269-285.	11.0	13
99	Land surface parameter monitoring with ERS scatterometer data over the Sahel: A comparison between agro-pastoral and pastoral areas. <i>Remote Sensing of Environment</i> , 2005, 96, 438-452.	11.0	21
100	Dominant patterns of AVHRR NDVI interannual variability over the Sahel and linkages with key climate signals (1982-2003). <i>Geophysical Research Letters</i> , 2005, 32, n/a-n/a.	4.0	30
101	Analysis of the linkages between rainfall and land surface conditions in the West African monsoon through CMAP, ERS-WSC, and NOAA-AVHRR data. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	33
102	Mapping of Sahelian vegetation parameters from ERS scatterometer data with an evolution strategies algorithm. <i>Remote Sensing of Environment</i> , 2003, 87, 72-84.	11.0	18
103	Retrieval of land surface parameters in the Sahel from ERS wind scatterometer data: a "brute force" method. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2002, 40, 2056-2062.	6.3	14
104	Analysis of ERS wind scatterometer time series over Sahel (Mali). <i>Remote Sensing of Environment</i> , 2002, 81, 404-415.	11.0	48
105	<title>Retrieving land surface parameters over Sahel from ERS wind scatterometer data</title>. , 2001, 4171, 137.		0
106	Comparison of ERS wind-scatterometer and SSM/I data for Sahelian vegetation monitoring. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2000, 38, 1794-1803.	6.3	11