

Wei-Ming Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/552813/publications.pdf>

Version: 2024-02-01

105
papers

1,746
citations

279798

23
h-index

377865

34
g-index

105
all docs

105
docs citations

105
times ranked

2456
citing authors

#	ARTICLE	IF	CITATIONS
1	Oncologic Outcomes Following Three Different Approaches to the Distal Ureter and Bladder Cuff in Nephroureterectomy for Primary Upper Urinary Tract Urothelial Carcinoma. <i>European Urology</i> , 2010, 57, 963-969.	1.9	148
2	The Prevalence of and Risk Factors for Androgen Deficiency in Aging Taiwanese Men. <i>Journal of Sexual Medicine</i> , 2009, 6, 936-946.	0.6	67
3	Relationship Between Serum Testosterone and Measures of Benign Prostatic Hyperplasia in Aging Men. <i>Urology</i> , 2007, 70, 677-680.	1.0	59
4	Association of body mass index and urine pH in patients with urolithiasis. <i>Urological Research</i> , 2009, 37, 193-196.	1.5	55
5	The Prognostic Predictors of Primary Ureteral Transitional Cell Carcinoma After Radical Nephroureterectomy. <i>Journal of Urology</i> , 2009, 182, 451-458.	0.4	53
6	The Prognostic Significance of Inflammation-Associated Blood Cell Markers in Patients with Upper Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 343-351.	1.5	43
7	INHBA overexpression indicates poor prognosis in urothelial carcinoma of urinary bladder and upper tract. <i>Journal of Surgical Oncology</i> , 2015, 111, 414-422.	1.7	39
8	HuR cytoplasmic expression is associated with increased cyclin A expression and poor outcome with upper urinary tract urothelial carcinoma. <i>BMC Cancer</i> , 2012, 12, 611.	2.6	37
9	FGF7 Over Expression is an Independent Prognosticator in Patients with Urothelial Carcinoma of the Upper Urinary Tract and Bladder. <i>Journal of Urology</i> , 2015, 194, 223-229.	0.4	37
10	<i>CEBPD</i> amplification and overexpression in urothelial carcinoma: a driver of tumor metastasis indicating adverse prognosis. <i>Oncotarget</i> , 2015, 6, 31069-31084.	1.8	35
11	CSF2 Overexpression Is Associated with STAT5 Phosphorylation and Poor Prognosis in Patients with Urothelial Carcinoma. <i>Journal of Cancer</i> , 2016, 7, 711-721.	2.5	34
12	MCM10 overexpression implicates adverse prognosis in urothelial carcinoma. <i>Oncotarget</i> , 2016, 7, 77777-77792.	1.8	34
13	The Potential Impact of Metabolic Syndrome on Erectile Dysfunction in Aging Taiwanese Males. <i>Journal of Sexual Medicine</i> , 2010, 7, 3127-3134.	0.6	33
14	Prognostic Significance of Lymphovascular Invasion in Upper Urinary Tract Urothelial Carcinoma is Influenced by Tumor Location. <i>Annals of Surgical Oncology</i> , 2015, 22, 1392-1400.	1.5	32
15	The Associations Among <i>eNOS</i> G894T Gene Polymorphism, Erectile Dysfunction, and Benign Prostate Hyperplasia-Related Lower Urinary Tract Symptoms. <i>Journal of Sexual Medicine</i> , 2009, 6, 3158-3165.	0.6	31
16	Overexpression of TG-Interacting Factor Is Associated with Worse Prognosis in Upper Urinary Tract Urothelial Carcinoma. <i>American Journal of Pathology</i> , 2012, 181, 1044-1055.	3.8	30
17	The cAMP responsive element binding protein 1 transactivates epithelial membrane protein 2, a potential tumor suppressor in the urinary bladder urothelial carcinoma. <i>Oncotarget</i> , 2015, 6, 9220-9239.	1.8	30
18	Potential Significance of EMP3 in Patients with Upper Urinary Tract Urothelial Carcinoma: Crosstalk with ErbB2-PI3K-Akt Pathway. <i>Journal of Urology</i> , 2014, 192, 242-251.	0.4	29

#	ARTICLE	IF	CITATIONS
19	Clinical study of ammonium acid urate urolithiasis. Kaohsiung Journal of Medical Sciences, 2012, 28, 259-264.	1.9	28
20	Paraganglioma of the urinary bladder first presented by bladder bloody tamponade: Two case reports and review of the literatures. Kaohsiung Journal of Medical Sciences, 2011, 27, 108-113.	1.9	27
21	Renal function in patients with urinary stones of varying compositions. Kaohsiung Journal of Medical Sciences, 2011, 27, 264-267.	1.9	27
22	GPX2 underexpression indicates poor prognosis in patients with urothelial carcinomas of the upper urinary tract and urinary bladder. World Journal of Urology, 2015, 33, 1777-1789.	2.2	27
23	Pretreatment Risk Stratification for Endoscopic Kidney-sparing Surgery in Upper Tract Urothelial Carcinoma: An International Collaborative Study. European Urology, 2021, 80, 507-515.	1.9	27
24	The Association of eNOS G894T Polymorphism with Metabolic Syndrome and Erectile Dysfunction. Journal of Sexual Medicine, 2012, 9, 837-843.	0.6	26
25	The diagnostic ureteroscopy before radical nephroureterectomy in upper urinary tract urothelial carcinoma is not associated with higher intravesical recurrence. World Journal of Surgical Oncology, 2018, 16, 135.	1.9	26
26	Sulfatase-1 overexpression indicates poor prognosis in urothelial carcinoma of the urinary bladder and upper tract. Oncotarget, 2017, 8, 47216-47229.	1.8	26
27	DPP4/CD26 overexpression in urothelial carcinoma confers an independent prognostic impact and correlates with intrinsic biological aggressiveness. Oncotarget, 2017, 8, 2995-3008.	1.8	24
28	The Impact of Androgen Receptor CAG Repeat Polymorphism on Andropausal Symptoms in Different Serum Testosterone Levels. Journal of Sexual Medicine, 2012, 9, 2429-2437.	0.6	22
29	Hypoxia-regulated MicroRNA-210 Overexpression is Associated with Tumor Development and Progression in Upper Tract Urothelial Carcinoma. International Journal of Medical Sciences, 2017, 14, 578-584.	2.5	22
30	High TNFAIP6 level is associated with poor prognosis of urothelial carcinomas. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 293.e11-293.e24.	1.6	21
31	MicroRNA-145 suppresses cell migration and invasion in upper tract urothelial carcinoma by targeting ARF6. FASEB Journal, 2020, 34, 5975-5992.	0.5	21
32	Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse Outcome of Upper Tract Urothelial Carcinoma. PLoS ONE, 2015, 10, e0139624.	2.5	20
33	Role of Microtubule-Associated Protein 1b in Urothelial Carcinoma: Overexpression Predicts Poor Prognosis. Cancers, 2020, 12, 630.	3.7	20
34	SLC14A1 prevents oncometabolite accumulation and recruits HDAC1 to transrepress oncometabolite genes in urothelial carcinoma. Theranostics, 2020, 10, 11775-11793.	10.0	18
35	Associations of the lower urinary tract symptoms with the lifestyle, prostate volume, and metabolic syndrome in the elderly males. Aging Male, 2012, 15, 166-172.	1.9	17
36	Matrix metalloproteinase-11 as a marker of metastasis and predictor of poor survival in urothelial carcinomas. Journal of Surgical Oncology, 2016, 113, 700-707.	1.7	17

#	ARTICLE	IF	CITATIONS
37	Clinical Predictors of Stone Fragmentation Using Slow-Rate Shock Wave Lithotripsy. <i>Urologia Internationalis</i> , 2007, 79, 124-128.	1.3	16
38	Cyclooxygenase-2 (COX-2) up-regulation is a prognostic marker for poor clinical outcome of upper tract urothelial cancer. <i>Anticancer Research</i> , 2012, 32, 4111-6.	1.1	16
39	Epithelial Membrane Protein 2 Is a Prognostic Indicator for Patients with Urothelial Carcinoma of the Upper Urinary Tract. <i>American Journal of Pathology</i> , 2013, 183, 709-719.	3.8	15
40	Are Lower Urinary Tract Symptoms Associated with Erectile Dysfunction in Aging Males of Taiwan?. <i>Urologia Internationalis</i> , 2006, 77, 251-254.	1.3	14
41	Local Factors Compared with Systemic Factors in the Formation of Bladder Uric Acid Stones. <i>Urologia Internationalis</i> , 2009, 82, 48-52.	1.3	14
42	Subcellular localisation of anillin is associated with different survival outcomes in upper urinary tract urothelial carcinoma. <i>Journal of Clinical Pathology</i> , 2015, 68, 1026-1032.	2.0	14
43	Effects of Epigallocatechin Gallate (EGCG) on Urinary Bladder Urothelial Carcinoma—Next-Generation Sequencing and Bioinformatics Approaches. <i>Medicina (Lithuania)</i> , 2019, 55, 768.	2.0	14
44	The association between gender and outcome of patients with upper tract urothelial cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 37-42.	1.9	13
45	Complement Component 1, s Subcomponent Overexpression is an Independent Poor Prognostic Indicator in Patients with Urothelial Carcinomas of the Upper Urinary Tract and Urinary Bladder. <i>Journal of Cancer</i> , 2016, 7, 1396-1405.	2.5	13
46	Risk of incident benign prostatic hyperplasia in patients with gout: a retrospective cohort study. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 277-286.	3.9	13
47	Novel Classification for Upper Tract Urothelial Carcinoma to Better Risk-stratify Patients Eligible for Kidney-sparing Strategies: An International Collaborative Study. <i>European Urology Focus</i> , 2022, 8, 491-497.	3.1	13
48	Müllerianosis of Ureter: A Rare Cause of Hydronephrosis. <i>Urology</i> , 2007, 69, 1208.e9-1208.e11.	1.0	12
49	Glycine N-methyltransferase inhibits aristolochic acid nephropathy by increasing CYP3A44 and decreasing NQO1 expression in female mouse hepatocytes. <i>Scientific Reports</i> , 2018, 8, 6960.	3.3	12
50	Prognostic Significance of Primary Tumor Location in Upper Tract Urothelial Carcinoma Treated with Nephroureterectomy: A Retrospective, Multi-Center Cohort Study in Taiwan. <i>Journal of Clinical Medicine</i> , 2020, 9, 3866.	2.4	12
51	Low Hemoglobin-to-Red Cell Distribution Width Ratio Is Associated with Disease Progression and Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>Biomedicines</i> , 2021, 9, 672.	3.2	12
52	The impact of irritative lower urinary tract symptoms on erectile dysfunction in aging Taiwanese males. <i>Aging Male</i> , 2010, 13, 179-183.	1.9	11
53	Necdin Overexpression Predicts Poor Prognosis in Patients with Urothelial Carcinomas of the Upper Urinary Tract and Urinary Bladder. <i>Journal of Cancer</i> , 2016, 7, 304-313.	2.5	11
54	Histone deacetylase inhibitor trichostatin A resensitizes gemcitabine resistant urothelial carcinoma cells via suppression of TG-interacting factor. <i>Toxicology and Applied Pharmacology</i> , 2016, 290, 98-106.	2.8	11

#	ARTICLE	IF	CITATIONS
55	Prognostic Value of Leptin Receptor Overexpression in Upper Tract Urothelial Carcinomas in Taiwan. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e653-e659.	1.9	11
56	Utility of EFEMP1 in the Prediction of Oncologic Outcomes of Urothelial Carcinoma. <i>Genes</i> , 2021, 12, 872.	2.4	11
57	DDR2 overexpression in urothelial carcinoma indicates an unfavorable prognosis: a large cohort study. <i>Oncotarget</i> , 2016, 7, 78918-78931.	1.8	11
58	Prognostic value of p53 protein overexpression in upper tract urothelial carcinomas in Taiwan. <i>Anticancer Research</i> , 2013, 33, 1091-8.	1.1	11
59	Rupture of Renal Pelvis in an Adult with Congenital Ureteropelvic Junction Obstruction After Blunt Abdominal Trauma. <i>Kaohsiung Journal of Medical Sciences</i> , 2007, 23, 142-146.	1.9	10
60	PTP4A3 Independently Predicts Metastasis and Survival in Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , 2015, 194, 1449-1455.	0.4	10
61	Is preoperative anemia a risk factor for upper tract urothelial carcinoma following radical nephroureterectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 337.e1-337.e9.	1.6	10
62	The impact of physical health and socioeconomic factors on sexual activity in middle-aged and elderly Taiwanese men. <i>Aging Male</i> , 2010, 13, 148-153.	1.9	9
63	Laparoscopic partial nephrectomy without intracorporeal suturing. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 1585-1591.	2.4	9
64	CSF-1 Overexpression Predicts Poor Prognosis in Upper Tract Urothelial Carcinomas. <i>Disease Markers</i> , 2019, 2019, 1-9.	1.3	9
65	Extra-Adrenal Pheochromocytoma Presenting with Life-Threatening Ventricular Tachycardia: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2004, 20, 612-615.	1.9	8
66	Clinical Study of Uric Acid Urolithiasis. <i>Kaohsiung Journal of Medical Sciences</i> , 2007, 23, 298-301.	1.9	8
67	The effect of tumor location on prognosis in patients with primary ureteral urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1670-1675.	1.6	8
68	Dialysis Increases the Risk of Bladder Recurrence in Patients with Upper Tract Urothelial Cancer: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 1086-1093.	1.5	8
69	High Transaldolase 1 expression predicts poor survival of patients with upper tract urothelial carcinoma. <i>Pathology International</i> , 2021, 71, 463-470.	1.3	8
70	Incidence and survival variations of upper tract urothelial cancer in Taiwan (2001-2010). <i>International Journal of Urology</i> , 2021, , .	1.0	8
71	Fibroepithelial Polyps Causing Ureteropelvic Junction Obstruction in a Child. <i>Kaohsiung Journal of Medical Sciences</i> , 2005, 21, 282-285.	1.9	7
72	Over-expression of Activated Signal Transducer and Activator of Transcription 3 Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , 2017, 14, 1360-1367.	2.5	7

#	ARTICLE	IF	CITATIONS
73	Deduction of Novel Genes Potentially Involved in Upper Tract Urothelial Carcinoma Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2019, 16, 93-105.	2.5	7
74	Prognostic Utility of FBLN2 Expression in Patients With Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 570340.	2.8	7
75	Glutathione S-Transferase Expression in Upper Urinary Tract Urothelial Carcinomas: a Taiwan Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 6475-6479.	1.2	7
76	Impact of Hydronephrosis on Treatment Outcome of Solitary Proximal Ureteral Stone After Extracorporeal Shock Wave Lithotripsy. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 507-513.	1.9	6
77	PTRF independently predicts progression and survival in multiracial upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 496-505.	1.6	6
78	High visfatin expression predicts poor prognosis of upper tract urothelial carcinoma patients. <i>American Journal of Cancer Research</i> , 2015, 5, 2447-54.	1.4	6
79	Enhancement of PVDF Sensing Characteristics by Retooling the Near-Field Direct-Write Electrospinning System. <i>Sensors</i> , 2020, 20, 4873.	3.8	5
80	Validation of Hyponatremia as a Prognostic Predictor in Multiregional Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 1218.	2.4	5
81	Prognostic Factors for Contralateral Recurrence of Upper Tract Urothelial Carcinoma after Nephroureterectomy: A Large Multiregional Study. <i>Cancers</i> , 2021, 13, 5935.	3.7	5
82	High Expression of 17 β -hydroxysteroid Dehydrogenase Type 2 is Associated with a Better Prognosis in Urothelial Carcinoma of the Urinary Tract. <i>Journal of Cancer</i> , 2016, 7, 2221-2230.	2.5	4
83	The protoapigenone analog WYC0209 targets CD133+ cells: A potential adjuvant agent against cancer stem cells in urothelial cancer therapy. <i>Toxicology and Applied Pharmacology</i> , 2020, 402, 115129.	2.8	4
84	How to manage patients with suspected upper tract urothelial carcinoma in the pandemic of COVID-19?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 733.e11-733.e16.	1.6	4
85	Biological significance of <i>MYC</i> and <i>CEBPD</i> coamplification in urothelial carcinoma: Multilayered genomic, transcriptional and posttranscriptional positive feedback loops enhance oncogenic glycolysis. <i>Clinical and Translational Medicine</i> , 2021, 11, e674.	4.0	4
86	Transgelin in bladder cancer: A potential biomarker and therapeutic target. <i>EBioMedicine</i> , 2019, 48, 16-17.	6.1	3
87	Prognostic Significance of ROR2 Expression in Patients with Urothelial Carcinoma. <i>Biomedicines</i> , 2021, 9, 1054.	3.2	3
88	Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma Following Radical Nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2022, 29, 3306-3317.	1.5	3
89	Impact of Adjuvant Chemotherapy on Variant Histology of Upper Tract Urothelial Carcinoma: A Propensity Score-Matched Cohort Analysis. <i>Frontiers in Oncology</i> , 2022, 12, 843715.	2.8	3
90	Comparison of secondary signs as shown by unenhanced helical computed tomography in patients with uric acid or calcium ureteral stones. <i>Kaohsiung Journal of Medical Sciences</i> , 2012, 28, 322-326.	1.9	2

#	ARTICLE	IF	CITATIONS
91	Neoadjuvant chemotherapy improves survival rate in advanced urothelial carcinoma. Kaohsiung Journal of Medical Sciences, 2013, 29, 200-205.	1.9	2
92	The Significant Prognosticators of Upper Tract Urothelial Carcinoma. Urological Science, 2015, 26, 230-234.	0.6	2
93	The prognostic value of CSN6 expression in upper tract urothelial carcinomas. Kaohsiung Journal of Medical Sciences, 2019, 35, 559-565.	1.9	2
94	Predominant global glomerulosclerosis in patients of upper urinary tract urothelial carcinoma with pre-existing renal function impairment is a predictor of poor renal outcomes. BMC Cancer, 2019, 19, 337.	2.6	2
95	Interethnic differences in the impact of body mass index on upper tract urothelial carcinoma following radical nephroureterectomy. World Journal of Urology, 2021, 39, 491-500.	2.2	2
96	Identification of potential genes in upper tract urothelial carcinoma using next-generation sequencing with bioinformatics and in vitro analyses. PeerJ, 2021, 9, e11343.	2.0	2
97	MicroRNA-375-3p Suppresses Upper Tract Urothelial Carcinoma Cell Migration and Invasion via Targeting Derlin-1. Cancers, 2022, 14, 880.	3.7	2
98	The Winter Procedure as Management for Prolonged Low-Flow Priapism: A Case Report. Kaohsiung Journal of Medical Sciences, 2007, 23, 531-535.	1.9	1
99	Mixed-type paratesticular rhabdomyosarcoma—A case report. Kaohsiung Journal of Medical Sciences, 2011, 27, 239-241.	1.9	1
100	Influence of late-stage chronic kidney disease on overall survival in patients with upper tract urothelial carcinoma following radical nephroureterectomy. Urological Science, 2015, 26, 120-124.	0.6	1
101	Comparison of oncological outcomes for hand-assisted and pure laparoscopic radical nephroureterectomy: results from the Taiwan Upper Tract Urothelial Cancer Collaboration Group. Surgical Endoscopy and Other Interventional Techniques, 2021, , 1.	2.4	1
102	Clinical Efficacy of Adjuvant Chemotherapy in Advanced Upper Tract Urothelial Carcinoma (pT3-T4): Real-World Data from the Taiwan Upper Tract Urothelial Carcinoma Collaboration Group. Journal of Personalized Medicine, 2022, 12, 226.	2.5	1
103	Prognostic Value of Comorbidity for Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy. Cancers, 2022, 14, 1466.	3.7	1
104	High Ubiquitin-Specific Protease 2a Expression Level Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma. Applied Immunohistochemistry and Molecular Morphology, 2022, 30, 304-310.	1.2	1
105	ASO Visual Abstract: Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy. Annals of Surgical Oncology, 2022, , 1.	1.5	0