

Wei-Ming Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/552813/publications.pdf>

Version: 2024-02-01

105
papers

1,746
citations

279798

23
h-index

377865

34
g-index

105
all docs

105
docs citations

105
times ranked

2456
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel Classification for Upper Tract Urothelial Carcinoma to Better Risk-stratify Patients Eligible for Kidney-sparing Strategies: An International Collaborative Study. <i>European Urology Focus</i> , 2022, 8, 491-497.	3.1	13
2	Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma Following Radical Nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2022, 29, 3306-3317.	1.5	3
3	ASO Visual Abstract: Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0
4	Clinical Efficacy of Adjuvant Chemotherapy in Advanced Upper Tract Urothelial Carcinoma (pT3-T4): Real-World Data from the Taiwan Upper Tract Urothelial Carcinoma Collaboration Group. <i>Journal of Personalized Medicine</i> , 2022, 12, 226.	2.5	1
5	MicroRNA-375-3p Suppresses Upper Tract Urothelial Carcinoma Cell Migration and Invasion via Targeting Derlin-1. <i>Cancers</i> , 2022, 14, 880.	3.7	2
6	Prognostic Value of Comorbidity for Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy. <i>Cancers</i> , 2022, 14, 1466.	3.7	1
7	High Ubiquitin-Specific Protease 2a Expression Level Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2022, 30, 304-310.	1.2	1
8	Impact of Adjuvant Chemotherapy on Variant Histology of Upper Tract Urothelial Carcinoma: A Propensity Score-Matched Cohort Analysis. <i>Frontiers in Oncology</i> , 2022, 12, 843715.	2.8	3
9	Interethnic differences in the impact of body mass index on upper tract urothelial carcinoma following radical nephroureterectomy. <i>World Journal of Urology</i> , 2021, 39, 491-500.	2.2	2
10	Identification of potential genes in upper tract urothelial carcinoma using next-generation sequencing with bioinformatics and in vitro analyses. <i>PeerJ</i> , 2021, 9, e11343.	2.0	2
11	High Transaldolase 1 expression predicts poor survival of patients with upper tract urothelial carcinoma. <i>Pathology International</i> , 2021, 71, 463-470.	1.3	8
12	Utility of EFEMP1 in the Prediction of Oncologic Outcomes of Urothelial Carcinoma. <i>Genes</i> , 2021, 12, 872.	2.4	11
13	Low Hemoglobin-to-Red Cell Distribution Width Ratio Is Associated with Disease Progression and Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>Biomedicines</i> , 2021, 9, 672.	3.2	12
14	Prognostic Significance of ROR2 Expression in Patients with Urothelial Carcinoma. <i>Biomedicines</i> , 2021, 9, 1054.	3.2	3
15	How to manage patients with suspected upper tract urothelial carcinoma in the pandemic of COVID-19?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 733.e11-733.e16.	1.6	4
16	Pretreatment Risk Stratification for Endoscopic Kidney-sparing Surgery in Upper Tract Urothelial Carcinoma: An International Collaborative Study. <i>European Urology</i> , 2021, 80, 507-515.	1.9	27
17	Incidence and survival variations of upper tract urothelial cancer in Taiwan (2001â€“2010). <i>International Journal of Urology</i> , 2021, , .	1.0	8
18	Comparison of oncological outcomes for hand-assisted and pure laparoscopic radical nephroureterectomy: results from the Taiwan Upper Tract Urothelial Cancer Collaboration Group. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, , 1.	2.4	1

#	ARTICLE	IF	CITATIONS
19	Prognostic Factors for Contralateral Recurrence of Upper Tract Urothelial Carcinoma after Nephroureterectomy: A Large Multiregional Study. <i>Cancers</i> , 2021, 13, 5935.	3.7	5
20	Biological significance of <i>MYC</i> and <i>CEBPD</i> coamplification in urothelial carcinoma: Multilayered genomic, transcriptional and posttranscriptional positive feedback loops enhance oncogenic glycolysis. <i>Clinical and Translational Medicine</i> , 2021, 11, e674.	4.0	4
21	PTRF independently predicts progression and survival in multiracial upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 496-505.	1.6	6
22	SLC14A1 prevents oncometabolite accumulation and recruits HDAC1 to transrepress oncometabolite genes in urothelial carcinoma. <i>Theranostics</i> , 2020, 10, 11775-11793.	10.0	18
23	The protoapigenone analog WYC0209 targets CD133+ cells: A potential adjuvant agent against cancer stem cells in urothelial cancer therapy. <i>Toxicology and Applied Pharmacology</i> , 2020, 402, 115129.	2.8	4
24	Prognostic Significance of Primary Tumor Location in Upper Tract Urothelial Carcinoma Treated with Nephroureterectomy: A Retrospective, Multi-Center Cohort Study in Taiwan. <i>Journal of Clinical Medicine</i> , 2020, 9, 3866.	2.4	12
25	Prognostic Utility of FBLN2 Expression in Patients With Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 570340.	2.8	7
26	Enhancement of PVDF Sensing Characteristics by Retooling the Near-Field Direct-Write Electrospinning System. <i>Sensors</i> , 2020, 20, 4873.	3.8	5
27	Role of Microtubule-Associated Protein 1b in Urothelial Carcinoma: Overexpression Predicts Poor Prognosis. <i>Cancers</i> , 2020, 12, 630.	3.7	20
28	MicroRNA-145 suppresses cell migration and invasion in upper tract urothelial carcinoma by targeting ARF6. <i>FASEB Journal</i> , 2020, 34, 5975-5992.	0.5	21
29	Validation of Hyponatremia as a Prognostic Predictor in Multiregional Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 1218.	2.4	5
30	The prognostic value of CSN6 expression in upper tract urothelial carcinomas. <i>Kaohsiung Journal of Medical Sciences</i> , 2019, 35, 559-565.	1.9	2
31	Transgelin in bladder cancer: A potential biomarker and therapeutic target. <i>EBioMedicine</i> , 2019, 48, 16-17.	6.1	3
32	CSF-1 Overexpression Predicts Poor Prognosis in Upper Tract Urothelial Carcinomas. <i>Disease Markers</i> , 2019, 2019, 1-9.	1.3	9
33	Deduction of Novel Genes Potentially Involved in Upper Tract Urothelial Carcinoma Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2019, 16, 93-105.	2.5	7
34	Predominant global glomerulosclerosis in patients of upper urinary tract urothelial carcinoma with pre-existing renal function impairment is a predictor of poor renal outcomes. <i>BMC Cancer</i> , 2019, 19, 337.	2.6	2
35	Effects of Epigallocatechin Gallate (EGCG) on Urinary Bladder Urothelial Carcinoma—Next-Generation Sequencing and Bioinformatics Approaches. <i>Medicina (Lithuania)</i> , 2019, 55, 768.	2.0	14
36	High TNFAIP6 level is associated with poor prognosis of urothelial carcinomas. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 293.e11-293.e24.	1.6	21

#	ARTICLE	IF	CITATIONS
37	Dialysis Increases the Risk of Bladder Recurrence in Patients with Upper Tract Urothelial Cancer: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 1086-1093.	1.5	8
38	The diagnostic ureteroscopy before radical nephroureterectomy in upper urinary tract urothelial carcinoma is not associated with higher intravesical recurrence. <i>World Journal of Surgical Oncology</i> , 2018, 16, 135.	1.9	26
39	Glycine N-methyltransferase inhibits aristolochic acid nephropathy by increasing CYP3A44 and decreasing NQO1 expression in female mouse hepatocytes. <i>Scientific Reports</i> , 2018, 8, 6960.	3.3	12
40	Risk of incident benign prostatic hyperplasia in patients with gout: a retrospective cohort study. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 277-286.	3.9	13
41	Prognostic Value of Leptin Receptor Overexpression in Upper Tract Urothelial Carcinomas in Taiwan. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e653-e659.	1.9	11
42	Over-expression of Activated Signal Transducer and Activator of Transcription 3 Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , 2017, 14, 1360-1367.	2.5	7
43	Hypoxia-regulated MicroRNA-210 Overexpression is Associated with Tumor Development and Progression in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , 2017, 14, 578-584.	2.5	22
44	DPP4/CD26 overexpression in urothelial carcinoma confers an independent prognostic impact and correlates with intrinsic biological aggressiveness. <i>Oncotarget</i> , 2017, 8, 2995-3008.	1.8	24
45	Sulfatase-1 overexpression indicates poor prognosis in urothelial carcinoma of the urinary bladder and upper tract. <i>Oncotarget</i> , 2017, 8, 47216-47229.	1.8	26
46	Necdin Overexpression Predicts Poor Prognosis in Patients with Urothelial Carcinomas of the Upper Urinary Tract and Urinary Bladder. <i>Journal of Cancer</i> , 2016, 7, 304-313.	2.5	11
47	Complement Component 1, s Subcomponent Overexpression is an Independent Poor Prognostic Indicator in Patients with Urothelial Carcinomas of the Upper Urinary Tract and Urinary Bladder. <i>Journal of Cancer</i> , 2016, 7, 1396-1405.	2.5	13
48	CSF2 Overexpression Is Associated with STAT5 Phosphorylation and Poor Prognosis in Patients with Urothelial Carcinoma. <i>Journal of Cancer</i> , 2016, 7, 711-721.	2.5	34
49	High Expression of 17 β -hydroxysteroid Dehydrogenase Type 2 is Associated with a Better Prognosis in Urothelial Carcinoma of the Urinary Tract. <i>Journal of Cancer</i> , 2016, 7, 2221-2230.	2.5	4
50	Matrix metalloproteinase-11 as a marker of metastasis and predictor of poor survival in urothelial carcinomas. <i>Journal of Surgical Oncology</i> , 2016, 113, 700-707.	1.7	17
51	Is preoperative anemia a risk factor for upper tract urothelial carcinoma following radical nephroureterectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 337.e1-337.e9.	1.6	10
52	Histone deacetylase inhibitor trichostatin A resensitizes gemcitabine resistant urothelial carcinoma cells via suppression of TG-interacting factor. <i>Toxicology and Applied Pharmacology</i> , 2016, 290, 98-106.	2.8	11
53	The Prognostic Significance of Inflammation-Associated Blood Cell Markers in Patients with Upper Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 343-351.	1.5	43
54	Laparoscopic partial nephrectomy without intracorporeal suturing. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 1585-1591.	2.4	9

#	ARTICLE	IF	CITATIONS
55	MCM10 overexpression implicates adverse prognosis in urothelial carcinoma. <i>Oncotarget</i> , 2016, 7, 77777-77792.	1.8	34
56	DDR2 overexpression in urothelial carcinoma indicates an unfavorable prognosis: a large cohort study. <i>Oncotarget</i> , 2016, 7, 78918-78931.	1.8	11
57	Influence of late-stage chronic kidney disease on overall survival in patients with upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urological Science</i> , 2015, 26, 120-124.	0.6	1
58	The Significant Prognosticators of Upper Tract Urothelial Carcinoma. <i>Urological Science</i> , 2015, 26, 230-234.	0.6	2
59	Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse Outcome of Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0139624.	2.5	20
60	Prognostic Significance of Lymphovascular Invasion in Upper Urinary Tract Urothelial Carcinoma is Influenced by Tumor Location. <i>Annals of Surgical Oncology</i> , 2015, 22, 1392-1400.	1.5	32
61	GPX2 underexpression indicates poor prognosis in patients with urothelial carcinomas of the upper urinary tract and urinary bladder. <i>World Journal of Urology</i> , 2015, 33, 1777-1789.	2.2	27
62	FGF7 Over Expression is an Independent Prognosticator in Patients with Urothelial Carcinoma of the Upper Urinary Tract and Bladder. <i>Journal of Urology</i> , 2015, 194, 223-229.	0.4	37
63	Subcellular localisation of anillin is associated with different survival outcomes in upper urinary tract urothelial carcinoma. <i>Journal of Clinical Pathology</i> , 2015, 68, 1026-1032.	2.0	14
64	PTP4A3 Independently Predicts Metastasis and Survival in Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , 2015, 194, 1449-1455.	0.4	10
65	INHBA overexpression indicates poor prognosis in urothelial carcinoma of urinary bladder and upper tract. <i>Journal of Surgical Oncology</i> , 2015, 111, 414-422.	1.7	39
66	The cAMP responsive element binding protein 1 transactivates epithelial membrane protein 2, a potential tumor suppressor in the urinary bladder urothelial carcinoma. <i>Oncotarget</i> , 2015, 6, 9220-9239.	1.8	30
67	<i>CEBPD</i> amplification and overexpression in urothelial carcinoma: a driver of tumor metastasis indicating adverse prognosis. <i>Oncotarget</i> , 2015, 6, 31069-31084.	1.8	35
68	High visfatin expression predicts poor prognosis of upper tract urothelial carcinoma patients. <i>American Journal of Cancer Research</i> , 2015, 5, 2447-54.	1.4	6
69	Potential Significance of EMP3 in Patients with Upper Urinary Tract Urothelial Carcinoma: Crosstalk with ErbB2-PI3K-Akt Pathway. <i>Journal of Urology</i> , 2014, 192, 242-251.	0.4	29
70	Neoadjuvant chemotherapy improves survival rate in advanced urothelial carcinoma. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 200-205.	1.9	2
71	Epithelial Membrane Protein 2 Is a Prognostic Indicator for Patients with Urothelial Carcinoma of the Upper Urinary Tract. <i>American Journal of Pathology</i> , 2013, 183, 709-719.	3.8	15
72	The effect of tumor location on prognosis in patients with primary ureteral urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1670-1675.	1.6	8

#	ARTICLE	IF	CITATIONS
73	The association between gender and outcome of patients with upper tract urothelial cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 37-42.	1.9	13
74	Glutathione S-Transferase Expression in Upper Urinary Tract Urothelial Carcinomas: a Taiwan Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 6475-6479.	1.2	7
75	Prognostic value of p53 protein overexpression in upper tract urothelial carcinomas in Taiwan. <i>Anticancer Research</i> , 2013, 33, 1091-8.	1.1	11
76	Associations of the lower urinary tract symptoms with the lifestyle, prostate volume, and metabolic syndrome in the elderly males. <i>Aging Male</i> , 2012, 15, 166-172.	1.9	17
77	Overexpression of TG-Interacting Factor Is Associated with Worse Prognosis in Upper Urinary Tract Urothelial Carcinoma. <i>American Journal of Pathology</i> , 2012, 181, 1044-1055.	3.8	30
78	Clinical study of ammonium acid urate urolithiasis. <i>Kaohsiung Journal of Medical Sciences</i> , 2012, 28, 259-264.	1.9	28
79	Comparison of secondary signs as shown by unenhanced helical computed tomography in patients with uric acid or calcium ureteral stones. <i>Kaohsiung Journal of Medical Sciences</i> , 2012, 28, 322-326.	1.9	2
80	HuR cytoplasmic expression is associated with increased cyclin A expression and poor outcome with upper urinary tract urothelial carcinoma. <i>BMC Cancer</i> , 2012, 12, 611.	2.6	37
81	The Association of eNOS G894T Polymorphism with Metabolic Syndrome and Erectile Dysfunction. <i>Journal of Sexual Medicine</i> , 2012, 9, 837-843.	0.6	26
82	The Impact of Androgen Receptor CAG Repeat Polymorphism on Andropausal Symptoms in Different Serum Testosterone Levels. <i>Journal of Sexual Medicine</i> , 2012, 9, 2429-2437.	0.6	22
83	Cyclooxygenase-2 (COX-2) up-regulation is a prognostic marker for poor clinical outcome of upper tract urothelial cancer. <i>Anticancer Research</i> , 2012, 32, 4111-6.	1.1	16
84	Paraganglioma of the urinary bladder first presented by bladder bloody tamponade: Two case reports and review of the literatures. <i>Kaohsiung Journal of Medical Sciences</i> , 2011, 27, 108-113.	1.9	27
85	Mixed-type paratesticular rhabdomyosarcoma—A case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2011, 27, 239-241.	1.9	1
86	Renal function in patients with urinary stones of varying compositions. <i>Kaohsiung Journal of Medical Sciences</i> , 2011, 27, 264-267.	1.9	27
87	Oncologic Outcomes Following Three Different Approaches to the Distal Ureter and Bladder Cuff in Nephroureterectomy for Primary Upper Urinary Tract Urothelial Carcinoma. <i>European Urology</i> , 2010, 57, 963-969.	1.9	148
88	The Potential Impact of Metabolic Syndrome on Erectile Dysfunction in Aging Taiwanese Males. <i>Journal of Sexual Medicine</i> , 2010, 7, 3127-3134.	0.6	33
89	The impact of irritative lower urinary tract symptoms on erectile dysfunction in aging Taiwanese males. <i>Aging Male</i> , 2010, 13, 179-183.	1.9	11
90	The impact of physical health and socioeconomic factors on sexual activity in middle-aged and elderly Taiwanese men. <i>Aging Male</i> , 2010, 13, 148-153.	1.9	9

#	ARTICLE	IF	CITATIONS
91	Local Factors Compared with Systemic Factors in the Formation of Bladder Uric Acid Stones. <i>Urologia Internationalis</i> , 2009, 82, 48-52.	1.3	14
92	The Prevalence of and Risk Factors for Androgen Deficiency in Aging Taiwanese Men. <i>Journal of Sexual Medicine</i> , 2009, 6, 936-946.	0.6	67
93	The Associations Among <i>eNOS</i> G894T Gene Polymorphism, Erectile Dysfunction, and Benign Prostate Hyperplasia-Related Lower Urinary Tract Symptoms. <i>Journal of Sexual Medicine</i> , 2009, 6, 3158-3165.	0.6	31
94	Association of body mass index and urine pH in patients with urolithiasis. <i>Urological Research</i> , 2009, 37, 193-196.	1.5	55
95	The Prognostic Predictors of Primary Ureteral Transitional Cell Carcinoma After Radical Nephroureterectomy. <i>Journal of Urology</i> , 2009, 182, 451-458.	0.4	53
96	Impact of Hydronephrosis on Treatment Outcome of Solitary Proximal Ureteral Stone After Extracorporeal Shock Wave Lithotripsy. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 507-513.	1.9	6
97	Müllerianosis of Ureter: A Rare Cause of Hydronephrosis. <i>Urology</i> , 2007, 69, 1208.e9-1208.e11.	1.0	12
98	Relationship Between Serum Testosterone and Measures of Benign Prostatic Hyperplasia in Aging Men. <i>Urology</i> , 2007, 70, 677-680.	1.0	59
99	The Winter Procedure as Management for Prolonged Low-Flow Priapism: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2007, 23, 531-535.	1.9	1
100	Rupture of Renal Pelvis in an Adult with Congenital Ureteropelvic Junction Obstruction After Blunt Abdominal Trauma. <i>Kaohsiung Journal of Medical Sciences</i> , 2007, 23, 142-146.	1.9	10
101	Clinical Study of Uric Acid Urolithiasis. <i>Kaohsiung Journal of Medical Sciences</i> , 2007, 23, 298-301.	1.9	8
102	Clinical Predictors of Stone Fragmentation Using Slow-Rate Shock Wave Lithotripsy. <i>Urologia Internationalis</i> , 2007, 79, 124-128.	1.3	16
103	Are Lower Urinary Tract Symptoms Associated with Erectile Dysfunction in Aging Males of Taiwan?. <i>Urologia Internationalis</i> , 2006, 77, 251-254.	1.3	14
104	Fibroepithelial Polyps Causing Ureteropelvic Junction Obstruction in a Child. <i>Kaohsiung Journal of Medical Sciences</i> , 2005, 21, 282-285.	1.9	7
105	Extra-Adrenal Pheochromocytoma Presenting with Life-Threatening Ventricular Tachycardia: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2004, 20, 612-615.	1.9	8