

Hugues Duffau

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5534125/publications.pdf>

Version: 2024-02-01

401
papers

33,277
citations

2543

96
h-index

5249

165
g-index

423
all docs

423
docs citations

423
times ranked

13381
citing authors

#	ARTICLE	IF	CITATIONS
1	The benefit of early surgery on overall survival in incidental low-grade glioma patients: A multicenter study. <i>Neuro-Oncology</i> , 2022, 24, 624-638.	0.6	21
2	Extending the multistage surgical strategy for recurrent initially low-grade gliomas: functional and oncological outcomes in 31 consecutive patients who underwent a third resection under awake mapping. <i>Journal of Neurosurgery</i> , 2022, 136, 1035-1044.	0.9	17
3	Introducing the concept of brain metaplasticity in glioma: how to reorient the pattern of neural reconfiguration to optimize the therapeutic strategy. <i>Journal of Neurosurgery</i> , 2022, 136, 613-617.	0.9	10
4	Jargonaphasia as a disconnection syndrome: A study combining white matter electrical stimulation and disconnectome mapping. <i>Brain Stimulation</i> , 2022, 15, 87-95.	0.7	4
5	Cognitive preservation following awake mapping-based neurosurgery for low-grade gliomas: A longitudinal, within-patient design study. <i>Neuro-Oncology</i> , 2022, 24, 781-793.	0.6	23
6	Contribution of the medial eye field network to the voluntary deployment of visuospatial attention. <i>Nature Communications</i> , 2022, 13, 328.	5.8	15
7	Controversy over the temporal cortical terminations of the left arcuate fasciculus: a reappraisal. <i>Brain</i> , 2022, 145, 1242-1256.	3.7	23
8	Connectomic evidences driving a functional approach in neuro-oncological surgery. <i>Journal of Neurosurgical Sciences</i> , 2022, 65, 545-547.	0.3	2
9	White Matter Tracts and Diffuse Lower-Grade Gliomas: The Pivotal Role of Myelin Plasticity in the Tumor Pathogenesis, Infiltration Patterns, Functional Consequences and Therapeutic Management. <i>Frontiers in Oncology</i> , 2022, 12, 855587.	1.3	17
10	Recurrent Low-Grade Gliomas: Does Reoperation Affect Neurocognitive Functioning?. <i>Neurosurgery</i> , 2022, 90, 221-232.	0.6	15
11	Awake Mapping With Transopercular Approach in Right Insular "Centered Low-Grade Gliomas Improves Neurological Outcomes and Return to Work. <i>Neurosurgery</i> , 2022, 91, 182-190.	0.6	14
12	The Concept of "Peritumoral Zone" in Diffuse Low-Grade Gliomas: Oncological and Functional Implications for a Connectome-Guided Therapeutic Attitude. <i>Brain Sciences</i> , 2022, 12, 504.	1.1	11
13	Factors Associated With Long-term Survival in Women Who Get Pregnant After Surgery for WHO Grade II Glioma. <i>Neurology</i> , 2022, 99, .	1.5	5
14	Sexual Dysfunction of Patients with Diffuse Low-Grade Glioma: A Qualitative Review of a Neglected Concern. <i>Cancers</i> , 2022, 14, 3025.	1.7	5
15	Extent of resection in diffuse low-grade gliomas and the role of tumor molecular signature "a systematic review of the literature. <i>Neurosurgical Review</i> , 2021, 44, 1371-1389.	1.2	24
16	Parametric recurrence quantification analysis of autoregressive processes for pattern recognition in multichannel electroencephalographic data. <i>Pattern Recognition</i> , 2021, 109, 107572.	5.1	5
17	Homotopic redistribution of functional connectivity in insula-centered diffuse low-grade glioma. <i>NeuroImage: Clinical</i> , 2021, 29, 102571.	1.4	20
18	New insights into the anatomo-functional architecture of the right sagittal stratum and its surrounding pathways: an axonal electrostimulation mapping study. <i>Brain Structure and Function</i> , 2021, 226, 425-441.	1.2	16

#	ARTICLE	IF	CITATIONS
19	Patterns of axono-cortical evoked potentials: an electrophysiological signature unique to each white matter functional site?. <i>Acta Neurochirurgica</i> , 2021, 163, 3121-3130.	0.9	6
20	Brain connectomics applied to oncological neuroscience: from a traditional surgical strategy focusing on glioma topography to a meta-network approach. <i>Acta Neurochirurgica</i> , 2021, 163, 905-917.	0.9	34
21	Personality and behavioral changes after brain tumor resection: a lesion mapping study. <i>Acta Neurochirurgica</i> , 2021, 163, 1257-1267.	0.9	15
22	Updated perspectives on awake neurosurgery with cognitive and emotional assessment for patients with low-grade gliomas. <i>Expert Review of Neurotherapeutics</i> , 2021, 21, 463-473.	1.4	7
23	Glioma stem cells invasive phenotype at optimal stiffness is driven by MGAT5 dependent mechanosensing. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 139.	3.5	33
24	Functional maps of direct electrical stimulation-induced speech arrest and anomia: a multicentre retrospective study. <i>Brain</i> , 2021, 144, 2541-2553.	3.7	43
25	Identification of CRYAB+ KCNN3+ SOX9+ Astrocyte-Like and EGFR+ PDGFRA+ OLIG1+ Oligodendrocyte-Like Tumoral Cells in Diffuse IDH1-Mutant Gliomas and Implication of NOTCH1 Signalling in Their Genesis. <i>Cancers</i> , 2021, 13, 2107.	1.7	9
26	Disrupting self-evaluative processing with electrostimulation mapping during awake brain surgery. <i>Scientific Reports</i> , 2021, 11, 9386.	1.6	9
27	Combining Electrostimulation With Fiber Tracking to Stratify the Inferior Fronto-Occipital Fasciculus. <i>Frontiers in Neuroscience</i> , 2021, 15, 683348.	1.4	15
28	Broca's area: why was neurosurgery neglected for so long when seeking to re-establish the scientific truth?. <i>Brain</i> , 2021, 144, e60-e60.	3.7	9
29	What Does Quality of Care Mean in Lower-Grade Glioma Patients: A Precision Molecular-Based Management of the Tumor or an Individualized Medicine Centered on Patient's Choices?. <i>Frontiers in Oncology</i> , 2021, 11, 719014.	1.3	5
30	Neural Connectivity: How to Reinforce the Bidirectional Synapse Between Basic Neuroscience and Routine Neurosurgical Practice?. <i>Frontiers in Neurology</i> , 2021, 12, 705135.	1.1	2
31	Language recovery through a two-stage awake surgery in an aphasic patient with a voluminous left fronto-temporo-insular glioma: case report. <i>Acta Neurochirurgica</i> , 2021, 163, 3115-3119.	0.9	2
32	Dynamic Interplay between Lower-Grade Glioma Instability and Brain Metaplasticity: Proposal of an Original Model to Guide the Therapeutic Strategy. <i>Cancers</i> , 2021, 13, 4759.	1.7	18
33	The death of localizationism: The concepts of functional connectome and neuroplasticity deciphered by awake mapping, and their implications for best care of brain-damaged patients. <i>Revue Neurologique</i> , 2021, 177, 1093-1103.	0.6	12
34	Transopercular Insular Approach, Overcoming the Training Curve Using a Cadaveric Simulation Model: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021, 21, E561-E562.	0.4	1
35	Neuropsychological assessments before and after awake surgery for incidental low-grade gliomas. <i>Journal of Neurosurgery</i> , 2021, 135, 871-880.	0.9	25
36	Composition and organization of the sagittal stratum in the human brain: a fiber dissection study. <i>Journal of Neurosurgery</i> , 2021, 135, 1214-1222.	0.9	13

#	ARTICLE	IF	CITATIONS
37	Beyond Task: When Experience Shapes Intuition. , 2021, , 411-421.		0
38	New Philosophy, Clinical Pearls, and Methods for Intraoperative Cognition Mapping and Monitoring à la carte in Brain Tumor Patients. Neurosurgery, 2021, 88, 919-930.	0.6	52
39	Electrophysiological Mapping During Brain Tumor Surgery: Recording Cortical Potentials Evoked Locally, Subcortically and Remotely by Electrical Stimulation to Assess the Brain Connectivity On-line. Brain Topography, 2021, 34, 221-233.	0.8	7
40	Planning Brain Tumor Resection Using a Probabilistic Atlas of Cortical and Subcortical Structures Critical for Functional Processing: A Proof of Concept. Operative Neurosurgery, 2021, 20, E175-E183.	0.4	11
41	SLUG and Truncated TAL1 Reduce Glioblastoma Stem Cell Growth Downstream of Notch1 and Define Distinct Vascular Subpopulations in Glioblastoma Multiforme. Cancers, 2021, 13, 5393.	1.7	10
42	Predictive Evolution Factors of Incidentally Discovered Suspected Low-Grade Gliomas: Results From a Consecutive Series of 101 Patients. Neurosurgery, 2021, 88, 797-803.	0.6	8
43	Awake Surgery for Left Posterior Insular Low-Grade Glioma Through the Parietorolandic Operculum: The Need to Preserve the Functional Connectivity. A Case Series. Frontiers in Surgery, 2021, 8, 824003.	0.6	11
44	White matter disconnectivity fingerprints causally linked to dissociated forms of alexia. Communications Biology, 2021, 4, 1413.	2.0	7
45	Post-operative morbidity ensuing surgery for insular gliomas: a systematic review and meta-analysis. Neurosurgical Review, 2020, 43, 987-997.	1.2	17
46	Language reorganization after resection of low-grade gliomas: an fMRI task based connectivity study. Brain Imaging and Behavior, 2020, 14, 1779-1791.	1.1	35
47	IDH wild-type WHO grade II diffuse low-grade gliomas. A heterogeneous family with different outcomes. Systematic review and meta-analysis. Neurosurgical Review, 2020, 43, 383-395.	1.2	30
48	Attenuation and Delay of Remote Potentials Evoked by Direct Electrical Stimulation During Brain Surgery. Brain Topography, 2020, 33, 143-148.	0.8	7
49	Mapping critical cortical hubs and white matter pathways by direct electrical stimulation: an original functional atlas of the human brain. NeuroImage, 2020, 205, 116237.	2.1	130
50	Letter: Introducing New Tasks for Intraoperative Mapping in Awake Glioma Surgery: Clearing the Line Between Patient Care and Scientific Research. Neurosurgery, 2020, 86, E256-E257.	0.6	23
51	A normalized dataset of 1821 cortical and subcortical functional responses collected during direct electrical stimulation in patients undergoing awake brain surgery. Data in Brief, 2020, 28, 104892.	0.5	17
52	Return to Work Following Surgery for Incidental Diffuse Low-Grade Glioma: A Prospective Series With 74 Patients. Neurosurgery, 2020, 87, 720-729.	0.6	53
53	Measuring the electrophysiological effects of direct electrical stimulation after awake brain surgery. Journal of Neural Engineering, 2020, 17, 016047.	1.8	12
54	Mapping the human middle longitudinal fasciculus through a focused anatomico-imaging study: shifting the paradigm of its segmentation and connectivity pattern. Brain Structure and Function, 2020, 225, 85-119.	1.2	31

#	ARTICLE	IF	CITATIONS
55	Personalized Multimodal Demarcation of Peritumoral Tissue in Glioma. JCO Precision Oncology, 2020, 4, 1128-1140.	1.5	6
56	Experiences of awake surgery in non-tumoural epilepsy in eloquent localizations. Clinical Neurology and Neurosurgery, 2020, 199, 106251.	0.6	10
57	Adult Diffuse Low-Grade Gliomas: 35-Year Experience at the Nancy France Neurooncology Unit. Frontiers in Oncology, 2020, 10, 574679.	1.3	41
58	Why brain radiation therapy should take account of the individual structural and functional connectivity: Toward an irradiation "à la carte". Critical Reviews in Oncology/Hematology, 2020, 154, 103073.	2.0	25
59	What Direct Electrostimulation of the Brain Taught Us About the Human Connectome: A Three-Level Model of Neural Disruption. Frontiers in Human Neuroscience, 2020, 14, 315.	1.0	20
60	Functional Mapping before and after Low-Grade Glioma Surgery: A New Way to Decipher Various Spatiotemporal Patterns of Individual Neuroplastic Potential in Brain Tumor Patients. Cancers, 2020, 12, 2611.	1.7	40
61	Network-behavior mapping of lasting executive impairments after low-grade glioma surgery. Brain Structure and Function, 2020, 225, 2415-2429.	1.2	33
62	Can Non-invasive Brain Stimulation Be Considered to Facilitate Reoperation for Low-Grade Glioma Relapse by Eliciting Neuroplasticity?. Frontiers in Neurology, 2020, 11, 582489.	1.1	15
63	Reply to: Letter to the Editor Regarding Anesthesia Management for Low-Grade Glioma Awake Surgery: A European Low-Grade Glioma Network Survey. Acta Neurochirurgica, 2020, 162, 1723-1724.	0.9	3
64	Introduction. Advances and future directions in brain mapping in neurosurgery. Neurosurgical Focus, 2020, 48, E1.	1.0	0
65	Postoperative follow-up for selected diffuse low-grade gliomas with WHO grade III/IV foci. Neurology, 2020, 94, e830-e841.	1.5	18
66	Revisiting the Functional Anatomy of the Human Brain: Toward a Meta-Networking Theory of Cerebral Functions. Physiological Reviews, 2020, 100, 1181-1228.	13.1	126
67	Transcorticosubcortical Approach for Left Posterior Mediobasal Temporal Region Gliomas: A Case Series and Anatomic Review of Relevant White Matter Tracts. World Neurosurgery, 2020, 139, e737-e747.	0.7	5
68	Transformation Foci in IDH1-mutated Gliomas Show STAT3 Phosphorylation and Downregulate the Metabolic Enzyme ETNPPL, a Negative Regulator of Glioma Growth. Scientific Reports, 2020, 10, 5504.	1.6	29
69	Effects of supra-total resection in neurocognitive and oncological outcome of high-grade gliomas comparing asleep and awake surgery. Journal of Neuro-Oncology, 2020, 148, 97-108.	1.4	43
70	New insights into the neural foundations mediating movement/language interactions gained from intrasurgical direct electrostimulations. Brain and Cognition, 2020, 142, 105583.	0.8	11
71	Limitations of functional neuroimaging for patient selection and surgical planning in glioma surgery. Neurosurgical Focus, 2020, 48, E12.	1.0	51
72	Presence of a translator in the operating theater for awake mapping in foreign patients with low-grade glioma: a surgical experience based on 18 different native languages. Journal of Neurosurgery, 2020, , 1-9.	0.9	7

#	ARTICLE	IF	CITATIONS
73	Early and Maximal Personalized Surgical Resection Improves Survival and Quality of Life in Low-grade Gliomas Patients. <i>Neurology India</i> , 2020, 68, 813.	0.2	1
74	Functional compensation of the left inferior longitudinal fasciculus for picture naming. <i>Cognitive Neuropsychology</i> , 2019, 36, 140-157.	0.4	41
75	Data-Driven Predictive Models of Diffuse Low-Grade Gliomas Under Chemotherapy. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2019, 23, 38-46.	3.9	8
76	Iterative Surgical Resections of Diffuse Glioma With Awake Mapping: How to Deal With Cortical Plasticity and Connectomal Constraints?. <i>Neurosurgery</i> , 2019, 85, 105-116.	0.6	67
77	Microsurgical anatomy of the sagittal stratum. <i>Acta Neurochirurgica</i> , 2019, 161, 2319-2327.	0.9	40
78	The antero-dorsal precuneal cortex supports specific aspects of bodily awareness. <i>Brain</i> , 2019, 142, 2207-2214.	3.7	39
79	A novel 3D nanofibre scaffold conserves the plasticity of glioblastoma stem cell invasion by regulating galectin-3 and integrin- β 1 expression. <i>Scientific Reports</i> , 2019, 9, 14612.	1.6	27
80	Resting state network plasticity related to picture naming in low-grade glioma patients before and after resection. <i>NeuroImage: Clinical</i> , 2019, 24, 102010.	1.4	25
81	Electrically induced verbal perseveration. <i>Neurology</i> , 2019, 92, e613-e621.	1.5	18
82	P04.14 Loss of oligodendroglial features at recurrence in five diffuse low-grade glioma patients treated with repeated surgery. <i>Neuro-Oncology</i> , 2019, 21, iii31-iii32.	0.6	1
83	P04.02 Postponing the medical treatment is possible in selected cases of diffuse low-grade glioma with foci of WHO grade III-IV after total or subtotal resection. <i>Neuro-Oncology</i> , 2019, 21, iii28-iii29.	0.6	0
84	Herpes Simplex Encephalitis Shortly After Surgery for a Secondary Glioblastoma: A Case Report and Review of the Literature. <i>World Neurosurgery</i> , 2019, 129, 13-17.	0.7	4
85	The landscape of postsurgical recurrence patterns in diffuse low-grade gliomas. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 138, 148-155.	2.0	26
86	Surgery for Malignant Brain Gliomas: Fluorescence-Guided Resection or Functional-Based Resection?. <i>Frontiers in Surgery</i> , 2019, 6, 21.	0.6	14
87	Awake Craniotomies for Neoplasms Involving Language Networks. , 2019, , 329-345.		1
88	Surgical resection of cavernous angioma located within eloquent brain areas: International survey of the practical management among 19 specialized centers. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 69, 31-40.	0.9	16
89	Predictors of Epileptic Seizures and Ability to Work in Supratentorial Cavernous Angioma Located Within Eloquent Brain Areas. <i>Neurosurgery</i> , 2019, 85, E702-E713.	0.6	8
90	A probabilistic map of negative motor areas of the upper limb and face: a brain stimulation study. <i>Brain</i> , 2019, 142, 952-965.	3.7	64

#	ARTICLE	IF	CITATIONS
91	Surgical mapping. <i>Journal of the Neurological Sciences</i> , 2019, 405, 52.	0.3	1
92	Chemotherapy and diffuse low-grade gliomas: a survey within the European Low-Grade Glioma Network. <i>Neuro-Oncology Practice</i> , 2019, 6, 264-273.	1.0	14
93	Extent of Resection and Residual Tumor Thresholds for Postoperative Total Seizure Freedom in Epileptic Adult Patients Harboring a Supratentorial Diffuse Low-Grade Glioma. <i>Neurosurgery</i> , 2019, 85, E332-E340.	0.6	41
94	Low-Grade Glioma: Epidemiology, Pathophysiology, Clinical Features, and Treatment. <i>Neurosurgery Clinics of North America</i> , 2019, 30, xiii-xiv.	0.8	9
95	Combining resting state functional MRI with intraoperative cortical stimulation to map the mentalizing network. <i>NeuroImage</i> , 2019, 186, 628-636.	2.1	31
96	Preoperative Resectability Estimates of Nonenhancing Glioma by Neurosurgeons and a Resection Probability Map. <i>Neurosurgery</i> , 2019, 85, E304-E313.	0.6	14
97	Low-Grade Glioma. <i>Neurosurgery Clinics of North America</i> , 2019, 30, i.	0.8	0
98	Awake Craniotomy and Bedside Cognitive Mapping in Neurosurgery. , 2019, , 113-138.		15
99	Higher-Order Surgical Questions for Diffuse Low-Grade Gliomas. <i>Neurosurgery Clinics of North America</i> , 2019, 30, 119-128.	0.8	20
100	Association of patterns of care, prognostic factors, and use of radiotherapyâ€“temozolomide therapy with survival in patients with newly diagnosed glioblastoma: a French national population-based study. <i>Journal of Neuro-Oncology</i> , 2019, 142, 91-101.	1.4	52
101	Huge heterogeneity in survival in a subset of adult patients with resected, wild-type isocitrate dehydrogenase status, WHO grade II astrocytomas. <i>Journal of Neurosurgery</i> , 2019, 130, 1289-1298.	0.9	25
102	History of awake mapping and speech and language localization: from modules to networks. <i>Neurosurgical Focus</i> , 2019, 47, E4.	1.0	25
103	Transient immediate postoperative homotopic functional disconnectivity in low-grade glioma patients. <i>NeuroImage: Clinical</i> , 2018, 18, 656-662.	1.4	18
104	Damage to the left uncinate fasciculus is associated with heightened schizotypal traits: A multimodal lesion-mapping study. <i>Schizophrenia Research</i> , 2018, 197, 240-248.	1.1	19
105	Electrical stimulation of the dorsolateral prefrontal cortex impairs semantic cognition. <i>Neurology</i> , 2018, 90, e1077-e1084.	1.5	37
106	Neuropsychological evidence for the crucial role of the right arcuate fasciculus in the face-based mentalizing network: A disconnection analysis. <i>Neuropsychologia</i> , 2018, 115, 179-187.	0.7	61
107	In Reply to â€œIn challenging the Myth of the Right Nondominant Hemisphere, Don't Go Too Far, Pleaseâ€. <i>World Neurosurgery</i> , 2018, 110, 510.	0.7	0
108	Awake Surgery for Gliomas within the Right Inferior Parietal Lobule: New Insights into the Functional Connectivity Gained from Stimulation Mapping and Surgical Implications. <i>World Neurosurgery</i> , 2018, 112, e393-e406.	0.7	40

#	ARTICLE	IF	CITATIONS
109	Surgery of Insular Gliomas. <i>Progress in Neurological Surgery</i> , 2018, 30, 173-185.	1.3	17
110	An attempt to conceptualize the individual onco-functional balance: Why a standardized treatment is an illusion for diffuse low-grade glioma patients. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 122, 83-91.	2.0	57
111	Improving surgical outcome for gliomas with intraoperative mapping. <i>Expert Review of Neurotherapeutics</i> , 2018, 18, 333-341.	1.4	26
112	The error of Broca: From the traditional localizationist concept to a connectomal anatomy of human brain. <i>Journal of Chemical Neuroanatomy</i> , 2018, 89, 73-81.	1.0	62
113	Interactions between glioma and pregnancy: insight from a 52-case multicenter series. <i>Journal of Neurosurgery</i> , 2018, 128, 3-13.	0.9	34
114	Cellular and molecular characterization of IDH1-mutated diffuse low grade gliomas reveals tumor heterogeneity and absence of EGFR/PDGFR activation. <i>Glia</i> , 2018, 66, 239-255.	2.5	15
115	Awake mapping is not an additional surgical technique but an alternative philosophy in the management of low-grade glioma patients. <i>Neurosurgical Review</i> , 2018, 41, 689-691.	1.2	12
116	Is non-awake surgery for supratentorial adult low-grade glioma treatment still feasible?. <i>Neurosurgical Review</i> , 2018, 41, 133-139.	1.2	59
117	Preserved metacognitive ability despite unilateral or bilateral anterior prefrontal resection. <i>Brain and Cognition</i> , 2018, 120, 48-57.	0.8	25
118	Analysis of Legal, Cultural, and Socioeconomic Parameters in Low-Grade Glioma Management: Variability Across Countries and Implications for Awake Surgery. <i>World Neurosurgery</i> , 2018, 120, 47-53.	0.7	17
119	Awake resection of a left operculo-insular low-grade glioma guided by cortico-subcortical mapping. <i>Neurosurgical Focus</i> , 2018, 45, V1.	1.0	6
120	Contralesional macrostructural plasticity of the insular cortex in patients with glioma. <i>Neurology</i> , 2018, 91, e1902-e1908.	1.5	70
121	Functional Anatomy of the Inferior Longitudinal Fasciculus: From Historical Reports to Current Hypotheses. <i>Frontiers in Neuroanatomy</i> , 2018, 12, 77.	0.9	217
122	Diffuse low-grade glioma, oncological outcome and quality of life: a surgical perspective. <i>Current Opinion in Oncology</i> , 2018, 30, 383-389.	1.1	54
123	Paradoxes of evidence-based medicine in lower-grade glioma. <i>Neurology</i> , 2018, 91, 657-662.	1.5	32
124	Surgery of Insular Diffuse Low-Grade Gliomas. , 2018, , 255-262.		0
125	Imaging practice in low-grade gliomas among European specialized centers and proposal for a minimum core of imaging. <i>Journal of Neuro-Oncology</i> , 2018, 139, 699-711.	1.4	26
126	Alterations of EEG rhythms during motor preparation following awake brain surgery. <i>Brain and Cognition</i> , 2018, 125, 45-52.	0.8	1

#	ARTICLE	IF	CITATIONS
127	A two-level model of interindividual anatomic-functional variability of the brain and its implications for neurosurgery. <i>Cortex</i> , 2017, 86, 303-313.	1.1	76
128	Recovery of functional connectivity of the sensorimotor network after surgery for diffuse low-grade gliomas involving the supplementary motor area. <i>Journal of Neurosurgery</i> , 2017, 126, 1181-1190.	0.9	106
129	Proposal of an optimized strategy for intraoperative testing of speech and language during awake mapping. <i>Neurosurgical Review</i> , 2017, 40, 29-35.	1.2	94
130	Mapping the Brain for Primary Brain Tumor Surgery. , 2017, , 63-79.		4
131	Intraoperative identification of the negative motor network during awake surgery to prevent deficit following brain resection in premotor regions. <i>Neurochirurgie</i> , 2017, 63, 235-242.	0.6	23
132	Supratotal resection of diffuse gliomas – An overview of its multifaceted implications. <i>Neurochirurgie</i> , 2017, 63, 243-249.	0.6	51
133	Surgical resection of incidental diffuse gliomas involving eloquent brain areas. Rationale, functional, epileptological and oncological outcomes. <i>Neurochirurgie</i> , 2017, 63, 250-258.	0.6	36
134	Neural pathways subserving face-based mentalizing. <i>Brain Structure and Function</i> , 2017, 222, 3087-3105.	1.2	83
135	IDH mutation and 1p19q codeletion distinguish two radiological patterns of diffuse low-grade gliomas. <i>Journal of Neuro-Oncology</i> , 2017, 133, 37-45.	1.4	47
136	Challenging the Myth of Right Nondominant Hemisphere: Lessons from Corticosubcortical Stimulation Mapping in Awake Surgery and Surgical Implications. <i>World Neurosurgery</i> , 2017, 103, 449-456.	0.7	90
137	Survey on current cognitive practices within the European Low-Grade Glioma Network: towards a European assessment protocol. <i>Acta Neurochirurgica</i> , 2017, 159, 1167-1178.	0.9	80
138	The etiopathogenesis of diffuse low-grade gliomas. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 109, 51-62.	2.0	17
139	Phostine PST3.1a Targets MGAT5 and Inhibits Glioblastoma-Initiating Cell Invasiveness and Proliferation. <i>Molecular Cancer Research</i> , 2017, 15, 1376-1387.	1.5	28
140	Identifying clinical risk in low grade gliomas and appropriate treatment strategies, with special emphasis on the role of surgery. <i>Expert Review of Anticancer Therapy</i> , 2017, 17, 703-716.	1.1	8
141	Electrophysiological brain mapping: Basics of recording evoked potentials induced by electrical stimulation and its physiological spreading in the human brain. <i>Clinical Neurophysiology</i> , 2017, 128, 1886-1890.	0.7	25
142	Resection of cavernous angioma located in eloquent areas using functional cortical and subcortical mapping under awake conditions. Outcomes in a 50-case multicentre series. <i>Neurochirurgie</i> , 2017, 63, 219-226.	0.6	9
143	Hodotopy, neuroplasticity and diffuse gliomas. <i>Neurochirurgie</i> , 2017, 63, 259-265.	0.6	30
144	Brain and skull base MRI findings in patients with Ollier-Maffucci disease: A series of 12 patient-cases. <i>Clinical Neurology and Neurosurgery</i> , 2017, 160, 147-151.	0.6	7

#	ARTICLE	IF	CITATIONS
145	Similarities and differences in neuroplasticity mechanisms between brain gliomas and nonlesional epilepsy. <i>Epilepsia</i> , 2017, 58, 2038-2047.	2.6	29
146	Left Spatial Neglect Evoked by Electrostimulation of the Right Inferior Fronto-occipital Fasciculus. <i>Brain Topography</i> , 2017, 30, 747-756.	0.8	31
147	Prosopagnosia Induced by a Left Anterior Temporal lobectomy Following a Right Temporo-occipital Resection in a Multicentric Diffuse Low-Grade Glioma. <i>World Neurosurgery</i> , 2017, 97, 756.e1-756.e5.	0.7	25
148	Epidemiology for primary brain tumors: a nationwide population-based study. <i>Journal of Neuro-Oncology</i> , 2017, 131, 525-546.	1.4	84
149	Cortico-striatal language pathways dynamically adjust for syntactic complexity: A computational study. <i>Brain and Language</i> , 2017, 164, 53-62.	0.8	15
150	Neuronavigated Fiber Dissection with Pial Preservation: Laboratory Model to Simulate Opercular Approaches to Insular Tumors. <i>World Neurosurgery</i> , 2017, 98, 239-242.	0.7	23
151	Direct evidence for the contributive role of the right inferior fronto-occipital fasciculus in non-verbal semantic cognition. <i>Brain Structure and Function</i> , 2017, 222, 1597-1610.	1.2	109
152	Survey on current practice within the European Low-Grade Glioma Network: where do we stand and what is the next step?. <i>Neuro-Oncology Practice</i> , 2017, 4, 241-247.	1.0	13
153	Network Plasticity and Intraoperative Mapping for Personalized Multimodal Management of Diffuse Low-Grade Gliomas. <i>Frontiers in Surgery</i> , 2017, 4, 3.	0.6	42
154	New Individualized and Dynamic Therapeutic Strategies in DLGG. , 2017, , 609-624.		1
155	Mapping the connectome in awake surgery for gliomas: an update. <i>Journal of Neurosurgical Sciences</i> , 2017, 61, 612-630.	0.3	47
156	Prise en charge des gliomes diffus de bas grade cÅ©rÅ©braux de dÅ©couverte fortuite: vers une politique de dÅ©pistage dans la population gÅ©nÅ©rale?. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2017, 201, 311-324.	0.0	2
157	Introduction: From the Inhibition of Dogmas to the Concept of Personalized Management in Patients with Diffuse Low-Grade Gliomas. , 2017, , 1-9.		0
158	Interactions Between Diffuse Low-Grade Glioma (DLGG), Brain Connectome and Neuroplasticity. , 2017, , 431-465.		0
159	From Management of Incidental DLGG to Screening of Silent DLGG. , 2017, , 729-738.		0
160	Surgery for Diffuse Low-Grade Gliomas (DLGG) Oncological Outcomes. , 2017, , 469-495.		0
161	The Concept of Onco-Functional Balance in the Management of DLGG. , 2017, , 685-701.		0
162	Surgery for Diffuse Low-Grade Gliomas (DLGG) Functional Outcomes. , 2017, , 497-533.		0

#	ARTICLE	IF	CITATIONS
163	Stimulation Mapping of Myelinated Tracts in Awake Patients. <i>Brain Plasticity</i> , 2016, 2, 99-113.	1.9	19
164	Vascular Transdifferentiation in the CNS: A Focus on Neural and Glioblastoma Stem-Like Cells. <i>Stem Cells International</i> , 2016, 2016, 1-13.	1.2	27
165	White Matter Pathways in the Human. , 2016, , 129-137.		8
166	Setting the Balance between the Lexical and Sublexical Pathways of Dual-Route Models of Reading: Insight from Atypical Dyslexia in Surgical Glioma Patients. <i>Frontiers in Psychology</i> , 2016, 7, 1730.	1.1	6
167	Comparison between resting state fMRI networks and responsive cortical stimulations in glioma patients. <i>Human Brain Mapping</i> , 2016, 37, 3721-3732.	1.9	61
168	Structural and functional integration between dorsal and ventral language streams as revealed by blunt dissection and direct electrical stimulation. <i>Human Brain Mapping</i> , 2016, 37, 3858-3872.	1.9	69
169	Brain Plasticity and Reorganization Before, During, and After Glioma Resection. , 2016, , 225-236.		11
170	Right Cortical and Axonal Structures Eliciting Ocular Deviation During Electrical Stimulation Mapping in Awake Patients. <i>Brain Topography</i> , 2016, 29, 561-571.	0.8	24
171	MRI screening for glioma: a preliminary survey of healthy potential candidates. <i>Acta Neurochirurgica</i> , 2016, 158, 905-906.	0.9	16
172	Surgery of insular and paralimbic diffuse low-grade gliomas: technical considerations. <i>Journal of Neuro-Oncology</i> , 2016, 130, 289-298.	1.4	52
173	Converging evidence for a cortico-subcortical network mediating lexical retrieval. <i>Brain</i> , 2016, 139, 3007-3021.	3.7	77
174	Awake surgery for hemispheric low-grade gliomas: oncological, functional and methodological differences between pediatric and adult populations. <i>Child's Nervous System</i> , 2016, 32, 1861-1874.	0.6	24
175	Role of the left frontal aslant tract in stuttering: a brain stimulation and tractographic study. <i>Journal of Neurology</i> , 2016, 263, 157-167.	1.8	96
176	The difference between electrical microstimulation and direct electrical stimulation "towards new opportunities for innovative functional brain mapping?". <i>Reviews in the Neurosciences</i> , 2016, 27, 231-258.	1.4	25
177	Electrocorticography Is Not Necessary During Awake Brain Surgery for Gliomas. <i>World Neurosurgery</i> , 2016, 91, 656-657.	0.7	8
178	Mapping neuroplastic potential in brain-damaged patients. <i>Brain</i> , 2016, 139, 829-844.	3.7	233
179	The dorsal cingulate cortex as a critical gateway in the network supporting conscious awareness. <i>Brain</i> , 2016, 139, e23-e23.	3.7	27
180	Patients with incidental WHO grade II glioma frequently suffer from neuropsychological disturbances. <i>Acta Neurochirurgica</i> , 2016, 158, 305-312.	0.9	81

#	ARTICLE	IF	CITATIONS
181	Long-term outcomes after supratotal resection of diffuse low-grade gliomas: a consecutive series with 11-year follow-up. <i>Acta Neurochirurgica</i> , 2016, 158, 51-58.	0.9	195
182	Incidental diffuse low-grade gliomas: from early detection to preventive neuro-oncological surgery. <i>Neurosurgical Review</i> , 2016, 39, 377-384.	1.2	49
183	Longitudinal Changes in Cerebellar and Thalamic Spontaneous Neuronal Activity After Wide-Awake Surgery of Brain Tumors: a Resting-State fMRI Study. <i>Cerebellum</i> , 2016, 15, 451-465.	1.4	23
184	Acute progression of untreated incidental WHO Grade II glioma to glioblastoma in an asymptomatic patient. <i>Journal of Neurosurgery</i> , 2016, 124, 141-145.	0.9	34
185	Somatotopic organization of the white matter tracts underpinning motor control in humans: an electrical stimulation study. <i>Brain Structure and Function</i> , 2016, 221, 3743-3753.	1.2	59
186	A Probabilistic Atlas of Diffuse WHO Grade II Glioma Locations in the Brain. <i>PLoS ONE</i> , 2016, 11, e0144200.	1.1	55
187	New concepts in the management of diffuse low-grade glioma: Proposal of a multistage and individualized therapeutic approach. <i>Neuro-Oncology</i> , 2015, 17, 332-42.	0.6	158
188	Towards a functional atlas of human white matter. <i>Human Brain Mapping</i> , 2015, 36, 3117-3136.	1.9	150
189	Integrating emotional valence and semantics in the human ventral stream: a hodological account. <i>Frontiers in Psychology</i> , 2015, 6, 32.	1.1	14
190	Is there a risk of seizures in "preventive" awake surgery for incidental diffuse low-grade gliomas?. <i>Journal of Neurosurgery</i> , 2015, 122, 1397-1405.	0.9	51
191	The role of cerebral disconnection in cognitive recovery after brain damage. <i>Neurology</i> , 2015, 84, 1390-1391.	1.5	15
192	Crossed cerebellar diaschisis after awake brain surgery: Can we measure pre/post operative changes on resting state fMRI data?. , 2015, , .		2
193	A disconnection account of subjective empathy impairments in diffuse low-grade glioma patients. <i>Neuropsychologia</i> , 2015, 70, 165-176.	0.7	67
194	A better surgical resectability of WHO grade II gliomas is independent of favorable molecular markers. <i>Journal of Neuro-Oncology</i> , 2015, 121, 185-193.	1.4	36
195	Role of fronto-striatal tract and frontal aslant tract in movement and speech: an axonal mapping study. <i>Brain Structure and Function</i> , 2015, 220, 3399-3412.	1.2	217
196	Microfoci of malignant progression in diffuse low-grade gliomas: towards the creation of an intermediate grade in glioma classification?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 466, 433-444.	1.4	39
197	Disrupting the right pars opercularis with electrical stimulation frees the song: case report. <i>Journal of Neurosurgery</i> , 2015, 123, 1401-1404.	0.9	10
198	Awake mapping of the brain connectome in glioma surgery: Concept is stronger than technology. <i>European Journal of Surgical Oncology</i> , 2015, 41, 1261-1263.	0.5	29

#	ARTICLE	IF	CITATIONS
199	Rethinking voxel-wise lesion-deficit analysis: A new challenge for computational neuropsychology. <i>Cortex</i> , 2015, 64, 413-416.	1.1	33
200	New insights into the neural network mediating reading processes provided by cortico-subcortical electrical mapping. <i>Human Brain Mapping</i> , 2015, 36, 2215-2230.	1.9	98
201	Preserving quality of life is not incompatible with increasing overall survival in diffuse low-grade glioma patients. <i>Acta Neurochirurgica</i> , 2015, 157, 165-167.	0.9	18
202	Reply: Probabilistic map of language regions: challenge and implication. <i>Brain</i> , 2015, 138, e338-e338.	3.7	16
203	Stimulation mapping of white matter tracts to study brain functional connectivity. <i>Nature Reviews Neurology</i> , 2015, 11, 255-265.	4.9	327
204	Sexuality after surgery for diffuse low-grade glioma. <i>Neuro-Oncology</i> , 2015, 17, 574-579.	0.6	23
205	Influence of 1p19q status and Ki67 index to predict extent of resection in WHO grade II gliomas: a virtual patient model. <i>Journal of Neuro-Oncology</i> , 2015, 123, 317-318.	1.4	4
206	The course and the anatomofunctional relationships of the optic radiation: a combined study with post mortem dissections and in vivo direct electrical mapping. <i>Journal of Anatomy</i> , 2015, 226, 947-59.		47
207	Low Rate of Intraoperative Seizures During Awake Craniotomy in a Prospective Cohort with 374 Supratentorial Brain Lesions: Electrocorticography Is Not Mandatory. <i>World Neurosurgery</i> , 2015, 84, 1838-1844.	0.7	107
208	Notch1 Stimulation Induces a Vascularization Switch With Pericyte-Like Cell Differentiation of Glioblastoma Stem Cells. <i>Stem Cells</i> , 2015, 33, 21-34.	1.4	94
209	Functional reorganization of the attentional networks in low-grade glioma patients: A longitudinal study. <i>Cortex</i> , 2015, 63, 27-41.	1.1	93
210	The left inferior fronto-occipital fasciculus subserves language semantics: a multilevel lesion study. <i>Brain Structure and Function</i> , 2015, 220, 1983-1995.	1.2	202
211	Interfering with the neural activity of mirror-related frontal areas impairs mentalistic inferences. <i>Brain Structure and Function</i> , 2015, 220, 2159-2169.	1.2	73
212	Resecting diffuse low-grade gliomas to the boundaries of brain functions: a new concept in surgical neuro-oncology. <i>Journal of Neurosurgical Sciences</i> , 2015, 59, 361-71.	0.3	36
213	Understanding entangled cerebral networks: a prerequisite for restoring brain function with brain-computer interfaces. <i>Frontiers in Systems Neuroscience</i> , 2014, 8, 82.	1.2	27
214	Delayed leptomeningeal and subependymal seeding after multiple surgeries for supratentorial diffuse low-grade gliomas in adults. <i>Journal of Neurosurgery</i> , 2014, 120, 833-839.	0.9	15
215	A Nonradiated Grade II Glioma That Underwent Delayed Malignant Transformation to a Gliosarcoma with Meningeal Growth and Dissemination. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2014, 75, 485-490.	0.4	3
216	Inferring a dual-stream model of mentalizing from associative white matter fibres disconnection. <i>Brain</i> , 2014, 137, 944-959.	3.7	163

#	ARTICLE	IF	CITATIONS
217	Is There a Place for Endoscopy in Glioma Surgery?. <i>World Neurosurgery</i> , 2014, 82, 1020-1022.	0.7	3
218	Epileptic seizures in diffuse low-grade gliomas in adults. <i>Brain</i> , 2014, 137, 449-462.	3.7	289
219	Disruption of bimanual movement by unilateral subcortical electrostimulation. <i>Human Brain Mapping</i> , 2014, 35, 3439-3445.	1.9	67
220	Asymmetric interhemispheric excitability evidenced by event-related potential amplitude patterns after awake-awake surgery of brain tumours. <i>Experimental Brain Research</i> , 2014, 232, 3907-3918.	0.7	3
221	Is Supratotal Resection of Glioblastoma in Noneloquent Areas Possible?. <i>World Neurosurgery</i> , 2014, 82, e101-e103.	0.7	43
222	The Dangers of Magnetic Resonance Imaging Diffusion Tensor Tractography in Brain Surgery. <i>World Neurosurgery</i> , 2014, 81, 56-58.	0.7	83
223	The huge plastic potential of adult brain and the role of connectomics: New insights provided by serial mappings in glioma surgery. <i>Cortex</i> , 2014, 58, 325-337.	1.1	254
224	Surgical management of diffuse low-grade gliomas associated with other intracranial diseases. <i>Acta Neurochirurgica</i> , 2014, 156, 339-347.	0.9	3
225	The Role of Left Inferior Fronto-Occipital Fascicle in Verbal Perseveration: A Brain Electrostimulation Mapping Study. <i>Brain Topography</i> , 2014, 27, 403-411.	0.8	37
226	Disrupting posterior cingulate connectivity disconnects consciousness from the external environment. <i>Neuropsychologia</i> , 2014, 56, 239-244.	0.7	69
227	Parietal network underlying movement control: disturbances during subcortical electrostimulation. <i>Neurosurgical Review</i> , 2014, 37, 513-517.	1.2	28
228	A re-examination of neural basis of language processing: Proposal of a dynamic hodotopical model from data provided by brain stimulation mapping during picture naming. <i>Brain and Language</i> , 2014, 131, 1-10.	0.8	308
229	Limited plastic potential of the left ventral premotor cortex in speech articulation: Evidence From intraoperative awake mapping in glioma patients. <i>Human Brain Mapping</i> , 2014, 35, 1587-1596.	1.9	94
230	Diffuse low-grade gliomas and neuroplasticity. <i>Diagnostic and Interventional Imaging</i> , 2014, 95, 945-955.	1.8	84
231	Anatomofunctional study of the temporo-parieto-occipital region: dissection, tractographic and brain mapping evidence from a neurosurgical perspective. <i>Journal of Anatomy</i> , 2014, 225, 132-151.	0.9	103
232	The persistent crucial role of the left hemisphere for language in left-handers with a left low grade glioma: a stimulation mapping study. <i>Acta Neurochirurgica</i> , 2014, 156, 661-670.	0.9	16
233	The usefulness of the asleep-awake-asleep glioma surgery. <i>Acta Neurochirurgica</i> , 2014, 156, 1493-1494.	0.9	15
234	Probabilistic map of critical functional regions of the human cerebral cortex: Broca's area revisited. <i>Brain</i> , 2014, 137, 2773-2782.	3.7	280

#	ARTICLE	IF	CITATIONS
235	Diffusion Tensor Imaging Is a Research and Educational Tool, but Not Yet a Clinical Tool. <i>World Neurosurgery</i> , 2014, 82, e43-e45.	0.7	55
236	Jazz Improvisation, Creativity, and Brain Plasticity. <i>World Neurosurgery</i> , 2014, 81, 508-510.	0.7	14
237	Toward an "Active" Cognitive Assessment in Patients with Diffuse Low-Grade Glioma. <i>World Neurosurgery</i> , 2014, 82, e129-e131.	0.7	7
238	The Conceptual Limitation to Relying on Intraoperative Magnetic Resonance Imaging in Glioma Surgery. <i>World Neurosurgery</i> , 2014, 82, 601-603.	0.7	14
239	Silent diffuse low-grade glioma: Toward screening and preventive treatment?. <i>Cancer</i> , 2014, 120, 1758-1762.	2.0	60
240	Awake mapping for low-grade gliomas involving the left sagittal stratum: anatomofunctional and surgical considerations. <i>Journal of Neurosurgery</i> , 2014, 120, 1069-1077.	0.9	55
241	Surgical Neurooncology Is a Brain Networks Surgery: A "Connectomic" Perspective. <i>World Neurosurgery</i> , 2014, 82, e405-e407.	0.7	20
242	Awake brain mapping of cortex and subcortical pathways in brain tumor surgery. <i>Journal of Neurosurgical Sciences</i> , 2014, 58, 199-213.	0.3	27
243	Subcortical electrostimulation to identify network subserving motor control. <i>Human Brain Mapping</i> , 2013, 34, 3023-3030.	1.9	104
244	Neoadjuvant chemotherapy may optimize the extent of resection of World Health Organization grade II gliomas: a case series of 17 patients. <i>Journal of Neuro-Oncology</i> , 2013, 113, 267-275.	1.4	58
245	The Origins of Diffuse Low-Grade Gliomas (DLGGs): "Functional Theory" Versus "Molecular Theory", 2013, , 481-491.		0
246	The reliability of asleep-awake-asleep protocol for intraoperative functional mapping and cognitive monitoring in glioma surgery. <i>Acta Neurochirurgica</i> , 2013, 155, 1803-1804.	0.9	18
247	Surgical management of multicentric diffuse low-grade gliomas: functional and oncological outcomes. <i>Journal of Neurosurgery</i> , 2013, 118, 1169-1175.	0.9	17
248	Surgery for low-grade glioma infiltrating the central cerebral region: location as a predictive factor for neurological deficit, epileptological outcome, and quality of life. <i>Journal of Neurosurgery</i> , 2013, 119, 318-323.	0.9	50
249	Mapping the connectivity underlying multimodal (verbal and non-verbal) semantic processing: A brain electrostimulation study. <i>Neuropsychologia</i> , 2013, 51, 1814-1822.	0.7	186
250	Frontal terminations for the inferior fronto-occipital fascicle: anatomical dissection, DTI study and functional considerations on a multi-component bundle. <i>Brain Structure and Function</i> , 2013, 218, 21-37.	1.2	280
251	Analysis of the subcomponents and cortical terminations of the perisylvian superior longitudinal fasciculus: a fiber dissection and DTI tractography study. <i>Brain Structure and Function</i> , 2013, 218, 105-121.	1.2	239
252	Cell death and neuronal differentiation of glioblastoma stem-like cells induced by neurogenic transcription factors. <i>Glia</i> , 2013, 61, 225-239.	2.5	57

#	ARTICLE	IF	CITATIONS
253	The Rationale to Perform Early Resection in Incidental Diffuse Low-Grade Glioma: Toward a "Preventive Surgical Neurooncology" World Neurosurgery, 2013, 80, e115-e117.	0.7	33
254	A Plea to Pay More Attention on Anatomic-Functional Connectivity in Surgical Management of Brain Cavernomas. World Neurosurgery, 2013, 80, e221-e223.	0.7	6
255	A new philosophy in surgery for diffuse low-grade glioma (DLGG): Oncological and functional outcomes. Neurochirurgie, 2013, 59, 2-8.	0.6	73
256	The "onco-functional balance" in surgery for diffuse low-grade glioma: integrating the extent of resection with quality of life. Acta Neurochirurgica, 2013, 155, 951-957.	0.9	172
257	Surgery for Diffuse Low-Grade Gliomas (DLGG) Functional Considerations. , 2013, , 375-399.		1
258	Spontaneous and therapeutic prognostic factors in adult hemispheric World Health Organization Grade II gliomas: a series of 1097 cases. Journal of Neurosurgery, 2013, 118, 1157-1168.	0.9	357
259	Middle longitudinal fasciculus delineation within language pathways: A diffusion tensor imaging study in human. European Journal of Radiology, 2013, 82, 151-157.	1.2	117
260	The silent phase of diffuse low-grade gliomas. Is it when we missed the action?. Acta Neurochirurgica, 2013, 155, 2237-2242.	0.9	49
261	Is the right frontal cortex really crucial in the mentalizing network? A longitudinal study in patients with a slow-growing lesion. Cortex, 2013, 49, 2711-2727.	1.1	81
262	Brain mapping in tumors: Intraoperative or extraoperative?. Epilepsia, 2013, 54, 79-83.	2.6	62
263	Selection of intraoperative tasks for awake mapping based on relationships between tumor location and functional networks. Journal of Neurosurgery, 2013, 119, 1380-1394.	0.9	169
264	Double Dissociation Between Visual Recognition and Picture Naming. Neurosurgery, 2013, 72, 678-686.	0.6	69
265	The anatomic-functional connectivity of word repetition: insights provided by awake brain tumor surgery. Frontiers in Human Neuroscience, 2013, 7, 405.	1.0	52
266	Involvement of the right inferior longitudinal fascicle in visual hemianopia: a brain stimulation mapping study. Journal of Neurosurgery, 2013, 118, 202-205.	0.9	59
267	Velocity of tumor spontaneous expansion predicts long-term outcomes for diffuse low-grade gliomas. Neuro-Oncology, 2013, 15, 595-606.	0.6	131
268	Letter to the Editor: Cognitive assessment in glioma patients. Journal of Neurosurgery, 2013, 119, 1348-1349.	0.9	15
269	Resection Probability Maps for Quality Assessment of Glioma Surgery without Brain Location Bias. PLoS ONE, 2013, 8, e73353.	1.1	65
270	Toward a pluri-component, multimodal, and dynamic organization of the ventral semantic stream in humans: lessons from stimulation mapping in awake patients. Frontiers in Systems Neuroscience, 2013, 7, 44.	1.2	133

#	ARTICLE	IF	CITATIONS
271	Surgery for Diffuse Low-Grade Gliomas (DLGG) Oncological Considerations. , 2013, , 359-374.		3
272	Pathological Neural Attractor Dynamics in Slowly Growing Gliomas Supports an Optimal Time Frame for White Matter Plasticity. PLoS ONE, 2013, 8, e69798.	1.1	30
273	Interactions Between Diffuse Low-Grade Glioma (DLGG) and Brain Plasticity. , 2013, , 337-356.		1
274	Introduction: From the Inhibition of Dogmas to the Concept of Personalized Management in Diffuse Low-Grade Gliomas. , 2013, , 1-5.		0
275	New Individualized Strategies in DLGG. , 2013, , 435-443.		1
276	Seizures in low-grade gliomas: natural history, pathogenesis, and outcome after treatments. Neuro-Oncology, 2012, 14, iv55-iv64.	0.6	203
277	Intraoperative subcortical electrical mapping of optic radiations in awake surgery for glioma involving visual pathways. Journal of Neurosurgery, 2012, 117, 466-473.	0.9	126
278	Awake mapping for resection of cavernous angioma and surrounding gliosis in the left dominant hemisphere: surgical technique and functional results. Journal of Neurosurgery, 2012, 117, 1076-1081.	0.9	44
279	Intractable epilepsy in paralimbic World Health Organization Grade II gliomas: should the hippocampus be resected when not invaded by the tumor?. Journal of Neurosurgery, 2012, 116, 1226-1234.	0.9	90
280	Permanent anosmia and ageusia after resection of a left temporoinsular low-grade glioma: anatomofunctional considerations. Journal of Neurosurgery, 2012, 116, 1007-1013.	0.9	11
281	Quantitative Morphological Magnetic Resonance Imaging Follow-up of Low-Grade Glioma. Neurosurgery, 2012, 71, 729-740.	0.6	116
282	Intermittent General Anesthesia With Controlled Ventilation for Asleep-Awake-Asleep Brain Surgery. Neurosurgery, 2012, 71, 764-772.	0.6	101
283	Manual reaction times and brain dynamics after "awake surgery"™ of slow-growing tumours invading the parietal area. A case report. Brain Injury, 2012, 26, 1750-1755.	0.6	7
284	Ultra-fast recovery from right neglect after "awake surgery"™ for slow-growing tumor invading the left parietal area. Neurocase, 2012, 18, 80-90.	0.2	22
285	The "œfrontal syndrome"œ-revisited: Lessons from electrostimulation mapping studies. Cortex, 2012, 48, 120-131.	1.1	92
286	Subcortical surgical anatomy of the lateral frontal region: human white matter dissection and correlations with functional insights provided by intraoperative direct brain stimulation. Journal of Neurosurgery, 2012, 117, 1053-1069.	0.9	54
287	Impact of Intraoperative Stimulation Brain Mapping on Glioma Surgery Outcome: A Meta-Analysis. Journal of Clinical Oncology, 2012, 30, 2559-2565.	0.8	832
288	Lexical access speed is significantly correlated with the return to professional activities after awake surgery for low-grade gliomas. Journal of Neuro-Oncology, 2012, 107, 633-641.	1.4	77

#	ARTICLE	IF	CITATIONS
289	Cognition and resective surgery for diffuse infiltrative glioma: an overview. <i>Journal of Neuro-Oncology</i> , 2012, 108, 309-318.	1.4	129
290	1P19Q loss but not IDH1 mutations influences WHO grade II gliomas spontaneous growth. <i>Journal of Neuro-Oncology</i> , 2012, 108, 69-75.	1.4	46
291	Awake surgery for incidental WHO grade II gliomas involving eloquent areas. <i>Acta Neurochirurgica</i> , 2012, 154, 575-584.	0.9	100
292	The challenge to remove diffuse low-grade gliomas while preserving brain functions. <i>Acta Neurochirurgica</i> , 2012, 154, 569-574.	0.9	145
293	Complete recovery after surgical resection of left Wernicke's area in awake patient: a brain stimulation and functional MRI study. <i>Neurosurgical Review</i> , 2012, 35, 287-292.	1.2	72
294	Dorsal Fronto-Parietal Connections of the Human Brain: A Fiber Dissection Study of Their Composition and Anatomical Relationships. <i>Anatomical Record</i> , 2012, 295, 187-195.	0.8	33
295	Dorsal Fronto-Parietal Connections of the Human Brain: A Fiber Dissection Study of Their Composition and Anatomical Relationships. <i>Anatomical Record</i> , 2012, 295, spc1-spc1.	0.8	1
296	A new tool for grade II glioma studies: plotting cumulative time with quality of life versus time to malignant transformation. <i>Journal of Neuro-Oncology</i> , 2012, 106, 213-215.	1.4	35
297	Combination of neoadjuvant chemotherapy followed by surgical resection as a new strategy for WHO grade II gliomas: a study of cognitive status and quality of life. <i>Journal of Neuro-Oncology</i> , 2012, 106, 353-366.	1.4	93
298	Joint Tumor Segmentation and Dense Deformable Registration of Brain MR Images. <i>Lecture Notes in Computer Science</i> , 2012, 15, 651-658.	1.0	40
299	Awake surgery for WHO Grade II gliomas within "noneloquent" areas in the left dominant hemisphere: toward a "supratotal" resection. <i>Journal of Neurosurgery</i> , 2011, 115, 232-239.	0.9	322
300	Evidence for potentials and limitations of brain plasticity using an atlas of functional resectability of WHO grade II gliomas: Towards a "minimal common brain". <i>NeuroImage</i> , 2011, 56, 992-1000.	2.1	325
301	Reply to "A critique of visual materials in "Evidence for an occipito-temporal tract underlying visual recognition in picture naming"(by Frascara et al.). <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 81.	0.6	0
302	Do brain tumours allow valid conclusions on the localisation of human brain functions?. <i>Cortex</i> , 2011, 47, 1016-1017.	1.1	21
303	Brain Hodotopy: From Esoteric Concept to Practical Surgical Applications. <i>Neurosurgery</i> , 2011, 68, 1709-1723.	0.6	159
304	World Health Organization Grade II Gliomas and Subventricular Zone: Anatomic, Genetic, and Clinical Considerations. <i>Neurosurgery</i> , 2011, 68, 1293-1299.	0.6	18
305	Cortex-sparing fiber dissection: an improved method for the study of white matter anatomy in the human brain. <i>Journal of Anatomy</i> , 2011, 219, 531-541.	0.9	134
306	Toward the Application of the Hodotopical Concept to Epilepsy Surgery. <i>World Neurosurgery</i> , 2011, 75, 431-433.	0.7	7

#	ARTICLE	IF	CITATIONS
307	The Necessity of Preserving Brain Functions in Glioma Surgery: The Crucial Role of Intraoperative Awake Mapping. <i>World Neurosurgery</i> , 2011, 76, 525-527.	0.7	14
308	Does the left superior longitudinal fascicle subserve language semantics? A brain electrostimulation study. <i>Brain Structure and Function</i> , 2011, 216, 263-274.	1.2	126
309	Evidence for the genesis of WHO grade II glioma in an asymptomatic young adult using repeated MRIs. <i>Acta Neurochirurgica</i> , 2011, 153, 473-477.	0.9	25
310	Intraoperative monitoring of visual function. <i>Acta Neurochirurgica</i> , 2011, 153, 1929-1930.	0.9	9
311	Occipital WHO grade II gliomas: oncological, surgical and functional considerations. <i>Acta Neurochirurgica</i> , 2011, 153, 1907-1917.	0.9	21
312	Double dissociation between syntactic gender and picture naming processing: A brain stimulation mapping study. <i>Human Brain Mapping</i> , 2011, 32, 331-340.	1.9	53
313	Is the human left middle longitudinal fascicle essential for language? A brain electrostimulation study. <i>Human Brain Mapping</i> , 2011, 32, 962-973.	1.9	99
314	Surgery for gliomas involving the left inferior parietal lobule: new insights into the functional anatomy provided by stimulation mapping in awake patients. <i>Journal of Neurosurgery</i> , 2011, 115, 770-779.	0.9	121
315	New-onset epilepsy: considerations for initial and follow-up MRI to detect brain tumor. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 1107-1110.	1.4	5
316	Awake Surgery for Nonlanguage Mapping. <i>Neurosurgery</i> , 2010, 66, 523-529.	0.6	105
317	New Insights Into the Anatomic Dissection of the Temporal Stem With Special Emphasis on the Inferior Fronto-occipital Fasciculus. <i>Operative Neurosurgery</i> , 2010, 66, ons4-ons12.	0.4	64
318	Awake Mapping Optimizes the Extent of Resection for Low-Grade Gliomas in Eloquent Areas. <i>Neurosurgery</i> , 2010, 66, 1074-1084.	0.6	217
319	Direct electrical stimulation as an input gate into brain functional networks: principles, advantages and limitations. <i>Acta Neurochirurgica</i> , 2010, 152, 185-193.	0.9	181
320	Natural history of incidental world health organization grade II gliomas. <i>Annals of Neurology</i> , 2010, 68, 727-733.	2.8	168
321	Guidelines on management of low-grade gliomas: report of an EFNS-EANO* Task Force. <i>European Journal of Neurology</i> , 2010, 17, 1124-1133.	1.7	428
322	Crossed aphasia elicited by intraoperative cortical and subcortical stimulation in awake patients. <i>Journal of Neurosurgery</i> , 2010, 113, 1251-1258.	0.9	46
323	Introduction. <i>Neurosurgical Focus</i> , 2010, 28, Intro.	1.0	39
324	Surgical management of World Health Organization Grade II gliomas in eloquent areas: the necessity of preserving a margin around functional structures. <i>Neurosurgical Focus</i> , 2010, 28, E8.	1.0	137

#	ARTICLE	IF	CITATIONS
325	Anatomic dissection of the inferior fronto-occipital fasciculus revisited in the lights of brain stimulation data. <i>Cortex</i> , 2010, 46, 691-699.	1.1	420
326	Intraoperative electrical stimulation in awake craniotomy: methodological aspects of current practice. <i>Neurosurgical Focus</i> , 2010, 28, E7.	1.0	296
327	Comparison of diffusion tensor imaging tractography of language tracts and intraoperative subcortical stimulations. <i>Journal of Neurosurgery</i> , 2010, 112, 503-511.	0.9	218
328	Epilepsy and insular Grade II gliomas: an interdisciplinary point of view from a retrospective monocentric series of 46 cases. <i>Neurosurgical Focus</i> , 2009, 27, E8.	1.0	42
329	Evidence of a large-scale network underlying language switching: a brain stimulation study. <i>Journal of Neurosurgery</i> , 2009, 111, 729-732.	0.9	46
330	A personal consecutive series of surgically treated 51 cases of insular WHO Grade II glioma: advances and limitations. <i>Journal of Neurosurgery</i> , 2009, 110, 696-708.	0.9	194
331	Functional outcome after language mapping for insular World Health Organization Grade II gliomas in the dominant hemisphere: experience with 24 patients. <i>Neurosurgical Focus</i> , 2009, 27, E7.	1.0	127
332	Re-operation is a safe and effective therapeutic strategy in recurrent WHO grade II gliomas within eloquent areas. <i>Acta Neurochirurgica</i> , 2009, 151, 427-436.	0.9	126
333	Combined multiple surgical intervention and chemotherapy for multicentric WHO grade II glioma. <i>Acta Neurochirurgica</i> , 2009, 151, 1699-1704.	0.9	13
334	Is the left uncinate fasciculus essential for language?. <i>Journal of Neurology</i> , 2009, 256, 382-389.	1.8	211
335	Influence of pregnancy in the behavior of diffuse gliomas: clinical cases of a French glioma study group. <i>Journal of Neurology</i> , 2009, 256, 2014-2020.	1.8	52
336	Evidence for an occipito-temporal tract underlying visual recognition in picture naming. <i>Clinical Neurology and Neurosurgery</i> , 2009, 111, 601-605.	0.6	92
337	Agraphia after awake surgery for brain tumor: new insights into the anatomo-functional network of writing. <i>World Neurosurgery</i> , 2009, 72, 223-241.	1.3	47
338	Does post-lesional subcortical plasticity exist in the human brain?. <i>Neuroscience Research</i> , 2009, 65, 131-135.	1.0	106
339	Speaking without Broca's area after tumor resection. <i>Neurocase</i> , 2009, 15, 294-310.	0.2	113
340	Cognitive processes and neural basis of language switching: proposal of a new model. <i>NeuroReport</i> , 2009, 20, 1577-1580.	0.6	43
341	Surgery of low-grade gliomas: towards a "functional neurooncology". <i>Current Opinion in Oncology</i> , 2009, 21, 543-549.	1.1	187
342	Reversible deficit affecting the perception of tone of a human voice after tumour resection from the right auditory cortex. <i>Acta Neurochirurgica</i> , 2008, 150, 589-593.	0.9	4

#	ARTICLE	IF	CITATIONS
343	Computational modeling of the WHO grade II glioma dynamics: principles and applications to management paradigm. <i>Neurosurgical Review</i> , 2008, 31, 263-269.	1.2	113
344	Regions, systems, and the brain: Hierarchical measures of functional integration in fMRI. <i>Medical Image Analysis</i> , 2008, 12, 484-496.	7.0	69
345	The anatomo-functional connectivity of language revisited. <i>Neuropsychologia</i> , 2008, 46, 927-934.	0.7	306
346	Awareness of intending to act following parietal cortex resection. <i>Neuropsychologia</i> , 2008, 46, 2662-2667.	0.7	33
347	Cortico-subcortical organization of language networks in the right hemisphere: An electrostimulation study in left-handers. <i>Neuropsychologia</i> , 2008, 46, 3197-3209.	0.7	96
348	Intraoperative neurophysiology during surgery for cerebral tumors. <i>Handbook of Clinical Neurophysiology</i> , 2008, 8, 491-507.	0.0	4
349	Brain plasticity and tumors. <i>Advances and Technical Standards in Neurosurgery</i> , 2008, 33, 3-33.	0.2	99
350	White matter functional connectivity as an additional landmark for dominant temporal lobectomy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 492-495.	0.9	100
351	Brain tumors and epilepsy. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 941-955.	1.4	55
352	Long-term brain plasticity allowing a multistage surgical approach to World Health Organization Grade II gliomas in eloquent areas. <i>Journal of Neurosurgery</i> , 2008, 109, 615-624.	0.9	214
353	Intraoperative subcortical stimulation mapping of language pathways in a consecutive series of 115 patients with Grade II glioma in the left dominant hemisphere. <i>Journal of Neurosurgery</i> , 2008, 109, 461-471.	0.9	447
354	Temozolomide for low-grade gliomas: Predictive impact of 1p/19q loss on response and outcome. <i>Neurology</i> , 2007, 68, 1831-1836.	1.5	282
355	Does the left inferior longitudinal fasciculus play a role in language? A brain stimulation study. <i>Brain</i> , 2007, 130, 623-629.	3.7	357
356	Preoperative estimation of residual volume for WHO grade II glioma resected with intraoperative functional mapping. <i>Neuro-Oncology</i> , 2007, 9, 63-69.	0.6	92
357	Mapping of Visuospatial Functions during Brain Surgery. <i>Neurosurgery</i> , 2007, 61, E1340.	0.6	50
358	RESECTION OF WORLD HEALTH ORGANIZATION GRADE II GLIOMAS INVOLVING BROCA'S AREA. <i>Neurosurgery</i> , 2007, 61, 741-753.	0.6	162
359	Contribution of cortical and subcortical electrostimulation in brain glioma surgery: Methodological and functional considerations. <i>Neurophysiologie Clinique</i> , 2007, 37, 373-382.	1.0	159
360	A novel approach to clinical-radiological correlations: Anatomo-Clinical Overlapping Maps (AnaCOM): Method and validation. <i>NeuroImage</i> , 2007, 37, 1237-1249.	2.1	48

#	ARTICLE	IF	CITATIONS
361	Dynamic history of low-grade gliomas before and after temozolomide treatment. <i>Annals of Neurology</i> , 2007, 61, 484-490.	2.8	185
362	Assessment of verbal working memory before and after surgery for low-grade glioma. <i>Journal of Neuro-Oncology</i> , 2007, 81, 305-313.	1.4	185
363	Meta-analyzing left hemisphere language areas: Phonology, semantics, and sentence processing. <i>NeuroImage</i> , 2006, 30, 1414-1432.	2.1	1,573
364	The insular lobe and brain plasticity: Lessons from tumor surgery. <i>Clinical Neurology and Neurosurgery</i> , 2006, 108, 543-548.	0.6	122
365	Brain plasticity: From pathophysiological mechanisms to therapeutic applications. <i>Journal of Clinical Neuroscience</i> , 2006, 13, 885-897.	0.8	293
366	Superior longitudinal fasciculus subserves vestibular network in humans. <i>NeuroReport</i> , 2006, 17, 1403-1406.	0.6	49
367	Extension of paralimbic low grade gliomas: toward an anatomical classification based on white matter invasion patterns. <i>Journal of Neuro-Oncology</i> , 2006, 78, 179-185.	1.4	155
368	New concepts in surgery of WHO grade II gliomas: functional brain mapping, connectionism and plasticity – a review. <i>Journal of Neuro-Oncology</i> , 2006, 79, 77-115.	1.4	228
369	Radical surgery after chemotherapy: a new therapeutic strategy to envision in grade II glioma. <i>Journal of Neuro-Oncology</i> , 2006, 80, 171-176.	1.4	65
370	Prognostic value of initial magnetic resonance imaging growth rates for World Health Organization grade II gliomas. <i>Annals of Neurology</i> , 2006, 60, 380-383.	2.8	225
371	Contrasting acute and slow-growing lesions: a new door to brain plasticity. <i>Brain</i> , 2006, 130, 898-914.	3.7	423
372	Contribution of intraoperative electrical stimulations in surgery of low grade gliomas: a comparative study between two series without (1985-96) and with (1996-2003) functional mapping in the same institution. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 845-851.	0.9	506
373	Lessons from brain mapping in surgery for low-grade glioma: insights into associations between tumour and brain plasticity. <i>Lancet Neurology</i> , The, 2005, 4, 476-486.	4.9	573
374	Successful resection of a left insular cavernous angioma using neuronavigation and intraoperative language mapping. <i>Acta Neurochirurgica</i> , 2005, 147, 205-208.	0.9	49
375	Direct Evidence for a Parietal-Frontal Pathway Subserving Spatial Awareness in Humans. <i>Science</i> , 2005, 309, 2226-2228.	6.0	600
376	The role of dominant striatum in language: a study using intraoperative electrical stimulations. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 940-946.	0.9	185
377	Intraoperative cortico-subcortical stimulations in surgery of low-grade gliomas. <i>Expert Review of Neurotherapeutics</i> , 2005, 5, 473-485.	1.4	104
378	New insights into the anatomo-functional connectivity of the semantic system: a study using cortico-subcortical electrostimulations. <i>Brain</i> , 2005, 128, 797-810.	3.7	563

#	ARTICLE	IF	CITATIONS
379	Temozolomide As Initial Treatment for Adults With Low-Grade Oligodendrogliomas or Oligoastrocytomas and Correlation With Chromosome 1p Deletions. <i>Journal of Clinical Oncology</i> , 2004, 22, 3133-3138.	0.8	336
380	Surgical removal of corpus callosum infiltrated by low-grade glioma: functional outcome and oncological considerations. <i>Journal of Neurosurgery</i> , 2004, 100, 431-437.	0.9	58
381	Role of the healthy hemisphere in recovery after resection of the supplementary motor area. <i>Neurology</i> , 2004, 62, 1323-1332.	1.5	186
382	Intra-operative mapping of the subcortical visual pathways using direct electrical stimulations. <i>Acta Neurochirurgica</i> , 2004, 146, 265-270.	0.9	86
383	Preferential brain locations of low-grade gliomas. <i>Cancer</i> , 2004, 100, 2622-2626.	2.0	385
384	Double dissociation between picture naming and comprehension: an electrostimulation study. <i>NeuroReport</i> , 2004, 15, 191-195.	0.6	61
385	Functional recovery after surgical resection of low grade gliomas in eloquent brain: hypothesis of brain compensation. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 901-907.	0.9	299
386	Continuous growth of mean tumor diameter in a subset of grade II gliomas. <i>Annals of Neurology</i> , 2003, 53, 524-528.	2.8	437
387	Usefulness of intraoperative electrical subcortical mapping during surgery for low-grade gliomas located within eloquent brain regions: functional results in a consecutive series of 103 patients. <i>Journal of Neurosurgery</i> , 2003, 98, 764-778.	0.9	452
388	The role of dominant premotor cortex in language: a study using intraoperative functional mapping in awake patients. <i>NeuroImage</i> , 2003, 20, 1903-1914.	2.1	196
389	Postoperative speech disorder after medial frontal surgery. <i>Neurology</i> , 2003, 60, 587-594.	1.5	192
390	Antisaccade deficit after anterior cingulate cortex resection. <i>NeuroReport</i> , 2003, 14, 283-287.	0.6	47
391	The articulatory loop: study of the subcortical connectivity by electrostimulation. <i>NeuroReport</i> , 2003, 14, 2005-2008.	0.6	133
392	Intraoperative mapping of the subcortical language pathways using direct stimulations. <i>Brain</i> , 2002, 125, 199-214.	3.7	527
393	Intraoperative frontal eye field stimulation elicits ocular deviation and saccade suppression. <i>NeuroReport</i> , 2002, 13, 1359-1364.	0.6	46
394	Somatotopy of the Supplementary Motor Area: Evidence from Correlation of the Extent of Surgical Resection with the Clinical Patterns of Deficit. <i>Neurosurgery</i> , 2002, 50, 297-305.	0.6	180
395	Long term reshaping of language, sensory, and motor maps after glioma resection: a new parameter to integrate in the surgical strategy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002, 72, 511-6.	0.9	133
396	Acute functional reorganisation of the human motor cortex during resection of central lesions: a study using intraoperative brain mapping. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 70, 506-513.	0.9	148

#	ARTICLE	IF	CITATIONS
397	Role of the supplementary motor area in motor deficit following medial frontal lobe surgery. <i>Neurology</i> , 2001, 57, 871-878.	1.5	180
398	Intra-Operative Direct Electrical Stimulations of the Central Nervous System: The Salpêtrière Experience With 60 Patients. <i>Acta Neurochirurgica</i> , 1999, 141, 1157-1167.	0.9	213
399	Reply: Arcuate fasciculus™ middle and ventral temporal connections undercut by tract-tracing evidence. <i>Brain</i> , 0, , .	3.7	0
400	Constant Multi-Tasking With Time Constraint to Preserve Across-Network Dynamics Throughout Awake Surgery for Low-Grade Glioma: A Necessary Step to Enable Patients Resuming an Active Life. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	11
401	Repeated Awake Surgical Resection(s) for Recurrent Diffuse Low-Grade Gliomas: Why, When, and How to Reoperate?. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	5