

Georg Meisl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5536259/publications.pdf>

Version: 2024-02-01

79
papers

5,853
citations

94433

37
h-index

85541

71
g-index

97
all docs

97
docs citations

97
times ranked

5350
citing authors

#	ARTICLE	IF	CITATIONS
1	Microfluidic characterisation reveals broad range of SARS-CoV-2 antibody affinity in human plasma. Life Science Alliance, 2022, 5, e202101270.	2.8	24
2	The C-terminal tail of α -synuclein protects against aggregate replication but is critical for oligomerization. Communications Biology, 2022, 5, 123.	4.4	30
3	The Pathological G51D Mutation in Alpha-Synuclein Oligomers Confers Distinct Structural Attributes and Cellular Toxicity. Molecules, 2022, 27, 1293.	3.8	6
4	Microfluidic Antibody Affinity Profiling Reveals the Role of Memory Reactivation and Cross-Reactivity in the Defense Against SARS-CoV-2. ACS Infectious Diseases, 2022, 8, 790-799.	3.8	8
5	Scaling analysis reveals the mechanism and rates of prion replication in vivo. Nature Structural and Molecular Biology, 2021, 28, 365-372.	8.2	22
6	Kinetic analysis reveals that independent nucleation events determine the progression of polyglutamine aggregation in <i>C. elegans</i> . Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	13
7	Antibody Affinity Governs the Inhibition of SARS-CoV-2 Spike/ACE2 Binding in Patient Serum. ACS Infectious Diseases, 2021, 7, 2362-2369.	3.8	32
8	Pulsed Hydrogen-Deuterium Exchange Reveals Altered Structures and Mechanisms in the Aggregation of Familial Alzheimer's Disease Mutants. ACS Chemical Neuroscience, 2021, 12, 1972-1982.	3.5	7
9	Super-resolution imaging reveals α -synuclein seeded aggregation in SH-SY5Y cells. Communications Biology, 2021, 4, 613.	4.4	26
10	Squalamine and Its Derivatives Modulate the Aggregation of Amyloid- β and α -Synuclein and Suppress the Toxicity of Their Oligomers. Frontiers in Neuroscience, 2021, 15, 680026.	2.8	34
11	Alpha Synuclein only Forms Fibrils In Vitro when Larger than its Critical Size of 70 Monomers. ChemBioChem, 2021, 22, 2867-2871.	2.6	10
12	Mechanism of Secondary Nucleation at the Single Fibril Level from Direct Observations of A β ²⁴² Aggregation. Journal of the American Chemical Society, 2021, 143, 16621-16629.	13.7	38
13	The binding of the small heat-shock protein α -crystallin to fibrils of α -synuclein is driven by entropic forces. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	15
14	In situ kinetic measurements of α -synuclein aggregation reveal large population of short-lived oligomers. PLoS ONE, 2021, 16, e0245548.	2.5	16
15	Kinetic and Thermodynamic Driving Factors in the Assembly of Phenylalanine-Based Modules. ACS Nano, 2021, 15, 18305-18311.	14.6	19
16	In vivo rate-determining steps of tau seed accumulation in Alzheimer's disease. Science Advances, 2021, 7, eabh1448.	10.3	70
17	Surface-Catalyzed Secondary Nucleation Dominates the Generation of Toxic IAPP Aggregates. Frontiers in Molecular Biosciences, 2021, 8, 757425.	3.5	24
18	Proliferation of Tau 304-380 Fragment Aggregates through Autocatalytic Secondary Nucleation. ACS Chemical Neuroscience, 2021, 12, 4406-4415.	3.5	19

#	ARTICLE	IF	CITATIONS
19	$\hat{\pm}$ -Synuclein strains target distinct brain regions and cell types. <i>Nature Neuroscience</i> , 2020, 23, 21-31.	14.8	195
20	Kinetic fingerprints differentiate the mechanisms of action of anti- $\hat{\text{A}}^{\hat{2}}$ antibodies. <i>Nature Structural and Molecular Biology</i> , 2020, 27, 1125-1133.	8.2	123
21	Thermodynamic and kinetic design principles for amyloid-aggregation inhibitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24251-24257.	7.1	49
22	Kinetic diversity of amyloid oligomers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 12087-12094.	7.1	103
23	Templating S100A9 amyloids on $\hat{\text{A}}^{\hat{2}}$ fibrillar surfaces revealed by charge detection mass spectrometry, microscopy, kinetic and microfluidic analyses. <i>Chemical Science</i> , 2020, 11, 7031-7039.	7.4	20
24	Identification of on- and off-pathway oligomers in amyloid fibril formation. <i>Chemical Science</i> , 2020, 11, 6236-6247.	7.4	64
25	The Influence of Pathogenic Mutations in $\hat{\pm}$ -Synuclein on Biophysical and Structural Characteristics of Amyloid Fibrils. <i>ACS Nano</i> , 2020, 14, 5213-5222.	14.6	58
26	The molecular processes underpinning prion-like spreading and seed amplification in protein aggregation. <i>Current Opinion in Neurobiology</i> , 2020, 61, 58-64.	4.2	26
27	Autoantibodies against the prion protein in individuals with $\langle i \rangle$ PRNP $\langle /i \rangle$ mutations. <i>Neurology</i> , 2020, 95, e2028-e2037.	1.1	7
28	The catalytic nature of protein aggregation. <i>Journal of Chemical Physics</i> , 2020, 152, 045101.	3.0	24
29	Transthyretin Inhibits Primary and Secondary Nucleations of Amyloid- $\hat{2}$ Peptide Aggregation and Reduces the Toxicity of Its Oligomers. <i>Biomacromolecules</i> , 2020, 21, 1112-1125.	5.4	59
30	Dynamics of oligomer populations formed during the aggregation of Alzheimer's $\hat{\text{A}}^{\hat{2}}$ 42 peptide. <i>Nature Chemistry</i> , 2020, 12, 445-451.	13.6	223
31	Effects of sedimentation, microgravity, hydrodynamic mixing and air-water interface on $\hat{\pm}$ -synuclein amyloid formation. <i>Chemical Science</i> , 2020, 11, 3687-3693.	7.4	18
32	Ultrastructural evidence for self-replication of Alzheimer-associated $\hat{\text{A}}^{\hat{2}}$ 42 amyloid along the sides of fibrils. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 11265-11273.	7.1	37
33	The role of fibril structure and surface hydrophobicity in secondary nucleation of amyloid fibrils. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25272-25283.	7.1	58
34	Autocatalytic amplification of Alzheimer-associated $\hat{\text{A}}^{\hat{2}}$ 42 peptide aggregation in human cerebrospinal fluid. <i>Communications Biology</i> , 2019, 2, 365.	4.4	46
35	Plant Polyphenols Inhibit Functional Amyloid and Biofilm Formation in <i>Pseudomonas</i> Strains by Directing Monomers to Off-Pathway Oligomers. <i>Biomolecules</i> , 2019, 9, 659.	4.0	30
36	Mechanism of Fibril and Soluble Oligomer Formation in Amyloid Beta and Hen Egg White Lysozyme Proteins. <i>Journal of Physical Chemistry B</i> , 2019, 123, 5678-5689.	2.6	20

#	ARTICLE	IF	CITATIONS
37	Direct observation of prion protein oligomer formation reveals an aggregation mechanism with multiple conformationally distinct species. <i>Chemical Science</i> , 2019, 10, 4588-4597.	7.4	22
38	A method of predicting the in vitro fibril formation propensity of A ²⁴⁰ mutants based on their inclusion body levels in <i>E. coli</i> . <i>Scientific Reports</i> , 2019, 9, 3680.	3.3	6
39	Increased Secondary Nucleation Underlies Accelerated Aggregation of the Four-Residue N-Terminally Truncated A ²⁴² Species A ²⁵ 42. <i>ACS Chemical Neuroscience</i> , 2019, 10, 2374-2384.	3.5	16
40	Physical Determinants of Amyloid Assembly in Biofilm Formation. <i>MBio</i> , 2019, 10, .	4.1	66
41	Trodusquemine enhances A ²⁴² aggregation but suppresses its toxicity by displacing oligomers from cell membranes. <i>Nature Communications</i> , 2019, 10, 225.	12.8	111
42	Dynamics and Control of Peptide Self-Assembly and Aggregation. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1174, 1-33.	1.6	6
43	Chemical Kinetics for Bridging Molecular Mechanisms and Macroscopic Measurements of Amyloid Fibril Formation. <i>Annual Review of Physical Chemistry</i> , 2018, 69, 273-298.	10.8	161
44	On-chip measurements of protein unfolding from direct observations of micron-scale diffusion. <i>Chemical Science</i> , 2018, 9, 3503-3507.	7.4	11
45	Microfluidic Diffusion Platform for Characterizing the Sizes of Lipid Vesicles and the Thermodynamics of Protein-Lipid Interactions. <i>Analytical Chemistry</i> , 2018, 90, 3284-3290.	6.5	20
46	Measurement of Tau Filament Fragmentation Provides Insights into Prion-like Spreading. <i>ACS Chemical Neuroscience</i> , 2018, 9, 1276-1282.	3.5	68
47	Direct Observation of Murine Prion Protein Replication in Vitro. <i>Journal of the American Chemical Society</i> , 2018, 140, 14789-14798.	13.7	23
48	Kinetic barriers to I [±] -synuclein protofilament formation and conversion into mature fibrils. <i>Chemical Communications</i> , 2018, 54, 7854-7857.	4.1	31
49	Multistep Inhibition of I [±] -Synuclein Aggregation and Toxicity <i>in Vitro</i> and <i>in Vivo</i> by Trodusquemine. <i>ACS Chemical Biology</i> , 2018, 13, 2308-2319.	3.4	86
50	Oligomer Diversity during the Aggregation of the Repeat Region of Tau. <i>ACS Chemical Neuroscience</i> , 2018, 9, 3060-3071.	3.5	50
51	Extrinsic Amyloid-Binding Dyes for Detection of Individual Protein Aggregates in Solution. <i>Analytical Chemistry</i> , 2018, 90, 10385-10393.	6.5	20
52	Secondary nucleation in amyloid formation. <i>Chemical Communications</i> , 2018, 54, 8667-8684.	4.1	323
53	On the role of sidechain size and charge in the aggregation of A ²⁴² with familial mutations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5849-E5858.	7.1	98
54	Kinetic Analysis of Amyloid Formation. <i>Methods in Molecular Biology</i> , 2018, 1779, 181-196.	0.9	16

#	ARTICLE	IF	CITATIONS
55	Origin of metastable oligomers and their effects on amyloid fibril self-assembly. Chemical Science, 2018, 9, 5937-5948.	7.4	76
56	A natural product inhibits the initiation of β -synuclein aggregation and suppresses its toxicity. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E1009-E1017.	7.1	231
57	Physical principles of filamentous protein self-assembly kinetics. Journal of Physics Condensed Matter, 2017, 29, 153002.	1.8	21
58	Acceleration of β -synuclein aggregation. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2017, 24, 20-21.	3.0	4
59	Secondary nucleation of monomers on fibril surface dominates β -synuclein aggregation and provides autocatalytic amyloid amplification. Quarterly Reviews of Biophysics, 2017, 50, e6.	5.7	183
60	Modulation of electrostatic interactions to reveal a reaction network unifying the aggregation behaviour of the A β 242 peptide and its variants. Chemical Science, 2017, 8, 4352-4362.	7.4	60
61	Phage display and kinetic selection of antibodies that specifically inhibit amyloid self-replication. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 6444-6449.	7.1	60
62	Absolute Quantification of Amyloid Propagons by Digital Microfluidics. Analytical Chemistry, 2017, 89, 12306-12313.	6.5	21
63	Scaling behaviour and rate-determining steps in filamentous self-assembly. Chemical Science, 2017, 8, 7087-7097.	7.4	65
64	Self-assembly of MPG1, a hydrophobin protein from the rice blast fungus that forms functional amyloid coatings, occurs by a surface-driven mechanism. Scientific Reports, 2016, 6, 25288.	3.3	67
65	Electrostatically-guided inhibition of Curli amyloid nucleation by the CsgC-like family of chaperones. Scientific Reports, 2016, 6, 24656.	3.3	51
66	Mutations associated with familial Parkinson's disease alter the initiation and amplification steps of β -synuclein aggregation. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 10328-10333.	7.1	252
67	Quantitative analysis of intrinsic and extrinsic factors in the aggregation mechanism of Alzheimer-associated A β -peptide. Scientific Reports, 2016, 6, 18728.	3.3	77
68	Physical determinants of the self-replication of protein fibrils. Nature Physics, 2016, 12, 874-880.	16.7	90
69	β -Synuclein suppresses both the initiation and amplification steps of β -synuclein aggregation via competitive binding to surfaces. Scientific Reports, 2016, 6, 36010.	3.3	65
70	An Environmentally Sensitive Fluorescent Dye as a Multidimensional Probe of Amyloid Formation. Journal of Physical Chemistry B, 2016, 120, 2087-2094.	2.6	3
71	Molecular mechanisms of protein aggregation from global fitting of kinetic models. Nature Protocols, 2016, 11, 252-272.	12.0	546
72	Lipid vesicles trigger β -synuclein aggregation by stimulating primary nucleation. Nature Chemical Biology, 2015, 11, 229-234.	8.0	532

#	ARTICLE	IF	CITATIONS
73	Preventing peptide and protein misbehavior. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 5267-5268.	7.1	7
74	N-Terminal Extensions Retard A β 242 Fibril Formation but Allow Cross-Seeding and Coaggregation with A β 42. Journal of the American Chemical Society, 2015, 137, 14673-14685.	13.7	58
75	The A β 40 and A β 42 peptides self-assemble into separate homomolecular fibrils in binary mixtures but cross-react during primary nucleation. Chemical Science, 2015, 6, 4215-4233.	7.4	121
76	Differences in nucleation behavior underlie the contrasting aggregation kinetics of the A β 40 and A β 42 peptides. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 9384-9389.	7.1	405
77	Diffuse transition state structure for the unfolding of a leucine-rich repeat protein. Physical Chemistry Chemical Physics, 2014, 16, 6448.	2.8	4
78	Solvent and conformation dependence of amide I vibrations in peptides and proteins containing proline. Journal of Chemical Physics, 2011, 135, 234507.	3.0	58
79	Mechanistic Models of Protein Aggregation Across Length-Scales and Time-Scales: From the Test Tube to Neurodegenerative Disease. Frontiers in Neuroscience, 0, 16, .	2.8	8