

Bruno Quesnel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5536492/publications.pdf>

Version: 2024-02-01

250
papers

12,049
citations

31902

53
h-index

30848

102
g-index

255
all docs

255
docs citations

255
times ranked

13022
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma cells from multiple myeloma patients express B7-H1 (PD-L1) and increase expression after stimulation with IFN- γ and TLR ligands via a MyD88-, TRAF6-, and MEK-dependent pathway. <i>Blood</i> , 2007, 110, 296-304.	0.6	546
2	Impact of TET2 mutations on response rate to azacitidine in myelodysplastic syndromes and low blast count acute myeloid leukemias. <i>Leukemia</i> , 2011, 25, 1147-1152.	3.3	430
3	A randomized phase 3 study of lenalidomide versus placebo in RBC transfusion-dependent patients with Low-/Intermediate-1-risk myelodysplastic syndromes with del5q. <i>Blood</i> , 2011, 118, 3765-3776.	0.6	424
4	Outcome of High-Risk Myelodysplastic Syndrome After Azacitidine Treatment Failure. <i>Journal of Clinical Oncology</i> , 2011, 29, 3322-3327.	0.8	421
5	Bromodomain inhibitor OTX015 in patients with acute leukaemia: a dose-escalation, phase 1 study. <i>Lancet Haematology</i> , 2016, 3, e186-e195.	2.2	359
6	Prognostic factors for response and overall survival in 282 patients with higher-risk myelodysplastic syndromes treated with azacitidine. <i>Blood</i> , 2011, 117, 403-411.	0.6	348
7	Incidence and prognostic impact of c-Kit, FLT3, and Ras gene mutations in core binding factor acute myeloid leukemia (CBF-AML). <i>Leukemia</i> , 2006, 20, 965-970.	3.3	340
8	Methylation of the p15INK4b Gene in Myelodysplastic Syndromes Is Frequent and Acquired During Disease Progression. <i>Blood</i> , 1998, 91, 2985-2990.	0.6	337
9	Luspatercept in Patients with Lower-Risk Myelodysplastic Syndromes. <i>New England Journal of Medicine</i> , 2020, 382, 140-151.	13.9	335
10	TET2 mutation is an independent favorable prognostic factor in myelodysplastic syndromes (MDSs). <i>Blood</i> , 2009, 114, 3285-3291.	0.6	264
11	CHOP Alone Compared With CHOP Plus Radiotherapy for Localized Aggressive Lymphoma in Elderly Patients: A Study by the Groupe d'Étude des Lymphomes de l'Adulte. <i>Journal of Clinical Oncology</i> , 2007, 25, 787-792.	0.8	239
12	TET2 gene mutation is a frequent and adverse event in chronic myelomonocytic leukemia. <i>Haematologica</i> , 2009, 94, 1676-1681.	1.7	234
13	Mutations of IDH1 and IDH2 genes in early and accelerated phases of myelodysplastic syndromes and MDS/myeloproliferative neoplasms. <i>Leukemia</i> , 2010, 24, 1094-1096.	3.3	225
14	MYD88 L265P mutation in Waldenstrom macroglobulinemia. <i>Blood</i> , 2013, 121, 4504-4511.	0.6	214
15	Characteristic repartition of monocyte subsets as a diagnostic signature of chronic myelomonocytic leukemia. <i>Blood</i> , 2015, 125, 3618-3626.	0.6	197
16	Shortened First-Line High-Dose Chemotherapy for Patients With Poor-Prognosis Aggressive Lymphoma. <i>Journal of Clinical Oncology</i> , 2002, 20, 2472-2479.	0.8	194
17	Prognostic Impact of Isocitrate Dehydrogenase Enzyme Isoforms 1 and 2 Mutations in Acute Myeloid Leukemia: A Study by the Acute Leukemia French Association Group. <i>Journal of Clinical Oncology</i> , 2010, 28, 3717-3723.	0.8	189
18	Mutation allele burden remains unchanged in chronic myelomonocytic leukaemia responding to hypomethylating agents. <i>Nature Communications</i> , 2016, 7, 10767.	5.8	177

#	ARTICLE	IF	CITATIONS
19	Therapy-related acute myeloid leukemia with t(8;21), inv(16), and t(8;16): a report on 25 cases and review of the literature.. Journal of Clinical Oncology, 1993, 11, 2370-2379.	0.8	173
20	Eprenetapopt Plus Azacitidine in <i>TP53</i> -Mutated Myelodysplastic Syndromes and Acute Myeloid Leukemia: A Phase II Study by the Groupe Francophone des Myéodysplasies (GFM). Journal of Clinical Oncology, 2021, 39, 1575-1583.	0.8	169
21	In a model of tumor dormancy, long-term persistent leukemic cells have increased B7-H1 and B7.1 expression and resist CTL-mediated lysis. Blood, 2004, 104, 2124-2133.	0.6	156
22	Extramedullary relapse in acute promyelocytic leukemia treated with all-trans retinoic acid and chemotherapy. Leukemia, 2006, 20, 35-41.	3.3	149
23	In acute myeloid leukemia, B7-H1 (PD-L1) protection of blasts from cytotoxic T cells is induced by TLR ligands and interferon-gamma and can be reversed using MEK inhibitors. Cancer Immunology, Immunotherapy, 2010, 59, 1839-1849.	2.0	143
24	Combined cytotoxic chemotherapy and immunotherapy of cancer: modern times. NAR Cancer, 2020, 2, zcaa002.	1.6	142
25	Treatment of progression of Philadelphia-negative myeloproliferative neoplasms to myelodysplastic syndrome or acute myeloid leukemia by azacitidine: a report on 54 cases on the behalf of the Groupe Francophone des Myelodysplasies (GFM). Blood, 2010, 116, 3735-3742.	0.6	141
26	Acute Myeloid Leukemia With Translocation (8;21) or Inversion (16) in Elderly Patients Treated With Conventional Chemotherapy: A Collaborative Study of the French CBF-AML Intergroup. Journal of Clinical Oncology, 2009, 27, 4747-4753.	0.8	123
27	Incidence and prognostic value of TET2 alterations in de novo acute myeloid leukemia achieving complete remission. Blood, 2010, 116, 1132-1135.	0.6	121
28	NK cells that are activated by CXCL10 can kill dormant tumor cells that resist CTL-mediated lysis and can express B7-H1 that stimulates T cells. Blood, 2005, 105, 2428-2435.	0.6	112
29	Molecular characterization of the idiopathic hypereosinophilic syndrome (HES) in 35 French patients with normal conventional cytogenetics. Leukemia, 2005, 19, 792-798.	3.3	108
30	RIP3 is downregulated in human myeloid leukemia cells and modulates apoptosis and caspase-mediated p65/RelA cleavage. Cell Death and Disease, 2014, 5, e1384-e1384.	2.7	105
31	Genomic Landscape of <i>CXCR4</i> Mutations in Waldenström Macroglobulinemia. Clinical Cancer Research, 2016, 22, 1480-1488.	3.2	102
32	Methylation of the p15(INK4b) gene in myelodysplastic syndromes is frequent and acquired during disease progression. Blood, 1998, 91, 2985-90.	0.6	96
33	<i>IDH1/2</i> but not <i>DNMT3A</i> mutations are suitable targets for minimal residual disease monitoring in acute myeloid leukemia patients: a study by the Acute Leukemia French Association. Oncotarget, 2015, 6, 42345-42353.	0.8	92
34	Indoleamine 2,3-dioxygenase activity of acute myeloid leukemia cells can be measured from patients' sera by HPLC and is inducible by IFN- γ . Leukemia Research, 2009, 33, 490-494.	0.4	91
35	Azacitidine in untreated acute myeloid leukemia: A report on 149 patients. American Journal of Hematology, 2014, 89, 410-416.	2.0	91
36	Targeting MYC in multiple myeloma. Leukemia, 2018, 32, 1295-1306.	3.3	89

#	ARTICLE	IF	CITATIONS
37	Tumor dormancy and immunoescape. <i>Apmis</i> , 2008, 116, 685-694.	0.9	86
38	p16 INK4a and p15 INK4b gene methylations in plasma cells from monoclonal gammopathy of undetermined significance. <i>Blood</i> , 2001, 98, 244-246.	0.6	77
39	Effect of priming with granulocyte macrophage colony-stimulating factor in younger adults with newly diagnosed acute myeloid leukemia: a trial by the Acute Leukemia French Association (ALFA) Group. <i>Leukemia</i> , 2007, 21, 453-461.	3.3	74
40	Phase I Population Pharmacokinetic Assessment of the Oral Bromodomain Inhibitor OTX015 in Patients with Haematologic Malignancies. <i>Clinical Pharmacokinetics</i> , 2016, 55, 397-405.	1.6	72
41	How should we diagnose and treat blastic plasmacytoid dendritic cell neoplasm patients?. <i>Blood Advances</i> , 2019, 3, 4238-4251.	2.5	72
42	MYD88 L265P mutation contributes to the diagnosis of Bing Neel syndrome. <i>British Journal of Haematology</i> , 2014, 167, 506-513.	1.2	71
43	Glucose metabolism and NRF2 coordinate the antioxidant response in melanoma resistant to MAPK inhibitors. <i>Cell Death and Disease</i> , 2018, 9, 325.	2.7	71
44	Superior Long-Term Outcome With Idarubicin Compared With High-Dose Daunorubicin in Patients With Acute Myeloid Leukemia Age 50 Years and Older. <i>Journal of Clinical Oncology</i> , 2013, 31, 321-327.	0.8	68
45	High occurrence of JAK2 V617 mutation in refractory anemia with ringed sideroblasts associated with marked thrombocytosis. <i>Leukemia</i> , 2006, 20, 2067-2070.	3.3	64
46	TP53 Mutation and Its Prognostic Significance in Waldenström's Macroglobulinemia. <i>Clinical Cancer Research</i> , 2017, 23, 6325-6335.	3.2	64
47	APR-246 Combined with Azacitidine (AZA) in TP53 Mutated Myelodysplastic Syndrome (MDS) and Acute Myeloid Leukemia (AML). a Phase 2 Study By the Groupe Francophone Des Myélocytoses (GFM). <i>Blood</i> , 2019, 134, 677-677.	0.6	62
48	Detection of p53 mutations in hematological malignancies: comparison between immunocytochemistry and DNA analysis. <i>Leukemia</i> , 1994, 8, 1342-9.	3.3	61
49	Over-expression of the MDM2 gene is found in some cases of haematological malignancies. <i>British Journal of Haematology</i> , 1994, 88, 415-418.	1.2	60
50	Mitochondrial oxidative phosphorylation controls cancer cell's life and death decisions upon exposure to MAPK inhibitors. <i>Oncotarget</i> , 2016, 7, 39473-39485.	0.8	58
51	Increased gene transfer in acute myeloid leukemic cells by an adenovirus vector containing a modified fiber protein. <i>Gene Therapy</i> , 1999, 6, 314-320.	2.3	57
52	β -Ray irradiation induces B7.1 expression in myeloid leukaemic cells. <i>British Journal of Haematology</i> , 2000, 108, 825-831.	1.2	57
53	The PI3K/AKT Signaling Pathway Controls the Quiescence of the Low-Rhodamine123-Retention Cell Compartment Enriched for Melanoma Stem Cell Activity. <i>Stem Cells</i> , 2013, 31, 641-651.	1.4	57
54	The Medalist Trial: Results of a Phase 3, Randomized, Double-Blind, Placebo-Controlled Study of Luspatercept to Treat Anemia in Patients with Very Low-, Low-, or Intermediate-Risk Myelodysplastic Syndromes (MDS) with Ring Sideroblasts (RS) Who Require Red Blood Cell (RBC) Transfusions. <i>Blood</i> , 2018, 132, 1-1.	0.6	57

#	ARTICLE	IF	CITATIONS
55	PD-1/PD-L1 binding studies using microscale thermophoresis. <i>Scientific Reports</i> , 2017, 7, 17623.	1.6	56
56	Soluble Programmed Death Ligand-1 (sPD-L1): A Pool of Circulating Proteins Implicated in Health and Diseases. <i>Cancers</i> , 2021, 13, 3034.	1.7	56
57	Accumulation of classical monocytes defines a subgroup of MDS that frequently evolves into CMML. <i>Blood</i> , 2017, 130, 832-835.	0.6	55
58	Cytosine arabinoside induces costimulatory molecule expression in acute myeloid leukemia cells. <i>Leukemia</i> , 2004, 18, 1223-1230.	3.3	54
59	MDM2 gene amplification in human breast cancer. <i>European Journal of Cancer</i> , 1994, 30, 982-984.	1.3	53
60	Inhibiting the oncogenic translation program is an effective therapeutic strategy in multiple myeloma. <i>Science Translational Medicine</i> , 2017, 9, .	5.8	53
61	Comparison of high-dose cytarabine and timed-sequential chemotherapy as consolidation for younger adults with AML in first remission: the ALFA-9802 study. <i>Blood</i> , 2011, 118, 1754-1762.	0.6	52
62	P15 ^{INK4b} Gene Methylation and Myelodysplastic Syndromes. <i>Leukemia and Lymphoma</i> , 1999, 35, 437-443.	0.6	51
63	Infectious complications in adult acute myeloid leukemia: analysis of the Acute Leukemia French Association-9802 prospective multicenter clinical trial. <i>Leukemia and Lymphoma</i> , 2012, 53, 1068-1076.	0.6	50
64	The revised IPSS is a powerful tool to evaluate the outcome of MDS patients treated with azacitidine: the GFM experience. <i>Blood</i> , 2012, 120, 5084-5085.	0.6	50
65	Exploiting Mitochondrial Dysfunction for Effective Elimination of Imatinib-Resistant Leukemic Cells. <i>PLoS ONE</i> , 2011, 6, e21924.	1.1	49
66	Outcome of acute myeloid leukaemia following myelodysplastic syndrome after azacitidine treatment failure. <i>British Journal of Haematology</i> , 2012, 157, 764-766.	1.2	49
67	Outcome of older patients with acute myeloid leukemia in first relapse. <i>American Journal of Hematology</i> , 2013, 88, 758-764.	2.0	49
68	Deregulation and Targeting of TP53 Pathway in Multiple Myeloma. <i>Frontiers in Oncology</i> , 2018, 8, 665.	1.3	47
69	Dormant Tumor Cells Develop Cross-Resistance to Apoptosis Induced by CTLs or Imatinib Mesylate via Methylation of Suppressor of Cytokine Signaling 1. <i>Cancer Research</i> , 2007, 67, 4491-4498.	0.4	46
70	Outcome of patients with high risk Myelodysplastic Syndrome (MDS) and advanced Chronic Myelomonocytic Leukemia (CMML) treated with decitabine after azacitidine failure. <i>Leukemia Research</i> , 2015, 39, 501-504.	0.4	46
71	Gene transfer of CD154 and IL12 cDNA induces an anti-leukemic immunity in a murine model of acute leukemia. <i>Leukemia</i> , 2002, 16, 1637-1644.	3.3	45
72	Azacitidine in the treatment of therapy related myelodysplastic syndrome and acute myeloid leukemia (tMDS/AML): A report on 54 patients by the Groupe Francophone Des Myelodysplasies (GFM). <i>Leukemia Research</i> , 2013, 37, 637-640.	0.4	45

#	ARTICLE	IF	CITATIONS
73	Genome wide SNP array identified multiple mechanisms of genetic changes in Waldenstrom macroglobulinemia. <i>American Journal of Hematology</i> , 2013, 88, 948-954.	2.0	45
74	Alpha-defensins secreted by dysplastic granulocytes inhibit the differentiation of monocytes in chronic myelomonocytic leukemia. <i>Blood</i> , 2010, 115, 78-88.	0.6	44
75	Efficacy of autologous stem cell transplantation in mantle cell lymphoma: a 3-year follow-up study. <i>Bone Marrow Transplantation</i> , 2000, 25, 251-256.	1.3	43
76	Transduction of Bone Marrow Cells by the AdZ.F(pK7) Modified Adenovirus Demonstrates Preferential Gene Transfer in Myeloma Cells. <i>Human Gene Therapy</i> , 1999, 10, 2709-2717.	1.4	42
77	Gene transfer of GM-CSF, CD80 and CD154 cDNA enhances survival in a murine model of acute leukemia with persistence of a minimal residual disease. <i>Gene Therapy</i> , 2000, 7, 1312-1316.	2.3	42
78	BCR-ABL mutants spread resistance to non-mutated cells through a paracrine mechanism. <i>Leukemia</i> , 2008, 22, 791-799.	3.3	41
79	Positive Impact of Iron Chelation Therapy (CT) on Survival in Regularly Transfused MDS Patients. A Prospective Analysis by the GFM. <i>Blood</i> , 2007, 110, 249-249.	0.6	41
80	Activity of elaeoichytrin A from <i>Ferula elaeoichytris</i> on leukemia cell lines. <i>Phytochemistry</i> , 2008, 69, 2979-2983.	1.4	40
81	Tissue Factor Pathway Inhibitor-2 gene methylation is associated with low expression in carotid atherosclerotic plaques. <i>Atherosclerosis</i> , 2009, 204, e4-e14.	0.4	40
82	GILZ inhibits the mTORC2/AKT pathway in BCR-ABL+ cells. <i>Oncogene</i> , 2012, 31, 1419-1430.	2.6	40
83	Inactivation of the retinoblastoma gene appears to be very uncommon in myelodysplastic syndromes. <i>British Journal of Haematology</i> , 1994, 87, 61-67.	1.2	38
84	Dormant tumor cells as a therapeutic target?. <i>Cancer Letters</i> , 2008, 267, 10-17.	3.2	38
85	Pathologic and Clinical Features of 77 Hodgkin's Lymphoma Patients Treated in a Lymphoma Protocol (LNH87). <i>American Journal of Surgical Pathology</i> , 2001, 25, 297-306.	2.1	37
86	Analysis of p16 gene deletion and point mutation in breast carcinoma. <i>British Journal of Cancer</i> , 1995, 72, 351-353.	2.9	36
87	CD38 in Hairy Cell Leukemia Is a Marker of Poor Prognosis and a New Target for Therapy. <i>Cancer Research</i> , 2015, 75, 3902-3911.	0.4	36
88	Familial myeloid malignancies with germline TET2 mutation. <i>Leukemia</i> , 2020, 34, 1450-1453.	3.3	36
89	Prognostic significance of monosomal karyotype in higher risk myelodysplastic syndrome treated with azacitidine. <i>Leukemia</i> , 2011, 25, 1207-1209.	3.3	35
90	A subpopulation of malignant CD34+CD138+B7-H1+ plasma cells is present in multiple myeloma patients. <i>Experimental Hematology</i> , 2010, 38, 124-131.e4.	0.2	34

#	ARTICLE	IF	CITATIONS
91	Copy-number analysis identified new prognostic marker in acute myeloid leukemia. <i>Leukemia</i> , 2017, 31, 555-564.	3.3	34
92	Long-term outcome of higher-risk MDS patients treated with azacitidine: an update of the GFM compassionate program cohort. <i>Blood</i> , 2012, 119, 6172-6173.	0.6	33
93	Outcomes in RBC transfusion-dependent patients with low-intermediate-risk myelodysplastic syndromes with isolated deletion 5q treated with lenalidomide: a subset analysis from the MDS-004 study. <i>European Journal of Haematology</i> , 2014, 93, 429-438.	1.1	32
94	B7H3 protein expression in acute myeloid leukemia. <i>Cancer Medicine</i> , 2015, 4, 1879-1883.	1.3	32
95	The Retinoblastoma Gene (RB-1) Status in Multiple Myeloma: A Report on 35 Cases. <i>Leukemia and Lymphoma</i> , 1995, 18, 497-503.	0.6	30
96	Long-term follow-up of European APL 2000 trial, evaluating the role of cytarabine combined with ATRA and Daunorubicin in the treatment of nonelderly APL patients. <i>American Journal of Hematology</i> , 2013, 88, 556-559.	2.0	30
97	Impact of Wilms' tumor 1 expression on outcome of patients undergoing allogeneic stem cell transplantation for AML. <i>Bone Marrow Transplantation</i> , 2017, 52, 539-543.	1.3	30
98	Metabolites of tryptophan catabolism are elevated in sera of patients with myelodysplastic syndromes and inhibit hematopoietic progenitor amplification. <i>Leukemia Research</i> , 2013, 37, 573-579.	0.4	29
99	TRPC3 shapes the ER-mitochondria Ca ²⁺ transfer characterizing tumour-promoting senescence. <i>Nature Communications</i> , 2022, 13, 956.	5.8	29
100	Synthesis and biological evaluation of phenstatin metabolites. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 6042-6054.	1.4	28
101	Administration of alemtuzumab and G-CSF to adults with relapsed or refractory acute lymphoblastic leukemia: results of a phase II study. <i>European Journal of Haematology</i> , 2013, 91, 315-321.	1.1	28
102	p16INK4a immunocytochemical analysis is an independent prognostic factor in childhood acute lymphoblastic leukemia. <i>Blood</i> , 2002, 99, 2620-2623.	0.6	27
103	Activity of Ladanein on Leukemia Cell Lines and Its Occurrence in <i>Marrubium vulgare</i> . <i>Planta Medica</i> , 2010, 76, 86-87.	0.7	27
104	CD9 in acute myeloid leukemia: Prognostic role and usefulness to target leukemic stem cells. <i>Cancer Medicine</i> , 2019, 8, 1279-1288.	1.3	27
105	A Phase 1 Study of the BET-Bromodomain Inhibitor OTX015 in Patients with Advanced Acute Leukemia. <i>Blood</i> , 2014, 124, 117-117.	0.6	27
106	p16 ^{ink4a} Gene and Hematological Malignancies. <i>Leukemia and Lymphoma</i> , 1996, 22, 11-24.	0.6	26
107	Melanoma dormancy in a mouse model is linked to GILZ/FOXO3A-dependent quiescence of disseminated stem-like cells. <i>Scientific Reports</i> , 2016, 6, 30405.	1.6	25
108	Randomized Phase 2 Trial of Lirilumab (anti-KIR monoclonal antibody, mAb) As Maintenance Treatment in Elderly Patients (pts) with Acute Myeloid Leukemia (AML): Results of the Effikir Trial. <i>Blood</i> , 2017, 130, 889-889.	0.6	25

#	ARTICLE	IF	CITATIONS
109	Antifungal and Cytotoxic Activity of Withanolides from <i>Acnistus arborescens</i> . Journal of Natural Products, 2010, 73, 1313-1317.	1.5	24
110	Clinico-Biological Features and Clonal Hematopoiesis in Patients with Severe COVID-19. Cancers, 2020, 12, 1992.	1.7	24
111	Different prognostic values of p15(INK4b) and p16(INK4a) gene methylations in multiple myeloma. Haematologica, 2003, 88, 476-8.	1.7	24
112	Abstract CT231: BET-bromodomain inhibitor OTX015 shows clinically meaningful activity at nontoxic doses: interim results of an ongoing phase I trial in hematologic malignancies. Cancer Research, 2014, 74, CT231-CT231.	0.4	23
113	Transfer of p16 inka /CDKN2 gene in leukaemic cell lines inhibits cell proliferation. British Journal of Haematology, 1996, 95, 291-298.	1.2	22
114	Linezolid induces ring sideroblasts. Haematologica, 2013, 98, e138-e140.	1.7	21
115	Monocyte chemoattractant protein 1 (MCP1/CCL2) contributes to thymus atrophy in acute myeloid leukemia. European Journal of Immunology, 2015, 45, 396-406.	1.6	21
116	Long Term Follow-up and Combined Phase 2 Results of Eprenetapopt (APR-246) and Azacitidine (AZA) in Patients with TP53 mutant Myelodysplastic Syndromes (MDS) and Oligoblastic Acute Myeloid Leukemia (AML). Blood, 2021, 138, 246-246.	0.6	21
117	SOCS-1 gene methylation is frequent but does not appear to have prognostic value in patients with multiple myeloma. Leukemia, 2003, 17, 1678-1679.	3.3	20
118	Tetraspanin CD81 is an adverse prognostic marker in acute myeloid leukemia. Oncotarget, 2016, 7, 62377-62385.	0.8	20
119	<i>c-mpl</i> Expression in Hematologic Disorders. Leukemia and Lymphoma, 1995, 17, 19-26.	0.6	19
120	Influence of chimeric human-bovine fibers on adenoviral uptake by liver cells and the antiviral immune response. Gene Therapy, 2010, 17, 880-891.	2.3	19
121	β -Irradiation enhances transgene expression in leukemic cells. Gene Therapy, 2003, 10, 227-233.	2.3	18
122	Effectiveness and tolerance of low to very low dose thalidomide in low-risk myelodysplastic syndromes. Leukemia Research, 2009, 33, 547-550.	0.4	18
123	Daily practice management of myelodysplastic syndromes in France: data from 907 patients in a one-week cross-sectional study by the Groupe Francophone des Myelodysplasies. Haematologica, 2010, 95, 892-899.	1.7	18
124	Discontinuation of antimicrobial therapy in adult neutropenic haematology patients: A prospective cohort. International Journal of Antimicrobial Agents, 2019, 53, 781-788.	1.1	18
125	Relationship between p53 gene mutations and multidrug resistance (<i>mdr1</i>) gene expression in myelodysplastic syndromes. Leukemia, 1993, 7, 1888-90.	3.3	18
126	Correspondence. Leukemia Research, 1999, 23, 415-416.	0.4	17

#	ARTICLE	IF	CITATIONS
127	Three new cases of non-Hodgkin lymphoma with t(9;14)(p13;q32). <i>Cancer Genetics and Cytogenetics</i> , 2003, 145, 65-69.	1.0	17
128	Genomic characterization of Imatinib resistance in CD34+ cell populations from chronic myeloid leukaemia patients. <i>Leukemia Research</i> , 2011, 35, 448-458.	0.4	17
129	GILZ overexpression attenuates endoplasmic reticulum stress-mediated cell death via the activation of mitochondrial oxidative phosphorylation. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 513-520.	1.0	16
130	Molecular prognostic factors in acute myeloid leukemia receiving first-line therapy with azacitidine. <i>Leukemia</i> , 2016, 30, 1416-1418.	3.3	16
131	No Role for Chemoradiotherapy When Compared with Chemotherapy Alone in Elderly Patients with Localized Low Risk Aggressive Lymphoma: Final Results of the LNH93-4 GELA Study.. <i>Blood</i> , 2005, 106, 15-15.	0.6	16
132	An 18-case outbreak of drug-resistant <i>Pseudomonas aeruginosa</i> bacteriemia in hematology patients. <i>Haematologica</i> , 2006, 91, 1134-8.	1.7	16
133	Allogeneic bone marrow transplantation in patients with follicular lymphoma: a single center study. <i>Bone Marrow Transplantation</i> , 2002, 30, 229-234.	1.3	15
134	Tandem autotransplant as first-line consolidative treatment in poor-risk aggressive lymphoma: A pilot study of 36 patients. <i>Annals of Oncology</i> , 2001, 12, 1749-1755.	0.6	14
135	Expression of CD34 in hematopoietic cancer cell lines reflects tightly regulated stem/progenitor-like state. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 1277-1285.	1.2	14
136	Inherited transmission of the CSF3R T618I mutational hotspot in familial chronic neutrophilic leukemia. <i>Blood</i> , 2019, 134, 2414-2416.	0.6	14
137	Multiple myeloma: all roads lead to cyclin D. <i>Blood</i> , 2005, 106, 1-2.	0.6	13
138	Successful treatment of imatinib-resistant acute megakaryoblastic leukemia with e6a2 BCR/ABL: use of dasatinib and reduced-conditioning stem-cell transplantation. <i>Leukemia</i> , 2007, 21, 2376-2377.	3.3	13
139	CAR T-cells: A John von Neumann legacy?. <i>Current Research in Translational Medicine</i> , 2018, 66, 35-36.	1.2	13
140	Azacitidine (AZA) as First Line Therapy in AML: Results of the French ATU Program.. <i>Blood</i> , 2009, 114, 843-843.	0.6	13
141	Prolonged Survival without Complete Remission (CR) In AML Patients (Pts) Treated with Azacitidine (AZA). <i>Blood</i> , 2010, 116, 2183-2183.	0.6	13
142	Phase II study of 3-hour infusion of high dose paclitaxel in refractory and relapsed aggressive non-Hodgkin's lymphomas. <i>Groupe d'Etude des Lymphomes de l'Adulte. Haematologica</i> , 2000, 85, 502-7.	1.7	13
143	Acute Myocarditis Induced by Hypomethylating Agents. <i>Journal of Clinical Oncology</i> , 2011, 29, e411-e412.	0.8	12
144	Tumor Dormancy: Long-Term Survival in a Hostile Environment. <i>Advances in Experimental Medicine and Biology</i> , 2013, 734, 181-200.	0.8	12

#	ARTICLE	IF	CITATIONS
145	5LBA Results of a first-in-man phase I trial assessing OTX015, an orally available BET-bromodomain (BRD) inhibitor, in advanced hematologic malignancies. <i>European Journal of Cancer</i> , 2014, 50, 196.	1.3	12
146	Absolute Quantification of EVI1 Overexpression in Acute Myeloid Leukemia By RQ-PCR Analysis : A Study of the ALFA Group. <i>Blood</i> , 2014, 124, 1062-1062.	0.6	12
147	Absence of rearrangement of the neurofibromatosis 1 (NF1) gene in myelodysplastic syndromes and acute myeloid leukemia. <i>Leukemia</i> , 1994, 8, 878-80.	3.3	12
148	Abnormal Cytogenetics and Significant Bone Marrow Plasmacytosis are Predictive of Early Progression and Short Survival in Patients with Low Tumor Mass Asymptomatic Multiple Myeloma. <i>Leukemia and Lymphoma</i> , 2004, 45, 2481-2484.	0.6	11
149	Isolation and characterization of two canine melanoma cell lines: new models for comparative oncology. <i>BMC Cancer</i> , 2018, 18, 1219.	1.1	11
150	Pyrazolones as inhibitors of immune checkpoint blocking the PD-1/PD-L1 interaction. <i>European Journal of Medicinal Chemistry</i> , 2022, 236, 114343.	2.6	11
151	Cancer vaccines and tumor dormancy: a long-term struggle between host antitumor immunity and persistent cancer cells?. <i>Expert Review of Vaccines</i> , 2006, 5, 773-781.	2.0	10
152	Humulane and Germacrane Sesquiterpenes from <i>Ferula lycia</i> . <i>Journal of Natural Products</i> , 2010, 73, 780-783.	1.5	10
153	Metabolic rewiring in cancer cells overexpressing the glucocorticoid-induced leucine zipper protein (GILZ): Activation of mitochondrial oxidative phosphorylation and sensitization to oxidative cell death induced by mitochondrial targeted drugs. <i>International Journal of Biochemistry and Cell Biology</i> , 2017, 85, 166-174.	1.2	10
154	Presence of TET2 Mutation Predicts A Higher Response Rate to Azacitidine In MDS and AML Post MDS. <i>Blood</i> , 2010, 116, 439-439.	0.6	10
155	Measurement of Protein-Protein Interactions through Microscale Thermophoresis (MST). <i>Bio-protocol</i> , 2020, 10, e3574.	0.2	10
156	In vivo expression and antitumor activity of p53 gene transfer with naked plasmid DNA in an ovarian cancer xenograft model in nude mice. <i>Journal of Obstetrics and Gynaecology Research</i> , 2006, 32, 449-453.	0.6	9
157	A fiber-modified adenoviral vector interacts with immunoevasion molecules of the B7 family at the surface of murine leukemia cells derived from dormant tumors. <i>Molecular Cancer</i> , 2011, 10, 105.	7.9	9
158	Outcome of treatment after first relapse in younger adults with acute myeloid leukemia initially treated by the ALFA-9802 trial. <i>Leukemia Research</i> , 2012, 36, 1112-1118.	0.4	9
159	Involvement of a common progenitor cell in core binding factor acute myeloid leukaemia associated with mastocytosis. <i>Leukemia Research</i> , 2012, 36, 1330-1333.	0.4	9
160	Quantification of EVI1 transcript levels in acute myeloid leukemia by RT-qPCR analysis: A study by the ALFA Group. <i>Leukemia Research</i> , 2015, 39, 1443-1447.	0.4	9
161	Haemodynamically proven pulmonary hypertension in a patient with GATA2 deficiency-associated pulmonary alveolar proteinosis and fibrosis. <i>European Respiratory Journal</i> , 2017, 49, 1700178.	3.1	9
162	A Randomized Phase II Study of Azacitidine (AZA) Alone or with Lenalidomide (LEN), Valproic Acid (VPA) or Idarubicin (IDA) in Higher-Risk MDS: Gfm's 'pick a Winner' Trial. <i>Blood</i> , 2018, 132, 467-467.	0.6	9

#	ARTICLE	IF	CITATIONS
163	Prognostic significance of p16INK4a immunocytochemistry in adult ALL with standard risk karyotype. <i>Leukemia</i> , 2001, 15, 1054-1059.	3.3	8
164	A case of refractory anemia with 17pâ syndrome following azathioprine treatment for heart transplantation. <i>Leukemia</i> , 2004, 18, 878-878.	3.3	8
165	Efficient generation of antileukemic autologous T cells by short-term culture and γ -irradiation of myeloid leukemic cells. <i>Cancer Immunology, Immunotherapy</i> , 2004, 53, 793-8.	2.0	8
166	Induction of leukemia-specific CD8+ cytotoxic t cells with autologous myeloid leukemic cells matured with a fiber-modified adenovirus encoding TNF- α . <i>Molecular Therapy</i> , 2005, 11, 950-959.	3.7	8
167	Repression of the RHOH gene by JunD. <i>Biochemical Journal</i> , 2011, 437, 75-88.	1.7	8
168	Acute Myeloid Leukemia: Is It T Time?. <i>Cancers</i> , 2021, 13, 2385.	1.7	8
169	Rare occurrence of mutations of the FLR exon of the neurofibromatosis 1 (NF1) gene in myelodysplastic syndromes (MDS) and acute myeloid leukemia (AML). <i>Leukemia</i> , 1993, 7, 1071.	3.3	8
170	Primary Central Nervous System Lymphoma in Immunocompetent Adults: Poor Results Mainly Associated with High Treatment Related Toxicities. <i>Leukemia and Lymphoma</i> , 2002, 43, 1819-1822.	0.6	7
171	Short-term culture of myeloid leukemic cells allows efficient transduction by adenoviral vectors. <i>Journal of Gene Medicine</i> , 2004, 6, 751-759.	1.4	7
172	Long-term follow up of invasive aspergillosis in allogeneic stem cell transplantation recipients and leukemia patients: Differences in risk factors and outcomes. <i>Current Research in Translational Medicine</i> , 2017, 65, 77-81.	1.2	7
173	Flow Cytometry to Estimate Leukemia Stem Cells in Primary Acute Myeloid Leukemia and in Patient-derived-xenografts, at Diagnosis and Follow Up. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	7
174	Modulation of the Gal-9/TIM-3 Immune Checkpoint with α -Lactose. Does Anomery of Lactose Matter?. <i>Cancers</i> , 2021, 13, 6365.	1.7	7
175	Drug Repurposing to Enhance Antitumor Response to PD-1/PD-L1 Immune Checkpoint Inhibitors. <i>Cancers</i> , 2022, 14, 3368.	1.7	7
176	Acute myeloid leukemia synchronous with multiple myeloma successfully treated by azacytidine/lenalidomide and daratumumab without a decrease in myeloid clone size. <i>Leukemia Research Reports</i> , 2020, 13, 100202.	0.2	6
177	Improved survival with enasidenib versus standard of care in relapsed/refractory acute myeloid leukemia associated with IDH2 mutations using historical data and propensity score matching analysis. <i>Cancer Medicine</i> , 2021, 10, 6336-6343.	1.3	6
178	Methylation and myelodysplastic syndromes: When and where?. <i>Leukemia Research</i> , 2006, 30, 1327-1329.	0.4	5
179	Comprehensive molecular landscape in patients older than 80 years old diagnosed with acute myeloid leukemia: A study of the French Hauts-de-France AML observatory. <i>American Journal of Hematology</i> , 2019, 94, E24-E27.	2.0	5
180	Aggressiveness Potential of Spontaneous Canine Mucosal Melanoma Can Dictate Distinct Cancer Stem Cell Compartment Behaviors in Regard to Their Initial Size and Expansion Abilities. <i>Stem Cells and Development</i> , 2020, 29, 919-928.	1.1	5

#	ARTICLE	IF	CITATIONS
181	Factors affecting hematopoietic recovery after autologous peripheral blood progenitor-cell transplantation in aggressive non-Hodgkin's lymphoma: a prospective study of 123 patients. <i>The Hematology Journal</i> , 2001, 2, 81-86.	2.0	5
182	Azacytidine in Refractory or Relapsed AML After Intensive Chemotherapy (IC): Results of the French ATU Program.. <i>Blood</i> , 2009, 114, 1054-1054.	0.6	5
183	Role of IRF4 in resistance to immunomodulatory (IMiD) compounds in Waldenström's macroglobulinemia. <i>Oncotarget</i> , 2017, 8, 112917-112927.	0.8	5
184	Involvement of ORAI1/SOCE in Human AML Cell Lines and Primary Cells According to ABCB1 Activity, LSC Compartment and Potential Resistance to Ara-C Exposure. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5555.	1.8	5
185	Modelling a regional reorganization of cardiovascular surgery provision. <i>Health and Place</i> , 2005, 11, 283-292.	1.5	4
186	MEK inhibitor: the MM magic bullet?. <i>Blood</i> , 2007, 110, 1402-1403.	0.6	4
187	Clinical Relevance of Cardiac Iron Overload Estimated by MRI T2* in Regularly Transfused Low Risk MDS.. <i>Blood</i> , 2006, 108, 2666-2666.	0.6	4
188	Association of TET2 Alterations with NPM1 Mutations and Prognostic Value in De Novo Acute Myeloid Leukemia (AML).. <i>Blood</i> , 2009, 114, 163-163.	0.6	4
189	Treatment With Decitabine (DAC) After Azacitidine (AZA) Failure In High Risk Myelodysplastic Syndrome (MDS) and Advanced Chronic Myelomonocytic Leukemia (CMML). <i>Blood</i> , 2013, 122, 2796-2796.	0.6	4
190	De Novo and Secondary Acute Myeloid Leukemia, Real World Data on Outcomes from the French Nord-Pas-De-Calais Picardie Acute Myeloid Leukemia Observatory. <i>Blood</i> , 2016, 128, 4013-4013.	0.6	4
191	Single-agent 5-azacytidine as post-transplant maintenance in high-risk myeloid malignancies undergoing allogeneic hematopoietic cell transplantation. <i>Annals of Hematology</i> , 2022, 101, 1321-1331.	0.8	4
192	Systemic Pulmonary Events Associated with Myelodysplastic Syndromes: A Retrospective Multicentre Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1162.	1.0	3
193	Response to Azacytidine (AZA) in MDS or AML with Del 5q : Current Results of the French ATU Program. <i>Blood</i> , 2008, 112, 2682-2682.	0.6	3
194	Azacytidine (AZA) in MDS (including RAEB-t and CMML) in Patients (pts) ≥ 80 Years: Results of the French ATU Program.. <i>Blood</i> , 2009, 114, 1773-1773.	0.6	3
195	FAS Gene Expression Is Epigenetically Regulated and Predicts the Responsiveness to Azacitidine In High-Risk Myelodysplastic Syndromes. <i>Blood</i> , 2010, 116, 232-232.	0.6	3
196	Myeloid-Derived Suppressive Cells Belonging to the Leukemic Clone Account for Immunosuppression In CMML. <i>Blood</i> , 2010, 116, 3997-3997.	0.6	3
197	Arsenic Trioxide (ATO) In the Consolidation Treatment of Newly Diagnosed APL - First Interim Analysis of a Randomized Trial (APL 2006) by the French Belgian Swiss APL Group. <i>Blood</i> , 2010, 116, 505-505.	0.6	3
198	Revised-IPSS (IPSS-R) Is a Powerful Tool to Evaluate the Outcome of MDS Patient Treated with Azacitidine (AZA): The Groupe Francophone Des Myelodysplasies (GFM) Experience. <i>Blood</i> , 2012, 120, 422-422.	0.6	3

#	ARTICLE	IF	CITATIONS
199	ANTIMETABOLIC COOPERATIVITY WITH THE CLINICALLY-APPROVED L-ASPARAGINASE AND TYROSINE KINASE INHIBITORS TO ERADICATE CML STEM CELLS. <i>Molecular Metabolism</i> , 2021, 55, 101410.	3.0	3
200	Pairing cells of different sizes in a microfluidic device for immunological synapse monitoring. <i>Lab on A Chip</i> , 2022, 22, 908-920.	3.1	3
201	Put in a "Ca ²⁺ " to Acute Myeloid Leukemia. <i>Cells</i> , 2022, 11, 543.	1.8	3
202	p65/RelA NF- κ B fragments generated by RIPK3 activity regulate tumorigenicity, cell metabolism, and stemness characteristics. <i>Journal of Cellular Biochemistry</i> , 2022, 123, 543-556.	1.2	3
203	Clinically Relevant Oxygraphic Assay to Assess Mitochondrial Energy Metabolism in Acute Myeloid Leukemia Patients. <i>Cancers</i> , 2021, 13, 6353.	1.7	3
204	A NEW CASE OF THERAPY-RELATED ACUTE MYELOID LEUKAEMIA WITH t(8;16)(p11;p13). <i>British Journal of Haematology</i> , 1998, 100, 801-802.	1.2	2
205	TPA stimulation culture for improved detection of t(11;14)(q13;q32) in mantle cell lymphoma. <i>Annales De G�n�tologie</i> , 2002, 45, 165-168.	0.4	2
206	Methyltransferases in myelodysplastic syndromes: Guilty or not guilty?. <i>Leukemia Research</i> , 2009, 33, 601-602.	0.4	2
207	Comparison of two high-dose cyclophosphamide, doxorubicin, vincristine, and prednisone derived regimens in patients aged under 60 years with low "intermediate risk aggressive lymphoma: a final analysis of the multicenter LNH93-2 protocol. <i>Leukemia and Lymphoma</i> , 2010, 51, 1668-1677.	0.6	2
208	Myelodysplastic Syndrome (MDS) in France: Results of a One-Week Cross-Sectional Survey on Daily Practice Management in 919 Patients by the GFM. <i>Blood</i> , 2008, 112, 2672-2672.	0.6	2
209	MYD88 L265P Mutation in Waldenstrom's Macroglobulinemia. <i>Blood</i> , 2012, 120, 1307-1307.	0.6	2
210	Genome Wide SNP Array (SNPa) Analysis Reveals Clonal Evolution During Clinical Course in Waldenstrom's Macroglobulinemia (WM). <i>Blood</i> , 2012, 120, 297-297.	0.6	2
211	Molecular Prognostic Factors in Acute Myeloid Leukemia (AML) Patients Receiving First Line Therapy with Azacytidine (AZA). <i>Blood</i> , 2014, 124, 482-482.	0.6	2
212	<i>BACH2</i> promotes indolent clinical presentation in Waldenstr�m macroglobulinemia. <i>Oncotarget</i> , 2017, 8, 57451-57459.	0.8	2
213	Expanded Access Program: Evaluating Safety of Erythrocytes Encapsulating L-Asparaginase in Combination with Polychemotherapy in Patients Under 55 Years Old with Acute Lymphoblastic Leukaemia (ALL) at Risk to Receive Other Formulations of Asparaginase. <i>Blood</i> , 2021, 138, 1214-1214.	0.6	2
214	Chemotherapy increases transgene expression in leukemic cells. <i>Journal of Gene Medicine</i> , 2003, 5, 852-859.	1.4	1
215	220 ACETAMINOPHEN THERAPEUTIC MISADVENTURE: A PROSPECTIVE STUDY. <i>Journal of Hepatology</i> , 2008, 48, S91.	1.8	1
216	Sub-clonal analysis of the murine C1498 acute myeloid leukaemia cell line reveals genomic and immunogenic diversity. <i>Immunology Letters</i> , 2017, 192, 27-34.	1.1	1

#	ARTICLE	IF	CITATIONS
217	Disease escape with the selective loss of the Philadelphia chromosome after tyrosine kinase inhibitor exposure in Ph-positive acute lymphoblastic leukemia. <i>Leukemia</i> , 2020, 34, 2230-2233.	3.3	1
218	Bimodal expression of RHOH during myelomonocytic differentiation: Implications for the expansion of AML differentiation therapy. <i>EJHaem</i> , 2021, 2, 196-210.	0.4	1
219	RBC Transfusions and Iron Chelation Therapy in Clinical Practice in MDS: A One Month Survey by the GFM.. <i>Blood</i> , 2006, 108, 2661-2661.	0.6	1
220	Impact of the Provisional Revised-IPSS (R-IPSS) in 265 MDS Patients Treated with Azacitidine (AZA): The Groupe Francophone Des Myelodysplasies (GFM) Experience. <i>Blood</i> , 2011, 118, 972-972.	0.6	1
221	The B7-H3 Protein In Acute Myeloid Leukemia. <i>Blood</i> , 2013, 122, 2620-2620.	0.6	1
222	Multiclonal Diagnosis and MRD Follow-up in ALL with HTS Coupled with a Bioinformatic Analysis. <i>Blood</i> , 2014, 124, 1083-1083.	0.6	1
223	Inversely to DNMT3A, IDH1/IDH2 Are Good Targets for Monitoring Minimal Residual Disease (MRD) in Acute Myeloid Leukemia (AML): A Pilot Study of the ALFA Group. <i>Blood</i> , 2014, 124, 2327-2327.	0.6	1
224	Expanded Access Program of Graspa for Treatment of Patients with Acute Lymphoblastic Leukemia Unable to Receive Other Form of L-Asparaginase - a Status Update (NCT02197650). <i>Blood</i> , 2015, 126, 4877-4877.	0.6	1
225	Core Binding Factor Acute Myeloid Leukemia of the Elderly Treated with Conventional Chemotherapy: A Collaborative Study of the French CBF AML Intergroup. <i>Blood</i> , 2008, 112, 553-553.	0.6	1
226	Older Patients with Acute Myeloid Leukemia (AML) in First Relapse: Impact of Genetics and of Salvage Therapy. A Study of the Acute Leukemia French Association (ALFA). <i>Blood</i> , 2011, 118, 253-253.	0.6	1
227	Dormance tumorale: quiescence ou Ã©quilibre?. <i>Hematologie</i> , 2010, 16, 355-362.	0.0	0
228	Effect of Priming with Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) in Younger Adults with Newly Diagnosed Acute Myeloid Leukemia (AML): A Trial by the Acute Leukemia French Association (ALFA) Group.. <i>Blood</i> , 2005, 106, 1862-1862.	0.6	0
229	Treatment of AML with Azacytidine (AZA): Current Results of the French ATU Program.. <i>Blood</i> , 2007, 110, 1849-1849.	0.6	0
230	Long-Term Survival Analysis in Older Patients with AML Treated Intensively: Positive Impact of Idarubicin in a Cure Fraction Estimation Model.. <i>Blood</i> , 2008, 112, 960-960.	0.6	0
231	Prognostic Factors of Response and Overall Survival (OS) in Higher-Risk MDS (including RAEB-t) Treated with Azacytidine (AZA): Results of the French ATU Program.. <i>Blood</i> , 2009, 114, 3820-3820.	0.6	0
232	Therapy Related APL (tAPL). Prospective Analysis of Etiological Factors In Recent Cases, and Comparison with De Novo Cases. <i>Blood</i> , 2010, 116, 2171-2171.	0.6	0
233	AZA In the Treatment of Therapy Related MDS and AML (tMDS/AML): a Report on 60 Patients by the Groupe Francophone Des Syndromes Myelodysplasiques (GFM). <i>Blood</i> , 2010, 116, 2911-2911.	0.6	0
234	Deletion of the Tumor Suppressor Gene NF1 Is Found In 3.5% of 485 De Novo Adult Myeloid Leukemia and Is Correlated with Unfavourable Cytogenetic: On Behalf of the ALFA Group. <i>Blood</i> , 2010, 116, 4171-4171.	0.6	0

#	ARTICLE	IF	CITATIONS
235	A Prognostic Score for Overall Survival (OS) with Azacitidine (AZA) In Higher Risk MDS Based on 282 Patients (pts), and Validated In 175 Pts From the AZA 001 Trial. <i>Blood</i> , 2010, 116, 3996-3996.	0.6	0
236	BCOR Mutations Represent an Independent Factor of Poor Prognosis in Myelodysplastic Syndromes. <i>Blood</i> , 2012, 120, 1697-1697.	0.6	0
237	B-Cell-Specific Transcription Factor BACH2 Involved in the Clinical Behavior Heterogeneity of Waldenström Macroglobulinemia. <i>Blood</i> , 2012, 120, 1288-1288.	0.6	0
238	Metabolites of Tryptophan Catabolism Are Elevated in Sera of Patients with Myelodysplastic Syndromes and Inhibit Hematopoietic Progenitor Amplification. <i>Blood</i> , 2012, 120, 3843-3843.	0.6	0
239	Arsenic Trioxide (ATO) Or ATRA For Consolidation Treatment Of Standard Risk Non Elderly Newly Diagnosed APLâ€“ Second Interim Analysis Of a Randomized Trial (APL 2006) By The French Belgian Swiss APL Group. <i>Blood</i> , 2013, 122, 495-495.	0.6	0
240	Outcomes In RBC Transfusion-Dependent Patients (Pts) With Low-/Intermediate (Int)-1-Risk Myelodysplastic Syndromes (MDS) With Isolated Deletion 5q Treated With Lenalidomide (LEN): A Subset Analysis From The MDS-004 Study. <i>Blood</i> , 2013, 122, 2753-2753.	0.6	0
241	AML At First Relapse: A Real Life Picture. <i>Blood</i> , 2013, 122, 3895-3895.	0.6	0
242	Abstract 1342: RIP3 is downregulated in human myeloid leukemia cells and modulates apoptosis and caspase-mediated p65/RelA cleavage. , 2014, , .		0
243	Epidemiology of Adults AML in Nord-Pas De Calais and Picardy. <i>Blood</i> , 2014, 124, 2281-2281.	0.6	0
244	Monitoring of Wilmsâ€™ Tumor 1 Expression As Minimal Residual Disease in Patients with Acute Myeloid Leukemia to Predict Relapse before and after Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2014, 124, 1265-1265.	0.6	0
245	Abstract 3216: Immunogenicity and genomic profiling reveal sub-clonal diversity of a murine acute myeloid leukemia (AML) cell line. , 2015, , .		0
246	Correlation Between Bone Marrow Dysplasia and Genomic Profile in De Novo Acute Myeloid Leukemia (AML): A Study By the ALFA Group. <i>Blood</i> , 2015, 126, 2568-2568.	0.6	0
247	MYC Overexpressing Multiple Myeloma Are Dependent on GLS1. <i>Blood</i> , 2019, 134, 853-853.	0.6	0
248	Systemic injection of GM-CSF increases survival in a murine model of acute leukemia. <i>Haematologica</i> , 2002, 87, ELT13.	1.7	0
249	Detection of residual and chemoresistant leukemic cells in an immune-competent mouse model of acute myeloid leukemia: Potential for unravelling their interactions with immunity. <i>PLoS ONE</i> , 2022, 17, e0267508.	1.1	0
250	Resurgence of myeloproliferative neoplasm in patients in remission from blast transformation after treatment with hypomethylating agents. <i>Leukemia Research</i> , 2022, 118, 106871.	0.4	0