

Allen P Kaplan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5538060/publications.pdf>

Version: 2024-02-01

141
papers

10,678
citations

30070

54
h-index

33894

99
g-index

244
all docs

244
docs citations

244
times ranked

5060
citing authors

#	ARTICLE	IF	CITATIONS
1	gC1qR Antibody Can Modulate Endothelial Cell Permeability in Angioedema. <i>Inflammation</i> , 2022, 45, 116-128.	3.8	3
2	The international EAACI/GA ² LEN/EuroGuiDerm/APAAACI guideline for the definition, classification, diagnosis, and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 734-766.	5.7	392
3	Specific Targeting of Plasma Kallikrein for Treatment of Hereditary Angioedema: A Revolutionary Decade. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2022, 10, 716-722.	3.8	14
4	The international WAO/EAACI guideline for the management of hereditary angioedema—The 2021 revision and update. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1961-1990.	5.7	153
5	The international WAO/EAACI guideline for the management of hereditary angioedema—The 2021 revision and update. <i>World Allergy Organization Journal</i> , 2022, 15, 100627.	3.5	37
6	Bradykinin formation by mutant plasminogen. <i>Blood</i> , 2022, 139, 2732-2733.	1.4	0
7	Pathways for bradykinin formation and interrelationship with complement as a cause of edematous lung in COVID-19 patients. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 507-509.	2.9	16
8	Biologics for the Use in Chronic Spontaneous Urticaria: When and Which. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 1067-1078.	3.8	61
9	Blood Clotting and the Pathogenesis of Types I and II Hereditary Angioedema. <i>Clinical Reviews in Allergy and Immunology</i> , 2021, 60, 348-356.	6.5	17
10	The Pathogenesis of Chronic Spontaneous Urticaria: The Role of Infiltrating Cells. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2195-2208.	3.8	61
11	Analysis of cold activation of the contact system in hereditary angioedema with normal C1 inhibitor. <i>Molecular Immunology</i> , 2021, 136, 150-160.	2.2	2
12	SARS-CoV-2 Exacerbates COVID-19 Pathology Through Activation of the Complement and Kinin Systems. <i>Frontiers in Immunology</i> , 2021, 12, 767347.	4.8	28
13	C1 Inhibitor Activity and Angioedema Attacks in Patients with Hereditary Angioedema. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 892-900.	3.8	12
14	International Consensus on the Use of Genetics in the Management of Hereditary Angioedema. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 901-911.	3.8	43
15	Diagnosis and treatment of chronic spontaneous urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1830-1832.	5.7	6
16	Preventing anaphylaxis fatalities: Should we target bradykinin?. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1365-1366.	2.9	7
17	sgp120 and the contact system in hereditary angioedema: A diagnostic tool in HAE with normal C1 inhibitor. <i>Molecular Immunology</i> , 2020, 119, 27-34.	2.2	8
18	Definition, aims, and implementation of GA ² LEN/HAEi Angioedema Centers of Reference and Excellence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2115-2123.	5.7	29

#	ARTICLE	IF	CITATIONS
19	Protease activity in single-chain prekallikrein. <i>Blood</i> , 2020, 135, 558-567.	1.4	22
20	Nomenclature of factor XI and the contact system. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 2216-2219.	3.8	11
21	Latin American chronic urticaria registry (CUR) contribution to the understanding and knowledge of the disease in the region. <i>World Allergy Organization Journal</i> , 2019, 12, 100042.	3.5	6
22	Basophil histamine release in patients with chronic spontaneous urticaria: Optimize or minimize. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 622-623.	2.9	4
23	Treatment of urticaria: a clinical and mechanistic approach. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2019, 19, 387-392.	2.3	10
24	A Review of the Safety and Adverse Event Profile of the Fixed-Ratio Combination of Insulin Glargine and Lixisenatide. <i>Diabetes Therapy</i> , 2019, 10, 21-33.	2.5	10
25	Angioedema and Shear Stress Modulate Endothelial Permeability Through gC1qR. <i>FASEB Journal</i> , 2019, 33, 542.15.	0.5	1
26	The XTEND-CIU study: Long-term use of omalizumab in chronic idiopathic urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1138-1139.e7.	2.9	64
27	Omalizumab response in patients with chronic idiopathic urticaria: Insights from the XTEND-CIU study. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 793-795.	1.2	13
28	Angioedema in heart failure patients treated with sacubitril/valsartan (LCZ696) or enalapril in the PARADIGM-HF study. <i>International Journal of Cardiology</i> , 2018, 264, 118-123.	1.7	27
29	Chronic Spontaneous Urticaria: The Devil's Itch. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 1097-1106.	3.8	75
30	Diagnosis, pathogenesis, and treatment of chronic spontaneous urticaria. <i>Allergy and Asthma Proceedings</i> , 2018, 39, 184-190.	2.2	21
31	Importance of angioedema-free days in patients with chronic idiopathic or spontaneous urticaria. <i>Annals of Allergy, Asthma and Immunology</i> , 2017, 118, 524.	1.0	1
32	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1720-1721.	2.9	4
33	Pathogenesis of Hereditary Angioedema. <i>Immunology and Allergy Clinics of North America</i> , 2017, 37, 513-525.	1.9	78
34	Cytokine and estrogen stimulation of endothelial cells augments activation of the prekallikrein-high molecular weight kininogen complex: Implications for hereditary angioedema. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 170-176.	2.9	34
35	Chronic Spontaneous Urticaria: Pathogenesis and Treatment Considerations. <i>Allergy, Asthma and Immunology Research</i> , 2017, 9, 477.	2.9	36
36	The Search for Biomarkers in Hereditary Angioedema. <i>Frontiers in Medicine</i> , 2017, 4, 206.	2.6	43

#	ARTICLE	IF	CITATIONS
37	Fibrinolysis and bradykinin formation: From in vitro observations to human disease in ≤ 45 years. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 1424-1425.	2.9	0
38	Angioedema in the omalizumab chronic idiopathic/spontaneous urticaria pivotal studies. <i>Annals of Allergy, Asthma and Immunology</i> , 2016, 117, 370-377.e1.	1.0	26
39	The complement and contact activation systems: partnership in pathogenesis beyond angioedema. <i>Immunological Reviews</i> , 2016, 274, 281-289.	6.0	41
40	Complement, Kinins, and Hereditary Angioedema: Mechanisms of Plasma Instability when C1 Inhibitor is Absent. <i>Clinical Reviews in Allergy and Immunology</i> , 2016, 51, 207-215.	6.5	41
41	Cytokine and Estrogen Stimulation of Endothelial Cells Augments Activation of the Surface-Bound Prekallikrein-High Molecular Weight Kininogen Complex: Implications for Hereditary Angioedema (HAE). <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, AB249.	2.9	3
42	Rapid oral desensitization to sirolimus in a patient with lymphangiomyomatosis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016, 4, 352-353.	3.8	7
43	Deficiency of plasminogen activator inhibitor 2 in plasma of patients with hereditary angioedema with normal C1 inhibitor levels. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 1822-1829.e1.	2.9	38
44	Timing and duration of omalizumab response in patients with chronic idiopathic/spontaneous urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 474-481.	2.9	141
45	In vitro comparison of bradykinin degradation by aliskiren, a renin inhibitor, and an inhibitor of angiotensin-converting enzyme. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015, 16, 321-327.	1.7	8
46	How omalizumab came to be studied as a therapy for chronic spontaneous/idiopathic urticaria. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2015, 3, 648.	3.8	7
47	Neurotrophin promotes NGF signaling through interaction of GM1 ganglioside with Trk neurotrophin receptor in PC12 cells. <i>Brain Research</i> , 2015, 1596, 13-21.	2.2	28
48	Bradykinin-Mediated Diseases. <i>Chemical Immunology and Allergy</i> , 2014, 100, 140-147.	1.7	18
49	The Bradykinin-Forming Cascade: A Historical Perspective. <i>Chemical Immunology and Allergy</i> , 2014, 100, 205-213.	1.7	16
50	Biologic agents and the therapy of chronic spontaneous urticaria. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2014, 14, 347-353.	2.3	9
51	Therapy of chronic urticaria: a simple, modern approach. <i>Annals of Allergy, Asthma and Immunology</i> , 2014, 112, 419-425.	1.0	43
52	Pathogenic Mechanisms of Bradykinin Mediated Diseases. <i>Advances in Immunology</i> , 2014, 121, 41-89.	2.2	109
53	The thrombogenicity of C1 esterase inhibitor (human): Review of the evidence. <i>Allergy and Asthma Proceedings</i> , 2014, 35, 444-453.	2.2	31
54	Omalizumab for the Treatment of Chronic Idiopathic or Spontaneous Urticaria. <i>New England Journal of Medicine</i> , 2013, 368, 924-935.	27.0	838

#	ARTICLE	IF	CITATIONS
55	Omaliuzumab in patients with symptomatic chronic idiopathic/spontaneous urticaria despite standard combination therapy. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 101-109.	2.9	461
56	Factor XII-independent activation of the bradykinin-forming cascade: Implications for the pathogenesis of hereditary angioedema types I and II. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 470-475.	2.9	46
57	Hereditary Angioedema Attacks Resolve Faster and Are Shorter after Early Icatibant Treatment. <i>PLoS ONE</i> , 2013, 8, e53773.	2.5	113
58	Hereditary angioedema with normal C1 inhibitor function: Consensus of an international expert panel. <i>Allergy and Asthma Proceedings</i> , 2012, 33, 145-156.	2.2	142
59	Diagnosis and Treatment of Urticaria and Angioedema: A Worldwide Perspective. <i>World Allergy Organization Journal</i> , 2012, 5, 125-147.	3.5	150
60	Type III hereditary angioedema: defined, but not understood. <i>Annals of Allergy, Asthma and Immunology</i> , 2012, 109, 153-154.	1.0	10
61	Treatment of Chronic Spontaneous Urticaria. <i>Allergy, Asthma and Immunology Research</i> , 2012, 4, 326.	2.9	88
62	Biologic Agents in the Treatment of Urticaria. <i>Current Allergy and Asthma Reports</i> , 2012, 12, 288-291.	5.3	7
63	Bradykinin and the Pathogenesis of Hereditary Angioedema. <i>World Allergy Organization Journal</i> , 2011, 4, 73-75.	3.5	27
64	Omaliuzumab is effective in nonautoimmune urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 1300-1302.	2.9	60
65	A randomized, placebo-controlled, dose-ranging study of single-dose omaliuzumab in patients with H1-antihistamine-refractory chronic idiopathic urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 128, 567-573.e1.	2.9	332
66	Structure?Function Studies Using Deletion Mutants Identify Domains of gC1qR/p33 as Potential Therapeutic Targets for Vascular Permeability and Inflammation. <i>Frontiers in Immunology</i> , 2011, 2, .	4.8	21
67	What to Do With Refractory Urticaria Patients. <i>Current Allergy and Asthma Reports</i> , 2011, 11, 189-191.	5.3	2
68	Treatment of Cold Urticaria. <i>Current Allergy and Asthma Reports</i> , 2010, 10, 223-224.	5.3	2
69	Dietary Therapy for Chronic Urticaria. <i>Current Allergy and Asthma Reports</i> , 2010, 10, 225-226.	5.3	0
70	Kinins, Airway Obstruction, and Anaphylaxis. <i>Chemical Immunology and Allergy</i> , 2010, 95, 67-84.	1.7	11
71	Treatment of episodes of hereditary angioedema with C1 inhibitor: serial assessment of observed abnormalities of the plasma bradykinin-forming pathway and fibrinolysis. <i>Annals of Allergy, Asthma and Immunology</i> , 2010, 104, 50-54.	1.0	26
72	The bradykinin-forming cascade and its role in hereditary angioedema. <i>Annals of Allergy, Asthma and Immunology</i> , 2010, 104, 193-204.	1.0	134

#	ARTICLE	IF	CITATIONS
73	Enzymatic pathways in the pathogenesis of hereditary angioedema: The role of C1 inhibitor therapy. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 126, 918-925.	2.9	98
74	The plasma bradykinin-forming pathways and its interrelationships with complement. <i>Molecular Immunology</i> , 2010, 47, 2161-2169.	2.2	161
75	Methotrexate for moderate to severe adult atopic eczema. <i>Current Allergy and Asthma Reports</i> , 2009, 9, 260-261.	5.3	0
76	Mycophenolate mofetil for severe childhood atopic dermatitis. <i>Current Allergy and Asthma Reports</i> , 2009, 9, 262-262.	5.3	0
77	What the first 10,000 patients with chronic urticaria have taught me: A personal journey. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 713-717.	2.9	38
78	Factor XII-independent cleavage of high-molecular-weight kininogen by prekallikrein and inhibition by C1 inhibitor. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 143-149.	2.9	49
79	Angioedema in the Emergency Department. , 2009, , 335-348.		1
80	Urticaria and Angioedema. , 2009, , 1063-1081.		10
81	Treatment of chronic autoimmune urticaria with omalizumab. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 569-573.	2.9	240
82	Studies of the mechanisms of bradykinin generation in hereditary angioedema plasma. <i>Annals of Allergy, Asthma and Immunology</i> , 2008, 101, 279-286.	1.0	42
83	Angioedema. <i>World Allergy Organization Journal</i> , 2008, 1, 103-113.	3.5	88
84	Basophil secretion in chronic urticaria: Autoantibody-dependent or not?. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 729-730.	2.9	19
85	Assembly, activation, and signaling by kinin-forming proteins on human vascular smooth muscle cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H251-H257.	3.2	34
86	A new mechanism for immunologic initiation of asthma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1267-1268.	7.1	5
87	Functional assessment of pathogenic IgG subclasses in chronic autoimmune urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 815-821.	2.9	93
88	Once-daily fexofenadine treatment for chronic idiopathic urticaria: a multicenter, randomized, double-blind, placebo-controlled study. <i>Annals of Allergy, Asthma and Immunology</i> , 2005, 94, 662-669.	1.0	47
89	Angioedema. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 373-388.	1.2	294
90	Does C-2 kinin exist?. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 876.	2.9	9

#	ARTICLE	IF	CITATIONS
91	Formation of Bradykinin: A Major Contributor to the Innate Inflammatory Response. <i>Advances in Immunology</i> , 2005, 86, 159-208.	2.2	115
92	Interaction of high molecular weight kininogen binding proteins on endothelial cells. <i>Thrombosis and Haemostasis</i> , 2004, 91, 61-70.	3.4	55
93	Chronic urticaria: Pathogenesis and treatment... <i>Journal of Allergy and Clinical Immunology</i> , 2004, 114, 465-474.	2.9	302
94	Antithyroid antibodies in chronic urticaria and angioedema. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 112, 218.	2.9	96
95	High molecular weight kininogen and factor XII binding to endothelial cells and astrocytes. <i>Thrombosis and Haemostasis</i> , 2003, 90, 787-795.	3.4	29
96	Heat shock protein 90 catalyzes activation of the prekallikrein-kininogen complex in the absence of factor XII. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 896-900.	7.1	145
97	A role for C5a in augmenting IgG-dependent histamine release from basophils in chronic urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, 114-118.	2.9	166
98	Pathways for bradykinin formation and inflammatory disease. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, 195-209.	2.9	262
99	TH1/TH2 cytokines and inflammatory cells in skin biopsy specimens from patients with chronic idiopathic urticaria: Comparison with the allergen-induced late-phase cutaneous reaction. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, 694-700.	2.9	244
100	Chronic Urticaria and Angioedema. <i>New England Journal of Medicine</i> , 2002, 346, 175-179.	27.0	333
101	Secretion of Cytokines, Histamine and Leukotrienes in Chronic Urticaria. <i>International Archives of Allergy and Immunology</i> , 2002, 129, 254-260.	2.1	68
102	Inhibition of contact activation by a kininogen peptide (HKH20) derived from domain 5. <i>International Immunopharmacology</i> , 2002, 2, 1875-1885.	3.8	11
103	Activation of the bradykinin-forming cascade on endothelial cells: a role for heat shock protein 90. <i>International Immunopharmacology</i> , 2002, 2, 1851-1859.	3.8	33
104	Chronic urticaria—new concepts regarding pathogenesis and treatment. <i>Current Allergy and Asthma Reports</i> , 2002, 2, 263-264.	5.3	8
105	Late asthmatic reactions provoked by intradermal injection of T-cell peptide epitopes are not associated with bronchial mucosal infiltration of eosinophils or TH2-type cells or with elevated concentrations of histamine or eicosanoids in bronchoalveolar fluid. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 108, 394-401.	2.9	59
106	Mechanisms of autoimmune activation of basophils in chronic urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 107, 1056-1062.	2.9	178
107	Factor XII-dependent Contact Activation on Endothelial Cells and Binding Proteins gC1qR and Cytokeratin 1. <i>Thrombosis and Haemostasis</i> , 2001, 85, 119-124.	3.4	55
108	Chemokines, Chemokine Receptors and Allergy. <i>International Archives of Allergy and Immunology</i> , 2001, 124, 423-431.	2.1	119

#	ARTICLE	IF	CITATIONS
109	Activation of the Plasma Kinin Forming Cascade along Cell Surfaces. International Archives of Allergy and Immunology, 2001, 124, 339-342.	2.1	7
110	Activation of the Kinin-Forming Cascade on the Surface of Endothelial Cells. Biological Chemistry, 2001, 382, 71-5.	2.5	41
111	Platelet Glycoprotein Ib: A Zinc-Dependent Binding Protein for the Heavy Chain of High-Molecular-Weight Kininogen. Molecular Medicine, 1999, 5, 555-563.	4.4	41
112	Interaction of Factor XII and high molecular weight kininogen with cytoke- ratin 1 and gC1qR of vascular endothelial cells and with aggregated A β 2 protein of Alzheimer's disease. Immunopharmacology, 1999, 43, 203-210.	2.0	35
113	Cytokeratin 1 and gC1qR Mediate High Molecular Weight Kininogen Binding to Endothelial Cells. Clinical Immunology, 1999, 92, 246-255.	3.2	74
114	A double-blind, placebo-controlled trial of fexofenadine HCl in the treatment of chronic idiopathic urticaria. Journal of Allergy and Clinical Immunology, 1999, 104, 1071-1078.	2.9	152
115	Complement dependence of histamine release in chronic urticaria. Journal of Allergy and Clinical Immunology, 1999, 104, 169-172.	2.9	164
116	Zinc-Dependent Activation of the Plasma Kinin-Forming Cascade by Aggregated A β 2 Amyloid Protein. Clinical Immunology, 1999, 90, 89-99.	3.2	55
117	The kinin system. Clinical Reviews in Allergy and Immunology, 1998, 16, 335-336.	6.5	0
118	Bradykinin formation. Clinical Reviews in Allergy and Immunology, 1998, 16, 403-429.	6.5	47
119	Comparative studies of functional and binding assays for IgG anti-Fc μ R1 \pm (\pm -subunit) in chronic urticaria. Journal of Allergy and Clinical Immunology, 1998, 101, 672-676.	2.9	159
120	The Intrinsic Coagulation/Kinin-Forming Cascade: Assembly in Plasma and Cell Surfaces in Inflammation. Advances in Immunology, 1997, 66, 225-272.	2.2	67
121	Chemokines in seasonal allergic rhinitis. Journal of Allergy and Clinical Immunology, 1996, 97, 104-112.	2.9	73
122	Interaction of Plasma Contact Activation Factors with Vascular Endothelium. Endothelium: Journal of Endothelial Cell Research, 1995, 3, 99-111.	1.7	0
123	Effect of neurotrophin β on the activation of the plasma kallikrein-kinin system. Biochemical Pharmacology, 1992, 43, 1361-1369.	4.4	11
124	Quantification of human high molecular weight kininogen by immunoblotting with a monoclonal anti-light chain antibody. Journal of Immunological Methods, 1989, 119, 19-25.	1.4	17
125	Mechanism of digestion of bradykinin and lysylbradykinin (kallidin) in human serum. Biochemical Pharmacology, 1989, 38, 993-1000.	4.4	67
126	The Mechanism of Degradation of Bradykinin (Lysyl-Bradykinin) in Human Serum. Advances in Experimental Medicine and Biology, 1989, 247A, 331-336.	1.6	6

#	ARTICLE	IF	CITATIONS
127	Studies of the Cleavage of Human High Molecular Weight Kininogen by Purified Plasma and Tissue Kallikreins, and upon Contact Activation of Plasma. <i>Advances in Experimental Medicine and Biology</i> , 1989, 247B, 317-324.	1.6	2
128	Prevalence and Functional Role of Anti-IgE Autoantibodies in Urticarial Syndromes. <i>Journal of Investigative Dermatology</i> , 1988, 90, 213-217.	0.7	267
129	Assessment of kininases in rheumatic diseases and the effect of therapeutic agents. <i>Arthritis and Rheumatism</i> , 1987, 30, 138-145.	6.7	32
130	Studies of the digestion of bradykin, lys-bradykinin, and des-Arg ⁹ -bradykinin by angiotensin converting enzyme. <i>Biochemical Pharmacology</i> , 1986, 35, 1951-1956.	4.4	79
131	Studies of the digestion of bradykinin, lysyl bradykinin, and kinin-degradation products by carboxypeptidases A, B, and N. <i>Biochemical Pharmacology</i> , 1986, 35, 1957-1963.	4.4	58
132	Identification of a new physically induced urticaria: cold-induced cholinergic urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 1981, 68, 438-441.	2.9	70
133	Idiopathic Cold Urticaria: In Vitro Demonstration of Histamine Release upon Challenge of Skin Biopsies. <i>New England Journal of Medicine</i> , 1981, 305, 1074-1077.	27.0	91
134	The Physical Urticarias. <i>International Journal of Dermatology</i> , 1980, 19, 417-435.	1.0	38
135	The mechanism by which the light chain of cleaved hmw-kininogen augments the activation of prekallikrein, factor XI and hageman factor. <i>Thrombosis Research</i> , 1980, 20, 173-189.	1.7	73
136	Autoactivatability of human Hageman factor (factor XII). <i>Biochemical and Biophysical Research Communications</i> , 1980, 92, 803-810.	2.1	60
137	In vivo studies of mediator release in cold urticaria and cholinergic urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 1975, 55, 394-402.	2.9	230
138	SUBSTRATES OF HAGEMAN FACTOR. <i>Journal of Experimental Medicine</i> , 1974, 140, 1615-1630.	8.5	107
139	Inhibition by Ca ²⁺ INH of Hageman Factor Fragment Activation of Coagulation, Fibrinolysis, and Kinin Generation. <i>Journal of Clinical Investigation</i> , 1973, 52, 1402-1409.	8.2	199
140	A PREALBUMIN ACTIVATOR OF PREKALLIKREIN. <i>Journal of Experimental Medicine</i> , 1971, 133, 696-712.	8.5	303
141	Hereditary Angioedema: Diagnosis, Pathogenesis, and Therapy. <i>Current Treatment Options in Allergy</i> , 0, , .	2.2	0