

Francesco Burzotta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5539729/publications.pdf>

Version: 2024-02-01

412
papers

14,610
citations

23567

58
h-index

30087

103
g-index

427
all docs

427
docs citations

427
times ranked

10527
citing authors

#	ARTICLE	IF	CITATIONS
1	Optical coherence tomography, intravascular ultrasound or angiography guidance for distal left main coronary stenting. The <scp>ROCK</scp> cohort <scp>II</scp> study. Catheterization and Cardiovascular Interventions, 2022, 99, 664-673.	1.7	20
2	Air Pollution and Coronary Plaque Vulnerability and Instability. JACC: Cardiovascular Imaging, 2022, 15, 325-342.	5.3	30
3	Can we have a rationalized selection of intra-aortic balloon pump, Impella, and extracorporeal membrane oxygenation in the catheterization laboratory?. Cardiology Journal, 2022, 29, 115-132.	1.2	7
4	Long-term clinical impact of permanent pacemaker implantation in patients undergoing transcatheter aortic valve implantation: a systematic review and meta-analysis. Europace, 2022, 24, 1127-1136.	1.7	24
5	Transcatheter aortic valve implantation in pure aortic regurgitation: Hemodynamic and echocardiographic findings in bioprosthesis vs. A native valve. Catheterization and Cardiovascular Interventions, 2022, 99, 1599-1608.	1.7	3
6	Acute haemodynamic impact of transcatheter aortic valve implantation in patients with severe aortic stenosis. ESC Heart Failure, 2022, , .	3.1	4
7	Clinical outcomes of suboptimal stent deployment as assessed by optical coherence tomography: long-term results of the CLI-OPCI registry. EuroIntervention, 2022, 18, e150-e157.	3.2	7
8	Predicted and Observed Mortality at 10 Years in Patients With Bifurcation Lesions in the SYNTAX Trial. JACC: Cardiovascular Interventions, 2022, 15, 1231-1242.	2.9	16
9	Thirty years of transradial coronary interventions. EuroIntervention, 2022, 18, 19-21.	3.2	0
10	Treatment of coronary bifurcation lesions, part I: implanting the first stent in the provisional pathway. The 16th expert consensus document of the European Bifurcation Club. EuroIntervention, 2022, 18, e362-e376.	3.2	43
11	Treatment of coronary bifurcation lesions, part II: implanting two stents. The 16th expert consensus document of the European Bifurcation Club. EuroIntervention, 2022, 18, 457-470.	3.2	42
12	Clinical Impact of Heart Team Decisions for Patients With Complex Valvular Heart Disease: A Large, Single-Center Experience. Journal of the American Heart Association, 2022, 11, .	3.7	5
13	Definitions and Standardized Endpoints for Treatment of Coronary Bifurcations. Journal of the American College of Cardiology, 2022, 80, 63-88.	2.8	25
14	Clinical impact of the extent of jeopardized myocardium in patients undergoing transcatheter aortic valve intervention. Revista Espanola De Cardiologia (English Ed), 2022, , .	0.6	0
15	Transcatheter Aortic Valve Replacement in Patients at High Risk of Coronary Obstruction. , 2022, , 100347.		0
16	Predictors of early discharge after transcatheter aortic valve implantation: insight from the CoreValve Clinical Service. Journal of Cardiovascular Medicine, 2022, 23, 454-462.	1.5	4
17	A simple technique to obtain postprocedural antegrade angiographic control in single-access Impella-protected PCI. Health Science Reports, 2022, 5, .	1.5	0
18	An "Orthotopic" Snorkel-Stenting Technique to Maintain Coronary Patency During Transcatheter Aortic Valve Replacement. Cardiovascular Revascularization Medicine, 2021, 28, 94-97.	0.8	6

#	ARTICLE	IF	CITATIONS
19	Accuracy of the PARIS score and PCI complexity to predict ischemic events in patients treated with very thin stents in unprotected left main or coronary bifurcations. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E227-E236.	1.7	6
20	T and Small Protrusion (TAP) vs Double-Kissing Crush Technique: Insights From In Vitro Models. <i>Cardiovascular Revascularization Medicine</i> , 2021, 24, 11-17.	0.8	5
21	Brain-derived neurotrophic factor in patients with acute coronary syndrome. <i>Translational Research</i> , 2021, 231, 39-54.	5.0	6
22	Blood lactate predicts survival after percutaneous implantation of extracorporeal life support for refractory cardiac arrest or cardiogenic shock complicating acute coronary syndrome: insights from the CareGem registry. <i>Internal and Emergency Medicine</i> , 2021, 16, 463-470.	2.0	6
23	Impact of temporary traffic bans on the risk of acute coronary syndromes in a large metropolitan area. <i>Panminerva Medica</i> , 2021, 62, 252-259.	0.8	8
24	Clinical Impact of Revascularization Extent in Patients Undergoing Impella-Protected PCI Enrolled in a Nationwide Registry. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 717-719.	2.9	20
25	Impact of chronic obstructive pulmonary disease on 10-year mortality after percutaneous coronary intervention and bypass surgery for complex coronary artery disease: insights from the SYNTAX Extended Survival study. <i>Clinical Research in Cardiology</i> , 2021, 110, 1083-1095.	3.3	10
26	Left Main Trifurcation and Its Percutaneous Treatment. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e009872.	3.9	3
27	Percutaneous coronary intervention for bifurcation coronary lesions: the 15th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2021, 16, 1307-1317.	3.2	147
28	Under-deployment of extra-large drug-eluting stent: an adapted provisional technique for selected patients with distal lesions in large left main. <i>Minerva Cardiology and Angiology</i> , 2021, , .	0.7	1
29	Prognostic impact of FFR/contrast FFR discordance. <i>International Journal of Cardiology</i> , 2021, 327, 40-44.	1.7	2
30	Local fluid dynamics in patients with bifurcated coronary lesions undergoing percutaneous coronary interventions. <i>Cardiology Journal</i> , 2021, 28, 321-329.	1.2	18
31	Timing of Impella implantation and outcomes in cardiogenic shock or high-risk percutaneous coronary revascularization. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E222-E234.	1.7	17
32	Antithrombotic therapy after percutaneous coronary intervention of bifurcation lesions. <i>EuroIntervention</i> , 2021, 17, 59-66.	3.2	21
33	Direct Visualization of TAVR-Related Coronary Artery Management Techniques in Reanimated Beating Hearts. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, e87-e91.	2.9	4
34	Assessment of single and double coronary bifurcation stenting techniques using multimodal imaging and 3D modeling in reanimated swine hearts using Visible Heart ^Å methodologies. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2591-2601.	1.5	7
35	The European bifurcation club Left Main Coronary Stent study: a randomized comparison of stepwise provisional vs. systematic dual stenting strategies (EBC MAIN). <i>European Heart Journal</i> , 2021, 42, 3829-3839.	2.2	119
36	Right coronary artery patency as a modulator for unprotected left main PCI risk: myth or reality?. <i>Kardiologia Polska</i> , 2021, 79, 609-611.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Three dimensional reconstruction of coronary artery stents from optical coherence tomography: experimental validation and clinical feasibility. <i>Scientific Reports</i> , 2021, 11, 12252.	3.3	6
38	Interplay Between Myocardial Bridging and Coronary Spasm in Patients With Myocardial Ischemia and Non-Obstructive Coronary Arteries: Pathogenic and Prognostic Implications. <i>Journal of the American Heart Association</i> , 2021, 10, e020535.	3.7	36
39	Device-related complications after Impella mechanical circulatory support implantation: an IMP-IT observational multicentre registry substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 999-1006.	1.0	16
40	Ten-year all-cause death after percutaneous or surgical revascularization in diabetic patients with complex coronary artery disease. <i>European Heart Journal</i> , 2021, 43, 56-67.	2.2	23
41	Adenosine and fractional flow reserve: no reason to be afraid anymore!. <i>Minerva Cardiology and Angiology</i> , 2021, 69, 446-448.	0.7	0
42	A novel technique for percutaneous mitral balloon valvuloplasty. <i>EuroIntervention</i> , 2021, 17, 586-587.	3.2	1
43	A Novel Monocyte Subset as a Unique Signature of Atherosclerotic Plaque Rupture. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 753223.	3.7	7
44	Contemporary Management of Cardiogenic Shock: A RAND Appropriateness Panel Approach. <i>Circulation: Heart Failure</i> , 2021, 14, .	3.9	7
45	Relationship between coronary plaque morphology of the left anterior descending artery and 12 months clinical outcome: the CLIMA study. <i>European Heart Journal</i> , 2020, 41, 383-391.	2.2	250
46	Clinical, angiographic and echocardiographic correlates of epicardial and microvascular spasm in patients with myocardial ischaemia and non-obstructive coronary arteries. <i>Clinical Research in Cardiology</i> , 2020, 109, 435-443.	3.3	35
47	Adenosine-Free Indexes vs. Fractional Flow Reserve for Functional Assessment of Coronary Stenoses: Systematic Review and Meta-Analysis. <i>International Journal of Cardiology</i> , 2020, 299, 93-99.	1.7	7
48	Role of optical coherence tomography for distal left main stem angioplasty. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 755-761.	1.7	19
49	A less-invasive totally endovascular (LITE) technique for transfemoral transcatheter aortic valve replacement. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 459-470.	1.7	22
50	Fractional Flow Reserve or Optical Coherence Tomography to Guide Management of Angiographically Intermediate Coronary Stenosis. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 49-58.	2.9	73
51	Early Hemodynamic and Structural Impact of Transcatheter Aortic Valve Replacement in Pure Aortic Regurgitation. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 2582-2584.	2.9	5
52	Drug coated balloons and their role in bifurcation coronary angioplasty: appraisal of the current evidence and future directions. <i>Expert Review of Medical Devices</i> , 2020, 17, 1021-1033.	2.8	7
53	Percu-Ax aortic valve implantation with a double arm approach: a case report. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-5.	0.6	0
54	Reply. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1133-1134.	2.9	1

#	ARTICLE	IF	CITATIONS
55	Efficacy and Safety of ProGlide Versus Prostar XL Vascular Closure Devices in Transcatheter Aortic Valve Replacement: The RISPEVA Registry. <i>Journal of the American Heart Association</i> , 2020, 9, e018042.	3.7	30
56	3D reconstruction of coronary artery bifurcations from coronary angiography and optical coherence tomography: feasibility, validation, and reproducibility. <i>Scientific Reports</i> , 2020, 10, 18049.	3.3	19
57	Successful Transcatheter Treatment of Left Pulmonary Artery to Left Atrium Communication Diagnosed in Adulthood. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e010668.	2.6	0
58	Macrophage infiltrates in coronary plaque erosion and cardiovascular outcome in patients with acute coronary syndrome. <i>Atherosclerosis</i> , 2020, 311, 158-166.	0.8	20
59	Experience of remote cardiac care during the COVID-19 pandemic: the V-LAP device in advanced heart failure. <i>European Journal of Heart Failure</i> , 2020, 22, 1050-1052.	7.1	17
60	Biomechanical Evaluation of Different Balloon Positions for Proximal Optimization Technique in Left Main Bifurcation Stenting. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 1533-1538.	0.8	0
61	Randomized Comparison of Optical Coherence Tomography Versus Angiography to Guide Bioresorbable Vascular Scaffold Implantation: The OPTICO BVS Study. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 1244-1250.	0.8	6
62	European Bifurcation Club white paper on stenting techniques for patients with bifurcated coronary artery lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 1067-1079.	1.7	57
63	Clinical outcome after percutaneous coronary intervention with drug-eluting stent in bifurcation and nonbifurcation lesions: a meta-analysis of 23,981 patients. <i>Coronary Artery Disease</i> , 2020, 31, 438-445.	0.7	15
64	Application of an OCT-based 3D reconstruction framework to the hemodynamic assessment of an ulcerated coronary artery plaque. <i>Medical Engineering and Physics</i> , 2020, 78, 74-81.	1.7	13
65	Coronary Protection to Prevent Coronary Obstruction During TAVR. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 739-747.	2.9	58
66	Impact of Kissing Balloon in Patients Treated With Ultrathin Stents for Left Main Lesions and Bifurcations. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008325.	3.9	39
67	Reply. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 269-270.	2.9	0
68	Coronary slow flow is associated with a worse clinical outcome in patients with Takotsubo syndrome. <i>Heart</i> , 2020, 106, 923-930.	2.9	36
69	Observational multicentre registry of patients treated with IMPella mechanical circulatory support device in Italy: the IMP-IT registry. <i>EuroIntervention</i> , 2020, 15, e1343-e1350.	3.2	51
70	Stepwise visualisation of a provisional bifurcation stenting procedure – multimodal visualisation within a reanimated human heart utilising Visible Heart methodologies. <i>EuroIntervention</i> , 2020, 16, e734-e737.	3.2	10
71	Percutaneous left and right ventricular support devices. , 2020, , 41-54.		0
72	Usefulness of sheathless guiding catheters in patients with upper extremity vascular anomalies. <i>AsiaIntervention</i> , 2020, 6, 43-49.	0.4	1

#	ARTICLE	IF	CITATIONS
73	A call for standardisation of vascular access in transcatheter cardiovascular procedures. <i>EuroIntervention</i> , 2020, 16, e703-e705.	3.2	3
74	Extracorporeal membrane oxygenation for COVID-19: effective weapon or futile effort?. <i>Minerva Cardioangiologica</i> , 2020, 68, 365-367.	1.2	2
75	Hemodynamics and its predictors during Impella-protected PCI in high risk patients with reduced ejection fraction. <i>International Journal of Cardiology</i> , 2019, 274, 221-225.	1.7	13
76	Fractional flow reserve in acute coronary syndromes and in stable ischemic heart disease: clinical implications. <i>International Journal of Cardiology</i> , 2019, 277, 42-46.	1.7	8
77	TCTAP A-142 Sheathless Guiding Catheters as a Safe and Effective Alternative to Conventional Guiding Catheters in Patients with Upper Extremities Vascular Anomalies. <i>Journal of the American College of Cardiology</i> , 2019, 73, S75.	2.8	0
78	Prospective Randomized Comparison of Fractional Flow Reserve Versus Optical Coherence Tomography to Guide Revascularization of Intermediate Coronary Stenoses: One-Month Results. <i>Journal of the American Heart Association</i> , 2019, 8, e012772.	3.7	11
79	Total Surgical Plication of Left Ventricular Aneurysm Using the BioVentric Revivent Myocardial Anchoring System. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2019, 14, 369-373.	0.9	5
80	Recurrence of angina after ST-segment elevation myocardial infarction: the role of coronary microvascular obstruction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, , 2048872619880661.	1.0	2
81	Percutaneous coronary intervention versus coronary artery bypass grafting in patients with three-vessel or left main coronary artery disease: 10-year follow-up of the multicentre randomised controlled SYNTAX trial. <i>Lancet, The</i> , 2019, 394, 1325-1334.	13.7	406
82	Clinical expert consensus document on the use of percutaneous left ventricular assist support devices during complex high-risk indicated PCI. <i>International Journal of Cardiology</i> , 2019, 293, 84-90.	1.7	46
83	Long-Term Outcomes of Extent of Revascularization in Complex High Risk and Indicated Patients Undergoing Impella-Protected Percutaneous Coronary Intervention: Report from the Roma-Verona Registry. <i>Journal of Interventional Cardiology</i> , 2019, 2019, 1-10.	1.2	34
84	The Influence of Aortic Valve Obstruction on the Hyperemic Intracoronary Physiology: Difference Between Resting Pd/Pa and FFR in Aortic Stenosis. <i>Journal of Cardiovascular Translational Research</i> , 2019, 12, 539-550.	2.4	7
85	Dual quantitative coronary angiography accurately quantifies intracoronary thrombotic burden in patients with acute coronary syndrome: Comparison with optical coherence tomography imaging. <i>International Journal of Cardiology</i> , 2019, 292, 25-31.	1.7	9
86	Coronary Atherosclerotic Phenotype and Plaque Healing in Patients With Recurrent Acute Coronary Syndromes Compared With Patients With Long-term Clinical Stability. <i>JAMA Cardiology</i> , 2019, 4, 321.	6.1	92
87	Percutaneous Valve-in-Valve Treatment of a (Very Old and Fluoroscopy Invisible) Degenerated Tricuspid Prosthesis Through the Right Jugular Vein Approach. <i>Frontiers in Cardiovascular Medicine</i> , 2019, 6, 22.	2.4	0
88	Comparative one-month safety and effectiveness of five leading new-generation devices for transcatheter aortic valve implantation. <i>Scientific Reports</i> , 2019, 9, 17098.	3.3	28
89	Stent malapposition, strut coverage and atherothrombotic prolapse after percutaneous coronary interventions in ST-segment elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 122-130.	1.5	7
90	Correlation between CD4+CD28null T lymphocytes, regulatory T cells and plaque rupture: An Optical Coherence Tomography study in Acute Coronary Syndromes. <i>International Journal of Cardiology</i> , 2019, 276, 289-292.	1.7	25

#	ARTICLE	IF	CITATIONS
91	Trends and outcomes of optical coherence tomography use: 877 patients single-center experience. <i>Cardiovascular Revascularization Medicine</i> , 2019, 20, 303-310.	0.8	3
92	Novel ultra-long (48 mm) everolimus-eluting stent for diffusely coronary vessels disease. <i>Minerva Cardioangiologica</i> , 2019, 67, 87-93.	1.2	4
93	Joint consensus on the use of OCT in coronary bifurcation lesions by the European and Japanese bifurcation clubs. <i>EuroIntervention</i> , 2019, 14, e1568-e1577.	3.2	51
94	Percutaneous coronary intervention for obstructive bifurcation lesions: the 14th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2019, 15, 90-98.	3.2	99
95	Cardiogenic shock due to coronary fistula: a complex phenomenon. <i>Minerva Cardioangiologica</i> , 2019, 67, 175-177.	1.2	0
96	Angio-Guidewire-Ultrasound (AGU) Guidance for Femoral Access in Procedures Requiring Large Sheaths. <i>Journal of Invasive Cardiology</i> , 2019, 31, E37-E39.	0.4	7
97	Procedural Impact of a Kissing-Balloon Predilation (Pre-Kissing) Technique in Patients With Complex Bifurcations Undergoing Drug-Eluting Stenting. <i>Journal of Invasive Cardiology</i> , 2019, 31, 80-88.	0.4	3
98	The Radial Artery for Percutaneous Coronary Procedures or Surgery?. <i>Journal of the American College of Cardiology</i> , 2018, 71, 1167-1175.	2.8	26
99	Quantitative Flow Ratio Identifies Nonculprit Coronary Lesions Requiring Revascularization in Patients With ST-Segmentâ€Elevation Myocardial Infarction and Multivessel Disease. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e006023.	3.9	80
100	Correlation between frequency-domain optical coherence tomography and fractional flow reserve in angiographically-intermediate coronary lesions. <i>International Journal of Cardiology</i> , 2018, 253, 55-60.	1.7	24
101	Patient-Specific Modeling of Stented Coronary Arteries Reconstructed from Optical Coherence Tomography: Towards a Widespread Clinical Use of Fluid Dynamics Analyses. <i>Journal of Cardiovascular Translational Research</i> , 2018, 11, 156-172.	2.4	25
102	Role of optical coherence tomography in identifying sub-optimal stent positioning and predicting major adverse cardiac events in a comparative study with angiography. <i>Coronary Artery Disease</i> , 2018, 29, 384-388.	0.7	4
103	A favorable neointimal proliferation healing process of large drug-eluting stent malapposition. <i>Coronary Artery Disease</i> , 2018, 29, 535-538.	0.7	0
104	TAVR technique tries to go higher than bicuspid valve hurdles. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 91, 995-996.	1.7	2
105	Transradial versus transfemoral ancillary approach in complex structural, coronary, and peripheral interventions. Results from the multicenter ancillary registry: A study of the Italian Radial Club. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 91, 97-102.	1.7	15
106	Proximal occlusion versus distal filter for cerebral protection during carotid stenting: Positive signals from MO.MA trials. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 1011-1012.	1.7	0
107	Percutaneous transcatheter aortic valve replacement induces femoral artery shrinkage: angiographic evidence and predictors for a new side effect. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 91, 938-944.	1.7	11
108	TCT-467 Adenosine-Free Indexes vs FFR for Functional Evaluation: a Systematic Meta-Analysis.. <i>Journal of the American College of Cardiology</i> , 2018, 72, B188.	2.8	1

#	ARTICLE	IF	CITATIONS
109	TCT-452 Hemodynamics and its Predictors During Impella-Protected PCI in High Risk Patients with Reduced Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2018, 72, B182.	2.8	0
110	Intracoronary Imaging. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e007461.	3.9	4
111	"Protected" PCI: time to act. <i>Minerva Cardioangiologica</i> , 2018, 66, 547-550.	1.2	4
112	A Patient-Specific Study Investigating the Relation between Coronary Hemodynamics and Neo-Intimal Thickening after Bifurcation Stenting with a Polymeric Bioresorbable Scaffold. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1510.	2.5	6
113	Endothelial dysfunction as predictor of angina recurrence after successful percutaneous coronary intervention using second generation drug eluting stents. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1360-1370.	1.8	9
114	Rational and design of the European randomized Optical Coherence Tomography Optimized Bifurcation Event Reduction Trial (OCTOBER). <i>American Heart Journal</i> , 2018, 205, 97-109.	2.7	61
115	Definitions and clinical impact of revascularization completeness. <i>Minerva Cardioangiologica</i> , 2018, 66, 594-599.	1.2	7
116	Impella: pumps overview and access site management. <i>Minerva Cardioangiologica</i> , 2018, 66, 606-611.	1.2	21
117	Percutaneous coronary intervention for the left main stem and other bifurcation lesions: 12th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018, 13, 1540-1553.	3.2	185
118	Long-term consequences of optical coherence tomography findings during percutaneous coronary intervention: the Centro Per La Lotta Contro L'infarto "Optimization Of Percutaneous Coronary Intervention (CLI-OPCI) LATE study. <i>EuroIntervention</i> , 2018, 14, e443-e451.	3.2	32
119	Percutaneous coronary intervention in left main coronary artery disease: the 13th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018, 14, 112-120.	3.2	94
120	Clinical impact of routine angiographic follow-up after percutaneous coronary interventions on unprotected left main. <i>Cardiology Journal</i> , 2018, 25, 582-588.	1.2	3
121	When is compassionate appropriate for end-stage aortic valve stenosis?. <i>Minerva Cardiology and Angiology</i> , 2018, 66, 221-222.	0.7	0
122	Clinical outcome and correlates of coronary microvascular obstruction in latecomers after acute myocardial infarction. <i>International Journal of Cardiology</i> , 2017, 236, 30-35.	1.7	15
123	Plaque erosion causing ST-segment elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2017, 28, 355-357.	0.7	2
124	Exclusion of a coronary artery aneurysm using the STENTYS Xposition S balloon-delivery system with optical coherence tomography guidance. <i>Coronary Artery Disease</i> , 2017, 28, 90-91.	0.7	0
125	Rapid-deployment or transcatheter aortic valves in intermediate-risk patients?. <i>Asian Cardiovascular and Thoracic Annals</i> , 2017, 25, 264-270.	0.5	6
126	Role of residual acute stent malapposition in percutaneous coronary interventions. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 90, 566-575.	1.7	42

#	ARTICLE	IF	CITATIONS
127	Not all plaque ruptures are born equal: an optical coherence tomography study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 1271-1277.	1.2	45
128	Relationship between Serum Inflammatory Biomarkers and Thrombus Characteristics in Patients with ST Segment Elevation Myocardial Infarction. <i>Cardiology</i> , 2017, 137, 27-35.	1.4	5
129	Data on optical coherence tomography guidance for the management of angiographically intermediate left main bifurcation lesions. <i>Data in Brief</i> , 2017, 14, 635-638.	1.0	0
130	Optical coherence tomography guidance for the management of angiographically intermediate left main bifurcation lesions: Early clinical experience. <i>International Journal of Cardiology</i> , 2017, 248, 108-113.	1.7	16
131	A framework for computational fluid dynamic analyses of patient-specific stented coronary arteries from optical coherence tomography images. <i>Medical Engineering and Physics</i> , 2017, 47, 105-116.	1.7	30
132	Frequency-domain optical coherence tomography plaque morphology in stable coronary artery disease. <i>Coronary Artery Disease</i> , 2017, 28, 472-477.	0.7	7
133	Complex vein graft intervention after double-valve transcatheter aortic valve replacement. <i>Coronary Artery Disease</i> , 2017, 28, 173-174.	0.7	0
134	Exercise test predictors of severe coronary artery disease: Role of ST-segment elevation in lead aVR. <i>Clinical Cardiology</i> , 2017, 40, 102-108.	1.8	5
135	Hemodynamics of Stent Implantation Procedures in Coronary Bifurcations: An In Vitro Study. <i>Annals of Biomedical Engineering</i> , 2017, 45, 542-553.	2.5	24
136	Is undersized self-expandable prosthesis a valuable selection for transcatheter aortic valve replacement in high risk bicuspid aortic valve stenosis? Report of two successful cases. <i>International Journal of Cardiology</i> , 2017, 228, 638-639.	1.7	4
137	Coronary stents and vascular response to implantation: literature review. <i>Journal of Pragmatic and Observational Research</i> , 2017, Volume 8, 137-148.	1.5	38
138	The optimal duration of dual antiplatelet therapy after implantation of drug-eluting coronary stents: an unanswered question. <i>Cardiovascular Diagnosis and Therapy</i> , 2017, 7, S91-S94.	1.7	2
139	Transcatheter aortic valve implantation with the new repositionable self-expandable Evolut R versus CoreValve system: A case-matched comparison. <i>International Journal of Cardiology</i> , 2017, 243, 126-131.	1.7	37
140	Reconstruction of stented coronary arteries from optical coherence tomography images: Feasibility, validation, and repeatability of a segmentation method. <i>PLoS ONE</i> , 2017, 12, e0177495.	2.5	25
141	How should I treat this mini-crush stenting complication?. <i>EuroIntervention</i> , 2017, 13, 1248-1252.	3.2	6
142	An update on radial approach for percutaneous coronary intervention in patients with chronic total occlusion. <i>Minerva Cardiology and Angiology</i> , 2017, 65, 140-147.	0.7	0
143	Treatment of Bifurcation Lesions by Bail-Out TAP or Culotte: Lost in Translation?. <i>Reviews on Recent Clinical Trials</i> , 2017, 12, 212-215.	0.8	0
144	Feasibility and Safety of Right and Left Heart Catheterization Via an Antecubital Fossa Vein and the Radial Artery in Patients With Heart Failure. <i>Journal of Invasive Cardiology</i> , 2017, 29, 301-308.	0.4	2

#	ARTICLE	IF	CITATIONS
145	Outcomes of Surgery for Severe Aortic Regurgitation with Systolic Left Ventricular Dysfunction. <i>Journal of Heart Valve Disease</i> , 2017, 26, 372-379.	0.5	4
146	Concordance of angiographic and electrocardiographic indexes of microvascular obstruction. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 382-391.	1.5	3
147	DESolve novolimus-eluting bioresorbable coronary scaffold failure assessed by frequency-domain optical coherence tomography imaging. <i>Coronary Artery Disease</i> , 2016, 27, 334-336.	0.7	0
148	Impact of Culprit Plaque and Atherothrombotic Components on Incomplete Stent Apposition in Patients With ST-Elevation Myocardial Infarction Treated With Everolimus-Eluting Stentsâ€œ An OCTAVIA Substudy â€œ. <i>Circulation Journal</i> , 2016, 80, 895-905.	1.6	5
149	Clinical Impact of Suboptimal Stenting and Residual Intrastent Plaque/Thrombus Protrusion in Patients With Acute Coronary Syndrome. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	3.9	55
150	A method for coronary bifurcation centerline reconstruction from angiographic images based on focalization optimization. , 2016, 2016, 4165-4168.		0
151	Radial access in patients with acute coronary syndrome without persistent ST-segment elevation: Systematic review, collaborative meta-analysis, and meta-regression. <i>International Journal of Cardiology</i> , 2016, 222, 1031-1039.	1.7	8
152	Prospective multicentre clinical performance evaluation of second and third generation zotarolimusâ€œeluting stents to treat patients with bifurcated coronary lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 15-22.	1.7	4
153	The EBC TWO Study (European Bifurcation Coronary TWO). <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	3.9	102
154	Clinical Spectrum and Outcome of Patients With Non-ST-Segment Elevation Acute Coronary Syndrome and No Obstructive Coronary Atherosclerosis. <i>Circulation Journal</i> , 2016, 80, 1600-1606.	1.6	23
155	Long term follow-up of â€œfull metal jacketâ€œ of de novo coronary lesions with new generation Zotarolimus-eluting stents. <i>International Journal of Cardiology</i> , 2016, 221, 1008-1012.	1.7	5
156	Angiographically intermediate left main bifurcation disease assessment by frequency domain optical coherence tomography (FD-OCT). <i>International Journal of Cardiology</i> , 2016, 220, 726-728.	1.7	6
157	The combined effect of subcutaneous granulocyte- colony stimulating factor and myocardial contrast echocardiography with intravenous infusion of sulfur hexafluoride on post-infarction left ventricular function, the RIGENERA 2.0 trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 97.	1.6	6
158	NT-proANP and NT-proBNP circulating levels as predictors of cardiovascular outcome following coronary stent implantation. <i>Cardiovascular Revascularization Medicine</i> , 2016, 17, 162-168.	0.8	10
159	Update on Provisional Technique for Bifurcation Interventions. <i>Current Cardiology Reports</i> , 2016, 18, 27.	2.9	5
160	Meta-Analysis of Radial Versus Femoral Artery Approach for Coronary Procedures in Patients With Previous Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2016, 117, 1248-1255.	1.6	23
161	Effect of Remote Ischemic Preconditioning on Platelet Activation Induced by Coronary Procedures. <i>American Journal of Cardiology</i> , 2016, 117, 359-365.	1.6	31
162	MDCT assessment of CAD in type-2 diabetic subjects with diabetic neuropathy: the role of Charcot neuro-arthropathy. <i>European Radiology</i> , 2016, 26, 788-796.	4.5	1

#	ARTICLE	IF	CITATIONS
163	Impact of drug-eluting balloon (pre- or post-) dilation on neointima formation in de novo lesions treated by bare-metal stent: the IN-PACT CORO trial. <i>Heart and Vessels</i> , 2016, 31, 677-686.	1.2	14
164	In bifurcation PCI, as in everyday life, the consequences of kissing may not always be the same. <i>EuroIntervention</i> , 2016, 11, e1209-e1213.	3.2	4
165	Percutaneous coronary intervention for coronary bifurcation disease: 11th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2016, 12, 38-46.	3.2	181
166	The Multi-center Evaluation of the Accuracy of the Contrast MEdium INduced Pd/Pa RaTiO in Predicting FFR (MEMENTO-FFR) Study. <i>EuroIntervention</i> , 2016, 12, 708-715.	3.2	41
167	Bail-Out Use of Impella CP as a Bridge to TAVI in a Cardiogenic Shock Patient: The "Pump-Rewiring" Technique. <i>Journal of Invasive Cardiology</i> , 2016, 28, E1-5.	0.4	5
168	TCT-430 Ancillary radial versus femoral/brachial approach to reduce vascular complications in complex coronary, peripheral and structural interventions. Preliminary results of a study from the Italian Radial Club. <i>Journal of the American College of Cardiology</i> , 2015, 66, B175-B176.	2.8	2
169	Clinical and procedural impact of aortic arch anatomic variants in carotid stenting procedures. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 86, 480-489.	1.7	39
170	Local Blood Flow Patterns in Stented Coronary Bifurcations: An Experimental and Numerical Study. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2015, 13, 116-126.	1.6	13
171	Usefulness of EuroSCORE systems for risk stratification. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 90-99.	1.5	6
172	Highly calcific in-stent restenosis as a substrate for sirolimus-eluting stent very late stent thrombosis. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, S20-S22.	1.5	1
173	Comparison of Right and Left Upper Limb Arterial Variants in Patients Undergoing Bilateral Transradial Procedures. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e002863.	3.9	13
174	Dual role of circulating endothelial progenitor cells in stent struts endothelialisation and neointimal regrowth: A substudy of the IN-PACT CORO trial. <i>Cardiovascular Revascularization Medicine</i> , 2015, 16, 20-26.	0.8	10
175	Plaque rupture and intact fibrous cap assessed by optical coherence tomography portend different outcomes in patients with acute coronary syndrome. <i>European Heart Journal</i> , 2015, 36, 1377-1384.	2.2	226
176	Optical coherence tomography features of angiographic complex and smooth lesions in acute coronary syndromes. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 927-934.	1.5	14
177	Results of Emergency Postoperative Re-Angiography After Cardiac Surgery Procedures. <i>Annals of Thoracic Surgery</i> , 2015, 99, 1576-1582.	1.3	24
178	Impella ventricular support in clinical practice: Collaborative viewpoint from a European expert user group. <i>International Journal of Cardiology</i> , 2015, 201, 684-691.	1.7	160
179	Jailed balloon protection and rescue balloon jailing techniques set the field for safer bifurcation provisional stenting. <i>International Journal of Cardiology</i> , 2015, 201, 376-377.	1.7	19
180	Clinical Impact of OCT Findings During PCI. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 1297-1305.	5.3	255

#	ARTICLE	IF	CITATIONS
181	Frequency domain optical coherence tomography to assess non-ostial left main coronary artery. <i>EuroIntervention</i> , 2015, 10, e1-e8.	3.2	45
182	Three-dimensional quantitative coronary angiography and quantification of jeopardised myocardium to predict functional significance of intermediate coronary artery stenosis. <i>EuroIntervention</i> , 2015, 11, 308-318.	3.2	3
183	Technical aspects of the T And small Protrusion (TAP) technique. <i>EuroIntervention</i> , 2015, 11, V91-V95.	3.2	33
184	Coronary bifurcations as you have never seen them: the Visible Heart® Laboratory bifurcation programme. <i>EuroIntervention</i> , 2015, 11, V40-V43.	3.2	7
185	Efficacy of contrast medium induced Pd/Pa ratio in predicting functional significance of intermediate coronary artery stenosis assessed by fractional flow reserve: insights from the RINASCI study. <i>EuroIntervention</i> , 2015, 11, 421-427.	3.2	56
186	Persistent enhanced platelet activation in patients with acute myocardial infarction and coronary microvascular obstruction: clinical implications. <i>Thrombosis and Haemostasis</i> , 2014, 111, 122-130.	3.4	18
187	Association between inflammatory biomarkers and in-stent restenosis tissue features: an Optical Coherence Tomography Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 917-925.	1.2	15
188	Multisite artery disease: a common and challenging clinical condition calling for specific management. <i>Future Cardiology</i> , 2014, 10, 395-407.	1.2	2
189	Frequency-domain optical coherence tomography findings in patients with bifurcated lesions undergoing provisional stenting. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 547-555.	1.2	32
190	Commentary: Transradial Access: An Alternative or a Standard of Care for Selected Peripheral Procedures?. <i>Journal of Endovascular Therapy</i> , 2014, 21, 641-643.	1.5	3
191	Three-year Follow-up of Patients With Bifurcation Lesions Treated With Sirolimus- or Everolimus-eluting Stents: SEAside and CORpal Cooperative Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 797-803.	0.6	3
192	Value of EuroSCORE II in Predicting Total and Cardiac Mortality in Patients Undergoing Percutaneous Coronary Interventions. <i>American Journal of Cardiology</i> , 2014, 113, 745-746.	1.6	3
193	Morphological and biohumoral correlations in acute coronary syndromes: Pathogenetic implications. <i>International Journal of Cardiology</i> , 2014, 171, 463-466.	1.7	31
194	Impact of Accuracy of Fractional Flow Reserve to Reduction of Microvascular Resistance After Intracoronary Adenosine in Patients With Angina Pectoris or Non-ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2014, 113, 1461-1467.	1.6	13
195	Seguimiento de 3 años de pacientes con lesiones de bifurcación tratados con stents liberadores de sirolimus o everolimus: estudio de colaboración de SEAside y CORpal. <i>Revista Espanola De Cardiologia</i> , 2014, 67, 797-803.	1.2	16
196	Post-procedural renal microvascular perfusion measured using the Quantitative Blush Evaluator (QuBE) predicts improvement in renal function in patients undergoing percutaneous renal artery stenting. <i>International Journal of Cardiology</i> , 2014, 172, e127-e129.	1.7	1
197	Radial approach for percutaneous coronary interventions on chronic total occlusions: Technical issues and data review. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 47-57.	1.7	39
198	Successful transradial removal of an inflated coronary stent dislodged from the right coronary ostium. <i>Cardiovascular Revascularization Medicine</i> , 2014, 15, 432-435.	0.8	1

#	ARTICLE	IF	CITATIONS
199	Parvovirus <sc>B</sc>19 at the culprit coronary stenosis predicts outcome after stenting. European Journal of Clinical Investigation, 2014, 44, 209-218.	3.4	4
200	Randomized Comparison of Xience V and Multi-Link Vision Coronary Stents in the Same Multivessel Patient With Chronic Kidney Disease (RENAL-DES) Study. Circulation, 2014, 129, 1104-1112.	1.6	37
201	Mechanisms of Atherothrombosis and Vascular Response to Primary Percutaneous Coronary Intervention in Women Versus Men With Acute Myocardial Infarction. JACC: Cardiovascular Interventions, 2014, 7, 958-968.	2.9	89
202	Radial artery complications occurring after transradial coronary procedures using long hydrophilic-coated introducer sheath: a frequency domain-optical coherence tomography study. International Journal of Cardiovascular Imaging, 2014, 30, 21-29.	1.5	23
203	Fractional flow reserve or optical coherence tomography guidance to revascularize intermediate coronary stenosis using angioplasty (FORZA) trial: study protocol for a randomized controlled trial. Trials, 2014, 15, 140.	1.6	17
204	Randomized comparison between 3-month Cre8 DES vs. 1-month Vision/Multilink8 BMS neointimal coverage assessed by OCT evaluation: The DEMONSTRATE study. International Journal of Cardiology, 2014, 176, 904-909.	1.7	31
205	Safety and feasibility of iliac endovascular interventions with a radial approach. Results from a multicenter study coordinated by the Italian Radial Force. International Journal of Cardiology, 2014, 175, 280-284.	1.7	26
206	Characteristics of drug-eluting stent platforms potentially influencing bifurcated lesion provisional stenting procedure. EuroIntervention, 2014, 10, 124-132.	3.2	17
207	Stent deformation, physical stress, and drug elution obtained with provisional stenting, conventional culotte and Tryton-based culotte to treat bifurcations: a virtual simulation study. EuroIntervention, 2014, 9, 1441-1453.	3.2	25
208	Percutaneous management of vascular access in transfemoral transcatheter aortic valve implantation. World Journal of Cardiology, 2014, 6, 836.	1.5	29
209	Early and long-term outlook of percutaneous coronary intervention for bifurcation lesions in young patients. International Journal of Cardiology, 2013, 167, 2995-2999.	1.7	4
210	Endothelial Progenitor Cells, Microvascular Obstruction, and Left Ventricular Remodeling in Patients With ST Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. American Journal of Cardiology, 2013, 112, 782-791.	1.6	13
211	Access route for coronary chronic total occlusion: femoral or radial approach?. Interventional Cardiology, 2013, 5, 485-488.	0.0	1
212	Open-Label, Randomized, Placebo-Controlled Evaluation of Intracoronary Adenosine or Nitroprusside After Thrombus Aspiration During Primary Percutaneous Coronary Intervention for the Prevention of Microvascular Obstruction in Acute Myocardial Infarction. JACC: Cardiovascular Interventions, 2013, 6, 580-589.	2.9	100
213	Coronary stenting: From optical coherence tomography to fluid dynamic simulations. , 2013, , .		1
214	Case-Control Registry of Excimer Laser Coronary Angioplasty Versus Distal Protection Devices in Patients With Acute Coronary Syndromes due to Saphenous Vein Graft Disease. American Journal of Cardiology, 2013, 112, 1586-1591.	1.6	29
215	Radial artery intima-media ratio predicts presence of coronary thin-cap fibroatheroma: A frequency domain-optical coherence tomography study. International Journal of Cardiology, 2013, 168, 1917-1922.	1.7	10
216	Radial versus femoral approach comparison in percutaneous coronary intervention with intraaortic balloon pump support: The RADIAL PUMP UP Registry. American Heart Journal, 2013, 166, 1019-1026.	2.7	27

#	ARTICLE	IF	CITATIONS
217	Effect of pre-infarction angina on platelet reactivity in acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 167, 51-56.	1.7	11
218	Baseline inflammatory status and long-term changes in renal function after percutaneous renal artery stenting: A prospective study. <i>International Journal of Cardiology</i> , 2013, 167, 1006-1011.	1.7	13
219	Frequency-domain optical coherence tomography assessment of kissing-balloon effects in bifurcated coronary artery lesions undergoing provisional stenting. <i>International Journal of Cardiology</i> , 2013, 168, 4837-4839.	1.7	2
220	EuroSCORE predicts long-term mortality of unselected patients undergoing percutaneous coronary interventions. <i>International Journal of Cardiology</i> , 2013, 167, 1232-1236.	1.7	8
221	Angiographic assessment of myocardial perfusion in Tako-Tsubo syndrome. <i>International Journal of Cardiology</i> , 2013, 168, 4717-4722.	1.7	15
222	Management and timing of access-site vascular complications occurring after trans-radial percutaneous coronary procedures. <i>International Journal of Cardiology</i> , 2013, 167, 1973-1978.	1.7	31
223	Strategies of Clopidogrel Load and Atorvastatin Reload to Prevent Ischemic Cerebral Events in Patients Undergoing Protected Carotid Stenting. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1379-1387.	2.8	58
224	Resolute zotarolimus-eluting stent to treat bifurcated lesions according to the provisional technique: A procedural performance comparison with sirolimus- and everolimus-eluting stents. <i>Cardiovascular Revascularization Medicine</i> , 2013, 14, 122-127.	0.8	12
225	No-Reflow Reversibility: A Study Based on Serial Assessment of Multiple Biomarkers. <i>Journal of Cardiovascular Translational Research</i> , 2013, 6, 798-807.	2.4	9
226	Effects of late REopening of Coronary total Occlusion on micRovascular perfusion and myocarDial function: the RECORD study. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 487-494.	1.2	5
227	Influence of the Amount of Myocardium Subtended by a Stenosis on Fractional Flow Reserve. Circulation: <i>Cardiovascular Interventions</i> , 2013, 6, 29-36.	3.9	95
228	One-å€year outcomes of consecutive patients treated by endeavor zotarolimus and resolute zotarolimus stents: The impact of polymer coating in drug-å€eluting stent technology. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, 268-273.	1.7	8
229	Management of the access site after transradial percutaneous procedures. <i>Journal of Cardiovascular Medicine</i> , 2013, 14, 705-713.	1.5	7
230	Technical Aspects of Provisional Stenting in Percutaneous Treatment of Complex Bifurcation Lesions. <i>Interventional Cardiology Review</i> , 2013, 8, 96.	1.6	3
231	Emerging Evidence that Radial is Safer than Femoral Percutaneous Coronary Intervention in Subjects with ST Segment Elevation Myocardial Infarction.. <i>Reviews on Recent Clinical Trials</i> , 2013, 8, 86-92.	0.8	5
232	Consensus from the 7th European Bifurcation Club meeting. <i>EuroIntervention</i> , 2013, 9, 36-45.	3.2	102
233	Impact of operator experience and wiring technique on procedural efficacy of trans-radial percutaneous chronic total occlusion recanalization performed by dedicated radialists. <i>Cardiology Journal</i> , 2013, 20, 560-567.	1.2	7
234	Predictors of Periprocedural (Type IVa) Myocardial Infarction, as Assessed by Frequency-Domain Optical Coherence Tomography. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 89-96.	3.9	84

#	ARTICLE	IF	CITATIONS
235	Impact of gender on clinical outcomes after mTOR-inhibitor drug-eluting stent implantation in patients with first manifestation of ischaemic heart disease. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 914-926.	1.8	10
236	Intracoronary Use of GP IIb/IIIa Inhibitors in Percutaneous Coronary Interventions. <i>Current Vascular Pharmacology</i> , 2012, 10, 448-453.	1.7	3
237	The HEART study. <i>Journal of Cardiovascular Medicine</i> , 2012, 13, 775-782.	1.5	1
238	The occurrence of radial artery occlusion following catheterization. <i>Expert Review of Cardiovascular Therapy</i> , 2012, 10, 1287-1295.	1.5	14
239	Intracoronary microparticles and microvascular obstruction in patients with ST elevation myocardial infarction undergoing primary percutaneous intervention. <i>European Heart Journal</i> , 2012, 33, 2928-2938.	2.2	95
240	Vascular complications and access crossover in 10,676 transradial percutaneous coronary procedures. <i>American Heart Journal</i> , 2012, 163, 230-238.	2.7	123
241	Comparison of the Feasibility and Effectiveness of Transradial Coronary Angiography Via Right Versus Left Radial Artery Approaches (from the PREVAIL Study). <i>American Journal of Cardiology</i> , 2012, 110, 771-775.	1.6	31
242	Superficial calcified nodules and post-stenting micro-dissections imaged through 3-dimensional optical coherence tomography. <i>International Journal of Cardiology</i> , 2012, 158, e62-e64.	1.7	1
243	Intimal hyperplasia evaluated by OCT in de novo coronary lesions treated by drug-eluting balloon and bare-metal stent (IN-PACT CORO): study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 55.	1.6	7
244	Silent cerebral infarcts after cardiac catheterization: A randomized comparison of radial and femoral approaches. <i>American Heart Journal</i> , 2012, 164, 449-454.e1.	2.7	37
245	Maximal Hyperemia in the Assessment of Fractional Flow Reserve. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 402-408.	2.9	84
246	Late (3 Years) Follow-Up of Successful Versus Unsuccessful Revascularization in Chronic Total Coronary Occlusions Treated by Drug Eluting Stent. <i>American Journal of Cardiology</i> , 2012, 110, 948-953.	1.6	33
247	Predictors of thromboxane levels in patients with non-ST-elevation acute coronary syndromes on chronic aspirin therapy. <i>Thrombosis and Haemostasis</i> , 2012, 108, 133-139.	3.4	6
248	Feasibility of complex coronary and peripheral interventions by transradial approach using large sheaths. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 79, 597-600.	1.7	25
249	Prospective evaluation of myocardial ischemia related to postprocedural sidebranch stenosis in bifurcated lesions treated by provisional approach with drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 79, 351-359.	1.7	14
250	Early beneficial effects of drug-eluting stents in vein grafts wane during long term follow-up. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 80, 1112-1117.	1.7	5
251	Impact of radial-aorta vascular anatomical variants on risk of failure in transradial coronary procedures. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 80, 298-303.	1.7	28
252	Everolimus-eluting versus sirolimus-eluting stents: an updated meta-analysis of randomized trials. <i>Clinical Research in Cardiology</i> , 2012, 101, 461-467.	3.3	46

#	ARTICLE	IF	CITATIONS
253	Impact of vascular approach (transradial vs. transfemoral) on the efficacy of thrombus aspiration in acute myocardial infarction patients. <i>Cardiovascular Revascularization Medicine</i> , 2012, 13, 79-83.	0.8	5
254	Comparison of Two- and Three-Dimensional Quantitative Coronary Angiography to Intravascular Ultrasound in the Assessment of Intermediate Left Main Stenosis. <i>American Journal of Cardiology</i> , 2012, 109, 1600-1607.	1.6	15
255	Simplifying clinical risk prediction for percutaneous coronary intervention of bifurcation lesions: the case for the ACEF (age, creatinine, ejection fraction) score. <i>EuroIntervention</i> , 2012, 8, 359-367.	3.2	27
256	Angiographic and clinical outcome of percutaneous coronary intervention for in-stent restenosis of bifurcated lesions. <i>EuroIntervention</i> , 2012, 8, 701-707.	3.2	5
257	Angiography alone versus angiography plus optical coherence tomography to guide decision-making during percutaneous coronary intervention: the Centro per la Lotta contro l'Infarto-Optimisation of Percutaneous Coronary Intervention (CLI-OPCI) study. <i>EuroIntervention</i> , 2012, 8, 823-829.	3.2	325
258	Sodium bicarbonate plus N-acetylcysteine to prevent contrast-induced nephropathy in primary and rescue percutaneous coronary interventions: the BINARIO (Bicarbonato e N-Acetil-cisteina) Trial. <i>Journal of the American College of Cardiology</i> , 2011, 57, 1537-1544.	1.5	12
259	Transradial approach (left vs right) and procedural times during percutaneous coronary procedures: TALENT study. <i>American Heart Journal</i> , 2011, 161, 172-179.	2.7	126
260	Quantitative Blush Evaluator accurately quantifies microvascular dysfunction in patients with ST-elevation myocardial infarction: Comparison with cardiovascular magnetic resonance. <i>American Heart Journal</i> , 2011, 162, 372-381.e2.	2.7	20
261	Immunosuppressive Therapy with Oral Prednisone to Prevent Restenosis after PCI. A Multicenter Randomized Trial. <i>American Journal of Medicine</i> , 2011, 124, 434-443.	1.5	29
262	Safety and efficacy of G-CSF in patients with ischemic heart failure: The CORNER (Cell Option for) Trial. <i>Journal of the American College of Cardiology</i> , 2011, 150, 75-78.	1.7	7
263	A meta-analysis of first-generation drug-eluting vs bare-metal stents for coronary chronic total occlusion: Effect of length of follow-up on clinical outcome. <i>International Journal of Cardiology</i> , 2011, 150, 351-354.	1.7	12
264	Predictors of myocardial microvascular obstruction in patients treated by primary percutaneous coronary intervention and a short ischemic time. <i>International Journal of Cardiology</i> , 2011, 153, 113-115.	1.7	3
265	Evidence of increased platelet reactivity in the first six months after acute ST segment elevation myocardial infarction. <i>Thrombosis Research</i> , 2011, 128, 174-178.	1.7	18
266	Eosinophil cationic protein and clinical outcome after bare metal stent implantation. <i>Atherosclerosis</i> , 2011, 215, 166-169.	0.8	26
267	Experimental Investigation of the Local Blood Flow Pattern in Stented Coronary Bifurcations. , 2011, , .		0
268	Angiographic patterns of myocardial reperfusion after primary angioplasty and ventricular remodeling. <i>Coronary Artery Disease</i> , 2011, 22, 507-514.	0.7	14
269	Evaluation of the "Learning Curve" for Left and Right Radial Approach During Percutaneous Coronary Procedures. <i>American Journal of Cardiology</i> , 2011, 108, 185-188.	1.6	40
270	Is intravascular ultrasound beneficial for percutaneous coronary intervention of bifurcation lesions? Evidence from a 4,314-patient registry. <i>Clinical Research in Cardiology</i> , 2011, 100, 1021-1028.	3.3	38

#	ARTICLE	IF	CITATIONS
271	Comparative assessment of mammalian target of rapamycin inhibitor-eluting stents in the treatment of coronary artery bifurcation lesions: The CASTOR-Bifurcation registry. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 503-509.	1.7	9
272	Long-term outcome of provisional side-branch stenting for the treatment of unprotected distal left main coronary artery disease. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 765-772.	1.7	5
273	Prospective Randomized Comparison of Sirolimus- or Everolimus-Eluting Stent to Treat Bifurcated Lesions by Provisional Approach. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 327-335.	2.9	63
274	Early and Long-Term Outcomes After Combined Percutaneous Revascularization in Patients With Carotid and Coronary Artery Stenoses. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 560-568.	2.9	20
275	Operator Radiation Exposure During Percutaneous Coronary Procedures Through the Left or Right Radial Approach. <i>Circulation: Cardiovascular Interventions</i> , 2011, 4, 226-231.	3.9	46
276	Impact of Drug-Eluting Stents and Diabetes Mellitus in Patients With Coronary Bifurcation Lesions: A Survey From the Italian Society of Invasive Cardiology. <i>Circulation: Cardiovascular Interventions</i> , 2011, 4, 72-79.	3.9	6
277	How should I treat a patient to remove a fractured jailed side branch wire?. <i>EuroIntervention</i> , 2011, 7, 520-527.	3.2	15
278	Filter no-reflow during percutaneous coronary intervention of saphenous vein grafts: incidence, predictors and effect of the type of protection device. <i>EuroIntervention</i> , 2011, 7, 955-961.	3.2	21
279	Angiographic Predictors of Recurrent Stent Thrombosis (from the Outcome of PCI for Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 4	1.6	11
280	TAP stenting: An intuitive and practical technique to treat bifurcated lesions in the hands of different operators. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 75, 979-980.	1.7	1
281	Renal artery stenting in patients with chronic ischemic heart disease. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 76, 26-34.	1.7	7
282	Pushing the limits forward: Transradial superficial femoral artery stenting. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 76, 1065-1071.	1.7	19
283	Yin and Yang in Interventional Cardiology. <i>JACC: Cardiovascular Interventions</i> , 2010, 3, 783.	2.9	0
284	Intravascular Ultrasound-Documented Healing of Spontaneous Coronary Artery Dissection. <i>Circulation: Cardiovascular Interventions</i> , 2010, 3, 519-522.	3.9	12
285	Thrombus aspiration in ST elevation myocardial infarction: comparative efficacy in patients treated early and late after onset of symptoms. <i>Heart</i> , 2010, 96, 1287-1290.	2.9	31
286	Transradial approach for percutaneous coronary interventions on chronic total occlusions. <i>Interventional Cardiology</i> , 2010, 2, 417-425.	0.0	2
287	An Unusual Treatment of Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1259.	2.8	0
288	Coronary bifurcation lesions: To stent one branch or both? A meta-analysis of patients treated with drug eluting stents. <i>International Journal of Cardiology</i> , 2010, 139, 80-91.	1.7	33

#	ARTICLE	IF	CITATIONS
289	A new operative classification of both anatomic vascular variants and physiopathologic conditions affecting transradial cardiovascular procedures. <i>International Journal of Cardiology</i> , 2010, 145, 120-122.	1.7	19
290	Real-world outcome of coronary bifurcation lesions in the drug-eluting stent era: Results from the 4,314-patient Italian Society of Invasive Cardiology (SICI-GISE) Italian Multicenter Registry on Bifurcations (I-BIGIS). <i>American Heart Journal</i> , 2010, 160, 535-542.e1.	2.7	40
291	Thrombus aspiration followed by direct stenting: A novel strategy of primary percutaneous coronary intervention in ST-segment elevation myocardial infarction. Results of the Polish-Italian-Hungarian RANdomized ThrombEctomy Trial (PIHRATE Trial). <i>American Heart Journal</i> , 2010, 160, 966-972.	2.7	83
292	Angiographic assessment of microvascular perfusion—Myocardial blush in clinical practice. <i>American Heart Journal</i> , 2010, 160, 1015-1022.	2.7	36
293	Jailed balloon protection: a new technique to avoid acute side-branch occlusion during provisional stenting of bifurcated lesions. Bench test report and first clinical experience. <i>EuroIntervention</i> , 2010, 5, 809-813.	3.2	58
294	Identifying factors that predict the choice and success rate of radial artery catheterisation in contemporary real world cardiology practice: a sub-analysis of the PREVAIL study data. <i>EuroIntervention</i> , 2010, 6, 240-246.	3.2	30
295	How to solve difficult side branch access?. <i>EuroIntervention</i> , 2010, 6, J72-J80.	3.2	66
296	Renal stenting: still alive after ASTRAL and STAR publications?. <i>Anatolian Journal of Cardiology</i> , 2010, 10, 66-68.	0.4	0
297	How to manage difficult anatomic conditions affecting transradial approach coronary procedures?. <i>Indian Heart Journal</i> , 2010, 62, 238-44.	0.5	3
298	Individual patient-data meta-analysis comparing clinical outcome in patients with ST-elevation myocardial infarction treated with percutaneous coronary intervention with or without prior thrombectomy. ATTEMPT study: A pooled Analysis of Trials on ThrombEctomy in acute Myocardial infarction based on individual Patient data. <i>Vascular Health and Risk Management</i> , 2009, 5, 243.	2.3	16
299	Zotarolimus for the treatment of coronary artery disease: pathophysiology, DES design, clinical evaluation and future perspective. <i>Expert Opinion on Pharmacotherapy</i> , 2009, 10, 1047-1058.	1.8	18
300	Pre-intervention eosinophil cationic protein serum levels predict clinical outcomes following implantation of drug-eluting stents. <i>European Heart Journal</i> , 2009, 30, 1340-1347.	2.2	51
301	Outcome of patients treated by a novel thin-strut cobalt-chromium stent in the drug-eluting stent era: Results of the SKICE (Skylor in real world practice) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 73, 457-465.	1.7	11
302	Transradial carotid artery stenting with proximal embolic protection. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 267-272.	1.7	26
303	Transradial approach to treat superficial femoral artery in-stent restenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 494-498.	1.7	36
304	Transradial renal stenting: Why and how. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 951-956.	1.7	39
305	Adenosine inhibition of adenosine diphosphate and thrombin-induced monocyte-platelet aggregates in cardiac syndrome X. <i>Thrombosis Research</i> , 2009, 124, 116-120.	1.7	7
306	The use of functional tests and planned coronary angiography after percutaneous coronary revascularization in clinical practice. Results from the AFTER multicenter study. <i>International Journal of Cardiology</i> , 2009, 137, 151-157.	1.7	8

#	ARTICLE	IF	CITATIONS
307	Myocardial No-Reflow in Humans. <i>Journal of the American College of Cardiology</i> , 2009, 54, 281-292.	2.8	720
308	Glycoprotein IIB/IIIa inhibitor to reduce postpercutaneous coronary intervention myonecrosis and improve coronary flow in diabetics: the "OPTIMIZE-IT"™ pilot randomized study. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 245-251.	1.5	18
309	Predictors of exercise-induced platelet reactivity in patients with chronic stable angina. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 891-897.	1.5	7
310	Elevated admission cardiac troponin T is associated with microvascular dysfunction in acute myocardial infarction treated with emergency angioplasty. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 664-668.	1.5	3
311	Clinical impact of thrombectomy in acute ST-elevation myocardial infarction: an individual patient-data pooled analysis of 11 trials. <i>European Heart Journal</i> , 2009, 30, 2193-2203.	2.2	245
312	Retrograde recanalization of left main from saphenous vein graft supported by percutaneous Impella Recover LP 2.5 assist device. <i>Journal of Invasive Cardiology</i> , 2009, 21, E147-50.	0.4	3
313	Provisional TAP-stenting strategy to treat bifurcated lesions with drug-eluting stents: one-year clinical results of a prospective registry. <i>Journal of Invasive Cardiology</i> , 2009, 21, 532-7.	0.4	11
314	Classification of coronary artery bifurcation lesions and treatments: Time for a consensus!. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 71, 175-183.	1.7	260
315	Transradial approach for coronary angiography and interventions in patients with coronary bypass grafts: Tips and tricks. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 72, 263-272.	1.7	43
316	Percutaneous removal of an embolized port catheter: Description of a new coaxial recovery technique including a case report. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 72, 289-293.	1.7	7
317	Impact of Metabolic Syndrome on Angiographic and Clinical Outcome After Stenting. <i>American Journal of Cardiology</i> , 2008, 101, 1679.	1.6	2
318	Association between C-reactive protein and angiographic restenosis after bare metal stents: an updated and comprehensive meta-analysis of 2747 patients. <i>Cardiovascular Revascularization Medicine</i> , 2008, 9, 156-165.	0.8	62
319	Ethanol Abolishes Ischemic Preconditioning in Humans. <i>Journal of the American College of Cardiology</i> , 2008, 51, 271-275.	2.8	40
320	Cardiovocal syndrome after transradial cardiac catheterization: An unusual complication. <i>International Journal of Cardiology</i> , 2008, 124, e39-e41.	1.7	6
321	Adjunctive devices in primary or rescue PCI: A meta-analysis of randomized trials. <i>International Journal of Cardiology</i> , 2008, 123, 313-321.	1.7	78
322	A collaborative systematic review and meta-analysis on 1278 patients undergoing percutaneous drug-eluting stenting for unprotected left main coronary artery disease. <i>American Heart Journal</i> , 2008, 155, 274-283.	2.7	170
323	Cystatin C is associated with an increased coronary atherosclerotic burden and a stable plaque phenotype in patients with ischemic heart disease and normal glomerular filtration rate. <i>Atherosclerosis</i> , 2008, 198, 373-380.	0.8	55
324	Thrombus-aspiration: a victory in the war against no reflow. <i>Lancet</i> , The, 2008, 371, 1889-1890.	13.7	20

#	ARTICLE	IF	CITATIONS
325	EuroSCORE as predictor of in-hospital mortality after percutaneous coronary intervention. <i>Heart</i> , 2008, 95, 43-48.	2.9	104
326	Plasma levels of thromboxane A2 on admission are associated with no-reflow after primary percutaneous coronary intervention. <i>European Heart Journal</i> , 2008, 29, 1843-1850.	2.2	67
327	Angiographic and clinical outcome of invasively managed patients with thrombosed coronary bare metal or drug-eluting stents: the OPTIMIST study. <i>European Heart Journal</i> , 2008, 29, 3011-3021.	2.2	47
328	Metabolic Syndrome Is a Poor Predictor of Outcome after Coronary Interventions in High-Risk Patients. <i>Hypertension Research</i> , 2008, 31, 2097-2097.	2.7	1
329	Comparison of the transradial and transfemoral approaches for coronary angiographic evaluation in patients with internal mammary artery grafts. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 263-266.	1.5	19
330	Outcomes of the tacrolimus drug-eluting Janus stent: a prospective two-centre registry in high-risk patients. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 589-594.	1.5	10
331	Feasibility and long-term safety of elective Impella-assisted high-risk percutaneous coronary intervention: a pilot two-centre study. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 1004-1010.	1.5	55
332	Nonconventional use of coronary guidewires for ECG recording and emergency pacing. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 1222-1228.	1.5	0
333	The complex link between oxidised low-density lipoprotein and unstable angina. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 387-391.	1.5	8
334	Relationship between changes in platelet reactivity and changes in platelet receptor expression induced by physical exercise. <i>Thrombosis Research</i> , 2007, 120, 901-909.	1.7	36
335	The Outcome of PCI for stent-Thrombosis Multicentre Study (OPTIMIST): Rationale and design of a multicenter registry. <i>American Heart Journal</i> , 2007, 153, 377.e1-377.e5.	2.7	8
336	Predictive value of preintervention C-reactive protein on clinical outcome after directional coronary atherectomy followed by stent implantation. <i>Cardiovascular Revascularization Medicine</i> , 2007, 8, 156-160.	0.8	1
337	Direct and indirect comparison meta-analysis demonstrates the superiority of sirolimus- versus paclitaxel-eluting stents across 5854 patients. <i>International Journal of Cardiology</i> , 2007, 114, 104-105.	1.7	21
338	Ximelagatran/melagatran against conventional anticoagulation: A meta-analysis based on 22,639 patients. <i>International Journal of Cardiology</i> , 2007, 122, 117-124.	1.7	36
339	Baseline systemic inflammatory status and no-reflow phenomenon after percutaneous coronary angioplasty for acute myocardial infarction. <i>International Journal of Cardiology</i> , 2007, 117, 306-311.	1.7	47
340	Modified T-stenting with intentional protrusion of the side-branch stent within the main vessel stent to ensure ostial coverage and facilitate final kissing balloon: The T-stenting and small protrusion technique (TAP-stenting). Report of bench testing and first clinical Italian-Korean two-centre experience. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 70, 75-82.	1.7	93
341	Silent cerebral infarct after cardiac catheterization as detected by diffusion weighted Magnetic Resonance Imaging: a randomized comparison of radial and femoral arterial approaches. <i>Trials</i> , 2007, 8, 15.	1.6	12
342	Outcome of Overlapping Heterogenous Drug-Eluting Stents and of Overlapping Drug-Eluting and Bare Metal Stents. <i>American Journal of Cardiology</i> , 2007, 99, 364-368.	1.6	14

#	ARTICLE	IF	CITATIONS
343	Relation of Myocardial Blush Grade to Microvascular Perfusion and Myocardial Infarct Size After Primary or Rescue Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2007, 99, 1671-1673.	1.6	51
344	Usefulness of Granulocyte Colony-Stimulating Factor in Patients With a Large Anterior Wall Acute Myocardial Infarction to Prevent Left Ventricular Remodeling (The Rigenera Study). <i>American Journal of Cardiology</i> , 2007, 100, 397-403.	1.6	55
345	Rationale for intracoronary administration of abciximab. <i>Journal of Thrombosis and Thrombolysis</i> , 2007, 23, 57-63.	2.1	67
346	Feasibility of sequential thrombus aspiration and filter distal protection in the management of very high thrombus burden lesions. <i>Journal of Invasive Cardiology</i> , 2007, 19, 317-23.	0.4	9
347	Thrombus Aspiration Reduces Microvascular Obstruction After Primary Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2006, 48, 1355-1360.	2.8	82
348	Patients With In-Stent Restenosis Have an Increased Risk of Mid-Term Venous Graft Failure. <i>Annals of Thoracic Surgery</i> , 2006, 82, 802-804.	1.3	17
349	Filter no reflow during percutaneous coronary interventions using the Filterwire distal protection device. <i>International Journal of Cardiology</i> , 2006, 109, 53-58.	1.7	21
350	Directional atherectomy before stenting versus stenting alone in percutaneous coronary interventions: A meta-analysis. <i>International Journal of Cardiology</i> , 2006, 112, 178-183.	1.7	10
351	Changes in platelet receptor expression and leukocyte-platelet aggregate formation following exercise in Cardiac Syndrome X. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 1623-1625.	3.8	7
352	A pilot study with a new, rapid-exchange, thrombus-aspirating device in patients with thrombus-containing lesions: The Diver C.E. study. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 67, 887-893.	1.7	28
353	Compliance with QUOROM and quality of reporting of overlapping meta-analyses on the role of acetylcysteine in the prevention of contrast associated nephropathy: case study. <i>BMJ: British Medical Journal</i> , 2006, 332, 202-209.	2.3	135
354	Endothelin-1 and acute myocardial infarction: a no-reflow mediator after successful percutaneous myocardial revascularization. <i>European Heart Journal</i> , 2006, 27, 1793-1798.	2.2	103
355	A systematic review and meta-analysis on the hazards of discontinuing or not adhering to aspirin among 50 279 patients at risk for coronary artery disease. <i>European Heart Journal</i> , 2006, 27, 2667-2674.	2.2	636
356	Culprit Lesion Seen 1 Hour Before Occlusion. <i>Circulation</i> , 2006, 113, e61-2.	1.6	4
357	Implantation in Coronary Circulation Induces Morphofunctional Transformation of Radial Grafts From Muscular to Elastomuscular. <i>Circulation</i> , 2005, 112, I208-11.	1.6	28
358	Arterial Versus Venous Bypass Grafts in Patients With In-Stent Restenosis. <i>Circulation</i> , 2005, 112, I265-9.	1.6	68
359	Intramyocardial septal branches of a "dual LAD" selectively visualised within a no reflow area. <i>Heart</i> , 2005, 91, 1253-1253.	2.9	0
360	Left main and saphenous vein graft spasm: an unusual association. <i>International Journal of Cardiology</i> , 2005, 99, 133-134.	1.7	4

#	ARTICLE	IF	CITATIONS
361	Rescue percutaneous coronary intervention for failed thrombolysis in a patient with anomalous coronary arteries. <i>International Journal of Cardiology</i> , 2005, 99, 325-326.	1.7	5
362	Catheter-induced straightening of external iliac tortuosity: a cause of pseudostenosis to be borne in mind. <i>International Journal of Cardiology</i> , 2005, 101, 333-334.	1.7	7
363	Adjusted indirect comparison of intracoronary drug-eluting stents: evidence from a metaanalysis of randomized bare-metal-stent-controlled trials. <i>International Journal of Cardiology</i> , 2005, 100, 119-123.	1.7	60
364	Angiographic evaluation of the effect of intracoronary abciximab administration in patients undergoing urgent PCI. <i>International Journal of Cardiology</i> , 2005, 105, 250-255.	1.7	44
365	Platelet reactivity in response to mental stress in syndrome X and in stable or unstable coronary artery disease. <i>Thrombosis Research</i> , 2005, 116, 25-31.	1.7	16
366	Long-term benefits of an early invasive management in acute coronary syndromes depend on intracoronary stenting and aggressive antiplatelet treatment: A meta-regression. <i>American Heart Journal</i> , 2005, 149, 504-511.	2.7	90
367	Use of a novel high-osmolar gadolinium chelate, gadobutrol, for percutaneous renal artery stenting in two patients with chronic renal failure. <i>International Journal of Cardiology</i> , 2005, 102, 361-362.	1.7	7
368	Manual Thrombus-Aspiration Improves Myocardial Reperfusion. <i>Journal of the American College of Cardiology</i> , 2005, 46, 371-376.	2.8	329
369	Use of a second buddy wire during percutaneous coronary interventions: a simple solution for some challenging situations. <i>Journal of Invasive Cardiology</i> , 2005, 17, 171-4.	0.4	55
370	A simple hint to improve Robinson and Dickersin's highly sensitive PubMed search strategy for controlled clinical trials. <i>International Journal of Epidemiology</i> , 2004, 34, 224-225.	1.9	117
371	Inflammation as a Possible Link Between Coronary and Carotid Plaque Instability. <i>Circulation</i> , 2004, 109, 3158-3163.	1.6	193
372	Composite Y internal thoracic artery-saphenous vein grafts: short-term angiographic results and vasoreactive profile. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004, 127, 1139-1144.	0.8	36
373	Direct coronary stenting by transradial approach: Rationale and technical issues. <i>Catheterization and Cardiovascular Interventions</i> , 2004, 63, 215-219.	1.7	13
374	Trial finds that direct stenting does not reduce restenosis compared to conventional stenting in unselected lesions. <i>Evidence-based Cardiovascular Medicine</i> , 2004, 8, 156-157.	0.0	0
375	Commentary. <i>Evidence-based Cardiovascular Medicine</i> , 2004, 8, 158.	0.0	0
376	Percutaneous Treatment of a Large Coronary Aneurysm Using the Self-Expandable Symbiot PTFE-Covered Stent. <i>Chest</i> , 2004, 126, 644-645.	0.8	19
377	Clinical manifestations of coronary aneurysms in the adult as possible sequelae of Kawasaki disease during infancy. <i>Acta Cardiologica</i> , 2004, 59, 5-9.	0.9	8
378	G20210A prothrombin gene variant and clinical outcome in patients with a first acute coronary syndrome. <i>Haematologica</i> , 2004, 89, 1134-8.	3.5	10

#	ARTICLE	IF	CITATIONS
379	4G/5G PAI-1 Promoter Polymorphism and Acute-Phase Levels of PAI-1 Following Coronary Bypass Surgery: A Prospective Study. <i>Journal of Thrombosis and Thrombolysis</i> , 2003, 16, 149-154.	2.1	22
380	Early vasoreactive profile of skeletonized versus pedicled internal thoracic artery grafts. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 125, 638-641.	0.8	33
381	Comparison of outcomes (early and six- month) of direct stenting with conventional stenting (a) Tj ETQq1 1 0.784314 rgBT /Overlock	1.6	47
382	Genetic control of postoperative systemic inflammatory reaction and pulmonary and renal complications after coronary artery surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 126, 1107-1112.	0.8	66
383	Is vasopressin superior to adrenaline or placebo in the management of cardiac arrest? A meta-analysis. <i>Resuscitation</i> , 2003, 59, 221-224.	3.0	40
384	Selective intracoronary injection of sestamibi to detect myocardial viability: prediction of perfusion and contractile recovery after percutaneous transluminal coronary angioplasty. <i>Journal of Nuclear Cardiology</i> , 2003, 10, 473-481.	2.1	2
385	Direct stenting and conventional stenting have similar costs and are associated with similar early mortality. <i>Evidence-based Cardiovascular Medicine</i> , 2003, 7, 133-135.	0.0	0
386	Stenting advances mean that clinical outcomes are maintained, but procedural costs are reduced in the absence of predilatation. <i>Evidence-based Cardiovascular Medicine</i> , 2003, 7, 138-140.	0.0	0
387	Long-Term Results of the Radial Artery Used for Myocardial Revascularization. <i>Circulation</i> , 2003, 108, 1350-1354.	1.6	215
388	Stenting of Culprit Lesions in Unstable Angina Leads to a Marked Reduction in Plaque Burden: A Major Role of Plaque Embolization?. <i>Circulation</i> , 2003, 107, 2320-2325.	1.6	95
389	Intracoronary Administration of Abciximab Acutely Increases Flow Through Culprit Vessels of Patients With Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention. <i>Circulation</i> , 2003, 108, e138; author reply e138.	1.6	8
390	The -174G/C Interleukin-6 Polymorphism Influences Postoperative Interleukin-6 Levels and Postoperative Atrial Fibrillation. Is Atrial Fibrillation an Inflammatory Complication?. <i>Circulation</i> , 2003, 108, 195II-199.	1.6	264
391	The "Open-Artery Hypothesis": New Clinical and Pathophysiologic Insights. <i>Cardiology</i> , 2003, 100, 196-206.	1.4	18
392	Increased prevalence of the G20210A prothrombin gene variant in acute coronary syndromes without metabolic or acquired risk factors or with limited extent of disease. <i>European Heart Journal</i> , 2002, 23, 26-30.	2.2	38
393	Could direct stenting reduce no-reflow in acute coronary syndromes? A randomized pilot study. <i>American Heart Journal</i> , 2002, 143, 1027-1032.	2.7	34
394	Normothermia does not improve postoperative hemostasis nor does it reduce inflammatory activation in patients undergoing primary isolated coronary artery bypass. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002, 123, 1092-1100.	0.8	28
395	Immunohistochemical-scintigraphic correlation of sympathetic cardiac innervation in postischemic left ventricular aneurysms. <i>Journal of Nuclear Cardiology</i> , 2002, 9, 601-607.	2.1	7
396	Combined percutaneous pulmonary valvuloplasty and patent foramen ovale closure in an adult with recurrent transient ischemic attacks. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2002, 3, 424-6.	0.1	1

#	ARTICLE	IF	CITATIONS
397	The C807T/G873A polymorphism in the platelet glycoprotein Ia gene and the risk of acute coronary syndrome in the Italian population. <i>British Journal of Haematology</i> , 2001, 114, 150-154.	2.5	24
398	Relation of the γ 174 G/C polymorphism of interleukin-6 to interleukin-6 plasma levels and to length of hospitalization after surgical coronary revascularization. <i>American Journal of Cardiology</i> , 2001, 88, 1125-1128.	1.6	161
399	Midterm endothelial function and remodeling of radial artery grafts anastomosed to the aorta. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000, 120, 298-301.	0.8	29
400	Homocysteine and risk of cardiovascular disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2000, 9, 13-21.	2.1	35
401	Ticlopidine and aspirin fail to suppress the increased platelet aggregability that follows percutaneous coronary interventions. <i>Journal of Thrombosis and Thrombolysis</i> , 2000, 10, 265-269.	2.1	12
402	G20210A Prothrombin Gene Polymorphism and Extent of Coronary Disease. <i>Thrombosis and Haemostasis</i> , 2000, 84, 142-143.	3.4	6
403	The G20210A Prothrombin Mutation and the Physicians' Health Study. <i>Circulation</i> , 2000, 101, E207-8.	1.6	7
404	Prognostic role of heart rate variability in patients with a recent acute myocardial infarction. <i>American Journal of Cardiology</i> , 1998, 82, 1323-1328.	1.6	113
405	Midterm clinical and angiographic results of radial artery grafts used for myocardial revascularization. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1998, 116, 1015-1021.	0.8	180
406	Steal phenomenon from mammary side branches: when does it occur?. <i>Annals of Thoracic Surgery</i> , 1998, 66, 2056-2062.	1.3	61
407	Non-invasive evaluation of mammary artery flow reserve and adequacy to increased myocardial oxygen demand. <i>European Journal of Cardio-thoracic Surgery</i> , 1998, 13, 404-409.	1.4	14
408	The 4G/5G Polymorphism of PAI-1 Promoter Gene and the Risk of Myocardial Infarction: A Meta-analysis. <i>Thrombosis and Haemostasis</i> , 1998, 80, 1029-1030.	3.4	153
409	4G/5G Promoter PAI-1 Gene Polymorphism Is Associated with Plasmatic PAI-1 Activity in Italians: A Model of Gene-Environment Interaction. <i>Thrombosis and Haemostasis</i> , 1998, 79, 354-358.	3.4	81
410	The internal mammary artery malperfusion syndrome: Late angiographic verification. <i>Annals of Thoracic Surgery</i> , 1997, 63, 1257-1261.	1.3	12
411	Contractile Reserve of Dysfunctional Myocardium After Revascularization: A Dobutamine Stress Echocardiography Study. <i>Journal of the American College of Cardiology</i> , 1997, 30, 633-640.	2.8	39
412	Comparison of coronary angiographic narrowing in stable angina pectoris, unstable angina pectoris, and in acute myocardial infarction. <i>American Journal of Cardiology</i> , 1995, 76, 215-219.	1.6	33