

Marco Chilosi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5540773/publications.pdf>

Version: 2024-02-01

190
papers

10,505
citations

30070

54
h-index

37204

96
g-index

196
all docs

196
docs citations

196
times ranked

12378
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical, radiological and pathological findings in patients with persistent lung disease following SARS-CoV-2 infection. <i>European Respiratory Journal</i> , 2022, 60, 2102411.	6.7	51
2	Unbalanced IDO1/IDO2 Endothelial Expression and Skewed Keyurenine Pathway in the Pathogenesis of COVID-19 and Post-COVID-19 Pneumonia. <i>Biomedicines</i> , 2022, 10, 1332.	3.2	7
3	Covid-19 Interstitial Pneumonia: Histological and Immunohistochemical Features on Cryobiopsies. <i>Respiration</i> , 2021, 100, 488-498.	2.6	75
4	The pathogenic role of epithelial and endothelial cells in early-phase COVID-19 pneumonia: victims and partners in crime. <i>Modern Pathology</i> , 2021, 34, 1444-1455.	5.5	41
5	CAL2 monoclonal antibody is a rapid and sensitive assay for the detection of calreticulin mutations in essential thrombocythemia patients. <i>Annals of Hematology</i> , 2019, 98, 2339-2346.	1.8	4
6	Report Standardization in Transbronchial Lung Cryobiopsy. <i>Archives of Pathology and Laboratory Medicine</i> , 2019, 143, 416-417.	2.5	10
7	Inhibition of Notch Signaling Enhances Chemosensitivity in B-cell Precursor Acute Lymphoblastic Leukemia. <i>Cancer Research</i> , 2019, 79, 639-649.	0.9	41
8	Immunohistochemistry and Molecular Biology in Transbronchial Cryobiopsies. , 2019, , 81-99.		1
9	Cytology of the lung. , 2019, , 7-19.		0
10	Pulmonary involvement in haematological disorders and bone marrow transplant recipients. , 2019, , 333-358.		1
11	Cathepsin K expression in clear cell ðœsugarâ€tumor (PEComa) of the lung. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 55-59.	2.8	12
12	Cell of origin markers identify different prognostic subgroups of lung adenocarcinoma. <i>Human Pathology</i> , 2018, 75, 167-178.	2.0	13
13	Transbronchial Cryobiopsies for the Diagnosis of Diffuse Parenchymal Lung Diseases: Expert Statement from the Cryobiopsy Working Group on Safety and Utility and a Call for Standardization of the Procedure. <i>Respiration</i> , 2018, 95, 188-200.	2.6	273
14	Characterization of a new B-ALL cell line with constitutional defect of the Notch signaling pathway. <i>Oncotarget</i> , 2018, 9, 18341-18350.	1.8	9
15	LKB1 Expression Correlates with Increased Survival in Patients with Advanced Nonâ€Small Cell Lung Cancer Treated with Chemotherapy and Bevacizumab. <i>Clinical Cancer Research</i> , 2017, 23, 3316-3324.	7.0	43
16	Pulmonary adenocarcinoma with enteric differentiation: Dissecting oncogenic genes alterations with DNA sequencing and FISH analysis. <i>Experimental and Molecular Pathology</i> , 2017, 102, 276-279.	2.1	13
17	Next-generation repeat-free FISH probes for DNA amplification in glioblastoma in vivo: Improving patient selection to MDM2-targeted inhibitors. <i>Cancer Genetics</i> , 2017, 210, 28-33.	0.4	2
18	Increased frequency of bronchiolar histotypes in lung carcinomas associated with idiopathic pulmonary fibrosis. <i>Histopathology</i> , 2017, 71, 725-735.	2.9	31

#	ARTICLE	IF	CITATIONS
19	OA06.06 Druggable Alterations Involving Crucial Carcinogenesis Pathways Drive the Prognosis of Squamous Cell Lung Carcinoma (SqCLC). <i>Journal of Thoracic Oncology</i> , 2017, 12, S266-S267.	1.1	4
20	Transbronchial Lung Cryobiopsy in Diffuse Parenchymal Lung Disease: Comparison between Biopsy from 1 Segment and Biopsy from 2 Segments - Diagnostic Yield and Complications. <i>Respiration</i> , 2017, 93, 285-292.	2.6	82
21	ALK gene copy number in lung cancer: Unspecific polyploidy versus specific amplification visible as double minutes. <i>Cancer Biomarkers</i> , 2017, 18, 215-220.	1.7	4
22	Lung neuroendocrine tumours: deep sequencing of the four World Health Organization histotypes reveals chromatin remodeling genes as major players and a prognostic role for <i>TERT</i> , <i>RB1</i> , <i>MEN1</i> and <i>KMT2D</i> . <i>Journal of Pathology</i> , 2017, 241, 488-500.	4.5	179
23	Epithelial to mesenchymal transition-related proteins ZEB1, β -catenin, and β -tubulin-III in idiopathic pulmonary fibrosis. <i>Modern Pathology</i> , 2017, 30, 26-38.	5.5	65
24	Chronic obstructive pulmonary disease with mild airflow limitation: current knowledge and proposal for future research – a consensus document from six scientific societies. <i>International Journal of COPD</i> , 2017, Volume 12, 2593-2610.	2.3	44
25	Keratin14 mRNA expression in human pneumocytes during quiescence, repair and disease. <i>PLoS ONE</i> , 2017, 12, e0172130.	2.5	8
26	Middle age has a significant impact on gene expression during skin wound healing in male mice. <i>Biogerontology</i> , 2016, 17, 763-770.	3.9	4
27	Everolimus-induced epithelial to mesenchymal transition (EMT) in bronchial/pulmonary cells: when the dosage does matter in transplantation. <i>Journal of Nephrology</i> , 2016, 29, 881-891.	2.0	23
28	Nonspecific Interstitial Pneumonia: What Is the Optimal Approach to Management?. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2016, 37, 378-394.	2.1	26
29	From "contraction bronchiectasis" to honeycombing in idiopathic pulmonary fibrosis: A spectrum of bronchiolar remodeling also in radiology?. <i>BMC Pulmonary Medicine</i> , 2016, 16, 87.	2.0	37
30	Invasive diagnostic techniques in idiopathic interstitial pneumonias. <i>Respirology</i> , 2016, 21, 44-50.	2.3	38
31	Digital reporting of whole-slide images is safe and suitable for assessing organ quality in preimplantation renal biopsies. <i>Human Pathology</i> , 2016, 47, 115-120.	2.0	41
32	Safety and Diagnostic Yield of Transbronchial Lung Cryobiopsy in Diffuse Parenchymal Lung Diseases: A Comparative Study versus Video-Assisted Thoracoscopic Lung Biopsy and a Systematic Review of the Literature. <i>Respiration</i> , 2016, 91, 215-227.	2.6	306
33	Magnitude of PD-1, PD-L1 and T Lymphocyte Expression on Tissue from Castration-Resistant Prostate Adenocarcinoma: An Exploratory Analysis. <i>Targeted Oncology</i> , 2016, 11, 345-351.	3.6	56
34	De Novo Renal Neoplasia After Kidney Transplantation According to New 2016 WHO Classification of Renal Tumors. <i>Annals of Transplantation</i> , 2016, 21, 745-754.	0.9	6
35	CAL2 Monoclonal Antibody Is a Rapid and Sensitive Assay for the Detection of Calreticulin Mutations in Essential Thrombocythemia and May Provide Prognostic Informations. <i>Blood</i> , 2016, 128, 3122-3122.	1.4	0
36	The Impact of Lung Cancer on Survival of Idiopathic Pulmonary Fibrosis. <i>Chest</i> , 2015, 147, 157-164.	0.8	250

#	ARTICLE	IF	CITATIONS
37	Regulation of IL-8 gene expression in gliomas by microRNA miR-93. <i>BMC Cancer</i> , 2015, 15, 661.	2.6	31
38	Differential Activity of Nivolumab, Pembrolizumab and MPDL3280A according to the Tumor Expression of Programmed Death-Ligand-1 (PD-L1): Sensitivity Analysis of Trials in Melanoma, Lung and Genitourinary Cancers. <i>PLoS ONE</i> , 2015, 10, e0130142.	2.5	390
39	Wound healing and longevity: Lessons from long-lived $\hat{I}\pm$ MUPA mice. <i>Aging</i> , 2015, 7, 167-176.	3.1	14
40	Risk Stratification Model for Resected Squamous-Cell Lung Cancer Patients According to Clinical and Pathological Factors. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1341-1348.	1.1	18
41	Breakâ€‘apart interphase fluorescence in situ hybridization assay in papillary thyroid carcinoma: on the road to optimizing the cut-off level for RET/PTC rearrangements. <i>European Journal of Endocrinology</i> , 2015, 172, 571-582.	3.7	8
42	Cellular Senescence Markers p16INK4a and p21CIP1/WAF Are Predictors of Hodgkin Lymphoma Outcome. <i>Clinical Cancer Research</i> , 2015, 21, 5164-5172.	7.0	33
43	Molecular heterogeneity assessment by next-generation sequencing and response to gefitinib of $\langle i \rangle$ EGFR $\langle /i \rangle$ mutant advanced lung adenocarcinoma. <i>Oncotarget</i> , 2015, 6, 12783-12795.	1.8	58
44	Age influence on mice lung tissue response to $\<i \>\</i \>$ Aspergillus fumigatus $\<i \>\</i \>$; chronic exposure. <i>Annals of Agricultural and Environmental Medicine</i> , 2015, 22, 69-75.	1.0	3
45	Transbronchial Lung Cryobiopsy in the Diagnosis of Fibrotic Interstitial Lung Diseases. <i>PLoS ONE</i> , 2014, 9, e86716.	2.5	277
46	Lack of expression of TUBB3 characterizes both BCL2-positive and BCL2-negative follicular lymphoma. <i>Modern Pathology</i> , 2014, 27, 808-813.	5.5	2
47	Renal cell carcinoma with smooth muscle stroma lacks chromosome 3p and VHL alterations. <i>Modern Pathology</i> , 2014, 27, 765-774.	5.5	32
48	Keratin-14 Expression in Pneumocytes as a Marker of Lung Regeneration/Repair during Diffuse Alveolar Damage. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 189, 1142-1145.	5.6	13
49	iPathology cockpit diagnostic station: validation according to College of American Pathologists Pathology and Laboratory Quality Center recommendation at the Hospital Trust and University of Verona. <i>Diagnostic Pathology</i> , 2014, 9, S12.	2.0	36
50	Quantitative score modulation of HSP90 and HSP27 in clear cell renal cell carcinoma. <i>Pathology</i> , 2014, 46, 523-526.	0.6	4
51	ALK/EML4 Fusion Gene May Be Found in Pure Squamous Carcinoma of the Lung. <i>Journal of Thoracic Oncology</i> , 2014, 9, 729-732.	1.1	47
52	High-throughput mutation profiling identifies novel molecular dysregulation in high-grade intraepithelial neoplasia and early gastric cancers. <i>Gastric Cancer</i> , 2014, 17, 442-449.	5.3	52
53	Oncogene-induced senescence distinguishes indolent from aggressive forms of pulmonary and non-pulmonary Langerhans cell histiocytosis. <i>Leukemia and Lymphoma</i> , 2014, 55, 2620-2626.	1.3	43
54	A rare disorder in an orphan disease: Kikuchiâ€‘Fujimoto disease in a youngâ€‘adult patient with sickle cell anemia. <i>American Journal of Hematology</i> , 2014, 89, 1151-1152.	4.1	1

#	ARTICLE	IF	CITATIONS
55	Anti-Angiogenic Drugs and Biomarkers in Non-Small-Cell Lung Cancer: A 'Hard Days Night'. <i>Current Pharmaceutical Design</i> , 2014, 20, 3958-3972.	1.9	17
56	Prognostic value of <i>ALK</i> gene copy number (GCN) status for resected and metastatic non-small-cell lung cancer (NSCLC): A retrospective analysis of 205 patients (pts).. <i>Journal of Clinical Oncology</i> , 2014, 32, e19059-e19059.	1.6	0
57	Methods to identify molecular expression of mTOR pathway: a rationale approach to stratify patients affected by clear cell renal cell carcinoma for more likely response to mTOR inhibitors. <i>American Journal of Cancer Research</i> , 2014, 4, 907-15.	1.4	4
58	The identification of a small but significant subset of patients still targetable with anti-HER2 inhibitors when affected by triple negative breast carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 1563-1568.	2.5	4
59	Premature lung aging and cellular senescence in the pathogenesis of idiopathic pulmonary fibrosis and COPD/emphysema. <i>Translational Research</i> , 2013, 162, 156-173.	5.0	248
60	Heterogeneous distribution of mechanical stress in human lung: A mathematical approach to evaluate abnormal remodeling in IPF. <i>Journal of Theoretical Biology</i> , 2013, 332, 136-140.	1.7	51
61	Lymphoproliferative lung disorders: clinicopathological aspects. <i>European Respiratory Review</i> , 2013, 22, 427-436.	7.1	19
62	Age influence on hypersensitivity pneumonitis induced in mice by exposure to <i>Pantoea agglomerans</i> . <i>Inhalation Toxicology</i> , 2013, 25, 640-650.	1.6	10
63	Idiopathic Pulmonary Fibrosis: Diagnosis and Prognostic Evaluation. <i>Respiration</i> , 2013, 86, 5-12.	2.6	44
64	Uncommon Pulmonary Presentation of IgG 4 -Related Disease in a 15-Year-Old Boy. <i>Chest</i> , 2013, 144, 669-671.	0.8	19
65	Comparison Between Bone Marrow Mesenchymal Stromal Cells (BM-MSc) and Lung Mesenchymal Stromal Cells (Lung-MSc) For Epithelial Regeneration. <i>Blood</i> , 2013, 122, 5414-5414.	1.4	5
66	A Re-Emerging Marker for Prognosis in Hepatocellular Carcinoma: The Add-Value of FISHing c-myc Gene for Early Relapse. <i>PLoS ONE</i> , 2013, 8, e68203.	2.5	12
67	Molecular Typing of Lung Adenocarcinoma on Cytological Samples Using a Multigene Next Generation Sequencing Panel. <i>PLoS ONE</i> , 2013, 8, e80478.	2.5	96
68	HER2/neu gene determination in women screened for breast carcinoma: how screening programs reduce the skyrocketing cost of targeted therapy. <i>Anticancer Research</i> , 2013, 33, 3705-10.	1.1	2
69	Cathepsin K expression in the spectrum of perivascular epithelioid cell (PEC) lesions of the kidney. <i>Modern Pathology</i> , 2012, 25, 100-111.	5.5	105
70	Current Status of Idiopathic Nonspecific Interstitial Pneumonia. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2012, 33, 440-449.	2.1	26
71	Absence of TCL1A expression is a useful diagnostic feature in splenic marginal zone lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 461, 677-685.	2.8	9
72	Application of Microfluidic Technology to the BIOMED-2 Protocol for Detection of B-Cell Clonality. <i>Journal of Molecular Diagnostics</i> , 2012, 14, 30-37.	2.8	21

#	ARTICLE	IF	CITATIONS
73	Comparison of Epithelial Differentiation and Immune Regulatory Properties of Mesenchymal Stromal Cells Derived from Human Lung and Bone Marrow. <i>PLoS ONE</i> , 2012, 7, e35639.	2.5	67
74	True 3q Chromosomal Amplification in Squamous Cell Lung Carcinoma by FISH and aCGH Molecular Analysis: Impact on Targeted Drugs. <i>PLoS ONE</i> , 2012, 7, e49689.	2.5	12
75	The pathogenesis of COPD and IPF: Distinct horns of the same devil?. <i>Respiratory Research</i> , 2012, 13, 3.	3.6	153
76	Classical lobular breast carcinoma consistently lacks <i>topoisomerase IIα</i> gene amplification: implications for the tailored use of anthracycline-based chemotherapies. <i>Histopathology</i> , 2012, 60, 482-488.	2.9	11
77	Isolated bone marrow mastocytosis: an underestimated subvariant of indolent systemic mastocytosis. <i>Haematologica</i> , 2011, 96, 482-484.	3.5	51
78	Primary role of multiparametric flow cytometry in the diagnostic workup of indolent clonal mast cell disorders. <i>Cytometry Part B - Clinical Cytometry</i> , 2011, 80B, 362-368.	1.5	18
79	Differential expression of cathepsin K in neoplasms harboring TFE3 gene fusions. <i>Modern Pathology</i> , 2011, 24, 1313-1319.	5.5	112
80	FISH scoring on paraffin sections versus single-cell suspension for chromophobe renal carcinoma and renal oncocytoma. <i>Anticancer Research</i> , 2011, 31, 3137-42.	1.1	3
81	Increased Levels of Free Circulating Dna in Patients with Idiopathic Pulmonary Fibrosis. <i>International Journal of Biological Markers</i> , 2010, 25, 229-235.	1.8	26
82	ZAP70 expression is associated with increased risk of autoimmune cytopenias in CLL patients. <i>American Journal of Hematology</i> , 2010, 85, 494-498.	4.1	31
83	Suitability of infiltrative lobular breast carcinoma for anti-human epidermal growth factor receptor 2 treatment after the ASCO/CAP and 2009 St Gallen International Expert Consensus meeting. <i>Histopathology</i> , 2010, 57, 935-940.	2.9	6
84	Utility of racemase and other immunomarkers in the detection of adenocarcinoma in prostatic tissue damaged by high intensity focused ultrasound therapy. <i>Pathology</i> , 2010, 42, 1-5.	0.6	6
85	MEN1 in pancreatic endocrine tumors: analysis of gene and protein status in 169 sporadic neoplasms reveals alterations in the vast majority of cases. <i>Endocrine-Related Cancer</i> , 2010, 17, 771-783.	3.1	135
86	Biopsy-proved Idiopathic Pulmonary Fibrosis: Spectrum of Nondiagnostic Thin-Section CT Diagnoses. <i>Radiology</i> , 2010, 254, 957-964.	7.3	128
87	Mixed Adenocarcinomas of the Lung: Place in New Proposals in Classification, Mandatory for Target Therapy. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, 55-65.	2.5	28
88	Molecular Pathology of Lymphangiomyomatosis and Other Perivascular Epithelioid Cell Tumors. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, 33-40.	2.5	54
89	Epithelial stem cell exhaustion in the pathogenesis of idiopathic pulmonary fibrosis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2010, 27, 7-18.	0.2	53
90	Increased levels of free circulating DNA in patients with idiopathic pulmonary fibrosis. <i>International Journal of Biological Markers</i> , 2010, 25, 229-35.	1.8	14

#	ARTICLE	IF	CITATIONS
91	The pathologist's role in the diagnosis of idiopathic pulmonary fibrosis. <i>Pathologica</i> , 2010, 102, 443-52.	3.4	2
92	Genotypic Intratumoral Heterogeneity in Breast Carcinoma With HER2/ <i>neu</i> Amplification. <i>American Journal of Clinical Pathology</i> , 2009, 131, 678-682.	0.7	101
93	Cathepsin-k expression in pulmonary lymphangiomyomatosis. <i>Modern Pathology</i> , 2009, 22, 161-166.	5.5	88
94	Her-2/ <i>neu</i> evaluation in Sister Mary Joseph's nodule from breast carcinoma: a case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2009, 36, 702-705.	1.3	9
95	Clonal mast cell disorders in patients with systemic reactions to Hymenoptera stings and increased serum tryptase levels. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 680-686.	2.9	360
96	Expression Pattern of Claudins 5 and 7 Distinguishes Solid-pseudopapillary From Pancreatoblastoma, Acinar Cell and Endocrine Tumors of the Pancreas. <i>American Journal of Surgical Pathology</i> , 2009, 33, 768-774.	3.7	53
97	Signal transduction pathways of mantle cell lymphoma: A phosphoproteome-based study. <i>Proteomics</i> , 2008, 8, 4495-4506.	2.2	28
98	Allergen specific immunotherapy is safe and effective in patients with systemic mastocytosis and Hymenoptera allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 256-257.	2.9	67
99	An International collaborative pathologic study of surgical lung biopsies from mustard gas-exposed patients. <i>Respiratory Medicine</i> , 2008, 102, 825-830.	2.9	114
100	Induction of Apoptosis in Jeko-1 Mantle Cell Lymphoma Cell Line by Resveratrol: A Proteomic Analysis. <i>Journal of Proteome Research</i> , 2008, 7, 2670-2680.	3.7	21
101	Colorectal Adenocarcinoma Spread Through Small Vessels. <i>International Journal of Surgical Pathology</i> , 2008, 16, 438-439.	0.8	1
102	HER-2/ <i>neu</i> Assessment in Breast Cancer Using the Original FDA and New ASCO/CAP Guideline Recommendations. <i>American Journal of Clinical Pathology</i> , 2008, 129, 907-911.	0.7	48
103	Usual Interstitial Pneumonia. <i>Molecular Pathology Library</i> , 2008, , 607-615.	0.1	3
104	Bronchoalveolar Lavage in Malignancy. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2007, 28, 534-545.	2.1	62
105	Microfluidic Deletion/Insertion Analysis for Rapid Screening of KIT and PDGFRA Mutations in CD117-Positive Gastrointestinal Stromal Tumors. <i>Journal of Molecular Diagnostics</i> , 2007, 9, 151-157.	2.8	13
106	Diffuse Parenchymal Lung Diseases " Histopathologic Patterns. , 2007, , 44-57.		1
107	Chromosomal gains in the sarcomatoid transformation of chromophobe renal cell carcinoma. <i>Modern Pathology</i> , 2007, 20, 303-309.	5.5	76
108	Pathological assessment of pericolonic tumor deposits in advanced colonic carcinoma: relevance to prognosis and tumor staging. <i>Modern Pathology</i> , 2007, 20, 843-855.	5.5	108

#	ARTICLE	IF	CITATIONS
109	Diagnostic utility of S100A1 expression in renal cell neoplasms: an immunohistochemical and quantitative RT-PCR study. <i>Modern Pathology</i> , 2007, 20, 722-728.	5.5	72
110	Migratory marker expression in fibroblast foci of idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2006, 7, 95.	3.6	89
111	Oncocytic papillary renal cell carcinoma: a clinicopathologic, immunohistochemical, ultrastructural, and interphase cytogenetic study of 12 cases. <i>Annals of Diagnostic Pathology</i> , 2006, 10, 133-139.	1.3	112
112	Role of dendritic cell-derived CXCL13 in the pathogenesis of <i>Bartonella henselae</i> B-rich granuloma. <i>Blood</i> , 2006, 107, 454-462.	1.4	65
113	The Crazy-paving Pattern in Granulomatous Mycosis Fungoides. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 843-845.	0.9	14
114	Molecular characterization of composite mantle cell and follicular lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006, 448, 639-643.	2.8	23
115	Multivariate statistical tools applied to the characterization of the proteomic profiles of two human lymphoma cell lines by two-dimensional gel electrophoresis. <i>Electrophoresis</i> , 2006, 27, 484-494.	2.4	35
116	Establishment of the MAVER-1 cell line, a model for leukemic and aggressive mantle cell lymphoma. <i>Haematologica</i> , 2006, 91, 40-7.	3.5	25
117	The impact of P53 and P21(waf1) expression on the survival of patients with the germinal center phenotype of diffuse large B-cell lymphoma. <i>Haematologica</i> , 2006, 91, 687-90.	3.5	16
118	Expression of TP73L is a helpful diagnostic marker of primary mediastinal large B-cell lymphomas. <i>Modern Pathology</i> , 2005, 18, 1448-1453.	5.5	25
119	Lymphoproliferative Lung Disorders. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2005, 26, 490-501.	2.1	42
120	P53 and p21waf1 Expression by Immunohistochemistry in Diffuse Large B-Cell Lymphoma Has a Strong and Independent Impact on Survival of Patients with Germinal Center Phenotype.. <i>Blood</i> , 2005, 106, 1920-1920.	1.4	0
121	HHV-8 and EBV are not commonly found in idiopathic pulmonary fibrosis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2005, 22, 123-8.	0.2	33
122	Diagnostic Invasive Procedures in Diffuse Infiltrative Lung Diseases. <i>Respiration</i> , 2004, 71, 107-119.	2.6	100
123	Most cases of primary salivary mucosa-associated lymphoid tissue lymphoma are associated either with Sjogren syndrome or hepatitis C virus infection. <i>British Journal of Haematology</i> , 2004, 126, 43-49.	2.5	118
124	CD10 is expressed in a subset of chromophobe renal cell carcinomas. <i>Modern Pathology</i> , 2004, 17, 1455-1463.	5.5	67
125	CDX-2 Homeobox Gene Product Expression in Neuroendocrine Tumors. <i>American Journal of Surgical Pathology</i> , 2004, 28, 1169-1176.	3.7	100
126	Prognostic Value of ZAP-70 Expression Detected by Immunohistochemistry on Bone Marrow Biopsies in Early Phase Chronic Lymphocytic Leukaemia.. <i>Blood</i> , 2004, 104, 4800-4800.	1.4	0

#	ARTICLE	IF	CITATIONS
127	Primary mediastinal B-cell lymphoma: hypermutation of the BCL6 gene targets motifs different from those in diffuse large B-cell and follicular lymphomas. <i>Haematologica</i> , 2004, 89, 1091-9.	3.5	21
128	Constitutive expression of β -N-p63 isoform in human thymus and thymic epithelial tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 443, 175-183.	2.8	47
129	Two-dimensional molecular profiling of mantle cell lymphoma. <i>Electrophoresis</i> , 2003, 24, 2376-2385.	2.4	35
130	Aberrant Wnt/ β -Catenin Pathway Activation in Idiopathic Pulmonary Fibrosis. <i>American Journal of Pathology</i> , 2003, 162, 1495-1502.	3.8	625
131	Gene therapy of thyroid cancer via retrovirally-driven combined expression of human interleukin-2 and herpes simplex virus thymidine kinase. <i>European Journal of Endocrinology</i> , 2003, 148, 73-80.	3.7	38
132	In Situ Study of Chemokine and Chemokine-Receptor Expression in Kaposi Sarcoma. <i>American Journal of Dermatopathology</i> , 2003, 25, 377-383.	0.6	16
133	Neoplasms Derived From Plasmacytoid Monocytes/Interferon-Producing Cells: Variability of CD56 and Granzyme B Expression. <i>American Journal of Surgical Pathology</i> , 2003, 27, 1489-1492.	3.7	34
134	Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. <i>Lung Biology in Health and Disease</i> , 2003, , 631-664.	0.1	0
135	Expression of Epstein-Barr virus latent membrane protein-1 in Hodgkin and Reed-Sternberg cells of classical Hodgkin's lymphoma: associations with presenting features, serum interleukin 10 levels, and clinical outcome. <i>Clinical Cancer Research</i> , 2003, 9, 2114-20.	7.0	56
136	Prognostic Factors in Malignant Transformation of Monoclonal Gammopathy of Undetermined Significance. <i>Leukemia and Lymphoma</i> , 2002, 43, 1713-1714.	1.3	0
137	Transcriptionally Targeted Retroviral Vector for Combined Suicide and Immunomodulating Gene Therapy of Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 5304-5311.	3.6	35
138	BCL-2 expression in Hodgkin and Reed-Sternberg cells of classical Hodgkin disease predicts a poorer prognosis in patients treated with ABVD or equivalent regimens. <i>Blood</i> , 2002, 100, 3935-3941.	1.4	90
139	S-Phase Kinase-Associated Protein 2 Expression in Non-Hodgkin's Lymphoma Inversely Correlates with p27 Expression and Defines Cells in S Phase. <i>American Journal of Pathology</i> , 2002, 160, 1457-1466.	3.8	94
140	CD20 Expression in Hodgkin and Reed-Sternberg Cells of Classical Hodgkin's Disease: Associations With Presenting Features and Clinical Outcome. <i>Journal of Clinical Oncology</i> , 2002, 20, 1278-1287.	1.6	79
141	Chronic lymphocytic leukemia B cells are endowed with the capacity to attract CD4+, CD40L+ T cells by producing CCL22. <i>European Journal of Immunology</i> , 2002, 32, 1403.	2.9	235
142	Proteomics and immunomapping of reactive lymph-node and lymphoma. <i>Electrophoresis</i> , 2002, 23, 356-362.	2.4	21
143	Anaplastic lymphoma kinase (ALK) activates Stat3 and protects hematopoietic cells from cell death. <i>Oncogene</i> , 2002, 21, 1038-1047.	5.9	354
144	Abnormal Re-epithelialization and Lung Remodeling in Idiopathic Pulmonary Fibrosis: The Role of β -N-p63. <i>Laboratory Investigation</i> , 2002, 82, 1335-1345.	3.7	200

#	ARTICLE	IF	CITATIONS
145	Chronic B cell malignancies and bone marrow microenvironment. <i>Seminars in Cancer Biology</i> , 2002, 12, 149-155.	9.6	81
146	BAX expression in Hodgkin and Reed-Sternberg cells of Hodgkin's disease: correlation with clinical outcome. <i>Clinical Cancer Research</i> , 2002, 8, 488-93.	7.0	20
147	Survivin is expressed on CD40 stimulation and interfaces proliferation and apoptosis in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2001, 97, 2777-2783.	1.4	299
148	Alveolar macrophage-T cell interactions during Th1-type sarcoid inflammation. <i>Microscopy Research and Technique</i> , 2001, 53, 278-287.	2.2	35
149	Parvalbumin Is Constantly Expressed in Chromophobe Renal Carcinoma. <i>Modern Pathology</i> , 2001, 14, 760-767.	5.5	104
150	Biovularity and "Coalescence of Primary Follicles" in Ovaries with Mature Teratomas. <i>International Journal of Surgical Pathology</i> , 2001, 9, 121-125.	0.8	11
151	Low expression of p27 and low proliferation index do not correlate in hairy cell leukaemia. <i>British Journal of Haematology</i> , 2000, 111, 263-271.	2.5	19
152	Expression of Inducible Nitric Oxide Synthase in Human Granulomas and Histiocytic Reactions. <i>American Journal of Pathology</i> , 1999, 154, 145-152.	3.8	108
153	Linker for Activation of T Cells (LAT), a Novel Immunohistochemical Marker for T Cells, NK Cells, Mast Cells, and Megakaryocytes. <i>American Journal of Pathology</i> , 1999, 154, 1037-1046.	3.8	46
154	Serum levels of p55 and p75 soluble TNF receptors in adult acute leukaemia at diagnosis: correlation with clinical and biological features and outcome. <i>British Journal of Haematology</i> , 1998, 102, 1025-1034.	2.5	38
155	CD30 cell expression and abnormal soluble CD30 serum accumulation in Omenn's syndrome: Evidence for a T helper 2-mediated condition. <i>European Journal of Immunology</i> , 1996, 26, 329-334.	2.9	108
156	Routine Application of Polymerase Chain Reaction in the Diagnosis of Monoclonality of B-Cell Lymphoid Proliferations. <i>Diagnostic Molecular Pathology</i> , 1995, 4, 14-24.	2.1	111
157	CD30 and type 2 T helper (Th2) responses. <i>Journal of Leukocyte Biology</i> , 1995, 57, 726-730.	3.3	129
158	Biopathologic Features of Hodgkin's Disease. <i>Leukemia and Lymphoma</i> , 1995, 16, 385-396.	1.3	8
159	A Rapid Immunostaining Method for Frozen Sections. <i>Biotechnic and Histochemistry</i> , 1994, 69, 235-239.	1.3	64
160	Magno- and parvocellular pathways are segregated in the human optic tract. <i>NeuroReport</i> , 1994, 5, 1425-1428.	1.2	6
161	Serum levels of soluble interleukin-2 receptor in Hodgkin disease. Relationship with clinical stage, tumor burden, and treatment outcome. <i>Cancer</i> , 1993, 72, 201-206.	4.1	38
162	Soluble interleukin-2 receptor in hairy-cell leukemia: a reliable marker of disease. <i>International Journal of Clinical and Laboratory Research</i> , 1993, 23, 34-37.	1.0	11

#	ARTICLE	IF	CITATIONS
163	CD5+ Leukemic Monocytoid B-cell Lymphoma and Lymphocytic Lymphomas. American Journal of Clinical Pathology, 1993, 100, 187-188.	0.7	2
164	High Serum Levels of Soluble Interleukin-2 Receptor and Absence of Detectable Levels of Soluble CD30 Molecule: A Specific Diagnostic Combination for Hairy Cell Leukemia. Leukemia and Lymphoma, 1992, 6, 385-388.	1.3	2
165	Highly concentrated urine-purified Tac peptide fails to inhibit IL-2-dependent cell proliferation in vitro. Cellular Immunology, 1992, 141, 253-259.	3.0	12
166	Small-Cell Neuroendocrine Carcinoma of the Ampullary Region; A Clinicopathologic, Immunohistochemical, and Ultrastructural Study of Three Cases. American Journal of Surgical Pathology, 1990, 14, 703-713.	3.7	67
167	Peripheral giant cell granuloma: Evidence for osteoclastic differentiation. Oral Surgery, Oral Medicine, and Oral Pathology, 1990, 70, 471-475.	0.6	47
168	Immunohistochemical differentiation of follicular lymphoma from florid reactive follicular hyperplasia with monoclonal antibodies reactive on paraffin sections. Cancer, 1990, 65, 1562-1569.	4.1	13
169	Unusual Association of Hairy Cell Leukemia and Monoclonal Large Granular Lymphocyte Proliferation. Leukemia and Lymphoma, 1990, 2, 433-436.	1.3	0
170	Isolation of multicellular complexes of follicular dendritic cells and lymphocytes: Immunophenotypical characterization, electron microscopy and culture studies. Cell and Tissue Research, 1989, 257, 9-15.	2.9	13
171	T-Cell-Rich B-Cell Lymphoma. American Journal of Surgical Pathology, 1989, 13, 335-336.	3.7	31
172	Increased Levels of Soluble Interleukin-2 Receptor in Non-Hodgkin's Lymphomas: Relationship with Clinical, Histologic, and Phenotypic Features. American Journal of Clinical Pathology, 1989, 92, 186-191.	0.7	48
173	Breast Carcinoma with Positive Results for Melanoma Marker (HMB-45): HMB-45 Immunoreactivity in Normal and Neoplastic Breast. American Journal of Clinical Pathology, 1989, 92, 491-495.	0.7	66
174	Signet Ring Melanoma, S-100 Negative. American Journal of Surgical Pathology, 1989, 13, 522-523.	3.7	44
175	Avoiding the Problem of Melanin Pigment. American Journal of Clinical Pathology, 1988, 90, 521-522.	0.7	1
176	Establishment and Characterization of a New Human Melanoma Cell Line (HU 214) with a High Growth Potential and Stable Properties. Tumori, 1988, 74, 151-155.	1.1	2
177	Immunologic abnormalities in angioimmunoblastic lymphadenopathy. Cancer, 1987, 60, 2412-2418.	4.1	25
178	Alpha-interferon activated cytotoxic lymphocytes in hairy cell leukemia patients: Evaluation of cytotoxic events. Leukemia Research, 1987, 11, 843-847.	0.8	13
179	THE SOLUBLE INTERLEUKIN-2 RECEPTOR IN HAEMATOLOGICAL DISORDERS. British Journal of Haematology, 1987, 67, 377-380.	2.5	69
180	Concerning Monocytoid Cells. American Journal of Clinical Pathology, 1985, 84, 573-574.	0.7	2

#	ARTICLE	IF	CITATIONS
181	A distinctive cutaneous malignant neoplasm expressing the langerhans cell phenotype. Synchronous occurrence with B-chronic lymphocytic leukemia. <i>Cancer</i> , 1985, 55, 2417-2425.	4.1	49
182	Immunohistochemical demonstration of follicular dendritic cells in bone marrow involvement of B-cell chronic lymphocytic leukemia. <i>Cancer</i> , 1985, 56, 328-332.	4.1	61
183	Conjunctival Biopsy in Sarcoidosis. <i>American Journal of Ophthalmology</i> , 1985, 100, 347-348.	3.3	1
184	Lineage relationship of chronic lymphocytic leukemia and hairy cell leukemia: Studies with TPA. <i>Leukemia Research</i> , 1984, 8, 567-578.	0.8	55
185	Double Immunostaining of Lymph Node Sections by Monoclonal Antibodies Using Phycoerythrin Labeling and Haptenated Reagents. <i>American Journal of Clinical Pathology</i> , 1984, 82, 44-47.	0.7	20
186	Immunohistochemical analysis of thymoma. <i>American Journal of Surgical Pathology</i> , 1984, 8, 309-318.	3.7	39
187	Dipeptidyl(Amino)Peptidase IV (DAP-IV) Histochemistry on Normal and Pathologic Lymphoid Tissues. <i>American Journal of Clinical Pathology</i> , 1982, 77, 714-719.	0.7	25
188	Enzyme Histochemistry on Normal and Pathologic Paraffin-embedded Lymphoid Tissues. <i>American Journal of Clinical Pathology</i> , 1981, 76, 729-736.	0.7	24
189	Anaplastic lymphoma kinase (ALK) activates Stat3 and protects hematopoietic cells from cell death. , 0, .		3
190	Histopathology and cryobiopsy. , 0, , 57-73.		1