Julie A Péron

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5544214/publications.pdf

Version: 2024-02-01

218677 214800 52 2,409 26 47 citations g-index h-index papers 60 60 60 2284 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Does subthalamic nucleus stimulation induce apathy in Parkinson's disease?. Journal of Neurology, 2006, 253, 1083-1091. | 3.6 | 191 |
| 2 | Subthalamic nucleus stimulation in Parkinson disease induces apathy. Neurology, 2009, 73, 1746-1751. | 1.1 | 168 |
| 3 | Are dopaminergic pathways involved in theory of mind? A study in Parkinson's disease. Neuropsychologia, 2009, 47, 406-414. | 1.6 | 144 |
| 4 | Emotional processing in Parkinson's disease: A systematic review. Movement Disorders, 2012, 27, 186-199. | 3.9 | 143 |
| 5 | Subthalamic nucleus: A key structure for emotional component synchronization in humans. Neuroscience and Biobehavioral Reviews, 2013, 37, 358-373. | 6.1 | 142 |
| 6 | Subthalamic nucleus stimulation affects orbitofrontal cortex in facial emotion recognition: a pet study. Brain, 2008, 131, 1599-1608. | 7.6 | 111 |
| 7 | Decrease of Prefrontal Metabolism After Subthalamic Stimulation in Obsessive-Compulsive Disorder: A Positron Emission Tomography Study. Biological Psychiatry, 2010, 68, 1016-1022. | 1.3 | 111 |
| 8 | The basal ganglia and the cerebellum in human emotion. Social Cognitive and Affective Neuroscience, 2020, 15, 599-613. | 3.0 | 98 |
| 9 | Apathy in patients with Parkinson disease without dementia or depression. Neurology, 2012, 79, 1155-1160. | 1.1 | 88 |
| 10 | Emotion recognition impairment and apathy after subthalamic nucleus stimulation in Parkinson's disease have separate neural substrates. Neuropsychologia, 2008, 46, 2796-2801. | 1.6 | 81 |
| 11 | Recognition of emotional prosody is altered after subthalamic nucleus deep brain stimulation in Parkinson's disease. Neuropsychologia, 2010, 48, 1053-1062. | 1.6 | 81 |
| 12 | Subthalamic nucleus stimulation affects fear and sadness recognition in Parkinson's disease Neuropsychology, 2010, 24, 1-8. | 1.3 | 64 |
| 13 | Apathy and impaired emotional facial recognition networks overlap in Parkinson's disease: a PET study with conjunction analyses. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 1153-1158. | 1.9 | 60 |
| 14 | Subthalamic nucleus stimulation affects limbic and associative circuits: a PET study. European Journal of Nuclear Medicine and Molecular Imaging, 2010, 37, 1512-1520. | 6.4 | 58 |
| 15 | Limbic versus cognitive target for deep brain stimulation in treatment-resistant depression: Accumbens more promising than caudate. European Neuropsychopharmacology, 2014, 24, 1229-1239. | 0.7 | 56 |
| 16 | Major depressive disorder skews the recognition of emotional prosody. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 987-996. | 4.8 | 53 |
| 17 | Subthalamic Nucleus Stimulation Affects Theory of Mind Network: A PET Study in Parkinson's Disease. PLoS ONE, 2010, 5, e9919. | 2,5 | 52 |
| 18 | Preoperative factors of apathy in subthalamic stimulated Parkinson disease. Neurology, 2014, 83, 1620-1626. | 1.1 | 51 |

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Subthalamic nucleus stimulation affects subjective emotional experience in Parkinson's disease patients. Neuropsychologia, 2009, 47, 1928-1937. | 1.6 | 49 |
| 20 | Apomorphine infusion in advanced Parkinson's patients with subthalamic stimulation contraindications. Parkinsonism and Related Disorders, 2012, 18, 40-44. | 2.2 | 49 |
| 21 | Comparison of weight gain and energy intake after subthalamic versus pallidal stimulation in Parkinson's disease. Movement Disorders, 2009, 24, 2149-2155. | 3.9 | 48 |
| 22 | Pallidal stimulation in advanced Parkinson's patients with contraindications for subthalamic stimulation. Movement Disorders, 2010, 25, 1839-1846. | 3.9 | 46 |
| 23 | Functional connectivity underlying cognitive and psychiatric symptoms in post-COVID-19 syndrome: is anosognosia a key determinant?. Brain Communications, 2022, 4, fcac057. | 3.3 | 35 |
| 24 | Structural and functional connectivity of the subthalamic nucleus during vocal emotion decoding. Social Cognitive and Affective Neuroscience, 2016, 11, 349-356. | 3.0 | 34 |
| 25 | Sensory contribution to vocal emotion deficit in Parkinson's disease after subthalamic stimulation. Cortex, 2015, 63, 172-183. | 2.4 | 30 |
| 26 | Short pulse width in subthalamic stimulation in Parkinson's disease: a randomized, doubleâ€blind study. Movement Disorders, 2018, 33, 169-173. | 3.9 | 30 |
| 27 | Multimodal emotion perception after anterior temporal lobectomy (ATL). Frontiers in Human Neuroscience, 2014, 8, 275. | 2.0 | 29 |
| 28 | Vocal emotion decoding in the subthalamic nucleus: An intracranial ERP study in Parkinson's disease. Brain and Language, 2017, 168, 1-11. | 1.6 | 29 |
| 29 | Long COVID Neuropsychological Deficits after Severe, Moderate, or Mild Infection. Clinical and Translational Neuroscience, 2022, 6, 9. | 0.9 | 24 |
| 30 | Subjective emotional experience at different stages of Parkinson's disease. Journal of the Neurological Sciences, 2011, 310, 241-247. | 0.6 | 20 |
| 31 | Biases in facial and vocal emotion recognition in chronic schizophrenia. Frontiers in Psychology, 2014, 5, 900. | 2.1 | 20 |
| 32 | Reduced Verbal Fluency following Subthalamic Deep Brain Stimulation: A Frontal-Related Cognitive Deficit?. PLoS ONE, 2015, 10, e0140083. | 2.5 | 20 |
| 33 | Cerebellar contribution to vocal emotion decoding: Insights from stroke and neuroimaging. Neuropsychologia, 2019, 132, 107141. | 1.6 | 20 |
| 34 | Hemispheric specialization of the basal ganglia during vocal emotion decoding: Evidence from asymmetric Parkinson's disease and 18FDG PET. Neuropsychologia, 2018, 119, 1-11. | 1.6 | 19 |
| 35 | Basal ganglia and cerebellum contributions to vocal emotion processing as revealed by high-resolution fMRI. Scientific Reports, 2021, 11, 10645. | 3.3 | 19 |
| 36 | SPECT and PET analysis of subthalamic stimulation in Parkinson's disease: analysis using a manual segmentation. Journal of Neurology, 2010, 257, 375-382. | 3.6 | 18 |

| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Effect of Dopamine Therapy on Nonverbal Affect Burst Recognition in Parkinson's Disease. PLoS ONE, 2014, 9, e90092. | 2.5 | 18 |
| 38 | Subthalamic nucleus oscillations during vocal emotion processing are dependent of the motor asymmetry of Parkinson's disease. Neurolmage, 2020, 222, 117215. | 4.2 | 13 |
| 39 | Motor symptom asymmetry in Parkinson's disease predicts emotional outcome following subthalamic nucleus deep brain stimulation. Neuropsychologia, 2020, 144, 107494. | 1.6 | 12 |
| 40 | Preâ€frontalâ€insularâ€eerebellar modifications correlate with disgust feeling blunting after subthalamic stimulation: A positron emission tomography study in <scp>P</scp> arkinson's disease. Journal of Neuropsychology, 2017, 11, 378-395. | 1.4 | 10 |
| 41 | Motor symptom asymmetry predicts non-motor outcome and quality of life following STN DBS in Parkinson's disease. Scientific Reports, 2022, 12, 3007. | 3.3 | 10 |
| 42 | Functional atlases for analysis of motor and neuropsychological outcomes after medial globus pallidus and subthalamic stimulation. PLoS ONE, 2018, 13, e0200262. | 2.5 | 9 |
| 43 | Subthalamic nucleus local field potentials recordings reveal subtle effects of promised reward during conflict resolution in Parkinson's disease. Neurolmage, 2019, 197, 232-242. | 4.2 | 9 |
| 44 | Pallidal Stimulation in Parkinson's Disease Does Not Induce Apathy. Journal of Neuropsychiatry and Clinical Neurosciences, 2014, 26, 221-226. | 1.8 | 7 |
| 45 | Preservation of Person-Specific Semantic Knowledge in Semantic Dementia: Does Direct Personal Experience Have a Specific Role?. Frontiers in Human Neuroscience, 2015, 9, 625. | 2.0 | 7 |
| 46 | Does STN-DBS really not change emotion recognition in Parkinson's disease?. Parkinsonism and Related Disorders, 2014, 20, 562-563. | 2.2 | 6 |
| 47 | Crossed functional specialization between the basal ganglia and cerebellum during vocal emotion decoding: Insights from stroke and Parkinson's disease. Cognitive, Affective and Behavioral Neuroscience, 2022, 22, 1030-1043. | 2.0 | 4 |
| 48 | Sensory contribution to vocal emotion deficit in patients with cerebellar stroke. NeuroImage: Clinical, 2021, 31, 102690. | 2.7 | 3 |
| 49 | What does human intracerebral recording tell us about emotions?. Cortex, 2014, 60, 1-2. | 2.4 | 1 |
| 50 | Compulsions without obsession following stroke. Neuropsychologia, 2021, 162, 108050. | 1.6 | 1 |
| 51 | Chapitre 3. Enregistrements électrophysiologiques intracérébraux. , 2013, , 77-98. | | 0 |
| 52 | Cas 10. Reconnaissance de la prosodie émotionnelle suite à un accident vasculaire du cervelet. , 2018, , 269-290. | | 0 |