

Julie A PÃ©ron

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5544214/publications.pdf>

Version: 2024-02-01

52
papers

2,409
citations

218677

26
h-index

214800

47
g-index

60
all docs

60
docs citations

60
times ranked

2284
citing authors

#	ARTICLE	IF	CITATIONS
1	Motor symptom asymmetry predicts non-motor outcome and quality of life following STN DBS in Parkinson's disease. <i>Scientific Reports</i> , 2022, 12, 3007.	3.3	10
2	Long COVID Neuropsychological Deficits after Severe, Moderate, or Mild Infection. <i>Clinical and Translational Neuroscience</i> , 2022, 6, 9.	0.9	24
3	Functional connectivity underlying cognitive and psychiatric symptoms in post-COVID-19 syndrome: is anosognosia a key determinant?. <i>Brain Communications</i> , 2022, 4, fca057.	3.3	35
4	Crossed functional specialization between the basal ganglia and cerebellum during vocal emotion decoding: Insights from stroke and Parkinson's disease. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2022, 22, 1030-1043.	2.0	4
5	Sensory contribution to vocal emotion deficit in patients with cerebellar stroke. <i>NeuroImage: Clinical</i> , 2021, 31, 102690.	2.7	3
6	Basal ganglia and cerebellum contributions to vocal emotion processing as revealed by high-resolution fMRI. <i>Scientific Reports</i> , 2021, 11, 10645.	3.3	19
7	Compulsions without obsession following stroke. <i>Neuropsychologia</i> , 2021, 162, 108050.	1.6	1
8	Subthalamic nucleus oscillations during vocal emotion processing are dependent of the motor asymmetry of Parkinson's disease. <i>NeuroImage</i> , 2020, 222, 117215.	4.2	13
9	Motor symptom asymmetry in Parkinson's disease predicts emotional outcome following subthalamic nucleus deep brain stimulation. <i>Neuropsychologia</i> , 2020, 144, 107494.	1.6	12
10	The basal ganglia and the cerebellum in human emotion. <i>Social Cognitive and Affective Neuroscience</i> , 2020, 15, 599-613.	3.0	98
11	Cerebellar contribution to vocal emotion decoding: Insights from stroke and neuroimaging. <i>Neuropsychologia</i> , 2019, 132, 107141.	1.6	20
12	Subthalamic nucleus local field potentials recordings reveal subtle effects of promised reward during conflict resolution in Parkinson's disease. <i>NeuroImage</i> , 2019, 197, 232-242.	4.2	9
13	Short pulse width in subthalamic stimulation in Parkinson's disease: a randomized, double-blind study. <i>Movement Disorders</i> , 2018, 33, 169-173.	3.9	30
14	Hemispheric specialization of the basal ganglia during vocal emotion decoding: Evidence from asymmetric Parkinson's disease and 18FDG PET. <i>Neuropsychologia</i> , 2018, 119, 1-11.	1.6	19
15	Functional atlases for analysis of motor and neuropsychological outcomes after medial globus pallidus and subthalamic stimulation. <i>PLoS ONE</i> , 2018, 13, e0200262.	2.5	9
16	Cas 10. Reconnaissance de la prosodie émotionnelle suite à un accident vasculaire du cervelet. , 2018, , 269-290.		0
17	Pre-frontal-insular-cerebellar modifications correlate with disgust feeling blunting after subthalamic stimulation: A positron emission tomography study in Parkinson's disease. <i>Journal of Neuropsychology</i> , 2017, 11, 378-395.	1.4	10
18	Vocal emotion decoding in the subthalamic nucleus: An intracranial ERP study in Parkinson's disease. <i>Brain and Language</i> , 2017, 168, 1-11.	1.6	29

#	ARTICLE	IF	CITATIONS
19	Structural and functional connectivity of the subthalamic nucleus during vocal emotion decoding. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 349-356.	3.0	34
20	Preservation of Person-Specific Semantic Knowledge in Semantic Dementia: Does Direct Personal Experience Have a Specific Role?. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 625.	2.0	7
21	Reduced Verbal Fluency following Subthalamic Deep Brain Stimulation: A Frontal-Related Cognitive Deficit?. <i>PLoS ONE</i> , 2015, 10, e0140083.	2.5	20
22	Sensory contribution to vocal emotion deficit in Parkinson's disease after subthalamic stimulation. <i>Cortex</i> , 2015, 63, 172-183.	2.4	30
23	Multimodal emotion perception after anterior temporal lobectomy (ATL). <i>Frontiers in Human Neuroscience</i> , 2014, 8, 275.	2.0	29
24	Biases in facial and vocal emotion recognition in chronic schizophrenia. <i>Frontiers in Psychology</i> , 2014, 5, 900.	2.1	20
25	Pallidal Stimulation in Parkinson's Disease Does Not Induce Apathy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2014, 26, 221-226.	1.8	7
26	What does human intracerebral recording tell us about emotions?. <i>Cortex</i> , 2014, 60, 1-2.	2.4	1
27	Preoperative factors of apathy in subthalamic stimulated Parkinson disease. <i>Neurology</i> , 2014, 83, 1620-1626.	1.1	51
28	Apathy and impaired emotional facial recognition networks overlap in Parkinson's disease: a PET study with conjunction analyses. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 1153-1158.	1.9	60
29	Does STN-DBS really not change emotion recognition in Parkinson's disease?. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 562-563.	2.2	6
30	Limbic versus cognitive target for deep brain stimulation in treatment-resistant depression: Accumbens more promising than caudate. <i>European Neuropsychopharmacology</i> , 2014, 24, 1229-1239.	0.7	56
31	Effect of Dopamine Therapy on Nonverbal Affect Burst Recognition in Parkinson's Disease. <i>PLoS ONE</i> , 2014, 9, e90092.	2.5	18
32	Subthalamic nucleus: A key structure for emotional component synchronization in humans. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 358-373.	6.1	142
33	Chapitre 3. Enregistrements Électrophysiologiques intracérébraux. , 2013, , 77-98.		0
34	Apathy in patients with Parkinson disease without dementia or depression. <i>Neurology</i> , 2012, 79, 1155-1160.	1.1	88
35	Apomorphine infusion in advanced Parkinson's patients with subthalamic stimulation contraindications. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 40-44.	2.2	49
36	Emotional processing in Parkinson's disease: A systematic review. <i>Movement Disorders</i> , 2012, 27, 186-199.	3.9	143

#	ARTICLE	IF	CITATIONS
37	Subjective emotional experience at different stages of Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2011, 310, 241-247.	0.6	20
38	Major depressive disorder skews the recognition of emotional prosody. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 987-996.	4.8	53
39	Subthalamic nucleus stimulation affects fear and sadness recognition in Parkinson's disease. <i>Neuropsychology</i> , 2010, 24, 1-8.	1.3	64
40	Subthalamic nucleus stimulation affects limbic and associative circuits: a PET study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1512-1520.	6.4	58
41	SPECT and PET analysis of subthalamic stimulation in Parkinson's disease: analysis using a manual segmentation. <i>Journal of Neurology</i> , 2010, 257, 375-382.	3.6	18
42	Recognition of emotional prosody is altered after subthalamic nucleus deep brain stimulation in Parkinson's disease. <i>Neuropsychologia</i> , 2010, 48, 1053-1062.	1.6	81
43	Pallidal stimulation in advanced Parkinson's patients with contraindications for subthalamic stimulation. <i>Movement Disorders</i> , 2010, 25, 1839-1846.	3.9	46
44	Decrease of Prefrontal Metabolism After Subthalamic Stimulation in Obsessive-Compulsive Disorder: A Positron Emission Tomography Study. <i>Biological Psychiatry</i> , 2010, 68, 1016-1022.	1.3	111
45	Subthalamic Nucleus Stimulation Affects Theory of Mind Network: A PET Study in Parkinson's Disease. <i>PLoS ONE</i> , 2010, 5, e9919.	2.5	52
46	Subthalamic nucleus stimulation in Parkinson disease induces apathy. <i>Neurology</i> , 2009, 73, 1746-1751.	1.1	168
47	Are dopaminergic pathways involved in theory of mind? A study in Parkinson's disease. <i>Neuropsychologia</i> , 2009, 47, 406-414.	1.6	144
48	Subthalamic nucleus stimulation affects subjective emotional experience in Parkinson's disease patients. <i>Neuropsychologia</i> , 2009, 47, 1928-1937.	1.6	49
49	Comparison of weight gain and energy intake after subthalamic versus pallidal stimulation in Parkinson's disease. <i>Movement Disorders</i> , 2009, 24, 2149-2155.	3.9	48
50	Emotion recognition impairment and apathy after subthalamic nucleus stimulation in Parkinson's disease have separate neural substrates. <i>Neuropsychologia</i> , 2008, 46, 2796-2801.	1.6	81
51	Subthalamic nucleus stimulation affects orbitofrontal cortex in facial emotion recognition: a pet study. <i>Brain</i> , 2008, 131, 1599-1608.	7.6	111
52	Does subthalamic nucleus stimulation induce apathy in Parkinson's disease?. <i>Journal of Neurology</i> , 2006, 253, 1083-1091.	3.6	191