
## Waldemar Famulski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5544445/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Interstitial deletion 9q22.32â€q33.2 associated with additional familial translocation t(9;17)(q34.11;p11.2) in a patient with Gorlin–Goltz syndrome and features of Nailâ€Patella syndrome. American Journal of Medical Genetics, Part A, 2004, 124A, 179-191.	1.2	38
2	Monocyte-to-lymphocyte ratio as a prognostic factor in peripheral whole blood samples of colorectal cancer patients. World Journal of Gastroenterology, 2020, 26, 4639-4655.	3.3	33
3	STAT1 and STAT3 as intracellular regulators of vascular remodeling. European Journal of Internal Medicine, 2007, 18, 267-271.	2.2	29
4	Diagnostic value of inflammatory cell infiltrates, tumor stroma percentage and disease-free survival in patients with colorectal cancer. Oncology Letters, 2017, 14, 3869-3877.	1.8	29
5	Reduced expression of caspase-8 and cleaved caspase-3 in pancreatic ductal adenocarcinoma cells. Oncology Letters, 2016, 11, 1879-1884.	1.8	27
6	Stromal and intraepithelial tumorâ€ʻinfiltrating lymphocytes in colorectal carcinoma. Oncology Letters, 2017, 14, 6421-6432.	1.8	27
7	E-cadherin and $\hat{l}^2$ -catenin adhesion proteins correlate positively with connexins in colorectal cancer. Oncology Letters, 2014, 7, 1863-1870.	1.8	20
8	Levels of Ve-Cadherin Increase Independently of Vegf in Preoperative Sera of Patients with Colorectal Cancer. Tumori, 2006, 92, 67-71.	1,1	19
9	Immunohistochemical expression and serum level of survivin protein in colorectal cancer patients. Oncology Letters, 2016, 12, 3591-3597.	1.8	18
10	Pre‑ and postoperative neutrophil and lymphocyte count and neutrophil‑to‑lymphocyte ratio in patients with colorectal cancer. Molecular and Clinical Oncology, 2020, 13, 1-1.	1.0	15
11	Diagnostic significance of TIMP-1 level in serum and its immunohistochemical expression in colorectal cancer patients. Polish Journal of Pathology, 2014, 4, 296-304.	0.3	12
12	Immunohistochemical expression of MMP-7 protein and its serum level in colorectal cancer. Folia Histochemica Et Cytobiologica, 2013, 51, 206-212.	1.5	12
13	Bcl-2 Expression in Primary Uveal Melanoma. Tumori, 2001, 87, 54-57.	1.1	11
14	STAT3 and apoptosis regulators: Bak and Bcl-xL in endometrioid adenocarcinomas of different estrogen receptor-? immunoprofile. Gynecological Endocrinology, 2011, 27, 536-540.	1.7	8
15	Neutrophil infiltration combined with necrosis in the primary tumor is a useful prognostic indicator for threeâ€'year diseaseâ€'free survival time in patients with colorectal cancer. Oncology Letters, 2022, 23, 199.	1.8	6
16	Hypoxia related growth factors and p53 in preoperative sera from patients with colorectal cancer – evaluation of the prognostic significance of these agents. Clinical Chemistry and Laboratory Medicine, 2009, 47, 1439-45.	2.3	3
17	Tumorâ€'infiltrating lymphocytes in tissue material combined with systemic lymphocyte inflammation in patients with colorectal cancer. Molecular and Clinical Oncology, 2021, 14, 97.	1.0	2
18	Cardiac Side Effects of L-NMMA. Critical Care Medicine, 1998, 26, 189-190.	0.9	1

#	Article	IF	CITATIONS
19	Granular cell tumour of the gastrocnemius muscle –. Wspolczesna Onkologia, 2010, 3, 145-148.	1.4	Ο