

# Waldemar Famulski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5544445/publications.pdf>

Version: 2024-02-01

19  
papers

310  
citations

840776

11  
h-index

839539

18  
g-index

20  
all docs

20  
docs citations

20  
times ranked

581  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neutrophil infiltration combined with necrosis in the primary tumor is a useful prognostic indicator for three-year disease-free survival time in patients with colorectal cancer. <i>Oncology Letters</i> , 2022, 23, 199.	1.8	6
2	Tumor-infiltrating lymphocytes in tissue material combined with systemic lymphocyte inflammation in patients with colorectal cancer. <i>Molecular and Clinical Oncology</i> , 2021, 14, 97.	1.0	2
3	Monocyte-to-lymphocyte ratio as a prognostic factor in peripheral whole blood samples of colorectal cancer patients. <i>World Journal of Gastroenterology</i> , 2020, 26, 4639-4655.	3.3	33
4	Pre- and postoperative neutrophil and lymphocyte count and neutrophil-to-lymphocyte ratio in patients with colorectal cancer. <i>Molecular and Clinical Oncology</i> , 2020, 13, 1-1.	1.0	15
5	Diagnostic value of inflammatory cell infiltrates, tumor stroma percentage and disease-free survival in patients with colorectal cancer. <i>Oncology Letters</i> , 2017, 14, 3869-3877.	1.8	29
6	Stromal and intraepithelial tumor-infiltrating lymphocytes in colorectal carcinoma. <i>Oncology Letters</i> , 2017, 14, 6421-6432.	1.8	27
7	Reduced expression of caspase-8 and cleaved caspase-3 in pancreatic ductal adenocarcinoma cells. <i>Oncology Letters</i> , 2016, 11, 1879-1884.	1.8	27
8	Immunohistochemical expression and serum level of survivin protein in colorectal cancer patients. <i>Oncology Letters</i> , 2016, 12, 3591-3597.	1.8	18
9	Diagnostic significance of TIMP-1 level in serum and its immunohistochemical expression in colorectal cancer patients. <i>Polish Journal of Pathology</i> , 2014, 4, 296-304.	0.3	12
10	E-cadherin and $\beta$ -catenin adhesion proteins correlate positively with connexins in colorectal cancer. <i>Oncology Letters</i> , 2014, 7, 1863-1870.	1.8	20
11	Immunohistochemical expression of MMP-7 protein and its serum level in colorectal cancer. <i>Folia Histochemica Et Cytobiologica</i> , 2013, 51, 206-212.	1.5	12
12	STAT3 and apoptosis regulators: Bak and Bcl-xL in endometrioid adenocarcinomas of different estrogen receptor- $\alpha$ immunoprofile. <i>Gynecological Endocrinology</i> , 2011, 27, 536-540.	1.7	8
13	Granular cell tumour of the gastrocnemius muscle. <i>Wspolczesna Onkologia</i> , 2010, 3, 145-148.	1.4	0
14	Hypoxia related growth factors and p53 in preoperative sera from patients with colorectal cancer - evaluation of the prognostic significance of these agents. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1439-45.	2.3	3
15	STAT1 and STAT3 as intracellular regulators of vascular remodeling. <i>European Journal of Internal Medicine</i> , 2007, 18, 267-271.	2.2	29
16	Levels of Ve-Cadherin Increase Independently of Vegf in Preoperative Sera of Patients with Colorectal Cancer. <i>Tumori</i> , 2006, 92, 67-71.	1.1	19
17	Interstitial deletion 9q22.32-q33.2 associated with additional familial translocation t(9;17)(q34.11;p11.2) in a patient with Gorlin-Goltz syndrome and features of Nail-Patella syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2004, 124A, 179-191.	1.2	38
18	Bcl-2 Expression in Primary Uveal Melanoma. <i>Tumori</i> , 2001, 87, 54-57.	1.1	11

#	ARTICLE	IF	CITATIONS
19	Cardiac Side Effects of L-NMMA. Critical Care Medicine, 1998, 26, 189-190.	0.9	1