Carly Jenkins

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5547430/publications.pdf

Version: 2024-02-01

16 papers	738 citations	933447 10 h-index	1058476 14 g-index
16 all docs	16 docs citations	16 times ranked	1127 citing authors

#	Article	IF	CITATIONS
1	Safety and Efficacy of Scientist Led Exercise Stress Testing for Arrhythmia Provocation and Chronotropic Competence. American Journal of Cardiology, 2021, 154, 63-66.	1.6	O
2	Comparison of heart rate reserve, age predicted maximum heart rate and rate pressure product as predictors of future cardiovascular events following a negative dobutamine stress echocardiogram. Acta Cardiologica, 2020, 75, 659-666.	0.9	0
3	Scientist-led Exercise Testing Is Safe With Diagnostic Interpretation Equivalent to a Cardiologist. Critical Pathways in Cardiology, 2020, 19, 14-17.	0.5	1
4	Three $\hat{\mathbf{e}}$ dimensional echocardiographic acquisition and validity of left ventricular volumes and ejection fraction. Echocardiography, 2020, 37, 1646-1653.	0.9	8
5	Is downstream cardiac testing required in patients with reduced functional capacity and otherwise negative exercise stress test? A single center observational study. Cardiology Journal, 2020, 26, 753-760.	1.2	1
6	Coronary-Cameral Fistula. Circulation: Cardiovascular Imaging, 2019, 12, e008691.	2.6	15
7	Comparison of Heart Rate Blood Pressure Product Versus Age-Predicted Maximum Heart Rate as Predictors of Cardiovascular Events During Exercise Stress Echocardiography. American Journal of Cardiology, 2019, 124, 528-533.	1.6	8
8	Association of Exercise Intolerance in Type 2 Diabetes With Skeletal Muscle Blood Flow Reserve. JACC: Cardiovascular Imaging, 2015, 8, 913-921.	5.3	28
9	Biomarker and imaging responses to spironolactone in subclinical diabetic cardiomyopathy. European Heart Journal Cardiovascular Imaging, 2014, 15, 776-786.	1.2	20
10	Association of Outcome with Left Ventricular Parameters Measured by Two-Dimensional and Three-Dimensional Echocardiography in Patients at High Cardiovascular Risk. Journal of the American Society of Echocardiography, 2014, 27, 65-73.	2.8	33
11	A six-month exercise intervention in subclinical diabetic heart disease: Effects on exercise capacity, autonomic and myocardial function. Metabolism: Clinical and Experimental, 2014, 63, 1104-1114.	3.4	33
12	Baseline and follow-up assessment of regional left ventricular volume using 3-dimensional echocardiography: comparison with cardiac magnetic resonance. Cardiovascular Ultrasound, 2009, 7, 55.	1.6	11
13	Real-Time 3-Dimensional Echocardiographic Quantification of Left Ventricular Volumes. JACC: Cardiovascular Imaging, 2008, 1, 413-423.	5. 3	313
14	Left ventricular volume measurement with echocardiography: a comparison of left ventricular opacification, three-dimensional echocardiography, or both with magnetic resonance imaging. European Heart Journal, 2008, 30, 98-106.	2.2	213
15	An intensive interactive course for 3D echocardiography: Is "Crop Till You Drop―an effective learning strategy?. European Journal of Echocardiography, 2007, 9, 373-80.	2.3	11
16	Reconstructed Versus Real-time 3-Dimensional Echocardiography: Comparison with Magnetic Resonance Imaging. Journal of the American Society of Echocardiography, 2007, 20, 862-868.	2.8	43