

Rioko Kimiko Sakata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/554819/publications.pdf>

Version: 2024-02-01

75
papers

1,108
citations

471509

17
h-index

477307

29
g-index

91
all docs

91
docs citations

91
times ranked

1355
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytokines and Pain. Revista Brasileira De Anestesiologia, 2011, 61, 255-265.	0.6	128
2	Serum cytokine levels in patients with chronic low back pain due to herniated disc: analytical cross-sectional study. Sao Paulo Medical Journal, 2010, 128, 259-262.	0.9	73
3	Dor: aspectos atuais da sensibilizaç�o perif�rica e central. Revista Brasileira De Anestesiologia, 2007, 57, 94-105.	0.6	53
4	Review of the use of Gabapentin in the Control of Postoperative Pain. Revista Brasileira De Anestesiologia, 2009, 59, 87-98.	0.6	45
5	Citocinas e dor. Revista Brasileira De Anestesiologia, 2011, 61, 260-265.	0.6	43
6	Pain Management in Burn Patients. Revista Brasileira De Anestesiologia, 2013, 63, 149-158.	0.6	41
7	Intraoperative Intravenous Lidocaine. Revista Brasileira De Anestesiologia, 2010, 60, 325-333.	0.6	38
8	Proinflammatory Cytokines in Patients with Neuropathic Pain Treated with Tramadol. Revista Brasileira De Anestesiologia, 2009, 59, 297-303.	0.6	35
9	Exercises for Treatment of Nonspecific Low Back Pain. Revista Brasileira De Anestesiologia, 2012, 62, 838-846.	0.6	35
10	Caffeine in the Treatment of Pain. Revista Brasileira De Anestesiologia, 2012, 62, 387-401.	0.6	27
11	Postoperative persistent chronic pain: what do we know about prevention, risk factors, and treatment. Brazilian Journal of Anesthesiology (Elsevier), 2016, 66, 505-512.	0.4	21
12	Assessing the Effects of Transcutaneous Electrical Nerve Stimulation (TENS) in Post-Thoracotomy Analgesia. Revista Brasileira De Anestesiologia, 2011, 61, 561-567.	0.6	20
13	Evaluation of the effect of ketamine on remifentanyl-induced hyperalgesia: a double-blind, randomized study. Journal of Clinical Anesthesia, 2015, 27, 331-337.	1.6	20
14	Effect of Intravenous Lidocaine on Manifestations of Fibromyalgia. Pain Practice, 2010, 10, 301-305.	1.9	18
15	Opioid-Induced Hyperalgesia (OIH). Revista Brasileira De Anestesiologia, 2010, 60, 639-647.	0.6	18
16	Effect of Intravenous Lidocaine Associated With Amitriptyline on Pain Relief and Plasma Serotonin, Norepinephrine, and Dopamine Concentrations in Fibromyalgia. Clinical Journal of Pain, 2011, 27, 285-288.	1.9	18
17	Randomized, Double-Blind Study of the Effect of Intraoperative Intravenous Lidocaine on the Opioid Consumption and Criteria for Hospital Discharge After Bariatric Surgery. Obesity Surgery, 2020, 30, 1189-1193.	2.1	17
18	Exerc�cios para tratamento de lombalgia inespec�fica. Revista Brasileira De Anestesiologia, 2012, 62, 842-846.	0.6	16

#	ARTICLE	IF	CITATIONS
19	Effect of intravenous lidocaine combined with amitriptyline on pain intensity, clinical manifestations and the concentrations of IL-1, IL-6 and IL-8 in patients with fibromyalgia: A randomized double-blind study. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 946-953.	1.9	14
20	Palliative Sedation of Terminally ill Patients. <i>Revista Brasileira De Anestesiologia</i> , 2012, 62, 580-592.	0.6	13
21	Avaliação da S(+)-cetamina por via oral associada à morfina no tratamento da dor oncológica. <i>Revista Brasileira De Anestesiologia</i> , 2007, 57, 19-31.	0.6	12
22	Comparison of Acupuncture to Injection for Myofascial Trigger Point Pain. <i>Pain Practice</i> , 2011, 11, 132-138.	1.9	11
23	Sedação paliativa do paciente terminal. <i>Revista Brasileira De Anestesiologia</i> , 2012, 62, 586-592.	0.6	11
24	Effect of preoperative gabapentin on pain intensity and development of chronic pain after carpal tunnel syndrome surgical treatment in women: randomized, double-blind, placebo-controlled study. <i>Sao Paulo Medical Journal</i> , 2016, 134, 285-291.	0.9	11
25	Chemical Ablation of Genicular Nerve with Phenol for Pain Relief in Patients with Knee Osteoarthritis: A Prospective Study. <i>Pain Practice</i> , 2021, 21, 438-444.	1.9	11
26	Use and Rotation of Opioids in Chronic Non-oncologic Pain. <i>Revista Brasileira De Anestesiologia</i> , 2012, 62, 554-562.	0.6	10
27	Neuropatias periféricas dolorosas. <i>Revista Brasileira De Anestesiologia</i> , 2011, 61, 649-658.	0.6	9
28	Assessment of the Effect of Ketamine in Combination with Remifentanyl on Postoperative Pain. <i>Revista Brasileira De Anestesiologia</i> , 2013, 63, 178-182.	0.6	9
29	Painful Peripheral Neuropathies. <i>Revista Brasileira De Anestesiologia</i> , 2011, 61, 641-658.	0.6	8
30	Café para o tratamento de dor. <i>Revista Brasileira De Anestesiologia</i> , 2012, 62, 394-401.	0.6	8
31	Hiperalgia induzida por opioides (HIO). <i>Revista Brasileira De Anestesiologia</i> , 2010, 60, 643-647.	0.6	7
32	Analgesia and Sedation in Intensive Care Unit. <i>Revista Brasileira De Anestesiologia</i> , 2010, 60, 648-658.	0.6	7
33	Assessment of the Effect of Perioperative Venous Lidocaine on the Intensity of Pain and IL-6 Concentration After Laparoscopic Gastrectomy. <i>Obesity Surgery</i> , 2020, 30, 3912-3918.	2.1	7
34	Dependência de opioide em pacientes com dor crônica. <i>Revista Dor</i> , 2011, 12, 160-165.	0.1	7
35	Randomized, double-blind, placebo-controlled study of the analgesic effect of intraoperative esmolol for laparoscopic gastrectomy. <i>Acta Cirurgica Brasileira</i> , 2020, 35, e202000408.	0.7	7
36	Intra-articular morphine versus bupivacaine for knee motion among patients with osteoarthritis: randomized double-blind clinical trial. <i>Sao Paulo Medical Journal</i> , 2008, 126, 309-313.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Chronic postoperative pain: pathophysiology, risk factors and prevention. <i>Revista Dor</i> , 2011, 12, 58-63.	0.1	6
38	Evaluation of Preemptive Effect of Epidural S(+)-Ketamine for Hysterectomy: Plasmatic Concentrations of Interleukins. <i>Revista Brasileira De Anestesiologia</i> , 2012, 62, 3-9.	0.6	6
39	Tramadol wound infiltration is not different from intravenous tramadol in children: a randomized controlled trial. <i>Journal of Clinical Anesthesia</i> , 2016, 28, 62-66.	1.6	6
40	Modified Thoracoabdominal Nerve Block Through the Perichondral Approach (M-TAPA) in Laparoscopic Sleeve Gastropasty: A Case Series. <i>Obesity Surgery</i> , 2022, 32, 197-201.	2.1	6
41	Epidural versus intravenous fentanyl for postoperative analgesia following orthopedic surgery: randomized controlled trial. <i>Sao Paulo Medical Journal</i> , 2010, 128, 5-9.	0.9	6
42	Efeitos observados com diferentes doses de morfina subaracnÃ³idea em ratos. <i>Revista Brasileira De Anestesiologia</i> , 2004, 54, 60-67.	0.6	5
43	AvaliaÃ§Ã£o do efeito da estimulaÃ§Ã£o nervosa elÃ©trica transcutÃ¢nea (TENS) para analgesia apÃ³s toracotomia. <i>Revista Brasileira De Anestesiologia</i> , 2011, 61, 564-567.	0.6	5
44	Pain Management in Burn Patients. <i>Brazilian Journal of Anesthesiology (Elsevier)</i> , 2013, 63, 149-153.	0.4	5
45	Assessment of the Analgesic Effect of Magnesium and Morphine in Combination in Patients With Cancer Pain: A Comparative Randomized Double-Blind Study. <i>American Journal of Hospice and Palliative Medicine</i> , 2017, 34, 353-357.	1.4	5
46	Randomized clinical study on the analgesic effect of local infiltration versus spinal block for hemorrhoidectomy. <i>Sao Paulo Medical Journal</i> , 2017, 135, 247-252.	0.9	5
47	Tumor growth activity of duloxetine in Ehrlich carcinoma in mice. <i>BMC Research Notes</i> , 2018, 11, 525.	1.4	5
48	Evaluation of the Efficacy of Prolonged Pregabalin Administration Before and After Surgery in Patients Undergoing Arthroscopic Anterior Cruciate Ligament Repair. <i>Clinical Journal of Pain</i> , 2020, 36, 584-588.	1.9	5
49	Gabapentin to treat sacral perineural cyst-induced pain. Case report. <i>Revista Brasileira De Anestesiologia</i> , 2004, 54, 73-7.	0.6	5
50	Preemptive analgesia with epidural bupivacaine plus fentanyl in gynaecological surgeryâ€™effects on serum interleukin-6 concentrations. <i>Acute Pain</i> , 2002, 4, 23-26.	0.1	4
51	Analgesia e sedaÃ§Ã£o em unidade de terapia intensiva. <i>Revista Brasileira De Anestesiologia</i> , 2010, 60, 653-658.	0.6	4
52	Morphine as the First Drug for the Treatment of Cancer Pain. <i>Journal of Palliative Medicine</i> , 2012, 15, 963-964.	1.1	4
53	Effects of Preoperative Intravenous Clonidine in Patients Undergoing Cataract Surgery: A Double-Blind, Randomized Trial. <i>Journal of Ophthalmology</i> , 2014, 2014, 1-5.	1.3	4
54	High dose gabapentin does not alter tumor growth in mice but reduces arginase activity and increases superoxide dismutase, IL-6 and MCP-1 levels in Ehrlich ascites. <i>BMC Research Notes</i> , 2019, 12, 59.	1.4	4

#	ARTICLE	IF	CITATIONS
55	Correlação entre concentração líquida e efeitos colaterais após injeção de morfina por via subaracnóidea em ratos. Revista Brasileira De Anestesiologia, 2004, 54, 53-59.	0.6	3
56	A Randomized Controlled Trial Evaluating the Analgesic Effect of the Combination of Methadone With Morphine for Cancer Related Pain. Clinical Journal of Pain, 2021, 37, 664-668.	1.9	3
57	Tratamento da dor após procedimento cirúrgico ambulatorial. Revista Dor, 2013, 14, 61-67.	0.1	3
58	Analgesia preemptiva. Revista Brasileira De Anestesiologia, 2001, 51, 448-463.	0.6	2
59	Citocinas e anestesia. Revista Brasileira De Anestesiologia, 2002, 52, 86-100.	0.6	2
60	Preemptive effect of IV S(+)-ketamine for hysterectomy. Acute Pain, 2005, 7, 139-143.	0.1	2
61	Assessment of the Effect of Ketamine in Combination with Remifentanyl on Postoperative Pain. Brazilian Journal of Anesthesiology (Elsevier), 2013, 63, 178-182.	0.4	2
62	No effect of 10mg of oral S(+)-ketamine combined with morphine on postoperative analgesia. Acute Pain, 2007, 9, 153-158.	0.1	1
63	Avaliação do efeito preemptivo da s(+)-cetamina por via peridural para histerectomia: concentrações plasmáticas de interleucinas. Revista Brasileira De Anestesiologia, 2012, 62, 6-9.	0.6	1
64	Uso e rotação de opioides para dor crônica não oncológica. Revista Brasileira De Anestesiologia, 2012, 62, 558-562.	0.6	1
65	Avaliação do efeito da cetamina associada à remifentanila na dor pós-operatória. Revista Brasileira De Anestesiologia, 2013, 63, 178-182.	0.6	1
66	Effect of preoperative pregabalin on analgesia and interleukins after lumbotomy: prospective, randomized, comparative, double-blind study. Journal of Pain Research, 2019, Volume 12, 339-344.	2.0	1
67	Minimum Effective Analgesic Concentration of Ropivacaine in Saphenous Block Guided by Ultrasound for Knee Arthroscopic Meniscectomy: Randomized, Double-Blind Study. Journal of Pain Research, 2021, Volume 14, 53-59.	2.0	1
68	Chemical neurolysis of the lateral branches of the sacral dorsal rami for the treatment of chronic pain in the sacroiliac joint: Case report and description of the technique. Pain Practice, 2022, 22, 134-136.	1.9	1
69	Avaliação do custo do medicamento para tratamento ambulatorial de pacientes com dor crônica. Revista Brasileira De Anestesiologia, 2010, 60, .	0.6	1
70	Fentanyl branchial plexus block for paediatric postoperative analgesia. Acute Pain, 2000, 3, 12-14.	0.1	0
71	Lombociatalgia: comparação da analgesia entre metilprednisolona, fentanil e metilprednisolona com fentanil, associados à bupivacaína, por via peridural. Revista Brasileira De Anestesiologia, 2001, 51, 407-413.	0.6	0
72	Pain management in children with erythromelalgia: case report. Brazilian Journal of Anesthesiology (Elsevier), 2018, 68, 531-534.	0.4	0

#	ARTICLE	IF	CITATIONS
73	An alternative approach for blocking the superior trunk of the brachial plexus evaluated by a single arm clinical trial. <i>Brazilian Journal of Anesthesiology</i> (Elsevier), 2021, , .	0.4	0
74	(227) Comparative Study of Intra-Articular Morphine, Fentanyl or Bupivacaine for Knee Surgery. <i>Pain Medicine</i> , 2001, 2, 251-251.	1.9	0
75	Retrospective Study of the Analgesic Effect of Sacroiliac Joint Radiofrequency Denervation. <i>Pain Physician</i> , 2021, 24, E625-E629.	0.4	0