

RafaÅ, Januszek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5549883/publications.pdf>

Version: 2024-02-01

82
papers

429
citations

933447

10
h-index

940533

16
g-index

86
all docs

86
docs citations

86
times ranked

558
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Impact of basic life support training on knowledge of cardiac patients about first aid for out-of-hospital cardiac arrest. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2023, 31, 21-26. | 1.6 | 1 |
| 2 | Comparación de seguridad y efectividad entre los accesos radiales derecho e izquierdo en la intervención coronaria percutánea. <i>Revista Espanola De Cardiologia</i> , 2022, 75, 119-128. | 1.2 | 4 |
| 3 | Optical coherence tomography enhanced by novel software to better visualize the mechanism of atherosclerosis and improve the effects of percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2022, 80, 99-100. | 0.6 | 2 |
| 4 | Approach of Pregnant Women from Poland and the Ukraine to COVID-19 Vaccination – The Role of Medical Consultation. <i>Vaccines</i> , 2022, 10, 255. | 4.4 | 10 |
| 5 | Intravascular Lithotripsy for the Treatment of Stent Underexpansion: The Multicenter IVL-DRAGON Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 1779. | 2.4 | 16 |
| 6 | Procedural Outcomes in Patients Treated with Percutaneous Coronary Interventions within Chronic Total Occlusions Stratified by Gender. <i>Journal of Clinical Medicine</i> , 2022, 11, 1419. | 2.4 | 1 |
| 7 | Percutaneous coronary intervention combining rotational atherectomy and intravascular lithotripsy in two vessels with edge restenosis assisted by percutaneous left ventricular pump support. <i>Kardiologia Polska</i> , 2022, 80, 370-371. | 0.6 | 0 |
| 8 | Annual operator volume among patients treated using percutaneous coronary interventions with rotational atherectomy and procedural outcomes: Analysis based on a large national registry. <i>Catheterization and Cardiovascular Interventions</i> , 2022, , . | 1.7 | 4 |
| 9 | High-risk percutaneous coronary angioplasty with rotational atherectomy and left ventricular assist device of chronically occluded left ascending artery in an obese patient with very low ejection fraction. <i>Kardiologia Polska</i> , 2022, 80, 491-492. | 0.6 | 0 |
| 10 | Long-term outcomes following drug-eluting balloons vs. thin-strut drug-eluting stents for treatment of recurrent restenosis in drug-eluting stents. <i>Kardiologia Polska</i> , 2022, 80, 765-773. | 0.6 | 2 |
| 11 | Percutaneous Coronary Intervention vs. Coronary Artery Bypass Grafting for Treating In-Stent Restenosis in Unprotected-Left Main: LM-DRAGON-Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, . | 2.4 | 0 |
| 12 | Procedure-Related Differences and Clinical Outcomes in Patients Treated with Percutaneous Coronary Intervention Assisted by Optical Coherence Tomography between New and Earlier Generation Software (Utreon, 1.0 Software vs. AptiVue, Software). <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 218. | 1.6 | 6 |
| 13 | Prognostic Factors in Patients with Sudden Cardiac Arrest and Acute Myocardial Infarction Undergoing Percutaneous Interventions with the LUCAS-2 System for Mechanical Cardiopulmonary Resuscitation. <i>Journal of Clinical Medicine</i> , 2022, 11, 3872. | 2.4 | 1 |
| 14 | Concomitant multi-vessel disease is associated with a lower procedural death rate in patients treated with percutaneous coronary interventions within the left main coronary artery (from the ORPKI). <i>Tj ETQq0 0 0 rgBT (Overlock 10 Tf 50 2)</i> | | |
| 15 | Long-term outcomes of percutaneous coronary interventions within coronary artery bypass grafts. <i>Archives of Medical Science</i> , 2021, 17, 628-637. | 0.9 | 3 |
| 16 | Survival rate after acute myocardial infarction in patients treated with percutaneous coronary intervention within the left main coronary artery according to time of admission. <i>Medicine (United) Tj ETQq0 0 0 rgBT (Overlock 10 Tf 50 2)</i> | | |
| 17 | The Usefulness of [18F]F-Fluorodeoxyglucose and [18F]F-Sodium Fluoride Positron Emission Tomography Imaging in the Assessment of Early-Stage Aortic Valve Degeneration after Transcatheter Aortic Valve Implantation (TAVI) – Protocol Description and Preliminary Results. <i>Journal of Clinical Medicine</i> , 2021, 10, 431. | 2.4 | 2 |
| 18 | Risk Factors for Surgical Treatment of Endometrial Cancer Using Traditional and Laparoscopic Methods. <i>Journal of Clinical Medicine</i> , 2021, 10, 429. | 2.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Long-term prognosis in patients suffering from myocardial infarction with non-obstructive coronary arteries, ST-segment elevation myocardial infarction, infective myocarditis and tako-tsubo cardiomyopathy – all-cause mortality comparison. Archives of Medical Science, 2021, , . | 0.9 | 0 |
| 20 | TCTAP A-028 Procedural and 1-year Outcomes Following Large Vessel Coronary Artery Perforation Treated by Covered Stents Implantation: Multicenter CRACK Registry. Journal of the American College of Cardiology, 2021, 77, S18. | 2.8 | 0 |
| 21 | Procedural and 1-year outcomes following large vessel coronary artery perforation treated by covered stents implantation: Multicentre CRACK registry. PLoS ONE, 2021, 16, e0249698. | 2.5 | 8 |
| 22 | Prognostic markers of post-traumatic dental external root resorption in children – a pilot study. Dental Traumatology, 2021, 37, 699-705. | 2.0 | 5 |
| 23 | Clinical outcomes in patients with acute myocardial infarction treated with primary percutaneous coronary intervention stratified according to duration of pain-to-balloon time and type of myocardial infarction. Cardiology Journal, 2021, , . | 1.2 | 1 |
| 24 | Body mass index and long-term outcomes in patients with chronic total occlusions undergoing retrograde endovascular revascularization of the infra-inguinal lower limb arteries. Cardiology Journal, 2021, 28, 509-518. | 1.2 | 2 |
| 25 | Stent underexpansion due to heavy calcification in a patient with recent acute coronary syndrome successfully treated with lithotripsy. Kardiologia Polska, 2021, 79, 875-876. | 0.6 | 1 |
| 26 | ST-segment elevation myocardial infarction with non-obstructive coronary arteries: Score derivation for prediction based on a large national registry. PLoS ONE, 2021, 16, e0254427. | 2.5 | 2 |
| 27 | Endothelial function in patients with critical and non-critical limb ischemia undergoing endovascular treatment. Kardiologia Polska, 2021, 79, 804-812. | 0.6 | 3 |
| 28 | Long-Term Outcomes Following Drug-Eluting Balloons Versus Thin-Strut Drug-Eluting Stents for Treatment of In-Stent Restenosis (DEB-Dragon-Registry). Circulation: Cardiovascular Interventions, 2021, 14, e010868. | 3.9 | 9 |
| 29 | The Approach of Pregnant Women to Vaccination Based on a COVID-19 Systematic Review. Medicina (Lithuania), 2021, 57, 977. | 2.0 | 59 |
| 30 | Safety and Efficacy of Four Different Diagnostic Catheter Curves Dedicated to One-Catheter Technique of Transradial Coronary-Angiography – Prospective, Randomized Pilot Study. TRACT 1: Trans Radial Coronary Angiography Trial 1. Journal of Clinical Medicine, 2021, 10, 4722. | 2.4 | 2 |
| 31 | Predictors and trends of contrast use and radiation exposure in a large cohort of patients treated with percutaneous coronary interventions: Chronic total occlusion analysis based on a national registry. Cardiology Journal, 2021, , . | 1.2 | 4 |
| 32 | Impact of psoriasis on ticagrelor platelet activity versus clopidogrel in patients with chronic coronary syndromes treated via percutaneous coronary intervention. Polish Archives of Internal Medicine, 2021, 131, . | 0.4 | 0 |
| 33 | Frequency and predictors of diagnostic coronary angiography and percutaneous coronary intervention related to stroke. Kardiologia Polska, 2021, 79, 1099-1106. | 0.6 | 3 |
| 34 | Clinical Outcomes following Large Vessel Coronary Artery Perforation Treated with Covered Stent Implantation: Comparison between Polytetrafluoroethylene- and Polyurethane-Covered Stents (CRACK-II Registry). Journal of Clinical Medicine, 2021, 10, 5441. | 2.4 | 3 |
| 35 | The Most Relevant Factors Affecting the Perioperative Death Rate in Patients with Acute Coronary Syndrome and COVID-19, Based on Annual Follow-Up in the ORPKI Registry. Biomedicines, 2021, 9, 1813. | 3.2 | 8 |
| 36 | Sex-related differences and rotational atherectomy: Analysis of 5 177 percutaneous coronary interventions based on a large national registry from 2014 to 2020. Kardiologia Polska, 2021, 79, 1320-1327. | 0.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | TCT CONNECT-233 Coronary Artery Perforations in Patients Treated Using Percutaneous Coronary Interventions Within Chronic Total Occlusions: Analysis Based on a Large National Registry. <i>Journal of the American College of Cardiology</i> , 2020, 76, B102-B103. | 2.8 | 0 |
| 38 | Comparison of safety and effectiveness between the right and left radial artery approach in percutaneous coronary intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 75, 119-119. | 0.6 | 3 |
| 39 | Aspiration Thrombectomy in Patients with Acute Myocardial Infarction—5-Year Analysis Based on a Large National Registry (ORPKI). <i>Journal of Clinical Medicine</i> , 2020, 9, 3610. | 2.4 | 7 |
| 40 | Long-Term Prognostic Significance of High-Sensitive Troponin I Increase during Hospital Stay in Patients with Acute Myocardial Infarction and Non-Obstructive Coronary Arteries. <i>Medicina (Lithuania)</i> , 2020, 56, 432. | 2.0 | 4 |
| 41 | Mortality and chronic obstructive pulmonary disease in patients treated with endovascular revascularization of the infra-inguinal lower limb arteries from retrograde access. <i>Annals of Translational Medicine</i> , 2020, 8, 206-206. | 1.7 | 5 |
| 42 | Transradial and Transfemoral Approach in Patients with Prior Coronary Artery Bypass Grafting. <i>Journal of Clinical Medicine</i> , 2020, 9, 764. | 2.4 | 2 |
| 43 | Gender differences and long-term clinical outcomes in patients with chronic total occlusions of infrainguinal lower limb arteries treated from retrograde access with peripheral vascular interventions. <i>Advances in Medical Sciences</i> , 2020, 65, 197-201. | 2.1 | 11 |
| 44 | The relationship between increased air pollution expressed as PM10 concentration and the frequency of percutaneous coronary interventions in patients with acute coronary syndromes—a seasonal differences. <i>Environmental Science and Pollution Research</i> , 2020, 27, 21320-21330. | 5.3 | 8 |
| 45 | Safety and Efficacy of Embolic Protection Devices in Saphenous Vein Graft Interventions: A Propensity Score Analysis—Multicenter SVG PCI PROTECTA Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1198. | 2.4 | 3 |
| 46 | Age and gender differences in clinical outcomes of patients with heavy-calcified coronary artery lesions treated percutaneously with rotational atherectomy. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 225-233. | 1.4 | 3 |
| 47 | Knowledge and prevalence of risk factors for coronary artery disease in patients after the first and repeated percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2020, 78, 147-153. | 0.6 | 7 |
| 48 | Predictors of periprocedural complications in patients undergoing percutaneous coronary interventions within coronary artery bypass grafts. <i>Cardiology Journal</i> , 2020, 26, 633-644. | 1.2 | 8 |
| 49 | Diabetes and periprocedural outcomes in patients treated with rotablation during percutaneous coronary interventions. <i>Cardiology Journal</i> , 2020, 27, 152-161. | 1.2 | 4 |
| 50 | Association between the mortality rate and operator volume in patients undergoing emergency or elective percutaneous coronary interventions. <i>Kardiologia Polska</i> , 2020, 78, 138-146. | 0.6 | 15 |
| 51 | The relationship between pulse waveform analysis indices, endothelial function and clinical outcomes in patients with peripheral artery disease treated using percutaneous transluminal angioplasty during a one-year follow-up period. <i>Cardiology Journal</i> , 2020, 27, 142-151. | 1.2 | 5 |
| 52 | Long-term clinical outcomes in patients with acute myocardial infarction treated with percutaneous coronary interventions according to day- and night-time admission. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 570-581. | 0.4 | 3 |
| 53 | Radial versus femoral access in patients treated with percutaneous coronary intervention and rotational atherectomy. <i>Kardiologia Polska</i> , 2020, 78, 529-536. | 0.6 | 6 |
| 54 | Five-year report from the Polish national registry on percutaneous coronary interventions with a focus on coronary artery perforations within chronic total occlusions. <i>Postępy W Kardiologii Interwencyjnej</i> , 2020, 16, 399-409. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Extremely high-risk percutaneous coronary intervention in an elderly patient with multiple comorbidities and good general condition. <i>Kardiologia Polska</i> , 2020, 78, 344-345. | 0.6 | 0 |
| 56 | Myocardial infarction in the shadow of COVID-19. <i>Cardiology Journal</i> , 2020, 27, 478-480. | 1.2 | 5 |
| 57 | Obesity as a risk factor of in-hospital outcomes in patients with endometrial cancer treated with laparoscopic surgical mode. <i>Ginekologia Polska</i> , 2020, 91, 573-581. | 0.7 | 3 |
| 58 | Current trends and procedural outcomes in the era of rotational atherectomy expansion in Poland in the period 2014–2017 (based on the nationwide ORPKI registry). <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 158-166. | 0.2 | 6 |
| 59 | Predictors of mortality and outcomes after retrograde endovascular angioplasty in patients with peripheral artery disease. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 234-239. | 0.2 | 1 |
| 60 | TCT-839 The Relationship Between Winter Time and Increased Air Pollution Expressed as PM10 Concentration and the Frequency of Percutaneous Coronary Interventions in Patients With Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2019, 74, B822. | 2.8 | 1 |
| 61 | New-generation drug eluting stent vs. bare metal stent in saphenous vein graft – 1-year outcomes by a propensity score ascertainment (SVG Baltic Registry). <i>International Journal of Cardiology</i> , 2019, 292, 56-61. | 1.7 | 4 |
| 62 | Delayed Diagnosis of Non-ST Segment Elevation Myocardial Infarction in a Young Patient with Multivessel Disease and Familial Hypercholesterolemia Complicated by Cardiogenic Shock Finally Treated with Intra-Aortic Balloon Pump as a Bridge to Extra Corporeal Membrane Oxygenation. <i>Case Reports in Cardiology</i> , 2019, 2019, 1-4. | 0.2 | 0 |
| 63 | Impact of sex on the follow-up course and predictors of clinical outcomes in patients hospitalised due to myocardial infarction with non-obstructive coronary arteries: a single-centre experience. <i>Kardiologia Polska</i> , 2019, 77, 198-206. | 0.6 | 13 |
| 64 | Dynamics of below-the-knee arterial blood flow after endovascular revascularisation of peripheral arteries as a potential predictor of clinical outcomes during one-year follow-up. <i>Kardiologia Polska</i> , 2019, 77, 24-32. | 0.6 | 1 |
| 65 | A 48-years-old patient with non-ST-elevated myocardial infarction caused by narrowing in the anomalous circumflex artery. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 424-425. | 0.4 | 0 |
| 66 | A 47-year-old woman with multifocal fibroelastoma and coronary artery disease. <i>Kardiologia Polska</i> , 2019, 77, 888-889. | 0.6 | 0 |
| 67 | Predictors of in-hospital effectiveness and complications of rotational atherectomy (from the ORPKI) Tj ETQq1 1 0.784314 rgBT /Over E278-E287. | 1.7 | 23 |
| 68 | Does the use of rotational atherectomy procedure during percutaneous coronary interventions influence the frequency of procedure-related myocardial injury assessed by cardiac magnetic resonance?. <i>Journal of Thoracic Disease</i> , 2018, 10, S3050-S3052. | 1.4 | 2 |
| 69 | Bailout rotational atherectomy in patients with myocardial infarction is not associated with an increased periprocedural complication rate or poorer angiographic outcomes in comparison to elective procedures (from the ORPKI Polish National Registry 2015–2016). <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 135-143. | 0.2 | 7 |
| 70 | Chronic obstructive pulmonary disease and periprocedural complications in patients undergoing percutaneous coronary interventions. <i>PLoS ONE</i> , 2018, 13, e0204257. | 2.5 | 6 |
| 71 | Comparison of the usefulness of selected formulas for GFR estimation in patients with diagnosed chronic kidney disease. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2018, 72, 108-115. | 0.1 | 0 |
| 72 | Chronic obstructive pulmonary disease affects angiographic presentation and outcomes. Authors' reply.. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 195-196. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Soluble endoglin as a prognostic factor of the claudication distance improvement in patients with peripheral artery disease undergoing supervised treadmill training program. <i>Journal of the American Society of Hypertension</i> , 2017, 11, 553-564. | 2.3 | 5 |
| 74 | Coronary Perforation of Distal Diagonal Branch Followed by Prolonged Recurrent Cardiac Tamponade Finally Resolved with Pericardiectomy - the Potential Risk of Hydrophilic Guide-Wires. <i>Open Cardiovascular Medicine Journal</i> , 2017, 11, 61-65. | 0.3 | 2 |
| 75 | Chronic obstructive pulmonary disease affects the angiographic presentation and outcomes of patients with coronary artery disease treated with percutaneous coronary interventions. <i>Polish Archives of Internal Medicine</i> , 2017, 128, 24-34. | 0.4 | 11 |
| 76 | Long-term effects of rotational atherectomy in patients with heavy calcified coronary artery lesions: a single-centre experience. <i>Kardiologia Polska</i> , 2017, 75, 564-572. | 0.6 | 6 |
| 77 | The successful retrieval of a broken guide wire from the diagonal branch of the left anterior descending coronary artery complicated by partial stent rolling. <i>Postępy W Kardiologii Interwencyjnej</i> , 2016, 2, 166-170. | 0.2 | 0 |
| 78 | Paraoxonase-1 and Simvastatin Treatment in Patients with Stable Coronary Artery Disease. <i>International Journal of Vascular Medicine</i> , 2016, 2016, 1-10. | 1.0 | 2 |
| 79 | The improvement of walking abilities and endothelial function after the supervised training treadmill program (STTP) in patients with peripheral artery disease (PAD) is not related to prostacyclin and thromboxane release. <i>International Journal of Cardiology</i> , 2016, 222, 813-818. | 1.7 | 11 |
| 80 | Fractional flow reserve measurement modification with monorail pressure catheter. <i>Cardiology Journal</i> , 2016, 23, 618-619. | 1.2 | 0 |
| 81 | Aspirin provocation increases 8-iso-PGE2 in exhaled breath condensate of aspirin-hypersensitive asthmatics. <i>Prostaglandins and Other Lipid Mediators</i> , 2015, 121, 163-169. | 1.9 | 10 |
| 82 | The effect of treadmill training on endothelial function and walking abilities in patients with peripheral arterial disease. <i>Journal of Cardiology</i> , 2014, 64, 145-151. | 1.9 | 40 |