Toshihiko Kiwa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5551322/publications.pdf Version: 2024-02-01



TOSHIHIKO KIWA

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Laser terahertz-emission microscope for inspecting electrical faults in integrated circuits. Optics Letters, 2003, 28, 2058. | 3.3 | 177 |
| 2 | lmaging of large-scale integrated circuits using laser-terahertz emission microscopy. Optics Express, 2005, 13, 115. | 3.4 | 130 |
| 3 | Chemical sensing plate with a laser-terahertz monitoring system. Applied Optics, 2008, 47, 3324. | 2.1 | 63 |
| 4 | Small Eddy Current Testing Sensor Probe Using a Tunneling Magnetoresistance Sensor to Detect Cracks in Steel Structures. IEEE Transactions on Magnetics, 2018, 54, 1-5. | 2.1 | 50 |
| 5 | A Terahertz Chemical Microscope to Visualize Chemical Concentrations in Microfluidic Chips. Japanese Journal of Applied Physics, 2007, 46, L1052. | 1.5 | 49 |
| 6 | Detection of Inner Cracks in Thick Steel Plates Using Unsaturated AC Magnetic Flux Leakage Testing With a Magnetic Resistance Gradiometer. IEEE Transactions on Magnetics, 2017, 53, 1-5. | 2.1 | 46 |
| 7 | Detection of Inner Corrosion of Steel Construction Using Magnetic Resistance Sensor and Magnetic Spectroscopy Analysis. IEEE Transactions on Magnetics, 2016, 52, 1-4. | 2.1 | 45 |
| 8 | A magnetic flux leakage method using a magnetoresistive sensor for nondestructive evaluation of spot welds. NDT and E International, 2011, 44, 101-105. | 3.7 | 44 |
| 9 | Terahertz chemical microscope for label-free detection of protein complex. Applied Physics Letters, 2010, 96, 211114. | 3.3 | 36 |
| 10 | Resonant terahertz radiation from Tl2Ba2CaCu2O8+δ thin films by ultrafast optical pulse excitation. Applied Physics Letters, 2002, 80, 3147-3149. | 3.3 | 34 |
| 11 | Detection of back-side pit on a ferrous plate by magnetic flux leakage method with analyzing magnetic field vector. NDT and E International, 2010, 43, 323-328. | 3.7 | 34 |
| 12 | High-sensitivity detection of metastatic breast cancer cells via terahertz chemical microscopy using aptamers. Sensors and Actuators B: Chemical, 2019, 287, 595-601. | 7.8 | 32 |
| 13 | Fourier-transformed eddy current technique to visualize cross-sections of conductive materials. NDT and E International, 2007, 40, 363-367. | 3.7 | 29 |
| 14 | Laser terahertz emission system to investigate hydrogen gas sensors. Applied Physics Letters, 2005, 86, 261102. | 3.3 | 28 |
| 15 | Laser Terahertz Emission Microscope. Proceedings of the IEEE, 2007, 95, 1646-1657. | 21.3 | 28 |
| 16 | Magnetic property mapping system for analyzing three-dimensional magnetic components. Review of Scientific Instruments, 2006, 77, 063703. | 1.3 | 26 |
| 17 | Time-Domain Terahertz Spectroscopy of (100) (LaAlO3)0.3-(Sr2AlTaO6)0.7 Substrate. Japanese Journal of Applied Physics, 2001, 40, L38-L40. | 1.5 | 25 |
| 18 | Dual-Gate Field-Effect Transistor Hydrogen Gas Sensor with Thermal Compensation. Japanese Journal of Applied Physics, 2010, 49, 024206. | 1.5 | 24 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | One-Minute Joule Annealing Enhances the Thermoelectric Properties of Carbon Nanotube Yarns via the Interface. ACS Applied Energy Materials, 2019, 2, 7700-7708. | 5.1 | 24 |
| 20 | Work function shifts of catalytic metals under hydrogen gas visualized by terahertz chemical microscopy. Optics Express, 2012, 20, 11637. | 3.4 | 23 |
| 21 | Magnetic Nondestructive Test for Resistance Spot Welds Using Magnetic Flux Penetration and Eddy Current Methods. Journal of Nondestructive Evaluation, 2013, 32, 286-293. | 2.4 | 22 |
| 22 | Label free immune assay using terahertz chemical microscope. Sensors and Actuators B: Chemical, 2013, 187, 8-11. | 7.8 | 22 |
| 23 | Magnetic Measurement of Moisture Content of Grain. IEEE Transactions on Magnetics, 2007, 43, 2683-2685. | 2.1 | 21 |
| 24 | Highly Sensitive Measurement of Moisture Content Using HTS-SQUID. IEEE Transactions on Applied Superconductivity, 2009, 19, 878-881. | 1.7 | 20 |
| 25 | Difference in the detection limits of flaws in the depths of multi-layered and continuous aluminum plates using low-frequency eddy current testing. NDT and E International, 2008, 41, 108-111. | 3.7 | 19 |
| 26 | Tetrahertz Pulse Radiation Properties of a Bi2Sr2CaCu2O8+Î'Bowtie Antenna by Optical Pulse Illumination. Japanese Journal of Applied Physics, 2002, 41, 1992-1997. | 1.5 | 18 |
| 27 | Development of a Compact Moving-Sample Magnetometer Using High-T _c Superconducting Quantum Interference Device. Japanese Journal of Applied Physics, 2012, 51, 046601. | 1.5 | 18 |
| 28 | Magnetic thickness gauge using a Fourier transformed eddy current technique. NDT and E International, 2009, 42, 606-609. | 3.7 | 17 |
| 29 | pH measurements in 16-nL-volume solutions using terahertz chemical microscopy. Optics Express, 2018, 26, 8232. | 3.4 | 17 |
| 30 | Effect of diamagnetic contribution of water on harmonics distribution in a dilute solution of iron oxide nanoparticles measured using high-Tc SQUID magnetometer. Journal of Magnetism and Magnetic Materials, 2015, 394, 260-265. | 2.3 | 16 |
| 31 | Liquid-like dielectric response is an origin of long polaron lifetime exceeding 10 μs in lead bromide perovskites. Journal of Chemical Physics, 2020, 152, 084704. | 3.0 | 14 |
| 32 | Imaging of Defect Signal of Reinforcing Steel Bar at High Lift-Off Using a Magnetic Sensor Array by Unsaturated AC Magnetic Flux Leakage Testing. IEEE Transactions on Magnetics, 2021, 57, 1-4. | 2.1 | 14 |
| 33 | Detection of the weak magnetic properties change of stainless-steel welding parts by low frequency magnetic imaging. Journal of Applied Physics, 2008, 103, . | 2.5 | 13 |
| 34 | Optimization of the Detection Technique for a Vibrating-Sample Magnetometer Using High- \$T_{m c}\$ SQUID. IEEE Transactions on Applied Superconductivity, 2013, 23, 1600204-1600204. | 1.7 | 13 |
| 35 | Using Magnetic Field Gradients to Shorten the Antigen-Antibody Reaction Time for a Magnetic Immunoassay. IEEE Transactions on Magnetics, 2019, 55, 1-5. | 2.1 | 13 |
| 36 | Ultrathin-film hydrogen gas sensor with nanostructurally modified surface. Japanese Journal of Applied Physics, 2014, 53, 076701. | 1.5 | 12 |

Τοςηιμικό Κιwa

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Multi-ion sensing of buffer solutions using terahertz chemical microscopy. Applied Physics Express, 2014, 7, 122401. | 2.4 | 12 |
| 38 | Automatic Scanning System for Back-Side Defect of Steel Structure Using Magnetic Flux Leakage Method. IEEE Transactions on Magnetics, 2015, 51, 1-3. | 2.1 | 12 |
| 39 | Optimization of an AC/DC High- <inline-formula> <tex-math notation="TeX">\$T_{m c}\$</tex-math></inline-formula> SQUID Magnetometer Detection Unit for Evaluation of Magnetic Nanoparticles in Solution. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-4. | 1.7 | 12 |
| 40 | Imaging of Chemical Reactions Using a Terahertz Chemical Microscope. Photonics, 2019, 6, 10. | 2.0 | 12 |
| 41 | High frequency properties of YBCO thin films diagnosed by time-domain terahertz spectroscopy. Physica C: Superconductivity and Its Applications, 2001, 362, 314-318. | 1.2 | 11 |
| 42 | AC Magnetic Properties of Large Volume of Water Susceptibility Measurement in Unshielded Environment. Japanese Journal of Applied Physics, 2006, 45, L1097-L1099. | 1.5 | 11 |
| 43 | Integrated Magnetic Sensor Probe and Excitation Wire for Nondestructive Detection of Submillimeter Defects. IEEE Magnetics Letters, 2019, 10, 1-5. | 1.1 | 11 |
| 44 | Electric Potential Distribution on Lithium Ion Battery Cathodes Measured Using Terahertz Chemical Microscopy. Journal of Infrared, Millimeter, and Terahertz Waves, 2020, 41, 430-437. | 2.2 | 11 |
| 45 | Changes in Work Function and Electrical Resistance of Pt Thin Films in the Presence of Hydrogen Gas. Japanese Journal of Applied Physics, 2012, 51, 015701. | 1.5 | 10 |
| 46 | Optical Response in Amorphous GaAs Thin Films Prepared by Pulsed Laser Deposition. Japanese Journal of Applied Physics, 2000, 39, 6304-6308. | 1.5 | 9 |
| 47 | A Proton Pumping Gate Field-Effect Transistor for a Hydrogen Gas Sensor. IEEE Sensors Journal, 2007, 7, 1268-1269. | 4.7 | 9 |
| 48 | Non-Contact Thickness Gauge for Conductive Materials Using HTS SQUID System. IEEE Transactions on Applied Superconductivity, 2009, 19, 801-803. | 1.7 | 9 |
| 49 | Compact Rotating-Sample Magnetometer for Relaxation Phenomenon Measurement Using HTS-SQUID. IEEE Transactions on Applied Superconductivity, 2013, 23, 1601904-1601904. | 1.7 | 9 |
| 50 | Label-free detection of low-molecular-weight samples using a terahertz chemical microscope. Applied Physics Express, 2016, 9, 042401. | 2.4 | 9 |
| 51 | Design and validation of microfluidic parameters of a microfluidic chip using fluid dynamics. AIP Advances, 2021, 11, . | 1.3 | 9 |
| 52 | Hybrid Type HTS-SQUID Magnetometer With Vibrating and Rotating Sample. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-5. | 1.7 | 8 |
| 53 | Absolute-magnetic-field measurement using nanogranular in-gap magnetic sensor with second-harmonic and liquid-nitrogen-temperature operation. AIP Advances, 2017, 7, 056670. | 1.3 | 8 |
| 54 | Harmonics distribution of iron oxide nanoparticles solutions under diamagnetic background. Journal of Magnetism and Magnetic Materials, 2018, 452, 145-152. | 2.3 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Extraction Method of Crack Signal for Inspection of Complicated Steel Structures Using A Dual-Channel Magnetic Sensor. Sensors, 2019, 19, 3001. | 3.8 | 8 |
| 56 | Low-frequency magnetic field detection for metal sensing. International Journal of Applied Electromagnetics and Mechanics, 2007, 25, 447-451. | 0.6 | 7 |
| 57 | Stabilization method for signal drifts in terahertz chemical microscopy. Optics Express, 2014, 22, 1330. | 3.4 | 7 |
| 58 | Terahertz imaging technique for monitoring the flow of buffer solutions at different pH values through a microfluidic chip. Japanese Journal of Applied Physics, 2021, 60, 027003. | 1.5 | 7 |
| 59 | Changes in Work Function and Electrical Resistance of Pt Thin Films in the Presence of Hydrogen Gas. Japanese Journal of Applied Physics, 2012, 51, 015701. | 1.5 | 7 |
| 60 | Detection of Lung Cancer Cells in Solutions Using a Terahertz Chemical Microscope. Sensors, 2021, 21, 7631. | 3.8 | 7 |
| 61 | Time-domain terahertz spectroscopy of Bi2Sr2CaCu2O8+δ thin film. Physica C: Superconductivity and Its Applications, 2002, 367, 322-326. | 1.2 | 6 |
| 62 | Influence of Viscosity on Dynamic Magnetization of Thermally Blocked Iron Oxide Nanoparticles Characterized by a Sensitive AC Magnetometer. Journal of Superconductivity and Novel Magnetism, 2019, 32, 2765-2772. | 1.8 | 6 |
| 63 | Development of a Highly Sensitive Magnetic Field Detector With a Wide Frequency Range for Nondestructive Testing Using an HTS Coil With Magnetic Sensors. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5. | 1.7 | 6 |
| 64 | Hybrid Magnetic Sensor Combined With a Tunnel Magnetoresistive Sensor and High-Temperature Superconducting Magnetic-Field-Focusing Plates. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5. | 1.7 | 6 |
| 65 | Terahertz emission properties from YBCO thin film log-periodic antennas. Physica C: Superconductivity and Its Applications, 2001, 362, 319-323. | 1.2 | 5 |
| 66 | Measurement of pH in Fluidic Chip Using a Terahertz Chemical Microscope. IEEJ Transactions on Sensors and Micromachines, 2009, 129, 221-224. | 0.1 | 5 |
| 67 | Magnetic Detection of Currents in an Electrolytic Cell Using High- \$T_{m C}\$ SQUID. IEEE Transactions on Applied Superconductivity, 2013, 23, 1600804-1600804. | 1.7 | 5 |
| 68 | Ion Transportation of Electrolytes in a Flow Channel Mapped by an HTS SQUID Scanning System. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-4. | 1.7 | 5 |
| 69 | Evaluation of the Magnetization Properties of Magnetic Nanoparticles in Serum Using HTS-SQUID. IEEE Transactions on Applied Superconductivity, 2018, 28, 1-5. | 1.7 | 5 |
| 70 | Rational Design of Peptides Derived from Odorant-Binding Proteins for SARS-CoV-2-Related Volatile Organic Compounds Recognition. Molecules, 2022, 27, 3917. | 3.8 | 5 |
| 71 | Real-time monitoring of a photomixing signal using a high-TCJosephson junction. Superconductor Science and Technology, 2004, 17, 998-1002. | 3.5 | 4 |
| 72 | Magnetic Measurement of the Moisture Content in Soil: Diamagnetic Measurement with the Presence of Ferromagnetic Material. Applied Physics Express, 2008, 1, 067008. | 2.4 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Magnetic image detection of the stainless-steel welding part inside a multi-layered tube structure. NDT and E International, 2009, 42, 308-315. | 3.7 | 4 |
| 74 | Electric Characteristics of a Loop in Which Two Junctions between a Catalytic Metal and a Noncatalytic Metal Are under Different Hydrogen Gas Concentrations. Applied Physics Express, 2012, 5, 034102. | 2.4 | 4 |
| 75 | Application of a HTS Coil With a Magnetic Sensor to Nondestructive Testing Using a Low-Frequency Magnetic Field. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-4. | 1.7 | 4 |
| 76 | Magnetic Detection of Steel Corrosion at a Buried Position Near the Ground Level Using a Magnetic Resistance Sensor. IEEE Transactions on Magnetics, 2018, 54, 1-4. | 2.1 | 4 |
| 77 | Noninvasive, labelâ€free, and quantitative monitoring of lipase kinetics using terahertz emission technology. Biotechnology and Bioengineering, 2021, 118, 4246-4254. | 3.3 | 4 |
| 78 | A Versatile Terahertz Chemical Microscope and Its Application for the Detection of Histamine. Photonics, 2022, 9, 26. | 2.0 | 4 |
| 79 | Crack Detection for Welded Joint With Surface Coating Using Unsaturated AC Magnetic Flux Leakage. IEEE Transactions on Magnetics, 2022, 58, 1-5. | 2.1 | 4 |
| 80 | Terahertz radiation from InAs/AlxGa1â^'xSb (x=0.5) heterostructures. Physica E: Low-Dimensional Systems and Nanostructures, 2004, 22, 574-577. | 2.7 | 3 |
| 81 | Noninvasive Measurements of Magnetic Field Generated by Induced Current within Human Body under Exposure to Very Low Frequency Electromagnetic Fields. Japanese Journal of Applied Physics, 2005, 44, L532-L534. | 1.5 | 3 |
| 82 | Visualization of ion transportation in an electrolyte using an HTS-SQUID gradiometer. Physica C: Superconductivity and Its Applications, 2014, 504, 84-87. | 1.2 | 3 |
| 83 | Development of integrated AC-DC magnetometer using high- <i>T_c</i> SQUID for magnetic properties evaluation of magnetic nanoparticles in solution. Journal of Physics: Conference Series, 2014, 507, 042035. | 0.4 | 3 |
| 84 | Impedance Evaluation of Hydrogen Sensor Using Ultrathin Platinum Film. Transactions of the Materials Research Society of Japan, 2015, 40, 69-72. | 0.2 | 3 |
| 85 | Detecting internal defects of a steel plate by using low-frequency magnetic flux leakage method. , 2017, , . | | 3 |
| 86 | Magnetic AC Impedance Analysis Method Using High-Tc SQUID Based Magnetic Measurement System. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-5. | 1.7 | 3 |
| 87 | Analysis of AC Impedance in Localized Region Using Magnetic Field Distribution Measured by HTS-SQUID. IEEE Transactions on Applied Superconductivity, 2018, 28, 1-5. | 1.7 | 3 |
| 88 | A Sensitive AC Magnetometer using A Resonant Excitation Coil for Magnetic Fluid Characterization in Nonlinear Magnetization Region. , 2018, , . | | 3 |
| 89 | Magnetic characterization change by solvents of magnetic nanoparticles in liquid-phase magnetic immunoassay. AIP Advances, 2019, 9, . | 1.3 | 3 |
| 90 | Properties of single- and multi-core magnetic nanoparticles assessed by magnetic susceptibility measurements. Journal of Magnetism and Magnetic Materials, 2021, 528, 167812. | 2.3 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Development of impedance measurement of lithium ion batteries electrode using terahertz chemical microscope. Electrical Engineering in Japan (English Translation of Denki Gakkai Ronbunshi), 2021, 214, e23355. | 0.4 | 3 |
| 92 | Development of a Compact Moving-Sample Magnetometer Using High- <i>T</i> _c Superconducting Quantum Interference Device. Japanese Journal of Applied Physics, 2012, 51, 046601. | 1.5 | 3 |
| 93 | Imaging chemical reactions. SPIE Newsroom, 0, , . | 0.1 | 3 |
| 94 | Magnetic thickness measurement for various iron steels using magnetic sensor and effect of electromagnetic characteristics. AIP Advances, 2022, 12, . | 1.3 | 3 |
| 95 | Terahertz emission from YBa2Cu3O7â^î́r Josephson junctions excited by femtosecond laser. Physica C: Superconductivity and Its Applications, 2001, 362, 329-332. | 1.2 | 2 |
| 96 | Hydrogen Response Mechanism of a Proton Pumping Gate FET Gas Sensor. , 2007, , . | | 2 |
| 97 | Magnetic evaluation of a solar panel using HTS-SQUID. Physica C: Superconductivity and Its Applications, 2013, 494, 195-198. | 1.2 | 2 |
| 98 | Moisture Content Evaluation Using Improved High-Tc SQUID-Based Rotating-Sample Magnetometer. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-5. | 1.7 | 2 |
| 99 | Magnetic characteristics measurements of ethanol–water mixtures using a hybrid-type high-temperature superconducting quantum-interference device magnetometer. AlP Advances, 2017, 7, 056707. | 1.3 | 2 |
| 100 | Laser monitoring of dynamic behavior of magnetic nanoparticles in magnetic field gradient. AIP Advances, 2020, 10, . | 1.3 | 2 |
| 101 | Evaluation of penetration speed of liquids into skin using a terahertz time-of-flight method. Japanese Journal of Applied Physics, 2021, 60, 032002. | 1.5 | 2 |
| 102 | Development of Impedance Measurement of Lithium Ion Batteries Electrode using Terahertz Chemical Microscope. IEEJ Transactions on Sensors and Micromachines, 2021, 141, 273-278. | 0.1 | 2 |
| 103 | A Novel Ion Sensor Without a Reference Electrode. Sensor Letters, 2009, 7, 1163-1166. | 0.4 | 2 |
| 104 | Visualization of Charge-Transfer Complex for the Detection of 2,4,6-Trinitrotoluene Using Terahertz Chemical Microscope. Journal of the Electrochemical Society, 2021, 168, 117517. | 2.9 | 2 |
| 105 | Preparation and picosecond optical response of Bi system high-Tc superconductors. Physica C: Superconductivity and Its Applications, 2002, 367, 332-336. | 1.2 | 1 |
| 106 | Coherent terahertz radiation from Tl2Ba2CaCu2O8+Î′ thin films excited by optical laser pulse under magnetic field. Physica C: Superconductivity and Its Applications, 2003, 388-389, 481-482. | 1.2 | 1 |
| 107 | Generation of sub-terahertz waves using a semiconductor photomixer. Superconductor Science and Technology, 2003, 16, 1540-1543. | 3.5 | 1 |
| 108 | Evaluation of spatial resolution in laser-terahertz emission microscope for inspecting electrical faults in integrated circuits. , 2004, , . | | 1 |

Τοςηιμικό Κιwa

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Redox reactions of enzymes measured by terahertz chemical microscope. , 2008, , . | | 1 |
| 110 | DC current distribution mapping system of the solar panels using a HTS-SQUID gradiometer. Journal of Physics: Conference Series, 2014, 507, 042026. | 0.4 | 1 |
| 111 | Current distribution evaluation of dye-sensitized solar cell using HTS-SQUID-based magnetic measurement system. Physica C: Superconductivity and Its Applications, 2016, 530, 113-116. | 1.2 | 1 |
| 112 | High-Resolution Laser-Assisted Magnetic Nanoparticle Imaging Using a High-TC SQUID Magnetometer. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-4. | 1.7 | 1 |
| 113 | Sensitivity Improvement of Sample Rotation Measurement Method in HTS-SQUID Magnetometer for Diamagnetic Materials. IEEE Transactions on Applied Superconductivity, 2018, 28, 1-4. | 1.7 | 1 |
| 114 | Evaluation of Bio-materials Using a Laser-excited Terahertz Wave. Nippon Laser Igakkaishi, 2019, 39, 341-346. | 0.0 | 1 |
| 115 | Improvement of contrast of Terahertz Images of a Terahertz Chemical Microscopy using Adaptive Digital Filter. , 2019, , . | | 1 |
| 116 | Hydrogen Selectivity of a Proton-Pumping Gate FET Hydrogen Sensor in an AC Modulation Mode. IEEJ Transactions on Sensors and Micromachines, 2009, 129, 110-114. | 0.1 | 1 |
| 117 | Temperature Control and Packaging Optimization of the Integrated Hydrogen Sensor. IEEJ Transactions on Sensors and Micromachines, 2009, 129, 278-282. | 0.1 | 1 |
| 118 | Development and Evaluation of a Pt/Ti-FET-Type Hydrogen Sensor. IEEJ Transactions on Sensors and Micromachines, 2010, 130, 407-411. | 0.1 | 1 |
| 119 | Characterization of New Structural Ion Sensor for Sodium Ion. IEEJ Transactions on Sensors and Micromachines, 2013, 133, 309-313. | 0.1 | 1 |
| 120 | Improvement of Sensitivity for a Compact Magnetometer using HTS-SQUID with Rotating Sample. IEEJ Transactions on Fundamentals and Materials, 2014, 134, 347-351. | 0.2 | 1 |
| 121 | Immune assay using a micro-flow channels detected by a terahertz chemical microscopy. , 2018, , . | | 1 |
| 122 | A benchtop induction-based AC magnetometer for a fast characterization of magnetic nanoparticles. Engineering Research Express, 2022, 4, 025047. | 1.6 | 1 |
| 123 | Magnetic flux letters visualized by a laser-terahertz emission microscope. , 2004, 5354, 112. | | 0 |
| 124 | Photomixer with superconductor detector for sub-THz generator. , 2004, , . | | 0 |
| 125 | Laser-terahertz emission from the chemical sensing plate. , 2007, , . | | 0 |
| 126 | Detection of Photomixing Signals With a YBCO Josephson Junction Coupled to a Coplanar Waveguide. IEEE Transactions on Applied Superconductivity, 2007, 17, 321-323. | 1.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Evaluation of the catalytic metal for the hydrogen sensor using terahertz chemical microscope. , 2009, , . | | 0 |
| 128 | Chemical imaging of μ-TAS using terahertz chemical microscope. , 2010, , . | | 0 |
| 129 | Development of a compact magnetometer with an AC/DC magnetic field using HTS-SQUID. , 2013, , . | | 0 |
| 130 | Evaluation of work function of the catalytic electrode in the fuel cells. , 2013, , . | | 0 |
| 131 | Hydrogen gas response of meta-materials made from the catalytic metal. , 2013, , . | | 0 |
| 132 | Nondestructive inspection of SiGe films using laser terahertz emission microscopy. , 2013, , . | | 0 |
| 133 | Improvement of sensitivity for a compact magnetometer using HTS-SQUID with rotating sample. , 2013, , . | | Ο |
| 134 | A terahertz technology for label-free immune assay. , 2015, , . | | 0 |
| 135 | Simultaneously detection two types of ions using THz chemical microscopy. , 2015, , . | | Ο |
| 136 | Improvement of Sensitivity of a Compact Magnetometer by Using HTS‣QUID with Rotating Sample. Electrical Engineering in Japan (English Translation of Denki Gakkai Ronbunshi), 2016, 194, 9-14. | 0.4 | 0 |
| 137 | Compact AC/DC Susceptometer Using a Highâ€Temperature Superconducting Quantum Interference Device. Electronics and Communications in Japan, 2016, 99, 31-37. | 0.5 | Ο |
| 138 | Evaluation of Li-ion battery using a Terahertz Chemical Microscope. , 2018, , . | | 0 |
| 139 | A sensitive magnetometer utilizing high-Tc SQUID for magnetic property characterization. Microsystem Technologies, 2021, 27, 3413-3420. | 2.0 | Ο |
| 140 | Investigation of Cross-Section Measurement Method for All-Solid-State Batteries Using Terahertz Chemical Microscopy. , 2021, , . | | 0 |
| 141 | Development of Ion Concentration Measurement Method for Minute Volume of Blood Using Terahertz Chemical Microscope. , 2021, , . | | Ο |
| 142 | Evaluation of Cosmetic Liquid Penetration Using Terahertz Time-of-Flight Method. , 2021, , . | | 0 |
| 143 | Terahertz Radiation from Strongly Correlated Electron Systems and Related Phenomena The Review of Laser Engineering, 2002, 30, 370-375. | 0.0 | 0 |
| 144 | Evaluation of the Sensitivity of Hydrogen Sensors Covered with Polytetrafluoroethylene as a Protective Membrane for Humidity. IEEJ Transactions on Sensors and Micromachines, 2010, 130, 401-406. | 0.1 | 0 |

Τοςηιμικό Κιώα

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | FET Hydrogen Sensor by Direct Heating of Platinum Metal Gate for Fast Response Time. IEEJ Transactions on Sensors and Micromachines, 2014, 134, 264-269. | 0.1 | 0 |
| 146 | Compact AC/DC Susceptometer using a High-temperature Superconductor Superconducting Quantum Interference Device. IEEJ Transactions on Fundamentals and Materials, 2014, 134, 369-374. | 0.2 | 0 |
| 147 | Development and Application of a Compact Rotating-sample Magnetometer Using HTS-SQUID. TEION KOGAKU (Journal of Cryogenics and Superconductivity Society of Japan), 2014, 49, 352-358. | 0.1 | Ο |
| 148 | Chloride Ion Sensor using Electrochemical Impedance Spectroscopy. IEEJ Transactions on Sensors and Micromachines, 2016, 136, 102-107. | 0.1 | 0 |
| 149 | Development of in situ methods for battery using a THz chemical microscope. , 2018, , . | | Ο |
| 150 | Evaluation of penetration of cosmetic liquid with Terahertz time-of-flight method. , 2018, , . | | 0 |
| 151 | Applications of Terahertz Technology for Bio-related Materials. Oleoscience, 2018, 18, 455-460. | 0.0 | 0 |
| 152 | Reduction of Wind Disturbance by Optimizing the Drive Current of Pt Ultra-thin Film Hydrogen Sensor. IEEJ Transactions on Sensors and Micromachines, 2020, 140, 92-96. | 0.1 | 0 |