

Jens Rettig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/555408/publications.pdf>

Version: 2024-02-01

102
papers

9,271
citations

44069

48
h-index

39675

94
g-index

148
all docs

148
docs citations

148
times ranked

6868
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of distinct cytotoxic granules as the origin of supramolecular attack particles in T lymphocytes. <i>Nature Communications</i> , 2022, 13, 1029.	12.8	24
2	Localization of the Priming Factors CAPS1 and CAPS2 in Mouse Sensory Neurons Is Determined by Their N-Termini. <i>Frontiers in Molecular Neuroscience</i> , 2022, 15, 674243.	2.9	1
3	P38 β -MAPK phosphorylates Snapin and reduces Snapin-mediated BACE1 transportation in APP-transgenic mice. <i>FASEB Journal</i> , 2021, 35, e21691.	0.5	7
4	Investigation of Cytotoxic T Lymphocyte Function during Allojection in the Anterior Chamber of the Eye. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4660.	4.1	2
5	SMAPs: sweet carriers of lethal cargo for CTL-mediated killing. <i>Immunology and Cell Biology</i> , 2020, 98, 524-527.	2.3	2
6	Alternative UNC13D Promoter Encodes a Functional Munc13-4 Isoform Predominantly Expressed in Lymphocytes and Platelets. <i>Frontiers in Immunology</i> , 2020, 11, 1154.	4.8	2
7	Cytotoxic Granule Trafficking and Fusion in Synaptotagmin7-Deficient Cytotoxic T Lymphocytes. <i>Frontiers in Immunology</i> , 2020, 11, 1080.	4.8	5
8	Live Neuron High-Content Screening Reveals Synaptotoxic Activity in Alzheimer Mouse Model Homogenates. <i>Scientific Reports</i> , 2020, 10, 3412.	3.3	8
9	Various Stages of Immune Synapse Formation Are Differently Dependent on the Strength of the TCR Stimulus. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2475.	4.1	6
10	Role of V-ATPase α 3-Subunit in Mouse CTL Function. <i>Journal of Immunology</i> , 2020, 204, 2818-2828.	0.8	6
11	Studying the biology of cytotoxic T lymphocytes in vivo with a fluorescent granzyme B-mTFP knock-in mouse. <i>ELife</i> , 2020, 9, .	6.0	7
12	Cytotoxic Granule Exocytosis From Human Cytotoxic T Lymphocytes Is Mediated by VAMP7. <i>Frontiers in Immunology</i> , 2019, 10, 1855.	4.8	15
13	An Alternative Exon of CAPS2 Influences Catecholamine Loading into LDCVs of Chromaffin Cells. <i>Journal of Neuroscience</i> , 2019, 39, 18-27.	3.6	16
14	Cytotoxic granule endocytosis depends on the Flower protein. <i>Journal of Cell Biology</i> , 2018, 217, 667-683.	5.2	14
15	Paralogs of the Calcium-Dependent Activator Protein for Secretion Differentially Regulate Synaptic Transmission and Peptide Secretion in Sensory Neurons. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 304.	3.7	11
16	AXER is an ATP/ADP exchanger in the membrane of the endoplasmic reticulum. <i>Nature Communications</i> , 2018, 9, 3489.	12.8	55
17	Synaptic Transmission in the Immune System. <i>E-Neuroforum</i> , 2017, 23, A167-A174.	0.1	0
18	Preparing the lethal hit: interplay between exo- and endocytic pathways in cytotoxic T lymphocytes. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 399-408.	5.4	11

#	ARTICLE	IF	CITATIONS
19	Synaptische Transmission im Immunsystem. E-Neuroforum, 2017, 23, 223-230.	0.1	0
20	Phosphatidylinositol 4,5-bisphosphate optical uncaging potentiates exocytosis. ELife, 2017, 6, .	6.0	39
21	Simultaneous Membrane Capacitance Measurements and TIRF Microscopy to Study Granule Trafficking at Immune Synapses. Methods in Molecular Biology, 2017, 1584, 157-169.	0.9	4
22	The Disease Protein Tulp1 Is Essential for Periaxial Zone Endocytosis in Photoreceptor Ribbon Synapses. Journal of Neuroscience, 2016, 36, 2473-2493.	3.6	29
23	Syntaxin 8 is required for efficient lytic granule trafficking in cytotoxic T lymphocytes. Biochimica Et Biophysica Acta - Molecular Cell Research, 2016, 1863, 1653-1664.	4.1	20
24	Exocytosis in non-neuronal cells. Journal of Neurochemistry, 2016, 137, 849-859.	3.9	26
25	Endocytosis of Cytotoxic Granules Is Essential for Multiple Killing of Target Cells by T Lymphocytes. Journal of Immunology, 2016, 197, 2473-2484.	0.8	28
26	H/KDEL receptors mediate host cell intoxication by a viral A/B toxin in yeast. Scientific Reports, 2016, 6, 31105.	3.3	28
27	Behavior and Properties of Mature Lytic Granules at the Immunological Synapse of Human Cytotoxic T Lymphocytes. PLoS ONE, 2015, 10, e0135994.	2.5	21
28	VAMP8-dependent fusion of recycling endosomes with the plasma membrane facilitates T lymphocyte cytotoxicity. Journal of Cell Biology, 2015, 210, 135-151.	5.2	74
29	Identification of a Munc13-sensitive step in chromaffin cell large dense-core vesicle exocytosis. ELife, 2015, 4, .	6.0	47
30	Secretory Vesicle Priming by CAPS Is Independent of Its SNARE-Binding MUN Domain. Cell Reports, 2014, 9, 902-909.	6.4	23
31	Syntaxin11 serves as a v-SNARE for the fusion of lytic granules in human cytotoxic T lymphocytes. European Journal of Immunology, 2014, 44, 573-584.	2.9	34
32	Complexin synchronizes primed vesicle exocytosis and regulates fusion pore dynamics. Journal of Cell Biology, 2014, 204, 1123-1140.	5.2	58
33	Secretion and Immunogenicity of the Meningioma-Associated Antigen TXNDC16. Journal of Immunology, 2014, 193, 3146-3154.	0.8	7
34	Deciphering Dead-End Docking of Large Dense Core Vesicles in Bovine Chromaffin Cells. Journal of Neuroscience, 2013, 33, 17123-17137.	3.6	21
35	Snapin accelerates exocytosis at low intracellular calcium concentration in mouse chromaffin cells. Cell Calcium, 2013, 54, 105-110.	2.4	5
36	Synaptobrevin2 is the v-SNARE required for cytotoxic T-lymphocyte lytic granule fusion. Nature Communications, 2013, 4, 1439.	12.8	65

#	ARTICLE	IF	CITATIONS
37	In the Crosshairs: Investigating Lytic Granules by High-Resolution Microscopy and Electrophysiology. <i>Frontiers in Immunology</i> , 2013, 4, 411.	4.8	10
38	Different Munc13 Isoforms Function as Priming Factors in Lytic Granule Release from Murine Cytotoxic T Lymphocytes. <i>Traffic</i> , 2013, 14, 798-809.	2.7	28
39	Differential effects of Sec61 \pm , Sec62- and Sec63-depletion on transport of polypeptides into the endoplasmic reticulum of mammalian cells. <i>Journal of Cell Science</i> , 2012, 125, 1958-69.	2.0	135
40	Regulated exocytosis in chromaffin cells and cytotoxic T lymphocytes: How similar are they?. <i>Cell Calcium</i> , 2012, 52, 303-312.	2.4	18
41	New Photolabile BAPTA-Based Ca ²⁺ Cages with Improved Photorelease. <i>Journal of the American Chemical Society</i> , 2012, 134, 7733-7740.	13.7	39
42	Docking of LDCVs Is Modulated by Lower Intracellular [Ca ²⁺] than Priming. <i>PLoS ONE</i> , 2012, 7, e36416.	2.5	14
43	SNARE protein expression and localization in human cytotoxic T lymphocytes. <i>European Journal of Immunology</i> , 2012, 42, 470-475.	2.9	37
44	On the possible effects of nanoparticles on neuronal feedback circuits: A modeling study. , 2011, , .		1
45	Calcium microdomains at the immunological synapse: how ORAI channels, mitochondria and calcium pumps generate local calcium signals for efficient T-cell activation. <i>EMBO Journal</i> , 2011, 30, 3895-3912.	7.8	181
46	Syntaxin7 Is Required for Lytic Granule Release from Cytotoxic T Lymphocytes. <i>Traffic</i> , 2011, 12, 890-901.	2.7	44
47	Vesicle Pools: Lessons from Adrenal Chromaffin Cells. <i>Frontiers in Synaptic Neuroscience</i> , 2011, 3, 2.	2.5	41
48	Docking of Lytic Granules at the Immunological Synapse in Human CTL Requires Vti1b-Dependent Pairing with CD3 Endosomes. <i>Journal of Immunology</i> , 2011, 186, 6894-6904.	0.8	55
49	Tomosyn Expression Pattern in the Mouse Hippocampus Suggests Both Presynaptic and Postsynaptic Functions. <i>Frontiers in Neuroanatomy</i> , 2010, 4, 149.	1.7	24
50	Two distinct secretory vesicle "priming steps in adrenal chromaffin cells. <i>Journal of Cell Biology</i> , 2010, 190, 1067-1077.	5.2	58
51	SNARE Force Synchronizes Synaptic Vesicle Fusion and Controls the Kinetics of Quantal Synaptic Transmission. <i>Journal of Neuroscience</i> , 2010, 30, 10272-10281.	3.6	45
52	Non-conducting function of the Kv2.1 channel enables it to recruit vesicles for release in neuroendocrine and nerve cells. <i>Journal of Cell Science</i> , 2010, 123, 1940-1947.	2.0	38
53	Modeling the effects of nanoparticles on neuronal cells: From ionic channels to network dynamics. , 2010, 2010, 3816-9.		7
54	APP/PS1KI bigenic mice develop early synaptic deficits and hippocampus atrophy. <i>Acta Neuropathologica</i> , 2009, 117, 677-685.	7.7	74

#	ARTICLE	IF	CITATIONS
55	The Ca ²⁺ -dependent Activator Protein for Secretion CAPS: Do I Dock or do I Prime?. <i>Molecular Neurobiology</i> , 2009, 39, 62-72.	4.0	23
56	The Coffin-Lowry syndrome-associated protein RSK2 is implicated in calcium-regulated exocytosis through the regulation of PLD1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 8434-8439.	7.1	50
57	CAPS Facilitates Filling of the Rapidly Releasable Pool of Large Dense-Core Vesicles. <i>Journal of Neuroscience</i> , 2008, 28, 5594-5601.	3.6	75
58	Intraneuronal β -Amyloid Is a Major Risk Factor – Novel Evidence from the APP/PS1KI Mouse Model. <i>Neurodegenerative Diseases</i> , 2008, 5, 140-142.	1.4	18
59	Primed Vesicles Can Be Distinguished from Docked Vesicles by Analyzing Their Mobility. <i>Journal of Neuroscience</i> , 2007, 27, 1386-1395.	3.6	80
60	T cell activation requires mitochondrial translocation to the immunological synapse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14418-14423.	7.1	289
61	Multiple functional domains are involved in tomosyn regulation of exocytosis. <i>Journal of Neurochemistry</i> , 2007, 103, 604-616.	3.9	43
62	Quantifying Exocytosis by Combination of Membrane Capacitance Measurements and Total Internal Reflection Fluorescence Microscopy in Chromaffin Cells. <i>PLoS ONE</i> , 2007, 2, e505.	2.5	37
63	RGS2 Determines Short-Term Synaptic Plasticity in Hippocampal Neurons by Regulating Gi/o-Mediated Inhibition of Presynaptic Ca ²⁺ Channels. <i>Neuron</i> , 2006, 51, 575-586.	8.1	80
64	Vesicle pools, docking, priming, and release. <i>Cell and Tissue Research</i> , 2006, 326, 393-407.	2.9	91
65	Different Effects on Fast Exocytosis Induced by Synaptotagmin 1 and 2 Isoforms and Abundance But Not by Phosphorylation. <i>Journal of Neuroscience</i> , 2006, 26, 632-643.	3.6	108
66	v-SNAREs control exocytosis of vesicles from priming to fusion. <i>EMBO Journal</i> , 2005, 24, 2114-2126.	7.8	193
67	Identification of the Minimal Protein Domain Required for Priming Activity of Munc13-1. <i>Current Biology</i> , 2005, 15, 2243-2248.	3.9	119
68	The Role of Snapin in Neurosecretion: Snapin Knock-Out Mice Exhibit Impaired Calcium-Dependent Exocytosis of Large Dense-Core Vesicles in Chromaffin Cells. <i>Journal of Neuroscience</i> , 2005, 25, 10546-10555.	3.6	87
69	CAPS1 Regulates Catecholamine Loading of Large Dense-Core Vesicles. <i>Neuron</i> , 2005, 46, 75-88.	8.1	101
70	Effects of PKA-Mediated Phosphorylation of Snapin on Synaptic Transmission in Cultured Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2004, 24, 6476-6481.	3.6	59
71	Tomosyn inhibits priming of large dense-core vesicles in a calcium-dependent manner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 2578-2583.	7.1	104
72	Regulation of Releasable Vesicle Pool Sizes by Protein Kinase A-Dependent Phosphorylation of SNAP-25. <i>Neuron</i> , 2004, 41, 417-429.	8.1	204

#	ARTICLE	IF	CITATIONS
73	Molecular mechanisms of active zone function. <i>Current Opinion in Neurobiology</i> , 2003, 13, 509-519.	4.2	122
74	Emerging Roles of Presynaptic Proteins in Ca ⁺⁺ -Triggered Exocytosis. <i>Science</i> , 2002, 298, 781-785.	12.6	303
75	The SNARE protein SNAP-25 is linked to fast calcium triggering of exocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 1627-1632.	7.1	156
76	Protein Kinase C-Dependent Phosphorylation of Synaptosome-Associated Protein of 25 kDa at Ser ¹⁸⁷ Potentiates Vesicle Recruitment. <i>Journal of Neuroscience</i> , 2002, 22, 9278-9286.	3.6	167
77	Functional Interaction of the Active Zone Proteins Munc13-1 and RIM1 in Synaptic Vesicle Priming. <i>Neuron</i> , 2001, 30, 183-196.	8.1	372
78	Munc18-1 Promotes Large Dense-Core Vesicle Docking. <i>Neuron</i> , 2001, 31, 581-592.	8.1	329
79	A Trimeric Protein Complex Functions as a Synaptic Chaperone Machine. <i>Neuron</i> , 2001, 31, 987-999.	8.1	196
80	Phosphorylation of Snapin by PKA modulates its interaction with the SNARE complex. <i>Nature Cell Biology</i> , 2001, 3, 331-338.	10.3	156
81	Regulation of transmitter release by Unc-13 and its homologues. <i>Current Opinion in Neurobiology</i> , 2000, 10, 303-311.	4.2	204
82	Munc13-1 acts as a priming factor for large dense-core vesicles in bovine chromaffin cells. <i>EMBO Journal</i> , 2000, 19, 3586-3596.	7.8	200
83	Synaptic Localization and Presynaptic Function of Calcium Channel α_2 -Subunits in Cultured Hippocampal Neurons. <i>Journal of Biological Chemistry</i> , 2000, 275, 37807-37814.	3.4	56
84	Syntaphilin. <i>Neuron</i> , 2000, 25, 191-201.	8.1	90
85	Exocytotic mechanism studied by truncated and zero layer mutants of the C-terminus of SNAP-25. <i>EMBO Journal</i> , 2000, 19, 1279-1289.	7.8	87
86	A presynaptic role for the ADP ribosylation factor (ARF)-specific GDP/GTP exchange factor msec7-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 1094-1099.	7.1	59
87	An efficient method for infection of adrenal chromaffin cells using the Semliki Forest virus gene expression system. <i>European Journal of Cell Biology</i> , 1999, 78, 525-532.	3.6	97
88	Munc13-1 Is a Presynaptic Phorbol Ester Receptor that Enhances Neurotransmitter Release. <i>Neuron</i> , 1998, 21, 123-136.	8.1	387
89	Alteration of Ca ²⁺ Dependence of Neurotransmitter Release by Disruption of Ca ²⁺ Channel/Syntaxin Interaction. <i>Journal of Neuroscience</i> , 1997, 17, 6647-6656.	3.6	176
90	Isoform-specific interaction of the α_1A subunits of brain Ca ²⁺ channels with the presynaptic proteins syntaxin and SNAP-25. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 7363-7368.	7.1	283

#	ARTICLE	IF	CITATIONS
91	Functional characterization of Kv channel beta subunits from rat brain.. Journal of Physiology, 1996, 493, 625-633.	2.9	192
92	Calcium-dependent interaction of N-type calcium channels with the synaptic core complex. Nature, 1996, 379, 451-454.	27.8	340
93	Biochemical properties and subcellular distribution of the BI and rA isoforms of alpha 1A subunits of brain calcium channels.. Journal of Cell Biology, 1996, 134, 511-528.	5.2	71
94	Molecular and functional characterization of a rat brain Kv β 3 potassium channel subunit. FEBS Letters, 1995, 377, 383-389.	2.8	94
95	Oligomeric and Subunit Structures of Voltage-Gated Potassium Channels. Medical Science Symposia Series, 1995, , 17-22.	0.0	0
96	Primary structure of a beta subunit of alpha-dendrotoxin-sensitive K ⁺ channels from bovine brain.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 1637-1641.	7.1	178
97	The inactivation behaviour of voltage-gated K-channels may be determined by association of β 1- and β 2-subunits. Journal of Physiology (Paris), 1994, 88, 173-180.	2.1	32
98	Inactivation properties of voltage-gated K ⁺ channels altered by presence of β 2-subunit. Nature, 1994, 369, 289-294.	27.8	833
99	Identification of a syntaxin-binding site on N-Type calcium channels. Neuron, 1994, 13, 1303-1313.	8.1	417
100	Oligomeric and subunit structures of neuronal voltage-sensitive K ⁺ channels. Biochemical Society Transactions, 1994, 22, 473-478.	3.4	32
101	Characterization of a Shaw-related potassium channel family in rat brain.. EMBO Journal, 1992, 11, 2473-2486.	7.8	183
102	Cloning and functional expression of a TEA-sensitive A-type potassium channel from rat brain. FEBS Letters, 1991, 278, 211-216.	2.8	125