

Masanari Kuwabara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5554741/publications.pdf>

Version: 2024-02-01

130
papers

4,763
citations

101496

36
h-index

114418

63
g-index

138
all docs

138
docs citations

138
times ranked

5820
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The Role of Uric Acid in the Acute Myocardial Infarction: A Narrative Review. <i>Angiology</i> , 2022, 73, 9-17. | 0.8 | 11 |
| 2 | Factors Influencing Change in Serum Uric Acid After Administration of the Sodium-Glucose Cotransporter 2 Inhibitor Luseogliflozin in Patients With Type 2 Diabetes Mellitus. <i>Journal of Clinical Pharmacology</i> , 2022, 62, 366-375. | 1.0 | 12 |
| 3 | β 1-Adrenergic receptor mediates adipose-derived stem cell sheet-induced protection against chronic heart failure after myocardial infarction in rats. <i>Hypertension Research</i> , 2022, 45, 283-291. | 1.5 | 2 |
| 4 | Temporal trends in the prevalence and characteristics of hypouricaemia: a descriptive study of medical check-up and administrative claims data. <i>Clinical Rheumatology</i> , 2022, 41, 2113-2119. | 1.0 | 4 |
| 5 | Urate-lowering therapy for CKD patients with asymptomatic hyperuricemia without proteinuria elucidated by attribute-based research in the FEATHER Study. <i>Scientific Reports</i> , 2022, 12, 3784. | 1.6 | 12 |
| 6 | Kv1.5 channel mediates monosodium urate-induced activation of NLRP3 inflammasome in macrophages and arrhythmogenic effects of urate on cardiomyocytes. <i>Molecular Biology Reports</i> , 2022, 49, 5939-5952. | 1.0 | 3 |
| 7 | Xanthinuria Type 1 with a Novel Mutation in Xanthine Dehydrogenase and a Normal Endothelial Function. <i>Internal Medicine</i> , 2022, 61, 1383-1386. | 0.3 | 2 |
| 8 | Current Hydration Habits: The Disregarded Factor for the Development of Renal and Cardiometabolic Diseases. <i>Nutrients</i> , 2022, 14, 2070. | 1.7 | 5 |
| 9 | Update on Hypertension Research in 2021. <i>Hypertension Research</i> , 2022, 45, 1276-1297. | 1.5 | 13 |
| 10 | Pulmonary surfactants and the respiratory-renal connection in steroid-sensitive nephrotic syndrome of childhood. <i>IScience</i> , 2022, 25, 104694. | 1.9 | 2 |
| 11 | A primer on metabolic memory: why existing diabetes treatments fail. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 756-767. | 1.4 | 2 |
| 12 | Effect of Coffee Consumption on Renal Outcome: A Systematic Review and Meta-Analysis of Clinical Studies. , 2021, 31, 5-20. | | 17 |
| 13 | Vasopressin mediates fructose-induced metabolic syndrome by activating the V1b receptor. <i>JCI Insight</i> , 2021, 6, . | 2.3 | 32 |
| 14 | Esm1 and Stc1 as Angiogenic Factors Responsible for Protective Actions of Adipose-Derived Stem Cell Sheets on Chronic Heart Failure After Rat Myocardial Infarction. <i>Circulation Journal</i> , 2021, 85, 657-666. | 0.7 | 13 |
| 15 | Kawasaki Disease With Coronary Artery Lesions Detected at Initial Echocardiography. <i>Journal of the American Heart Association</i> , 2021, 10, e019853. | 1.6 | 11 |
| 16 | Japanese National Plan for Promotion of Measures Against Cerebrovascular and Cardiovascular Disease. <i>Circulation</i> , 2021, 143, 1929-1931. | 1.6 | 40 |
| 17 | Serum Urate Trajectory in Young Adulthood and Incident Cardiovascular Disease Events by Middle Age: CARDIA Study. <i>Hypertension</i> , 2021, 78, 1211-1218. | 1.3 | 15 |
| 18 | Association Between Kidney Function Decline and Baseline TNFR Levels or Change Ratio in TNFR by Febuxostat Chiefly in Non-diabetic CKD Patients With Asymptomatic Hyperuricemia. <i>Frontiers in Medicine</i> , 2021, 8, 634932. | 1.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Umami-induced obesity and metabolic syndrome is mediated by nucleotide degradation and uric acid generation. <i>Nature Metabolism</i> , 2021, 3, 1189-1201. | 5.1 | 33 |
| 20 | Pharmacologic and interventional paradigms of diuretic resistance in congestive heart failure: a narrative review. <i>International Urology and Nephrology</i> , 2021, 53, 1839-1849. | 0.6 | 6 |
| 21 | Therapeutic Strategies for the Treatment of Chronic Hyperuricemia: An Evidence-Based Update. <i>Medicina (Lithuania)</i> , 2021, 57, 58. | 0.8 | 48 |
| 22 | Uric Acid as a Risk Factor for Chronic Kidney Disease and Cardiovascular Disease—Japanese Guideline on the Management of Asymptomatic Hyperuricemia. <i>Circulation Journal</i> , 2021, 85, 130-138. | 0.7 | 56 |
| 23 | Therapeutic implications of shared mechanisms in non-alcoholic fatty liver disease and chronic kidney disease. <i>Journal of Nephrology</i> , 2021, 34, 649-659. | 0.9 | 13 |
| 24 | Fructose tolerance test in obese people with and without type 2 diabetes. <i>Journal of Diabetes</i> , 2020, 12, 197-204. | 0.8 | 5 |
| 25 | Platelet Count Variation and Risk for Coronary Artery Abnormalities in Kawasaki Disease. <i>Pediatric Infectious Disease Journal</i> , 2020, 39, 197-203. | 1.1 | 11 |
| 26 | Corticosteroids Added to Initial Intravenous Immunoglobulin Treatment for the Prevention of Coronary Artery Abnormalities in High-Risk Patients With Kawasaki Disease. <i>Journal of the American Heart Association</i> , 2020, 9, e015308. | 1.6 | 15 |
| 27 | Bacille Calmette-Guérin inoculation site changes and cardiac complications in patients with Kawasaki disease. <i>Archives of Disease in Childhood</i> , 2020, 106, archdischild-2020-319543. | 1.0 | 0 |
| 28 | Outcomes in Kawasaki disease patients with coronary artery abnormalities at admission. <i>American Heart Journal</i> , 2020, 225, 120-128. | 1.2 | 19 |
| 29 | Hyperosmolarity and Increased Serum Sodium Concentration Are Risks for Developing Hypertension Regardless of Salt Intake: A Five-Year Cohort Study in Japan. <i>Nutrients</i> , 2020, 12, 1422. | 1.7 | 12 |
| 30 | Epidemiology, Treatments, and Cardiac Complications in Patients with Kawasaki Disease: The Nationwide Survey in Japan, 2017-2018. <i>Journal of Pediatrics</i> , 2020, 225, 23-29.e2. | 0.9 | 111 |
| 31 | Sugar causes obesity and metabolic syndrome in mice independently of sweet taste. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020, 319, E276-E290. | 1.8 | 15 |
| 32 | Deletion of Fructokinase in the Liver or in the Intestine Reveals Differential Effects on Sugar-Induced Metabolic Dysfunction. <i>Cell Metabolism</i> , 2020, 32, 117-127.e3. | 7.2 | 70 |
| 33 | Uric acid and hypertension. <i>Hypertension Research</i> , 2020, 43, 832-834. | 1.5 | 58 |
| 34 | Reply. <i>Journal of Hypertension</i> , 2020, 38, 371-372. | 0.3 | 0 |
| 35 | Response by Kuwabara et al to Letter Regarding Article, "Ezetimibe Lipid-Lowering Trial on Prevention of Atherosclerotic Cardiovascular Disease in 75 or Older (EWTOPIA 75): A Randomized Controlled Trial". <i>Circulation</i> , 2020, 141, e67-e68. | 1.6 | 2 |
| 36 | Serum osmolarity as a potential predictor for contrast-induced nephropathy following elective coronary angiography. <i>International Urology and Nephrology</i> , 2020, 52, 541-547. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The causality between the serum uric acid level and stroke. <i>Hypertension Research</i> , 2020, 43, 354-356. | 1.5 | 13 |
| 38 | Effect of Uric Acid-Lowering Agents on Cardiovascular Outcome in Patients With Heart Failure: A Systematic Review and Meta-Analysis of Clinical Studies. <i>Angiology</i> , 2020, 71, 315-323. | 0.8 | 22 |
| 39 | Febuxostat and atrial fibrillation. <i>European Heart Journal</i> , 2020, 41, 2916-2917. | 1.0 | 2 |
| 40 | Reply to "The case for evidence-based medicine for the association between hyperuricaemia and CKD". <i>Nature Reviews Nephrology</i> , 2020, 16, 422-423. | 4.1 | 2 |
| 41 | The Optimal Range of Serum Uric Acid for Cardiometabolic Diseases: A 5-Year Japanese Cohort Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 942. | 1.0 | 36 |
| 42 | Hyperuricemia in Kidney Disease: A Major Risk Factor for Cardiovascular Events, Vascular Calcification, and Renal Damage. <i>Seminars in Nephrology</i> , 2020, 40, 574-585. | 0.6 | 43 |
| 43 | Hyperuricemia as a Risk Factor for Cardiovascular Diseases. <i>Journal of Biomedicine and Translational Research</i> , 2020, 6, 101-109. | 0.2 | 3 |
| 44 | Evidence for Urate Uptake Through Monocarboxylate Transporter 9 Expressed in Mammalian Cells and Its Enhancement by Heat Shock. <i>Circulation Reports</i> , 2020, 2, 425-432. | 0.4 | 2 |
| 45 | Novel inhibitory effects of dotinurad, a selective urate reabsorption inhibitor, on urate crystal-induced activation of NLRP3 inflammasomes in macrophages. <i>Vascular Failure</i> , 2020, 3, 59-67. | 0.2 | 4 |
| 46 | Gout, Hyperuricemia, and Crystal-Associated Disease Network Consensus Statement Regarding Labels and Definitions for Disease Elements in Gout. <i>Arthritis Care and Research</i> , 2019, 71, 427-434. | 1.5 | 73 |
| 47 | Obesity causes renal mitochondrial dysfunction and energy imbalance and accelerates chronic kidney disease in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, F941-F948. | 1.3 | 32 |
| 48 | Xanthine Oxidase Inhibitor Withdrawal Syndrome? Comment on the Article by Choi et al. <i>Arthritis and Rheumatology</i> , 2019, 71, 1966-1967. | 2.9 | 15 |
| 49 | The case for uric acid-lowering treatment in patients with hyperuricaemia and CKD. <i>Nature Reviews Nephrology</i> , 2019, 15, 767-775. | 4.1 | 122 |
| 50 | Renal hyperfiltration defined by high estimated glomerular filtration rate: A risk factor for cardiovascular disease and mortality. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2368-2383. | 2.2 | 56 |
| 51 | A journey from microenvironment to macroenvironment: the role of metaflammation and epigenetic changes in cardiorenal disease. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 861-870. | 1.4 | 14 |
| 52 | Ezetimibe Lipid-Lowering Trial on Prevention of Atherosclerotic Cardiovascular Disease in 75 or Older (EWTPIA 75). <i>Circulation</i> , 2019, 140, 992-1003. | 1.6 | 132 |
| 53 | Gout, Hyperuricaemia and Crystal-Associated Disease Network (G-CAN) consensus statement regarding labels and definitions of disease states of gout. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1592-1600. | 0.5 | 72 |
| 54 | Î²-Adrenergic Blocker, Carvedilol, Abolishes Ameliorating Actions of Adipose-Derived Stem Cell Sheets on Cardiac Dysfunction and Remodeling After Myocardial Infarction. <i>Circulation Journal</i> , 2019, 83, 2282-2291. | 0.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Serum Uric Acid is an Independent Predictor for All-Cause Death and Rehospitalization in Patients with Acute Decompensated Heart Failure: Insights from KCHF Registry. <i>Journal of Cardiac Failure</i> , 2019, 25, S56-S57. | 0.7 | 0 |
| 56 | The Relationship Between Fasting Blood Glucose and Hypertension. <i>American Journal of Hypertension</i> , 2019, 32, 1143-1145. | 1.0 | 3 |
| 57 | Fasting blood glucose is predictive of hypertension in a general Japanese population. <i>Journal of Hypertension</i> , 2019, 37, 167-174. | 0.3 | 42 |
| 58 | Seasonality differs by IVIG responsiveness in patients with Kawasaki disease. <i>Pediatrics International</i> , 2019, 61, 539-543. | 0.2 | 10 |
| 59 | The role of uric acid in mineral bone disorders in chronic kidney disease. <i>Journal of Nephrology</i> , 2019, 32, 709-717. | 0.9 | 8 |
| 60 | Letter by Kuwabara Regarding Article, "Assessment of Cardiovascular Risk in Older Patients With Gout Initiating Febuxostat Versus Allopurinol: Population-Based Cohort Study". <i>Circulation</i> , 2019, 139, 1348-1349. | 1.6 | 2 |
| 61 | Effects of allopurinol and febuxostat on cardiovascular mortality in elderly heart failure patients. <i>Internal and Emergency Medicine</i> , 2019, 14, 949-956. | 1.0 | 25 |
| 62 | Uric Acid-Induced Enhancements of Kv1.5 Protein Expression and Channel Activity via the Akt-HSF1-Hsp70 Pathway in HL-1 Atrial Myocytes. <i>Circulation Journal</i> , 2019, 83, 718-726. | 0.7 | 20 |
| 63 | Multilayered Interplay Between Fructose and Salt in Development of Hypertension. <i>Hypertension</i> , 2019, 73, 265-272. | 1.3 | 18 |
| 64 | Uric acid activates aldose reductase and the polyol pathway for endogenous fructose and fat production causing development of fatty liver in rats. <i>Journal of Biological Chemistry</i> , 2019, 294, 4272-4281. | 1.6 | 78 |
| 65 | High rate of calories from protein is associated with higher prevalence of hypertension. <i>Journal of Human Hypertension</i> , 2019, 33, 340-344. | 1.0 | 3 |
| 66 | Febuxostat Does Not Increase All-Cause Mortality and Cardiovascular Mortality Compared With Placebo: Comment on the Article by Choi et al. <i>Arthritis and Rheumatology</i> , 2019, 71, 479-479. | 2.9 | 1 |
| 67 | High salt intake causes leptin resistance and obesity in mice by stimulating endogenous fructose production and metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 3138-3143. | 3.3 | 183 |
| 68 | Fructose and sugar: A major mediator of non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2018, 68, 1063-1075. | 1.8 | 617 |
| 69 | A Web Effect: Plummer-Vinson Syndrome. <i>American Journal of Medicine</i> , 2018, 131, 504-505. | 0.6 | 1 |
| 70 | Disorders of Lipid Metabolism in Chronic Kidney Disease. <i>Blood Purification</i> , 2018, 46, 144-152. | 0.9 | 95 |
| 71 | Elevated serum uric acid increases risks for developing high LDL cholesterol and hypertriglyceridemia: A five-year cohort study in Japan. <i>International Journal of Cardiology</i> , 2018, 261, 183-188. | 0.8 | 95 |
| 72 | LDL-oxidation, serum uric acid, kidney function and pulse-wave velocity: Data from the Brisighella Heart Study cohort. <i>International Journal of Cardiology</i> , 2018, 261, 204-208. | 0.8 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Low body mass index correlates with low left ventricular mass index in patients with severe anorexia nervosa. <i>Heart and Vessels</i> , 2018, 33, 89-93. | 0.5 | 12 |
| 74 | Uric Acid Is a Strong Risk Marker for Developing Hypertension From Prehypertension. <i>Hypertension</i> , 2018, 71, 78-86. | 1.3 | 159 |
| 75 | Pretreatment with topiroxostat and irbesartan improves cardiac function after myocardial infarction in rats. <i>Vascular Failure</i> , 2018, 2, 74-79. | 0.2 | 0 |
| 76 | Fructose increases risk for kidney stones: potential role in metabolic syndrome and heat stress. <i>BMC Nephrology</i> , 2018, 19, 315. | 0.8 | 39 |
| 77 | A Critical Review of Nebivolol and its Fixed-Dose Combinations in the Treatment of Hypertension. <i>Drugs</i> , 2018, 78, 1783-1790. | 4.9 | 11 |
| 78 | Gender Difference in the Association Between Uric Acid and Atrial Fibrillation. <i>Circulation Journal</i> , 2018, 83, 27-29. | 0.7 | 5 |
| 79 | Acute effects of salt on blood pressure are mediated by serum osmolality. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1447-1454. | 1.0 | 27 |
| 80 | Protective Effects of Topiroxostat on an Ischemia-Reperfusion Model of Rat Hearts. <i>Circulation Journal</i> , 2018, 82, 1101-1111. | 0.7 | 13 |
| 81 | Different effects of global osteopontin and macrophage osteopontin in glomerular injury. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F759-F768. | 1.3 | 15 |
| 82 | Febuxostat Therapy for Patients With Stage 3 CKD and Asymptomatic Hyperuricemia: A Randomized Trial. <i>American Journal of Kidney Diseases</i> , 2018, 72, 798-810. | 2.1 | 244 |
| 83 | Isolated Cardiac Sarcoidosis Presenting with Stroke. <i>Korean Circulation Journal</i> , 2018, 48, 236. | 0.7 | 2 |
| 84 | Salt Intake and Immunity. <i>Hypertension</i> , 2018, 72, 19-23. | 1.3 | 34 |
| 85 | Experimental heat stress nephropathy and liver injury are improved by allopurinol. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F726-F733. | 1.3 | 36 |
| 86 | The effects of early intravenous immunoglobulin therapy for Kawasaki disease: The 22nd nationwide survey in Japan. <i>International Journal of Cardiology</i> , 2018, 269, 334-338. | 0.8 | 25 |
| 87 | Rehydration with fructose worsens dehydration-induced renal damage. <i>BMC Nephrology</i> , 2018, 19, 180. | 0.8 | 12 |
| 88 | Uric Acid and Hypertension Because of Arterial Stiffness. <i>Hypertension</i> , 2018, 72, 582-584. | 1.3 | 27 |
| 89 | Light wine consumption is associated with a lower odd for cardiovascular disease in chronic kidney disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 1133-1139. | 1.1 | 20 |
| 90 | Increased Serum Uric Acid over five years is a Risk Factor for Developing Fatty Liver. <i>Scientific Reports</i> , 2018, 8, 11735. | 1.6 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Different Risk for Hypertension, Diabetes, Dyslipidemia, and Hyperuricemia According to Level of Body Mass Index in Japanese and American Subjects. <i>Nutrients</i> , 2018, 10, 1011. | 1.7 | 113 |
| 92 | Liver Cirrhosis and/or Hepatocellular Carcinoma Occurring Late After the Fontan Procedure—A Nationwide Survey in Japan. <i>Circulation Journal</i> , 2018, 82, 1155-1160. | 0.7 | 42 |
| 93 | Ketohexokinase C blockade ameliorates fructose-induced metabolic dysfunction in fructose-sensitive mice. <i>Journal of Clinical Investigation</i> , 2018, 128, 2226-2238. | 3.9 | 89 |
| 94 | Effects of Irbesartan on Uric Acid Metabolism in Patients with Treated Essential Hypertension. <i>Vascular Failure</i> , 2018, 2, 11-19. | 0.2 | 0 |
| 95 | Differences in caregiver daily impression by sex, education and career length. <i>Geriatrics and Gerontology International</i> , 2017, 17, 410-415. | 0.7 | 4 |
| 96 | Low frequency of toothbrushing practices is an independent risk factor for diabetes mellitus in male and dyslipidemia in female: A large-scale, 5-year cohort study in Japan. <i>Journal of Cardiology</i> , 2017, 70, 107-112. | 0.8 | 27 |
| 97 | Role of fructose and fructokinase in acute dehydration-induced vasopressin gene expression and secretion in mice. <i>Journal of Neurophysiology</i> , 2017, 117, 646-654. | 0.9 | 44 |
| 98 | Dietary and commercialized fructose: Sweet or sour?. <i>International Urology and Nephrology</i> , 2017, 49, 1611-1620. | 0.6 | 25 |
| 99 | Asymptomatic Hyperuricemia Without Comorbidities Predicts Cardiometabolic Diseases. <i>Hypertension</i> , 2017, 69, 1036-1044. | 1.3 | 160 |
| 100 | Effects of exogenous desmopressin on a model of heat stress nephropathy in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F418-F426. | 1.3 | 31 |
| 101 | Uric Acid and Left Ventricular Hypertrophy: A Potentially New Modifiable Target?. <i>American Journal of Hypertension</i> , 2017, 30, 229-231. | 1.0 | 5 |
| 102 | Elevated Serum Uric Acid Level Predicts Rapid Decline in Kidney Function. <i>American Journal of Nephrology</i> , 2017, 45, 330-337. | 1.4 | 57 |
| 103 | Metabolically Healthy Obesity and Hyperuricemia Increase Risk for Hypertension and Diabetes: 5-Year Japanese Cohort Study. <i>Obesity</i> , 2017, 25, 1997-2008. | 1.5 | 53 |
| 104 | Hyperuricemia is an independent competing risk factor for atrial fibrillation. <i>International Journal of Cardiology</i> , 2017, 231, 137-142. | 0.8 | 85 |
| 105 | Tbx18-positive cells differentiated from murine ES cells serve as proepicardial progenitors to give rise to vascular smooth muscle cells and fibroblasts. <i>Biomedical Research</i> , 2017, 38, 229-238. | 0.3 | 8 |
| 106 | Increased Serum Sodium and Serum Osmolarity Are Independent Risk Factors for Developing Chronic Kidney Disease; 5 Year Cohort Study. <i>PLoS ONE</i> , 2017, 12, e0169137. | 1.1 | 49 |
| 107 | Prevalence and complications of hypouricemia in a general population: A large-scale cross-sectional study in Japan. <i>PLoS ONE</i> , 2017, 12, e0176055. | 1.1 | 42 |
| 108 | Hyperuricemia and Atrial Fibrillation. <i>International Heart Journal</i> , 2016, 57, 395-399. | 0.5 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Aging-associated renal disease in mice is fructokinase dependent. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F722-F730. | 1.3 | 30 |
| 110 | Hyperuricemia Plays Pivotal Role in Progression of Kidney Disease. <i>Circulation Journal</i> , 2016, 80, 1710-1711. | 0.7 | 8 |
| 111 | Association between toothbrushing and risk factors for cardiovascular disease: a large-scale, cross-sectional Japanese study. <i>BMJ Open</i> , 2016, 6, e009870. | 0.8 | 27 |
| 112 | Effects of Uric Acid on the NO Production of HUVECs and its Restoration by Urate Lowering Agents. <i>Drug Research</i> , 2016, 66, 270-274. | 0.7 | 48 |
| 113 | Effect of Antihypertensive Drugs on Uric Acid Metabolism in Patients with Hypertension: Cross-Sectional Cohort Study. <i>Drug Research</i> , 2016, 66, 628-632. | 0.7 | 27 |
| 114 | Depletion of Uric Acid Due to SLC22A12 (URAT1) Loss-of-Function Mutation Causes Endothelial Dysfunction in Hypouricemia. <i>Circulation Journal</i> , 2015, 79, 1125-1132. | 0.7 | 89 |
| 115 | Cardiac Lesions and Initial Laboratory Data in Kawasaki Disease: a Nationwide Survey in Japan. <i>Journal of Epidemiology</i> , 2015, 25, 189-193. | 1.1 | 41 |
| 116 | Stabilization of Kv1.5 channel protein by the inotropic agent olprinone. <i>European Journal of Pharmacology</i> , 2015, 765, 488-494. | 1.7 | 3 |
| 117 | Hyperuricemia, Cardiovascular Disease, and Hypertension. <i>Pulse</i> , 2015, 3, 242-252. | 0.9 | 100 |
| 118 | The Total Urine Protein-to-Creatinine Ratio Can Predict the Presence of Microalbuminuria. <i>PLoS ONE</i> , 2014, 9, e91067. | 1.1 | 19 |
| 119 | Effects of azelnidipine on uric acid metabolism in patients with essential hypertension. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 447-453. | 0.5 | 9 |
| 120 | Effect of losartan and benzbromarone on the level of human urate transporter 1 mRNA. <i>Drug Research</i> , 2014, 64, 103-103. | 0.7 | 0 |
| 121 | Relationship between serum uric acid levels and hypertension among Japanese individuals not treated for hyperuricemia and hypertension. <i>Hypertension Research</i> , 2014, 37, 785-789. | 1.5 | 99 |
| 122 | HYPERURICEMIA IS AN INDEPENDENT RISK FACTOR OF ATRIAL FIBRILLATION. <i>Journal of the American College of Cardiology</i> , 2014, 63, A469. | 1.2 | 2 |
| 123 | The effect of febuxostat to prevent a further reduction in renal function of patients with hyperuricemia who have never had gout and are complicated by chronic kidney disease stage 3: study protocol for a multicenter randomized controlled study. <i>Trials</i> , 2014, 15, 26. | 0.7 | 58 |
| 124 | A comparative study on the effectiveness of losartan/hydrochlorothiazide and telmisartan/hydrochlorothiazide in patients with hypertension. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 251-257. | 0.5 | 8 |
| 125 | Early Introduction of Mild Therapeutic Hypothermia and Prompt PCI Can Provide Good Outcome in Patient with STEMI and PCAS. <i>Journal of Cardiac Failure</i> , 2011, 17, S165. | 0.7 | 0 |
| 126 | Enhancing effects of salicylate on quinidine-induced block of human wild type and LQT3 related mutant cardiac Na ⁺ channels. <i>Biomedical Research</i> , 2011, 32, 303-312. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | A Case of Idiopathic Ventricular Fibrillation Triggered by Premature Ventricular Contraction Originating from Right Ventricular Outflow Tract. Journal of Arrhythmia, 2011, 27, PE4_120. | 0.5 | 0 |
| 128 | The Prevalence of Atrial Fibrillation in Japan. Journal of Arrhythmia, 2011, 27, PE4_002. | 0.5 | 0 |
| 129 | Short Term Changes in ECG Waveforms as a Potential Predictor of the Onset of Atrial Fibrillation, Whether Predictable or Not?. Journal of Arrhythmia, 2011, 27, PJ2_003. | 0.5 | 0 |
| 130 | Effect of losartan and benzbromarone on the level of human urate transporter 1 mRNA. Arzneimittelforschung, 2010, 60, 186-188. | 0.5 | 9 |