

# Inmaculada Failde

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5555647/publications.pdf>

Version: 2024-02-01

64  
papers

2,729  
citations

304743

22  
h-index

189892

50  
g-index

73  
all docs

73  
docs citations

73  
times ranked

4025  
citing authors

#	ARTICLE	IF	CITATIONS
1	Smartphone-based exercise intervention for chronic pain: PainReApp randomized clinical trial protocol. <i>Journal of Advanced Nursing</i> , 2022, 78, 569-576.	3.3	1
2	Cognitive function in diabetic persons with peripheral neuropathy: a systematic review and meta-analysis. <i>Expert Review of Neurotherapeutics</i> , 2022, 22, 269-281.	2.8	6
3	Development and Validation of a Safety Scale Perceived by the Witness of Prehospital Emergency Care. <i>Journal of Patient Safety</i> , 2021, 17, 101-107.	1.7	4
4	Psychological Impact of the Lockdown Due to the COVID-19 Pandemic in University Workers: Factors Related to Stress, Anxiety, and Depression. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4367.	2.6	19
5	Association between chronic pain medications and the severity and mortality of COVID-19. <i>Medicine (United States)</i> , 2021, 100, e26725.	1.0	0
6	Prevalence of Migraine in General Spanish Population; Factors Related and Use of Health Resources. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11145.	2.6	3
7	Limitations in Activities of Daily Living in People With Chronic Pain: Identification of Groups Using Clusters Analysis. <i>Pain Practice</i> , 2020, 20, 179-187.	1.9	12
8	A Patient-Based National Survey and Prospective Evaluation of Postoperative Pain Management in Spain: Prevalent but Possibly Preventable. <i>Pain Medicine</i> , 2020, 21, 1039-1048.	1.9	4
9	The evolution of opioid-related mortality and potential years of life lost in Spain from 2008 to 2017: differences between Spain and the United States. <i>Current Medical Research and Opinion</i> , 2020, 36, 285-291.	1.9	12
10	Living with opioids: A qualitative study with patients with chronic low back pain. <i>Health Expectations</i> , 2020, 23, 1118-1128.	2.6	13
11	Sleep Characteristics in Diabetic Patients Depending on the Occurrence of Neuropathic Pain and Related Factors. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8125.	2.6	8
12	A Nationwide Cross-Sectional Study of Self-Reported Adherence and Factors Associated with Analgesic Treatment in People with Chronic Pain. <i>Journal of Clinical Medicine</i> , 2020, 9, 3666.	2.4	3
13	Feeling safe or unsafe in prehospital emergency care: A qualitative study of the experiences of patients, carers and healthcare professionals. <i>Journal of Clinical Nursing</i> , 2020, 29, 4720-4732.	3.0	15
14	Prevalence of Therapeutic use of Opioids in Chronic non-Cancer Pain Patients and Associated Factors: A Systematic Review and Meta-Analysis. <i>Frontiers in Pharmacology</i> , 2020, 11, 564412.	3.5	26
15	Relationship between diabetic neuropathic pain and comorbidity. Their impact on pain intensity, diabetes complications and quality of life in patients with type-2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2020, 165, 108236.	2.8	22
16	Differences in physical and psychological health in patients with chronic low back pain: a national survey in general Spanish population. <i>Quality of Life Research</i> , 2020, 29, 2935-2947.	3.1	4
17	Anxiety, depression and sleep disorders in patients with diabetic neuropathic pain: a systematic review. <i>Expert Review of Neurotherapeutics</i> , 2019, 19, 1201-1209.	2.8	47
18	El uso de opioides en los adultos mayores. Un tema a tener en cuenta. <i>Revista De La Sociedad Espanola Del Dolor</i> , 2019, , .	0.1	0

#	ARTICLE	IF	CITATIONS
19	Opioids in the Treatment of Pain. Beliefs, Knowledge, and Attitudes of the General Spanish Population. Identification of Subgroups Through Cluster Analysis. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 1095-1104.	1.2	11
20	Relationship Between Using Clinical Practice Guidelines for Pain Treatment and Physicians' Training and Attitudes Toward Patients and the Effects on Patient Care. <i>Pain Practice</i> , 2018, 18, 38-47.	1.9	15
21	Factors Influencing Cognitive Impairment in Neuropathic and Musculoskeletal Pain and Fibromyalgia. <i>Pain Medicine</i> , 2018, 19, 499-510.	1.9	31
22	Understanding the different relationships between mood and sleep disorders in several groups of non-oncological patients with chronic pain. <i>Current Medical Research and Opinion</i> , 2018, 34, 669-676.	1.9	7
23	Prevalence of central and peripheral neuropathic pain in patients attending pain clinics in Spain: factors related to intensity of pain and quality of life. <i>Journal of Pain Research</i> , 2018, Volume 11, 1835-1847.	2.0	10
24	Measuring the Quality of Mobile Apps for the Management of Pain: Systematic Search and Evaluation Using the Mobile App Rating Scale. <i>JMIR MHealth and UHealth</i> , 2018, 6, e10718.	3.7	125
25	Presence of somatic symptoms (especially pain) in patients with depressive disorder and its impact on quality of life, and possible involvement with anhedonia. <i>European Psychiatry</i> , 2017, 41, S537-S538.	0.2	0
26	Gasto, prescripci3n y consumo de analg3sicos antes y durante la crisis econ3mica. <i>Revista De La Sociedad Espanola Del Dolor</i> , 2017, , .	0.1	0
27	Assessing the Construct Validity and Internal Reliability of the Screening Tool Test Your Memory in Patients with Chronic Pain. <i>PLoS ONE</i> , 2016, 11, e0154240.	2.5	9
28	A review of chronic pain impact on patients, their social environment and the health care system. <i>Journal of Pain Research</i> , 2016, Volume 9, 457-467.	2.0	569
29	Use and satisfaction with the Healthcare System of the chronic pain patients in Spain: results from a nationwide study. <i>Current Medical Research and Opinion</i> , 2016, 32, 1813-1820.	1.9	12
30	Simple generalized estimating equations (GEEs) and weighted generalized estimating equations (WGEEs) in longitudinal studies with dropouts: guidelines and implementation in R. <i>Statistics in Medicine</i> , 2016, 35, 3424-3448.	1.6	43
31	Nationwide cross-sectional study of the impact of chronic pain on an individual's employment: relationship with the family and the social support. <i>BMJ Open</i> , 2016, 6, e012246.	1.9	42
32	Factors related to the evolution of Health Related Quality of Life in coronary patients. A longitudinal approach using Weighted Generalized Estimating Equations with missing data. <i>International Journal of Cardiology</i> , 2016, 223, 940-946.	1.7	8
33	Methods and Instruments to Evaluate Cognitive Function in Chronic Pain Patients: A Systematic Review. <i>Pain Medicine</i> , 2016, 17, 1465-1489.	1.9	10
34	Generalized Estimating Equations (GEE) to handle missing data and time-dependent variables in longitudinal studies: an application to assess the evolution of Health Related Quality of Life in coronary patients. <i>Epidemiologia E Prevenzione</i> , 2016, 40, 116-23.	1.1	9
35	Radiofrequency for the Treatment of Lumbar Radicular Pain: Impact on Surgical Indications. <i>Pain Research and Treatment</i> , 2015, 2015, 1-6.	1.7	16
36	A Nationwide Study of Chronic Pain Prevalence in the General Spanish Population: Identifying Clinical Subgroups Through Cluster Analysis. <i>Pain Medicine</i> , 2015, 16, 811-822.	1.9	68

#	ARTICLE	IF	CITATIONS
37	Association of Painful Musculoskeletal Conditions and Migraine Headache With Mental and Sleep Disorders Among Adults With Disabilities, Spain, 2007-2008. Preventing Chronic Disease, 2014, 11, E30.	3.4	13
38	Spanish Medical Students' Attitudes and Views towards Mental Health and Psychiatry: a Multicentric Cross-Sectional Study. Academic Psychiatry, 2014, 38, 332-338.	0.9	11
39	The impact of chronic pain: The perspective of patients, relatives, and caregivers.. Families, Systems and Health, 2014, 32, 399-407.	0.6	39
40	El dolor crónico, algo más que un problema de quien lo padece. Revista De La Sociedad Espanola Del Dolor, 2014, 21, 1-2.	0.1	2
41	Unexplained pain complaints and depression in older people in primary care. Journal of Nutrition, Health and Aging, 2013, 17, 574-577.	3.3	11
42	Factors associated with chronic pain in patients with bipolar depression: a cross-sectional study. BMC Psychiatry, 2013, 13, 112.	2.6	23
43	High prevalence of confirmed, but also of potential and believed, neuropathic pain in pain clinics. European Journal of Pain, 2013, 17, 347-356.	2.8	17
44	Undiagnosed Mood Disorders and Sleep Disturbances in Primary Care Patients with Chronic Musculoskeletal Pain. Pain Medicine, 2013, 14, 1416-1425.	1.9	36
45	Actitud de los alumnos de quinto de medicina hacia la salud mental. Educacion Medica, 2012, 15, 227-233.	0.3	3
46	Pain as a symptom of depression: Prevalence and clinical correlates in patients attending psychiatric clinics. Journal of Affective Disorders, 2011, 130, 106-112.	4.1	104
47	Visual analogical well-being scale for sleep apnea patients: validity and responsiveness. Sleep and Breathing, 2011, 15, 549-559.	1.7	23
48	Gender differences and determinants of health related quality of life in coronary patients: a follow-up study. BMC Cardiovascular Disorders, 2011, 11, 24.	1.7	65
49	Prevalence of Fibromyalgia: A Survey in Five European Countries. Seminars in Arthritis and Rheumatism, 2010, 39, 448-453.	3.4	535
50	Medically unexplained pain complaints are associated with underlying unrecognized mood disorders in primary care. BMC Family Practice, 2010, 11, 17.	2.9	45
51	Construct and criterion validity of the SF-12 health questionnaire in patients with acute myocardial infarction and unstable angina. Journal of Evaluation in Clinical Practice, 2010, 16, 569-573.	1.8	39
52	Assessing health-related quality of life among coronary patients: SF-36 vs SF-12. Public Health, 2009, 123, 615-617.	2.9	21
53	Transculturally adapted Spanish SRI questionnaire for home mechanically ventilated patients was viable, valid, and reliable. Journal of Clinical Epidemiology, 2008, 61, 1061-1066.	5.0	22
54	Factors related to quality of life in patients receiving home mechanical ventilation. Respiratory Medicine, 2008, 102, 605-612.	2.9	21

#	ARTICLE	IF	CITATIONS
55	Women, Mental Health and Health-Related Quality of Life in Coronary Patients. <i>Women and Health</i> , 2006, 43, 35-49.	1.0	5
56	Changes in health related quality of life 3 months after an acute coronary syndrome. <i>BMC Public Health</i> , 2006, 6, 18.	2.9	44
57	Effectiveness and tolerability of the buprenorphinetransdermal system in patients with moderate to severe chronic pain: A multicenter, open-label, uncontrolled, prospective, observational clinical study. <i>Clinical Therapeutics</i> , 2005, 27, 451-462.	2.5	47
58	Physical and mental component summaries score of the SF-36 in coronary patients. <i>Quality of Life Research</i> , 2005, 14, 759-768.	3.1	38
59	Health-Related Quality of Life in Coronary Heart Disease Compared to Norms in Spanish Population. <i>Quality of Life Research</i> , 2004, 13, 1401-1407.	3.1	32
60	Purging behaviors and comorbidity as predictive factors of quality of life in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2004, 36, 445-450.	4.0	46
61	Predictive factors of mental disorders in patients with suspected ischaemic cardiopathy. <i>European Journal of Epidemiology</i> , 2001, 17, 835-840.	5.7	3
62	Comparison between the GHQ-28 and SF-36 (MH 1-5) for the assessment of the mental health in patients with ischaemic heart disease. <i>European Journal of Epidemiology</i> , 2000, 16, 311-316.	5.7	45
63	Psychological and Occupational Predictive Factors for Back Pain among Employees of a University Hospital in Southern Spain. <i>Occupational Medicine</i> , 2000, 50, 591-596.	1.4	32
64	Validity and reliability of the SF-36 Health Survey Questionnaire in patients with coronary artery disease. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 359-365.	5.0	173