Marco Zappa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5557405/publications.pdf

Version: 2024-02-01

228 papers 17,563 citations

41344 49 h-index 127 g-index

248 all docs

248 docs citations

times ranked

248

14637 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Screening and Prostate-Cancer Mortality in a Randomized European Study. New England Journal of Medicine, 2009, 360, 1320-1328. | 27.0 | 3,540 |
| 2 | Efficacy of HPV-based screening for prevention of invasive cervical cancer: follow-up of four European randomised controlled trials. Lancet, The, 2014, 383, 524-532. | 13.7 | 1,282 |
| 3 | Screening and prostate cancer mortality: results of the European Randomised Study of Screening for Prostate Cancer (ERSPC) at 13 years of follow-up. Lancet, The, 2014, 384, 2027-2035. | 13.7 | 1,261 |
| 4 | Prostate-Cancer Mortality at 11 Years of Follow-up. New England Journal of Medicine, 2012, 366, 981-990. | 27.0 | 1,105 |
| 5 | Efficacy of human papillomavirus testing for the detection of invasive cervical cancers and cervical intraepithelial neoplasia: a randomised controlled trial. Lancet Oncology, The, 2010, 11, 249-257. | 10.7 | 797 |
| 6 | Once-Only Sigmoidoscopy in Colorectal Cancer Screening: Follow-up Findings of the Italian Randomized Controlled Trial-SCORE. Journal of the National Cancer Institute, 2011, 103, 1310-1322. | 6.3 | 539 |
| 7 | Quality-of-Life Effects of Prostate-Specific Antigen Screening. New England Journal of Medicine, 2012, 367, 595-605. | 27.0 | 364 |
| 8 | A 16-yr Follow-up of the European Randomized study of Screening for Prostate Cancer. European Urology, 2019, 76, 43-51. | 1.9 | 359 |
| 9 | European guidelines for quality assurance in colorectal cancer screening and diagnosis: Overview and introduction to the full Supplement publication. Endoscopy, 2012, 45, 51-59. | 1.8 | 356 |
| 10 | Overdiagnosis in Mammographic Screening for Breast Cancer in Europe: A Literature Review. Journal of Medical Screening, 2012, 19, 42-56. | 2.3 | 338 |
| 11 | Incidence Trends of Adenocarcinoma of the Cervix in 13 European Countries. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2191-2199. | 2.5 | 314 |
| 12 | Human Papillomavirus Testing and Liquid-Based Cytology: Results at Recruitment From the New Technologies for Cervical Cancer Randomized Controlled Trial. Journal of the National Cancer Institute, 2006, 98, 765-774. | 6.3 | 275 |
| 13 | Results at Recruitment From a Randomized Controlled Trial Comparing Human Papillomavirus Testing Alone With Conventional Cytology as the Primary Cervical Cancer Screening Test. Journal of the National Cancer Institute, 2008, 100, 492-501. | 6.3 | 259 |
| 14 | Comparing Attendance and Detection Rate of Colonoscopy With Sigmoidoscopy and FIT for Colorectal Cancer Screening. Gastroenterology, 2007, 132, 2304-2312. | 1.3 | 241 |
| 15 | Mortality, survival and incidence rates in the ITALUNG randomised lung cancer screening trial. Thorax, 2017, 72, 825-831. | 5.6 | 221 |
| 16 | Baseline Findings of the Italian Multicenter Randomized Controlled Trial of "Once-Only Sigmoidoscopy"SCORE. Journal of the National Cancer Institute, 2002, 94, 1763-1772. | 6.3 | 206 |
| 17 | Prostate Cancer Mortality Reduction by Prostate-Specific Antigen–Based Screening Adjusted for Nonattendance and Contamination in the European Randomised Study of Screening for Prostate Cancer (ERSPC). European Urology, 2009, 56, 584-591. | 1.9 | 180 |
| 18 | Randomized Trial of Different Screening Strategies for Colorectal Cancer: Patient Response and Detection Rates. Journal of the National Cancer Institute, 2005, 97, 347-357. | 6.3 | 178 |

| # | Article | IF | CITATIONS |
|----|---|-----------------------------|---------------|
| 19 | Increased Expression and Activity of the Transcription Factor FOXO1 in Nonalcoholic Steatohepatitis. Diabetes, 2008, 57, 1355-1362. | 0.6 | 163 |
| 20 | Reconciling the Effects of Screening on Prostate Cancer Mortality in the ERSPC and PLCO Trials. Annals of Internal Medicine, 2017, 167, 449. | 3.9 | 160 |
| 21 | Cost-effectiveness of Prostate Cancer Screening: A Simulation Study Based on ERSPC Data. Journal of the National Cancer Institute, 2015, 107, 366. | 6.3 | 120 |
| 22 | Effects of the Beach Chair Position, Positive End-expiratory Pressure, and Pneumoperitoneum on Respiratory Function in Morbidly Obese Patients during Anesthesia and Paralysis. Anesthesiology, 2007, 107, 725-732. | 2.5 | 116 |
| 23 | Breast density as a determinant of interval cancer at mammographic screening. British Journal of Cancer, 2004, 90, 393-396. | 6.4 | 115 |
| 24 | Metastatic Prostate Cancer Incidence and Prostate-specific Antigen Testing: New Insights from the European Randomized Study of Screening for Prostate Cancer. European Urology, 2015, 68, 885-890. | 1.9 | 111 |
| 25 | Impact of Screening Program on Incidence of Colorectal Cancer: A Cohort Study in Italy. American Journal of Gastroenterology, 2015, 110, 1359-1366. | 0.4 | 110 |
| 26 | The impact of immunochemical faecal occult blood testing on colorectal cancer incidence. Digestive and Liver Disease, 2014, 46, 82-86. | 0.9 | 105 |
| 27 | Influence of seasonal variations in ambient temperatures on performance of immunochemical faecal occult blood test for colorectal cancer screening: observational study from the Florence district. Gut, 2010, 59, 1511-1515. | 12.1 | 90 |
| 28 | Changes in incidence, survival and mortality of prostate cancer in Europe and the United States in the PSA era: additional diagnoses and avoided deaths. Annals of Oncology, 2012, 23, 1325-1334. | 1.2 | 90 |
| 29 | Lower protection of cytological screening for adenocarcinomas and shorter protection for younger women: the results of a case–control study in Florence. British Journal of Cancer, 2004, 90, 1784-1786. | 6.4 | 87 |
| 30 | Immunochemical faecal occult blood test: number of samples and positivity cutoff. What is the best strategy for colorectal cancer screening?. British Journal of Cancer, 2009, 100, 259-265. | 6.4 | 82 |
| 31 | Association of FOBT-assessed faecal Hb content with colonic lesions detected in the Florence screening programme. British Journal of Cancer, 2007, 96, 218-221. | 6.4 | 81 |
| 32 | Immunochemical vs guaiac faecal occult blood tests in a population-based screening programme for colorectal cancer. British Journal of Cancer, 1996, 74, 141-144. | 6.4 | 79 |
| 33 | Overdiagnosis of prostate carcinoma by screening: An estimate based on the results of the Florence Screening Pilot Study. Annals of Oncology, 1998, 9, 1297-1300. | 1.2 | 79 |
| 34 | Quality of colonoscopy in an organised colorectal cancer screening programme with immunochemical faecal occult blood test: the EQuIPE study (Evaluating Quality Indicators of the) Tj ETQq0 0 0 | rgB T 4 0 ver | lock810 Tf 50 |
| 35 | Measuring interval cancers in population-based screening using different assays of fecal occult blood testing: The district of Florence experience. International Journal of Cancer, 2001, 92, 151-154. | 5.1 | 76 |
| 36 | Effectiveness of service screening: a case–control study to assess breast cancer mortality reduction. British Journal of Cancer, 2008, 99, 423-427. | 6.4 | 75 |

| # | Article | IF | Citations |
|----|---|----------|----------------------|
| 37 | Effect of faecal occult blood testing on colorectal mortality: Results of a population-based case-control study in the district of Florence, Italy., 1997, 73, 208-210. | | 74 |
| 38 | Acceptability and side-effects of colonoscopy and sigmoidoscopy in a screening setting. Journal of Medical Screening, 2011, 18, 128-134. | 2.3 | 73 |
| 39 | Reduced and Full-Preparation CT Colonography, Fecal Immunochemical Test, and Colonoscopy for Population Screening of Colorectal Cancer: A Randomized Trial. Journal of the National Cancer Institute, 2016, 108, djv319. | 6.3 | 70 |
| 40 | Quantification of the effect of mammographic screening on fatal breast cancers: The Florence Programme 1990–96. British Journal of Cancer, 2002, 87, 65-69. | 6.4 | 69 |
| 41 | An estimate of overdiagnosis 15 years after the start of mammographic screening in Florence. European Journal of Cancer, 2009, 45, 3166-3171. | 2.8 | 68 |
| 42 | Laparoscopic adjustable gastric banding via pars flaccida versus perigastric positioning: technique, complications, and results in 2,549 patients. Surgical Endoscopy and Other Interventional Techniques, 2010, 24, 1519-1523. | 2.4 | 67 |
| 43 | Risk-Benefit Analysis of X-Ray Exposure Associated with Lung Cancer Screening in the Italung-CT Trial. American Journal of Roentgenology, 2006, 187, 421-429. | 2.2 | 65 |
| 44 | European guidelines for quality assurance in colorectal cancer screening and diagnosis. – First Edition Faecal occult blood testing. Endoscopy, 2012, 44, SE65-SE87. | 1.8 | 61 |
| 45 | High sensitivity of five colorectal screening programmes with faecal immunochemical test in the Veneto Region, Italy. Gut, 2011, 60, 944-949. | 12.1 | 58 |
| 46 | Basic variables at different positivity thresholds of a quantitative immunochemical test for faecal occult blood. Journal of Medical Screening, 2002, 9, 99-103. | 2.3 | 57 |
| 47 | Comparison of standard and double reading and computer-aided detection (CAD) of interval cancers at prior negative screening mammograms: blind review. British Journal of Cancer, 2003, 89, 1645-1649. | 6.4 | 56 |
| 48 | The efficacy of prostateâ€specific antigen screening: Impact of key components in the ERSPC and PLCO trials. Cancer, 2018, 124, 1197-1206. | 4.1 | 56 |
| 49 | Detection rate and predictive factors of sessile serrated polyps in an organised colorectal cancer screening programme with immunochemical faecal occult blood test: the EQuIPE study (Evaluating) Tj ETQq1 1 | 0.784314 | rg B4 /Overlo |
| 50 | The detectability of breast cancer by screening mammography. British Journal of Cancer, 1995, 71, 337-339. | 6.4 | 51 |
| 51 | Decreasing incidence of lateâ€stage breast cancer after the introduction of organized mammography screening in Italy. Cancer, 2013, 119, 2022-2028. | 4.1 | 51 |
| 52 | Advanced breast cancer rates in the epoch of service screening: The 400,000 women cohort study from Italy. European Journal of Cancer, 2017, 75, 109-116. | 2.8 | 50 |
| 53 | Prevalence and correlates of pulmonary emphysema in smokers and former smokers. A densitometric study of participants in the ITALUNG trial. European Radiology, 2009, 19, 58-66. | 4.5 | 49 |
| 54 | Cervical cancer screening in women vaccinated against human papillomavirus infection: Recommendations from a consensus conference. Preventive Medicine, 2017, 98, 21-30. | 3.4 | 49 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Guidance for faecal occult blood testing: quantitative immunochemical method (FIT-HB) in colorectal cancer screening programmes. Epidemiologia E Prevenzione, 2017, 41, 1-31. | 1.1 | 49 |
| 56 | Female Breast Cancer Status According to ER, PR and HER2 Expression: A Population Based Analysis. Pathology and Oncology Research, 2011, 17, 753-758. | 1.9 | 47 |
| 57 | The thickness of melanomas has decreased in central Italy, but only for thin melanomas, while thick melanomas are as thick as in the past. Melanoma Research, 2010, 20, 422-426. | 1.2 | 45 |
| 58 | Early diagnosis, not differential treatment, explains better survival in service screening. European Journal of Cancer, 2005, 41, 2728-2734. | 2.8 | 42 |
| 59 | Screening for colorectal cancer by faecal occult blood test: comparison of immunochemical tests. Journal of Medical Screening, 2000, 7, 35-37. | 2.3 | 41 |
| 60 | An Unusual Complication of Gastric Banding: Recurrent Small Bowel Obstruction Caused by the Connecting Tube. Obesity Surgery, 2006, 16, 939-941. | 2.1 | 40 |
| 61 | Protein Kinase A Regulatory Subunits in Human Adipose Tissue. Diabetes, 2009, 58, 620-626. | 0.6 | 39 |
| 62 | Balancing harms and benefits of service mammography screening programs: a cohort study. Breast Cancer Research, 2012, 14, R9. | 5.0 | 38 |
| 63 | Smoking Cessation in the ITALUNG Lung Cancer Screening: What Does "Teachable Moment―Mean?. Nicotine and Tobacco Research, 2020, 22, 1484-1491. | 2.6 | 38 |
| 64 | Screening patterns within organized programs and survival of Italian women with invasive cervical cancer. Preventive Medicine, 2013, 57, 220-226. | 3.4 | 37 |
| 65 | Impact of variations in triage cytology interpretation onÂhuman papillomavirus–based cervical screening andÂimplications for screening algorithms. European Journal of Cancer, 2016, 68, 148-155. | 2.8 | 37 |
| 66 | Prospective Comparison and Quality of Life for Single-Incision and Conventional Laparoscopic Sleeve Gastrectomy in a Series of Morbidly Obese Patients. Obesity Surgery, 2017, 27, 681-687. | 2.1 | 37 |
| 67 | Triage with human papillomavirus testing of women with cytologic abnormalities prompting referral for colposcopy assessment. Cancer, 2004, 105, 2-7. | 4.1 | 36 |
| 68 | Agreement between the AMPLICOR Human Papillomavirus Test and the Hybrid Capture 2 Assay in Detection of High-Risk Human Papillomavirus and Diagnosis of Biopsy-Confirmed High-Grade Cervical Disease. Journal of Clinical Microbiology, 2007, 45, 364-369. | 3.9 | 35 |
| 69 | Changes in cervical cancer incidence following the introduction of organized screening in Italy. Preventive Medicine, 2015, 75, 56-63. | 3.4 | 35 |
| 70 | Absolute Effect of Prostate Cancer Screening: Balance of Benefits and Harms by Center within the European Randomized Study of Prostate Cancer Screening. Clinical Cancer Research, 2016, 22, 243-249. | 7.0 | 35 |
| 71 | Monitoring vaccine and non-vaccine HPV type prevalence in the post-vaccination era in women living in the Basilicata region, Italy. BMC Infectious Diseases, 2018, 18, 38. | 2.9 | 35 |
| 72 | Prognostic value of proliferating cell nuclear antigen in lymph nodeâ€"negative breast cancer patients. Cancer, 1993, 72, 120-125. | 4.1 | 34 |

| # | Article | lF | Citations |
|----|--|------|-----------|
| 73 | Increasing trends of cervical adenocarcinoma incidence in Central Italy despite Extensive Screening Programme, 1985–2000. Cancer Detection and Prevention, 2004, 28, 461-464. | 2.1 | 34 |
| 74 | Prevention of Pouch Dilatation after Laparoscopic Adjustable Gastric Banding. Obesity Surgery, 2006, 16, 132-136. | 2.1 | 34 |
| 75 | An asbestos hazard in the reprocessed textile industry. American Journal of Industrial Medicine, 1987, 11, 255-266. | 2.1 | 33 |
| 76 | Faecal haemoglobin concentration among subjects with negative FIT results is associated with the detection rate of neoplasia at subsequent rounds: a prospective study in the context of population based screening programmes in Italy. Gut, 2020, 69, 523-530. | 12.1 | 33 |
| 77 | Determining overdiagnosis by screening with DRE/TRUS or PSA (Florence pilot studies, 1991–1994). European Journal of Cancer, 2005, 41, 411-415. | 2.8 | 32 |
| 78 | Effect of population-based screening on breast cancer mortality. Lancet, The, 2011, 378, 1775-1776. | 13.7 | 32 |
| 79 | Does an organised screening programme reduce the inequalities in breast cancer survival?. Annals of Oncology, 2012, 23, 319-323. | 1.2 | 31 |
| 80 | A standardized use of intraoperative anastomotic testing in colorectal surgery in the new millennium: is technology taking over? A systematic review and network meta-analysis. Techniques in Coloproctology, 2019, 23, 625-631. | 1.8 | 31 |
| 81 | Mortality Among Discharged Psychiatric Patients in Florence, Italy. Psychiatric Services, 2006, 57, 1474-1481. | 2.0 | 30 |
| 82 | Histologic Study of Tissue Reaction to the Gastric Band: Does it Contribute to the Problem of Band Erosion?. Obesity Surgery, 2006, 16, 1155-1159. | 2.1 | 30 |
| 83 | Sensitivity of latex agglutination faecal occult blood test in the Florence District population-based colorectal cancer screening programme. British Journal of Cancer, 2007, 96, 1750-1754. | 6.4 | 29 |
| 84 | Colorectal Cancer Mortality in Two Areas of Tuscany With Different Screening Exposures. Journal of the National Cancer Institute, 2008, 100, 1818-1821. | 6.3 | 29 |
| 85 | Ultrasonographic evaluation of the cervical lymph nodes in preoperative staging of esophageal neoplasms. Abdominal Imaging, 1998, 23, 275-277. | 2.0 | 28 |
| 86 | Exposure to benzene and risk of leukemia among shoe factory workers. Scandinavian Journal of Work, Environment and Health, 2003, 29, 51-59. | 3.4 | 28 |
| 87 | The value of different screening tests in predicting prostate biopsy outcome in screening for prostate cancer data from a multicenter study (ERSPC). Prostate, 2007, 67, 439-446. | 2.3 | 27 |
| 88 | Towards an Optimal Interval for Prostate Cancer Screening. European Urology, 2012, 61, 171-176. | 1.9 | 27 |
| 89 | Screening for colorectal cancer with FOBT, virtual colonoscopy and optical colonoscopy: study protocol for a randomized controlled trial in the Florence district (SAVE study). Trials, 2013, 14, 74. | 1.6 | 27 |
| 90 | Subcapsular hepatic haematoma of the right lobe following endoscopic retrograde cholangiopancreatography: Case report and literature review. World Journal of Gastroenterology, 2016, 22, 4411. | 3.3 | 27 |

| # | Article | IF | Citations |
|-----|---|--------------|-----------|
| 91 | Gastric cancer after positive screening faecal occult blood testing and negative assessment. Digestive and Liver Disease, 2007, 39, 321-326. | 0.9 | 26 |
| 92 | Cost evaluation in a colorectal cancer screening programme by faecal occult blood test in the District of Florence. Journal of Medical Screening, 2008, 15, 175-181. | 2.3 | 26 |
| 93 | Risk of breast cancer subsequent to histological or clinical diagnosis of fibroadenoma - retrospective longitudinal study of 3938 cases. Annals of Oncology, 1997, 8, 297-300. | 1.2 | 25 |
| 94 | Biliointestinal Bypass: Another Surgical Option. Obesity Surgery, 1998, 8, 566-569. | 2.1 | 25 |
| 95 | Human papillomavirus infection and risk factors in a cohort of Tuscan women aged 18-24: results at recruitment. BMC Infectious Diseases, 2010, 10, 157. | 2.9 | 25 |
| 96 | Breast cancer screening: are we seeing the benefit?. BMC Medicine, 2012, 10, 106. | 5 . 5 | 25 |
| 97 | Age and geographic variability of human papillomavirus high-risk genotype distribution in a large unvaccinated population and of vaccination impact on HPV prevalence. Journal of Clinical Virology, 2014, 60, 257-263. | 3.1 | 25 |
| 98 | Appropriateness of endoscopic surveillance recommendations in organised colorectal cancer screening programmes based on the faecal immunochemical test. Gut, 2016, 65, 1822-1828. | 12.1 | 25 |
| 99 | Geographical and socioeconomic differences in uptake of Pap test and mammography in Italy: results from the National Health Interview Survey. BMJ Open, 2018, 8, e021653. | 1.9 | 25 |
| 100 | Impact of screening programme using the faecal immunochemical test on stage of colorectal cancer: Results from the IMPATTO study. International Journal of Cancer, 2019, 145, 110-121. | 5.1 | 25 |
| 101 | Long-Term Follow-up of the Italian Flexible Sigmoidoscopy Screening Trial. Annals of Internal Medicine, 2022, 175, 36-45. | 3.9 | 25 |
| 102 | Malignant mesothelioma in non-asbestos textile workers in florence. American Journal of Industrial Medicine, 1987, 11, 249-254. | 2.1 | 24 |
| 103 | Cancer screening uptake: association with individual characteristics, geographic distribution, and time trends in Italy. Epidemiologia E Prevenzione, 2015, 39, 9-18. | 1.1 | 24 |
| 104 | Estimating the harms and benefits of prostate cancer screening as used in common practice versus recommended good practice: A microsimulation screening analysis. Cancer, 2016, 122, 3386-3393. | 4.1 | 23 |
| 105 | Comparing Two Modalities of Screening for Prostate Cancer: Digital Rectal Examination + Transrectal Ultrasonography Vs. Prostate-Specific Antigen. Tumori, 1995, 81, 225-229. | 1.1 | 22 |
| 106 | Colorectal Cancer Screening by Fecal Occult Blood Testing: Results of a Population-Based Experience. Tumori, 2000, 86, 384-388. | 1.1 | 22 |
| 107 | Breast cancer mortality trends in two areas of the province of Florence, Italy, where screening programmes started in the 1970s and 1990s. British Journal of Cancer, 2004, 90, 1780-1783. | 6.4 | 22 |
| 108 | Prognostic Significance of p53 and Ki-67 Antigen Expression in Surgically Treated Non–Small Cell Lung Cancer. American Journal of Clinical Pathology, 2006, 125, 425-431. | 0.7 | 22 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | A first survey of HPV-based screening in routine cervical cancer screening in Italy. Epidemiologia E Prevenzione, 2015, 39, 77-83. | 1.1 | 21 |
| 110 | Persistent Human Papilloma Virus Infection as an Indicator of Risk of Recurrence of High-Grade Cervical Intraepithelial Neoplasia Treated by the Loop Electrosurgical Excision Procedure. Tumori, 2004, 90, 225-228. | 1.1 | 20 |
| 111 | Is human papillomavirus screening preferable to current policies in vaccinated and unvaccinated women? A cost-effectiveness analysis. Journal of Medical Screening, 2010, 17, 181-189. | 2.3 | 20 |
| 112 | A feasibility study of the use of the AutoPap screening system as a primary screening and location-guided rescreening device. Cancer, 2003, 99, 129-134. | 4.1 | 19 |
| 113 | Computed tomographic colonography in subjects with positive faecal occult blood test refusing optical colonoscopy. Digestive and Liver Disease, 2013, 45, 285-289. | 0.9 | 19 |
| 114 | An epidemiology-based model as a tool to monitor the outbreak of inappropriateness in tumor marker requests: a national scale study. Clinical Chemistry and Laboratory Medicine, 2016, 54, 473-82. | 2.3 | 19 |
| 115 | Asymmetric N-(3,3-diphenylpropyl)aminoalkyl esters of 4-aryl-2,6-dimethyl-1,4-dihydropyridine-3,5-dicarboxylic acids with antihypertensive activity. European Journal of Medicinal Chemistry, 1998, 33, 399-420. | 5.5 | 18 |
| 116 | PSA levels and cancer detection rate by centre in the European Randomized Study of Screening for Prostate Cancer. European Journal of Cancer, 2010, 46, 3053-3060. | 2.8 | 18 |
| 117 | Impacts of a population-based prostate cancer screening programme on excess total mortality rates in men with prostate cancer: a randomized controlled trial. Journal of Medical Screening, 2013, 20, 33-38. | 2.3 | 18 |
| 118 | Digital breast tomosynthesis (DBT): recommendations from the Italian College of Breast Radiologists (ICBR) by the Italian Society of Medical Radiology (SIRM) and the Italian Group for Mammography Screening (GISMa). Radiologia Medica, 2017, 122, 723-730. | 7.7 | 18 |
| 119 | Prostate Cancer: Different Incidence But Not Mortality Trends Within Two Areas of Tuscany, Italy. Journal of the National Cancer Institute, 2001, 93, 876-877. | 6.3 | 17 |
| 120 | Recurrence after Treatment by Loop Electrosurgical Excision Procedure (LEEP) of High-Grade Cervical Intraepithelial Neoplasia. Tumori, 2002, 88, 478-480. | 1.1 | 17 |
| 121 | The New Technologies for Cervical Cancer Screening randomised controlled trial. An overview of results during the first phase of recruitment. Gynecologic Oncology, 2007, 107, S230-S232. | 1.4 | 17 |
| 122 | Associations between cervical, breast and colorectal cancer screening uptake, chronic diseases and health-related behaviours: Data from the Italian PASSI nationwide surveillance. Preventive Medicine, 2019, 120, 60-70. | 3.4 | 17 |
| 123 | Evaluation of diagnostic accuracy of screening by fecal occult blood testing (FOBT). Comparison of FOB Gold and OC Sensor assays in a consecutive prospective screening series. International Journal of Biological Markers, 2006, 21, 157-161. | 1.8 | 17 |
| 124 | Screening for colorectal cancer in Italy: 2011-2012 survey. Epidemiologia E Prevenzione, 2015, 39, 93-107. | 1.1 | 17 |
| 125 | Colorectal cancer screening of immigrants to Italy. Figures from the 2013 National Survey. Preventive Medicine, 2015, 81, 132-137. | 3.4 | 16 |
| 126 | Splenic rupture following colonoscopy: Case report and literature review. International Journal of Surgery Case Reports, 2016, 21, 118-120. | 0.6 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Invitation coverage and participation in Italian cervical, breast and colorectal cancer screening programmes. Journal of Medical Screening, 2018, 25, 17-23. | 2.3 | 16 |
| 128 | Screening for colorectal cancer in Italy: 2006 survey. Epidemiologia E Prevenzione, 2008, 32, 55-68. | 1.1 | 16 |
| 129 | Screening for colorectal cancer in Italy: 2011-2012 survey. Epidemiologia E Prevenzione, 2015, 39, 115-25. | 1.1 | 16 |
| 130 | A Feasibility Study of Screening for Endometrial Carcinoma in Postmenopausal Women by Ultrasonography. Tumori, 1995, 81, 334-337. | 1.1 | 15 |
| 131 | Decreased cardiovascular mortality in the ITALUNG lung cancer screening trial: Analysis of underlying factors. Lung Cancer, 2019, 138, 72-78. | 2.0 | 15 |
| 132 | Patients' experience of screening CT colonography with reduced and full bowel preparation in a randomised trial. European Radiology, 2019, 29, 2457-2464. | 4.5 | 15 |
| 133 | Pleural malignant mesothelioma in Tuscany, Italy (1970-1988): II. Identification of occupational exposure to asbestos. American Journal of Industrial Medicine, 1992, 21, 577-585. | 2.1 | 14 |
| 134 | Risk of Endometrial Cancer in Breast Cancer Patients under Long-Term Adjuvant Treatment with Tamoxifen. Tumori, 1998, 84, 21-23. | 1.1 | 14 |
| 135 | Mammography screening in elderly women: efficacy and cost-effectiveness. Critical Reviews in Oncology/Hematology, 2003, 46, 235-239. | 4.4 | 14 |
| 136 | hr-HPV testing in the follow-up of women with cytological abnormalities and negative colposcopy. British Journal of Cancer, 2013, 109, 1766-1774. | 6.4 | 14 |
| 137 | A Different Method of Evaluation of the ERSPC Trial Confirms That Prostate-specific Antigen Testing Has a Significant Impact on Prostate Cancer Mortality. European Urology, 2014, 66, 401-403. | 1.9 | 14 |
| 138 | Assessment of Lesions Detected at Mammographic Screening: Performance at First or Repeat Screening in the Florence Programme. Journal of Medical Screening, 1994, 1, 188-192. | 2.3 | 13 |
| 139 | Breast cancer early diagnosis experience in Florence: can a self referral policy achieve the results of service screening?. Journal of Epidemiology and Community Health, 1994, 48, 471-475. | 3.7 | 13 |
| 140 | Colorectal cancer incidence rates have decreased in central Italy. European Journal of Cancer Prevention, 2010, 19, 424-425. | 1.3 | 13 |
| 141 | CT colonography before colonoscopy in subjects with positive faecal occult blood test. Preliminary experience. Radiologia Medica, 2010, 115, 1267-1278. | 7.7 | 13 |
| 142 | Participation and Risk of High Grade Cytological Lesions Among Immigrants and Italian-Born Women in an Organized Cervical Cancer Screening Program in Central Italy. Journal of Immigrant and Minority Health, 2015, 17, 670-678. | 1.6 | 13 |
| 143 | Volumetric breast density and risk of advanced cancers after a negative screening episode: a cohort study. Breast Cancer Research, 2018, 20, 95. | 5.0 | 13 |
| 144 | Measurement of the Costs in Two Mammographic Screening Programmes in the Province of Florence, Italy. Journal of Medical Screening, 1995, 2, 191-194. | 2.3 | 12 |

| # | Article | lF | Citations |
|-----|---|-----|-----------|
| 145 | Colposcopy as a Primary Screening test for Cervical Cancer. Tumori, 1997, 83, 810-813. | 1.1 | 12 |
| 146 | Comparison of the Conventional Cervical Smear and Liquid-Based Cytology. Acta Cytologica, 2008, 52, 568-574. | 1.3 | 12 |
| 147 | Further evidence of an excess of risk of pleural malignant mesothelioma in textile workers in Prato (Italy). British Journal of Cancer, 1991, 64, 377-378. | 6.4 | 11 |
| 148 | A First Survey of Organized Cervical Cancer Screening Programs in Italy. Tumori, 1998, 84, 624-630. | 1.1 | 11 |
| 149 | Measurement of the Cost of Screening for Cervical Cancer in the District of Florence, Italy. Tumori, 1998, 84, 631-635. | 1.1 | 11 |
| 150 | The cytological screening turned out effective also for adenocarcinoma: a population-based case–control study in Trento, Italy. European Journal of Cancer Prevention, 2007, 16, 564-567. | 1.3 | 11 |
| 151 | HPV Testing Is an Efficient Management Choice for Women With Inadequate Liquid-Based Cytology in Cervical Cancer Screening. American Journal of Clinical Pathology, 2012, 138, 65-71. | 0.7 | 11 |
| 152 | Familial risk of colorectal cancer in subjects attending an organised screening programme. Digestive and Liver Disease, 2012, 44, 80-83. | 0.9 | 11 |
| 153 | Excess all-cause mortality in the evaluation of a screening trial to account for selective participation. Journal of Medical Screening, 2013, 20, 39-45. | 2.3 | 11 |
| 154 | Effectiveness of HPV vaccination in women reaching screening age in Italy. Journal of Clinical Virology, 2016, 84, 74-81. | 3.1 | 11 |
| 155 | Impact of a new sampling buffer on faecal haemoglobin stability in a colorectal cancer screening programme by the faecal immunochemical test. European Journal of Cancer Prevention, 2017, 26, 285-291. | 1.3 | 11 |
| 156 | Impact of cause of death adjudication on the results of the European prostate cancer screening trial. British Journal of Cancer, 2017, 116, 141-148. | 6.4 | 11 |
| 157 | Laparoscopic Gastric Bypass with Fundectomy and Gastric Remnant Exploration (LRYGBfse): Results at 5-Year Follow-up. Obesity Surgery, 2018, 28, 2626-2633. | 2.1 | 11 |
| 158 | Moderate-severe coronary calcification predicts long-term cardiovascular death in CT lung cancer screening: The ITALUNG trial. European Journal of Radiology, 2021, 145, 110040. | 2.6 | 11 |
| 159 | Population-based breast cancer survival. Mammographic screening activities in central italy. Cancer, 1994, 74, 3126-3134. | 4.1 | 10 |
| 160 | Different Kinetics of Immunologic Recovery Using Nelfinavir or Lopinavir/Ritonavir-Based Regimens in Children with Perinatal HIV-1 Infection. International Journal of Immunopathology and Pharmacology, 2005, 18, 729-735. | 2.1 | 10 |
| 161 | The impact of new technologies in cervical cancer screening: Results of the recruitment phase of a large randomised controlled trial from a public health perspective. International Journal of Cancer, 2007, 121, 2729-2734. | 5.1 | 10 |
| 162 | Evaluation of service mammography screening impact in Italy. The contribution of hazard analysis. European Journal of Cancer, 2008, 44, 858-865. | 2.8 | 10 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 163 | Prostate Cancer Incidence Rates Have Started to Decrease in Central Italy. Journal of Medical Screening, 2010, 17, 50-51. | 2.3 | 10 |
| 164 | More on Screening Mammography. New England Journal of Medicine, 2011, 364, 281-286. | 27.0 | 10 |
| 165 | Lung cancer among textile workers in the Prato area of Italy Scandinavian Journal of Work, Environment and Health, 1993, 19, 16-20. | 3.4 | 10 |
| 166 | Extension of organized cervical cancer screening programmes in Italy and their process indicators, 2011-2012 activity. Epidemiologia E Prevenzione, 2015, 39, 61-76. | 1.1 | 10 |
| 167 | Do women $\hat{a} \otimes \sqrt[3]{50}$ years of age need as much screening as women <50 years after they have had negative screening results?. British Journal of Cancer, 2008, 99, 239-244. | 6.4 | 9 |
| 168 | Correlation between stage shift and differences in mortality in the European Randomised study of Screening for Prostate Cancer (ERSPC). BJU International, 2016, 118, 677-680. | 2.5 | 9 |
| 169 | Re: Participation in Colorectal Cancer Screening: a Review. Journal of the National Cancer Institute, 1998, 90, 465-465. | 6.3 | 8 |
| 170 | Surveillance for endometrial cancer with transvaginal ultrasonography of breast cancer patients under tamoxifen treatment. British Journal of Cancer, 2003, 88, 1175-1179. | 6.4 | 8 |
| 171 | Prostate cancer specific mortality in the Florence screening pilot study cohort 1992–1993. European Journal of Cancer, 2006, 42, 1858-1862. | 2.8 | 8 |
| 172 | PSA Use and Incidence of Prostate Biopsy in the Tuscany Region: Is Opportunistic Screening Discounting Biopsy in Subjects with PSA Elevation?. Tumori, 2008, 94, 518-522. | 1.1 | 8 |
| 173 | HPV prevalence and risk of pre-cancer and cancer in regular immigrants in Italy: results from HPV DNA test-based screening pilot programs. Infectious Agents and Cancer, 2015, 10, 14. | 2.6 | 8 |
| 174 | Vertical Gastric Bypass with Fundectomy: Feasibility and 2-Year Follow-Up in a Series of Morbidly Obese Patients. Obesity Surgery, 2017, 27, 2145-2150. | 2.1 | 8 |
| 175 | Does low-dose aspirin use for cardiovascular disease prevention reduce colorectal cancer deaths? A comparison of two cohorts in the Florence district, Italy. European Journal of Cancer Prevention, 2018, 27, 134-139. | 1.3 | 8 |
| 176 | Has the PSA wave already crashed upon us? Changes in the epidemiology of prostate cancer from 1985 to 1994 in central Italy. Annals of Oncology, 1999, 10, 361-362. | 1.2 | 8 |
| 177 | Determinants of health-related quality of life in morbid obese candidates to gastric banding. Eating and Weight Disorders, 2012, 17, e93-100. | 2.5 | 8 |
| 178 | The diffusion of screening programmes in Italy, year 2009. Epidemiologia E Prevenzione, 2011, 35, 3-7. | 1.1 | 8 |
| 179 | Impacts of a population-based prostate cancer screening programme on excess total mortality rates in men with prostate cancer: a randomized controlled trial. Journal of Medical Screening, 2013, 20, 33-38. | 2.3 | 8 |
| 180 | History of negative colorectal endoscopy and risk of rectosigmoid neoplasms at screening flexible sigmoidoscopy. International Journal of Colorectal Disease, 2006, 21, 105-113. | 2.2 | 7 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 181 | Risk of Invasive Cervical Cancer and Cervical Intraepithelial Neoplasia Grade Iii in Central Italy by Area of Birth. Journal of Medical Screening, 2010, 17, 87-90. | 2.3 | 7 |
| 182 | An epidemiology-based model to estimate the rate of inappropriateness of tumor marker requests. Clinical Chemistry and Laboratory Medicine, 2014, 52, 889-97. | 2.3 | 7 |
| 183 | Assessment of viral methylation levels for high risk HPV types by newly designed consensus primers PCR and pyrosequencing. PLoS ONE, 2018, 13, e0194619. | 2.5 | 7 |
| 184 | Comparing conventional and liquid-based smears from a consecutive series of 297 subjects referred to colposcopy assessment. Cytopathology, 2004, 15, 168-170. | 0.7 | 6 |
| 185 | Synthetic indicator of the impact of colorectal cancer screening programmes on incidence rates. Gut, 2020, 69, 311-316. | 12.1 | 6 |
| 186 | Prognostic selection and long-term survival analysis to assess overdiagnosis risk in lung cancer screening randomized trials. Journal of Medical Screening, 2021, 28, 39-47. | 2.3 | 6 |
| 187 | Mammography screening in Italy: 2008 survey. Epidemiologia E Prevenzione, 2010, 34, 9-25. | 1.1 | 6 |
| 188 | Indicators of inappropriate tumour marker use through the mining of electronic health records. Journal of Evaluation in Clinical Practice, 2017, 23, 895-902. | 1.8 | 5 |
| 189 | Design-corrected variation by centre in mortality reduction in the ERSPC randomised prostate cancer screening trial. Journal of Medical Screening, 2017, 24, 98-103. | 2.3 | 5 |
| 190 | Cost analysis of colorectal cancer screening with CT colonography in Italy. European Journal of Health Economics, 2018, 19, 735-746. | 2.8 | 5 |
| 191 | The diffusion of screening programmes in Italy, years 2011-2012. Epidemiologia E Prevenzione, 2015, 39, 5-8. | 1.1 | 5 |
| 192 | Incidence of second cancers among women with in situ carcinoma of the breast. Breast, 2001, 10, 438-441. | 2.2 | 4 |
| 193 | Benign Breast Diseases in Breast Cancer Screening Programs in Italy (2000-2001). Tumori, 2004, 90, 547-549. | 1.1 | 4 |
| 194 | Re: Role of Detection Method in Predicting Breast Cancer Survival: Analysis of Randomized Screening Trials. Journal of the National Cancer Institute, 2005, 97, 1853-1854. | 6.3 | 4 |
| 195 | Re: Cervical Intraepithelial Neoplasia Outcomes After Treatment: Long-term Follow-up From the British Columbia Cohort Study. Journal of the National Cancer Institute, 2009, 101, 1429-1430. | 6.3 | 4 |
| 196 | Re: Lead time and down-staging in the survival of cervical cancer cases detected by screening. Preventive Medicine, 2013, 57, 404-405. | 3.4 | 4 |
| 197 | Faecal immunochemical test in subjects not attending screening computed tomography colonography and colonoscopy in a randomized trial. European Journal of Cancer Prevention, 2018, 27, 105-109. | 1.3 | 4 |
| 198 | Mammographic breast cancer screening in Italy: 2011-2012 survey. Epidemiologia E Prevenzione, 2015, 39, 21-9. | 1.1 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Detection of False-Negative Pap Smears using the Papnet System. Tumori, 2000, 86, 455-457. | 1.1 | 3 |
| 200 | Clinical impact (cost-effectiveness) of qualifying atypical squamous cells of undeterminate significance (ASCUS) in cases favoring a reactive or dysplastic process. Diagnostic Cytopathology, 2003, 29, 4-7. | 1.0 | 3 |
| 201 | Re: Efficacy of Breast Cancer Screening in the Community According to Risk Level. Journal of the National Cancer Institute, 2005, 97, 1703-1703. | 6.3 | 3 |
| 202 | "Does Fecal Occult Blood Testing Really Reduce Mortality? A Reanalysis of Systematic Review Data." By Moayyedi P and Achkar E American Journal of Gastroenterology, 2006, 101, 2433-2433. | 0.4 | 3 |
| 203 | Breast Cancer Diagnostic Methods: Screen-Detected and Clinical Cases. An Italian Survey of Women's Experiences. Tumori, 2007, 93, 452-460. | 1.1 | 3 |
| 204 | Breast cancer mortality trends in Italy by region and screening programme, 1980–2008. Journal of Medical Screening, 2014, 21, 189-193. | 2.3 | 3 |
| 205 | A Retrospective Cohort Study of Young Women Spontaneously Choosing to Be Vaccinated against HPV: Outcomes from Their First Cervical Cancer Screening Test. Viruses, 2021, 13, 486. | 3.3 | 3 |
| 206 | Screening for colorectal cancer in Italy: 2011-2012 survey. Epidemiologia E Prevenzione, 2015, 39, 108-14. | 1.1 | 3 |
| 207 | Re: Efficacy of Breast Cancer Screening in the Community According to Risk Level. Journal of the National Cancer Institute, 2005, 97, 1704-1704. | 6.3 | 2 |
| 208 | What is the best screening strategy to detect advanced colorectal adenomas? Simulation from ongoing Italian screening experiences. Tumori, 2011, 97, 547-550. | 1.1 | 2 |
| 209 | Does in Situ Melanoma Really come before Invasive Melanoma? Descriptive Epidemiology Questions this Relationship. Tumori, 2011, 97, 257-257. | 1.1 | 2 |
| 210 | Prostate-specific antigen testing in Tyrol, Austria: prostate cancer mortality reduction was supported by an update with mortality data up to 2008. International Journal of Public Health, 2012, 57, 45-47. | 2.3 | 2 |
| 211 | Epidemiology-Based Assessment of Tumor Marker Overordering in Breast Cancer: An Algorithm to Examine Different Disease Conditions. International Journal of Biological Markers, 2017, 32, 471-473. | 1.8 | 2 |
| 212 | Trends in the Prevalence of Cervical Intraepithelial Neoplasia Grade 3 in the District of Florence, Italy. Tumori, 1995, 81, 330-333. | 1.1 | 1 |
| 213 | Debate on colorectal cancer screening by faecal occult blood. Annals of Oncology, 2003, 14, 342-343. | 1.2 | 1 |
| 214 | Meeting Report: Breast Cancer in the Older Woman. Tumori, 2004, 90, 437-445. | 1.1 | 1 |
| 215 | Re: Cost-Effectiveness of Cervical Cancer Screening With Human Papillomavirus DNA Testing and HPV-16,18 Vaccination. Journal of the National Cancer Institute, 2008, 100, 1654-1654. | 6.3 | 1 |
| 216 | Mammographic Screening and Breast Cancer: Florentine Data. Archives of Internal Medicine, 2009, 169, 997. | 3.8 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | PC DETECTION IN MEN WITH INITIAL PSA LEVELS < 3.0 NG/ML. DATA FROM ERSPC 1993-2007. Journal of Urology, 2009, 181, 646. | 0.4 | 1 |
| 218 | Once-Only Sigmoidoscopy Screening for Colorectal Cancer: Incidence and Mortality Follow-up of the Italian Randomized Controlled Trial (SCORE). Gastroenterology, 2011, 140, S-15. | 1.3 | 1 |
| 219 | Article Commentary: Introduction. Journal of Medical Screening, 2012, 19, 3-4. | 2.3 | 1 |
| 220 | Gastric cancer after gastric bypass with fundectomy: The possibility for early diagnosis. International Journal of Surgery Case Reports, 2019, 55, 156-159. | 0.6 | 1 |
| 221 | Measuring interval cancers in populationâ€based screening using different assays of fecal occult blood testing: The district of Florence experience. International Journal of Cancer, 2001, 92, 151-154. | 5.1 | 1 |
| 222 | What is the best screening strategy to detect advanced colorectal adenomas? Simulation from ongoing Italian screening experiences. Tumori, 2011, 97, 547-50. | 1.1 | 1 |
| 223 | Occupation and Cancers of the Lung and Bladder: A Case-Control Study in Bombay. International Journal of Epidemiology, 1993, 22, 1205-1206. | 1.9 | 0 |
| 224 | Pre-operative prediction of invasive vs intraductal breast cancer type: multivariate analysis of the accuracy of clinical and imaging findings. Breast, 2002, 11, 151-155. | 2.2 | 0 |
| 225 | Corrections to "Workgroup III: facilitating screening for colorectal cancer: quality assurance and evaluation. UICC International Workshop on Facilitating Screening for Colorectal Cancer, Oslo, Norway (29 and 30 June 2002)― Annals of Oncology, 2005, 16, 993. | 1.2 | 0 |
| 226 | PD09-04 ESTIMATING THE HARMS AND BENEFITS OF PROSTATE CANCER SCREENING: COMPARING COMMON CLINICAL PRACTICE TO RECOMMENDED GOOD PRACTICE. Journal of Urology, 2016, 195, . | 0.4 | 0 |
| 227 | PD09-01 CORRELATION BETWEEN STAGE SHIFT AND DIFFERENCES IN MORTALITY BETWEEN THE TWO STUDY ARMS OF THE ERSPC Journal of Urology, 2016, 195, . | 0.4 | 0 |
| 228 | Towards evidence-based follow-up intervals for breast cancer survivors: Estimates of the preclinical detectable phase of contralateral second breast cancer. Breast, 2019, 45, 70-74. | 2.2 | 0 |