

Marco Zappa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5557405/publications.pdf>

Version: 2024-02-01

228
papers

17,563
citations

41344

49
h-index

14759

127
g-index

248
all docs

248
docs citations

248
times ranked

14637
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Follow-up of the Italian Flexible Sigmoidoscopy Screening Trial. <i>Annals of Internal Medicine</i> , 2022, 175, 36-45.	3.9	25
2	Prognostic selection and long-term survival analysis to assess overdiagnosis risk in lung cancer screening randomized trials. <i>Journal of Medical Screening</i> , 2021, 28, 39-47.	2.3	6
3	A Retrospective Cohort Study of Young Women Spontaneously Choosing to Be Vaccinated against HPV: Outcomes from Their First Cervical Cancer Screening Test. <i>Viruses</i> , 2021, 13, 486.	3.3	3
4	Moderate-severe coronary calcification predicts long-term cardiovascular death in CT lung cancer screening: The ITALUNG trial. <i>European Journal of Radiology</i> , 2021, 145, 110040.	2.6	11
5	Synthetic indicator of the impact of colorectal cancer screening programmes on incidence rates. <i>Gut</i> , 2020, 69, 311-316.	12.1	6
6	Faecal haemoglobin concentration among subjects with negative FIT results is associated with the detection rate of neoplasia at subsequent rounds: a prospective study in the context of population based screening programmes in Italy. <i>Gut</i> , 2020, 69, 523-530.	12.1	33
7	Smoking Cessation in the ITALUNG Lung Cancer Screening: What Does "Teachable Moment" Mean?. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1484-1491.	2.6	38
8	A standardized use of intraoperative anastomotic testing in colorectal surgery in the new millennium: is technology taking over? A systematic review and network meta-analysis. <i>Techniques in Coloproctology</i> , 2019, 23, 625-631.	1.8	31
9	Decreased cardiovascular mortality in the ITALUNG lung cancer screening trial: Analysis of underlying factors. <i>Lung Cancer</i> , 2019, 138, 72-78.	2.0	15
10	Associations between cervical, breast and colorectal cancer screening uptake, chronic diseases and health-related behaviours: Data from the Italian PASSI nationwide surveillance. <i>Preventive Medicine</i> , 2019, 120, 60-70.	3.4	17
11	Towards evidence-based follow-up intervals for breast cancer survivors: Estimates of the preclinical detectable phase of contralateral second breast cancer. <i>Breast</i> , 2019, 45, 70-74.	2.2	0
12	A 16-yr Follow-up of the European Randomized study of Screening for Prostate Cancer. <i>European Urology</i> , 2019, 76, 43-51.	1.9	359
13	Gastric cancer after gastric bypass with fundectomy: The possibility for early diagnosis. <i>International Journal of Surgery Case Reports</i> , 2019, 55, 156-159.	0.6	1
14	Impact of screening programme using the faecal immunochemical test on stage of colorectal cancer: Results from the IMPATTO study. <i>International Journal of Cancer</i> , 2019, 145, 110-121.	5.1	25
15	Patients' experience of screening CT colonography with reduced and full bowel preparation in a randomised trial. <i>European Radiology</i> , 2019, 29, 2457-2464.	4.5	15
16	Laparoscopic Gastric Bypass with Fundectomy and Gastric Remnant Exploration (LRYGBfse): Results at 5-Year Follow-up. <i>Obesity Surgery</i> , 2018, 28, 2626-2633.	2.1	11
17	Does low-dose aspirin use for cardiovascular disease prevention reduce colorectal cancer deaths? A comparison of two cohorts in the Florence district, Italy. <i>European Journal of Cancer Prevention</i> , 2018, 27, 134-139.	1.3	8
18	Invitation coverage and participation in Italian cervical, breast and colorectal cancer screening programmes. <i>Journal of Medical Screening</i> , 2018, 25, 17-23.	2.3	16

#	ARTICLE	IF	CITATIONS
19	Cost analysis of colorectal cancer screening with CT colonography in Italy. <i>European Journal of Health Economics</i> , 2018, 19, 735-746.	2.8	5
20	The efficacy of prostate-specific antigen screening: Impact of key components in the ERSPC and PLCO trials. <i>Cancer</i> , 2018, 124, 1197-1206.	4.1	56
21	Faecal immunochemical test in subjects not attending screening computed tomography colonography and colonoscopy in a randomized trial. <i>European Journal of Cancer Prevention</i> , 2018, 27, 105-109.	1.3	4
22	Geographical and socioeconomic differences in uptake of Pap test and mammography in Italy: results from the National Health Interview Survey. <i>BMJ Open</i> , 2018, 8, e021653.	1.9	25
23	Monitoring vaccine and non-vaccine HPV type prevalence in the post-vaccination era in women living in the Basilicata region, Italy. <i>BMC Infectious Diseases</i> , 2018, 18, 38.	2.9	35
24	Volumetric breast density and risk of advanced cancers after a negative screening episode: a cohort study. <i>Breast Cancer Research</i> , 2018, 20, 95.	5.0	13
25	Assessment of viral methylation levels for high risk HPV types by newly designed consensus primers PCR and pyrosequencing. <i>PLoS ONE</i> , 2018, 13, e0194619.	2.5	7
26	Detection rate and predictive factors of sessile serrated polyps in an organised colorectal cancer screening programme with immunochemical faecal occult blood test: the EQUIPE study (Evaluating Tj ETQq0 0 0 rg 21/Overlook 10 Tf 5	2.1	8
27	Advanced breast cancer rates in the epoch of service screening: The 400,000 women cohort study from Italy. <i>European Journal of Cancer</i> , 2017, 75, 109-116.	2.8	50
28	Vertical Gastric Bypass with Fundectomy: Feasibility and 2-Year Follow-Up in a Series of Morbidly Obese Patients. <i>Obesity Surgery</i> , 2017, 27, 2145-2150.	2.1	8
29	Indicators of inappropriate tumour marker use through the mining of electronic health records. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 895-902.	1.8	5
30	Digital breast tomosynthesis (DBT): recommendations from the Italian College of Breast Radiologists (ICBR) by the Italian Society of Medical Radiology (SIRM) and the Italian Group for Mammography Screening (GISMa). <i>Radiologia Medica</i> , 2017, 122, 723-730.	7.7	18
31	Mortality, survival and incidence rates in the ITALUNG randomised lung cancer screening trial. <i>Thorax</i> , 2017, 72, 825-831.	5.6	221
32	Reconciling the Effects of Screening on Prostate Cancer Mortality in the ERSPC and PLCO Trials. <i>Annals of Internal Medicine</i> , 2017, 167, 449.	3.9	160
33	Impact of a new sampling buffer on faecal haemoglobin stability in a colorectal cancer screening programme by the faecal immunochemical test. <i>European Journal of Cancer Prevention</i> , 2017, 26, 285-291.	1.3	11
34	Impact of cause of death adjudication on the results of the European prostate cancer screening trial. <i>British Journal of Cancer</i> , 2017, 116, 141-148.	6.4	11
35	Design-corrected variation by centre in mortality reduction in the ERSPC randomised prostate cancer screening trial. <i>Journal of Medical Screening</i> , 2017, 24, 98-103.	2.3	5
36	Prospective Comparison and Quality of Life for Single-Incision and Conventional Laparoscopic Sleeve Gastrectomy in a Series of Morbidly Obese Patients. <i>Obesity Surgery</i> , 2017, 27, 681-687.	2.1	37

#	ARTICLE	IF	CITATIONS
37	Cervical cancer screening in women vaccinated against human papillomavirus infection: Recommendations from a consensus conference. <i>Preventive Medicine</i> , 2017, 98, 21-30.	3.4	49
38	Epidemiology-Based Assessment of Tumor Marker Overordering in Breast Cancer: An Algorithm to Examine Different Disease Conditions. <i>International Journal of Biological Markers</i> , 2017, 32, 471-473.	1.8	2
39	Guidance for faecal occult blood testing: quantitative immunochemical method (FIT-HB) in colorectal cancer screening programmes. <i>Epidemiologia E Prevenzione</i> , 2017, 41, 1-31.	1.1	49
40	Subcapsular hepatic haematoma of the right lobe following endoscopic retrograde cholangiopancreatography: Case report and literature review. <i>World Journal of Gastroenterology</i> , 2016, 22, 4411.	3.3	27
41	PD09-04 ESTIMATING THE HARMS AND BENEFITS OF PROSTATE CANCER SCREENING: COMPARING COMMON CLINICAL PRACTICE TO RECOMMENDED GOOD PRACTICE. <i>Journal of Urology</i> , 2016, 195, .	0.4	0
42	Splenic rupture following colonoscopy: Case report and literature review. <i>International Journal of Surgery Case Reports</i> , 2016, 21, 118-120.	0.6	16
43	PD09-01 CORRELATION BETWEEN STAGE SHIFT AND DIFFERENCES IN MORTALITY BETWEEN THE TWO STUDY ARMS OF THE ERSPC... <i>Journal of Urology</i> , 2016, 195, .	0.4	0
44	Effectiveness of HPV vaccination in women reaching screening age in Italy. <i>Journal of Clinical Virology</i> , 2016, 84, 74-81.	3.1	11
45	Correlation between stage shift and differences in mortality in the European Randomised study of Screening for Prostate Cancer (ERSPC). <i>BJU International</i> , 2016, 118, 677-680.	2.5	9
46	Estimating the harms and benefits of prostate cancer screening as used in common practice versus recommended good practice: A microsimulation screening analysis. <i>Cancer</i> , 2016, 122, 3386-3393.	4.1	23
47	Impact of variations in triage cytology interpretation on human papillomavirus-based cervical screening and implications for screening algorithms. <i>European Journal of Cancer</i> , 2016, 68, 148-155.	2.8	37
48	Reduced and Full-Preparation CT Colonography, Fecal Immunochemical Test, and Colonoscopy for Population Screening of Colorectal Cancer: A Randomized Trial. <i>Journal of the National Cancer Institute</i> , 2016, 108, djv319.	6.3	70
49	An epidemiology-based model as a tool to monitor the outbreak of inappropriateness in tumor marker requests: a national scale study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 473-82.	2.3	19
50	Appropriateness of endoscopic surveillance recommendations in organised colorectal cancer screening programmes based on the faecal immunochemical test. <i>Gut</i> , 2016, 65, 1822-1828.	12.1	25
51	Absolute Effect of Prostate Cancer Screening: Balance of Benefits and Harms by Center within the European Randomized Study of Prostate Cancer Screening. <i>Clinical Cancer Research</i> , 2016, 22, 243-249.	7.0	35
52	Quality of colonoscopy in an organised colorectal cancer screening programme with immunochemical faecal occult blood test: the EQUiPE study (Evaluating Quality Indicators of the) <i>Tj ETQq0 0 0 rgBT40 Overlock81 Tf 50</i>		
53	HPV prevalence and risk of pre-cancer and cancer in regular immigrants in Italy: results from HPV DNA test-based screening pilot programs. <i>Infectious Agents and Cancer</i> , 2015, 10, 14.	2.6	8
54	Cost-effectiveness of Prostate Cancer Screening: A Simulation Study Based on ERSPC Data. <i>Journal of the National Cancer Institute</i> , 2015, 107, 366.	6.3	120

#	ARTICLE	IF	CITATIONS
55	Changes in cervical cancer incidence following the introduction of organized screening in Italy. Preventive Medicine, 2015, 75, 56-63.	3.4	35
56	Metastatic Prostate Cancer Incidence and Prostate-specific Antigen Testing: New Insights from the European Randomized Study of Screening for Prostate Cancer. European Urology, 2015, 68, 885-890.	1.9	111
57	Impact of Screening Program on Incidence of Colorectal Cancer: A Cohort Study in Italy. American Journal of Gastroenterology, 2015, 110, 1359-1366.	0.4	110
58	Colorectal cancer screening of immigrants to Italy. Figures from the 2013 National Survey. Preventive Medicine, 2015, 81, 132-137.	3.4	16
59	Participation and Risk of High Grade Cytological Lesions Among Immigrants and Italian-Born Women in an Organized Cervical Cancer Screening Program in Central Italy. Journal of Immigrant and Minority Health, 2015, 17, 670-678.	1.6	13
60	The diffusion of screening programmes in Italy, years 2011-2012. Epidemiologia E Prevenzione, 2015, 39, 5-8.	1.1	5
61	Cancer screening uptake: association with individual characteristics, geographic distribution, and time trends in Italy. Epidemiologia E Prevenzione, 2015, 39, 9-18.	1.1	24
62	Mammographic breast cancer screening in Italy: 2011-2012 survey. Epidemiologia E Prevenzione, 2015, 39, 21-9.	1.1	4
63	Extension of organized cervical cancer screening programmes in Italy and their process indicators, 2011-2012 activity. Epidemiologia E Prevenzione, 2015, 39, 61-76.	1.1	10
64	A first survey of HPV-based screening in routine cervical cancer screening in Italy. Epidemiologia E Prevenzione, 2015, 39, 77-83.	1.1	21
65	Screening for colorectal cancer in Italy: 2011-2012 survey. Epidemiologia E Prevenzione, 2015, 39, 93-107.	1.1	17
66	Screening for colorectal cancer in Italy: 2011-2012 survey. Epidemiologia E Prevenzione, 2015, 39, 108-114.	1.1	3
67	Screening for colorectal cancer in Italy: 2011-2012 survey. Epidemiologia E Prevenzione, 2015, 39, 115-25.	1.1	16
68	An epidemiology-based model to estimate the rate of inappropriateness of tumor marker requests. Clinical Chemistry and Laboratory Medicine, 2014, 52, 889-97.	2.3	7
69	Efficacy of HPV-based screening for prevention of invasive cervical cancer: follow-up of four European randomised controlled trials. Lancet, The, 2014, 383, 524-532.	13.7	1,282
70	Breast cancer mortality trends in Italy by region and screening programme, 1980-2008. Journal of Medical Screening, 2014, 21, 189-193.	2.3	3
71	Screening and prostate cancer mortality: results of the European Randomised Study of Screening for Prostate Cancer (ERSPC) at 13 years of follow-up. Lancet, The, 2014, 384, 2027-2035.	13.7	1,261
72	Age and geographic variability of human papillomavirus high-risk genotype distribution in a large unvaccinated population and of vaccination impact on HPV prevalence. Journal of Clinical Virology, 2014, 60, 257-263.	3.1	25

#	ARTICLE	IF	CITATIONS
73	The impact of immunochemical faecal occult blood testing on colorectal cancer incidence. <i>Digestive and Liver Disease</i> , 2014, 46, 82-86.	0.9	105
74	A Different Method of Evaluation of the ERSPC Trial Confirms That Prostate-specific Antigen Testing Has a Significant Impact on Prostate Cancer Mortality. <i>European Urology</i> , 2014, 66, 401-403.	1.9	14
75	Screening for colorectal cancer with FOBT, virtual colonoscopy and optical colonoscopy: study protocol for a randomized controlled trial in the Florence district (SAVE study). <i>Trials</i> , 2013, 14, 74.	1.6	27
76	Screening patterns within organized programs and survival of Italian women with invasive cervical cancer. <i>Preventive Medicine</i> , 2013, 57, 220-226.	3.4	37
77	Re: Lead time and down-staging in the survival of cervical cancer cases detected by screening. <i>Preventive Medicine</i> , 2013, 57, 404-405.	3.4	4
78	Computed tomographic colonography in subjects with positive faecal occult blood test refusing optical colonoscopy. <i>Digestive and Liver Disease</i> , 2013, 45, 285-289.	0.9	19
79	Impacts of a population-based prostate cancer screening programme on excess total mortality rates in men with prostate cancer: a randomized controlled trial. <i>Journal of Medical Screening</i> , 2013, 20, 33-38.	2.3	18
80	Excess all-cause mortality in the evaluation of a screening trial to account for selective participation. <i>Journal of Medical Screening</i> , 2013, 20, 39-45.	2.3	11
81	Decreasing incidence of late-stage breast cancer after the introduction of organized mammography screening in Italy. <i>Cancer</i> , 2013, 119, 2022-2028.	4.1	51
82	hr-HPV testing in the follow-up of women with cytological abnormalities and negative colposcopy. <i>British Journal of Cancer</i> , 2013, 109, 1766-1774.	6.4	14
83	Impacts of a population-based prostate cancer screening programme on excess total mortality rates in men with prostate cancer: a randomized controlled trial. <i>Journal of Medical Screening</i> , 2013, 20, 33-38.	2.3	8
84	European guidelines for quality assurance in colorectal cancer screening and diagnosis: Overview and introduction to the full Supplement publication. <i>Endoscopy</i> , 2012, 45, 51-59.	1.8	356
85	Overdiagnosis in Mammographic Screening for Breast Cancer in Europe: A Literature Review. <i>Journal of Medical Screening</i> , 2012, 19, 42-56.	2.3	338
86	European guidelines for quality assurance in colorectal cancer screening and diagnosis. " First Edition Faecal occult blood testing. <i>Endoscopy</i> , 2012, 44, SE65-SE87.	1.8	61
87	HPV Testing Is an Efficient Management Choice for Women With Inadequate Liquid-Based Cytology in Cervical Cancer Screening. <i>American Journal of Clinical Pathology</i> , 2012, 138, 65-71.	0.7	11
88	Does an organised screening programme reduce the inequalities in breast cancer survival?. <i>Annals of Oncology</i> , 2012, 23, 319-323.	1.2	31
89	Quality-of-Life Effects of Prostate-Specific Antigen Screening. <i>New England Journal of Medicine</i> , 2012, 367, 595-605.	27.0	364
90	Changes in incidence, survival and mortality of prostate cancer in Europe and the United States in the PSA era: additional diagnoses and avoided deaths. <i>Annals of Oncology</i> , 2012, 23, 1325-1334.	1.2	90

#	ARTICLE	IF	CITATIONS
91	Breast cancer screening: are we seeing the benefit?. BMC Medicine, 2012, 10, 106.	5.5	25
92	Prostate-Cancer Mortality at 11 Years of Follow-up. New England Journal of Medicine, 2012, 366, 981-990.	27.0	1,105
93	Familial risk of colorectal cancer in subjects attending an organised screening programme. Digestive and Liver Disease, 2012, 44, 80-83.	0.9	11
94	Article Commentary: Introduction. Journal of Medical Screening, 2012, 19, 3-4.	2.3	1
95	Towards an Optimal Interval for Prostate Cancer Screening. European Urology, 2012, 61, 171-176.	1.9	27
96	Balancing harms and benefits of service mammography screening programs: a cohort study. Breast Cancer Research, 2012, 14, R9.	5.0	38
97	Prostate-specific antigen testing in Tyrol, Austria: prostate cancer mortality reduction was supported by an update with mortality data up to 2008. International Journal of Public Health, 2012, 57, 45-47.	2.3	2
98	Determinants of health-related quality of life in morbid obese candidates to gastric banding. Eating and Weight Disorders, 2012, 17, e93-100.	2.5	8
99	Once-Only Sigmoidoscopy Screening for Colorectal Cancer: Incidence and Mortality Follow-up of the Italian Randomized Controlled Trial (SCORE). Gastroenterology, 2011, 140, S-15.	1.3	1
100	Effect of population-based screening on breast cancer mortality. Lancet, The, 2011, 378, 1775-1776.	18.7	32
101	What is the best screening strategy to detect advanced colorectal adenomas? Simulation from ongoing Italian screening experiences. Tumori, 2011, 97, 547-550.	1.1	2
102	Does in Situ Melanoma Really come before Invasive Melanoma? Descriptive Epidemiology Questions this Relationship. Tumori, 2011, 97, 257-257.	1.1	2
103	Female Breast Cancer Status According to ER, PR and HER2 Expression: A Population Based Analysis. Pathology and Oncology Research, 2011, 17, 753-758.	1.9	47
104	More on Screening Mammography. New England Journal of Medicine, 2011, 364, 281-286.	27.0	10
105	High sensitivity of five colorectal screening programmes with faecal immunochemical test in the Veneto Region, Italy. Gut, 2011, 60, 944-949.	12.1	58
106	Once-Only Sigmoidoscopy in Colorectal Cancer Screening: Follow-up Findings of the Italian Randomized Controlled Trial-SCORE. Journal of the National Cancer Institute, 2011, 103, 1310-1322.	6.3	539
107	Acceptability and side-effects of colonoscopy and sigmoidoscopy in a screening setting. Journal of Medical Screening, 2011, 18, 128-134.	2.3	73
108	The diffusion of screening programmes in Italy, year 2009. Epidemiologia E Prevenzione, 2011, 35, 3-7.	1.1	8

#	ARTICLE	IF	CITATIONS
109	What is the best screening strategy to detect advanced colorectal adenomas? Simulation from ongoing Italian screening experiences. <i>Tumori</i> , 2011, 97, 547-50.	1.1	1
110	Colorectal cancer incidence rates have decreased in central Italy. <i>European Journal of Cancer Prevention</i> , 2010, 19, 424-425.	1.3	13
111	Laparoscopic adjustable gastric banding via pars flaccida versus perigastric positioning: technique, complications, and results in 2,549 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010, 24, 1519-1523.	2.4	67
112	CT colonography before colonoscopy in subjects with positive faecal occult blood test. Preliminary experience. <i>Radiologia Medica</i> , 2010, 115, 1267-1278.	7.7	13
113	Human papillomavirus infection and risk factors in a cohort of Tuscan women aged 18-24: results at recruitment. <i>BMC Infectious Diseases</i> , 2010, 10, 157.	2.9	25
114	Risk of Invasive Cervical Cancer and Cervical Intraepithelial Neoplasia Grade Iii in Central Italy by Area of Birth. <i>Journal of Medical Screening</i> , 2010, 17, 87-90.	2.3	7
115	Prostate Cancer Incidence Rates Have Started to Decrease in Central Italy. <i>Journal of Medical Screening</i> , 2010, 17, 50-51.	2.3	10
116	Is human papillomavirus screening preferable to current policies in vaccinated and unvaccinated women? A cost-effectiveness analysis. <i>Journal of Medical Screening</i> , 2010, 17, 181-189.	2.3	20
117	Influence of seasonal variations in ambient temperatures on performance of immunochemical faecal occult blood test for colorectal cancer screening: observational study from the Florence district. <i>Gut</i> , 2010, 59, 1511-1515.	12.1	90
118	PSA levels and cancer detection rate by centre in the European Randomized Study of Screening for Prostate Cancer. <i>European Journal of Cancer</i> , 2010, 46, 3053-3060.	2.8	18
119	Efficacy of human papillomavirus testing for the detection of invasive cervical cancers and cervical intraepithelial neoplasia: a randomised controlled trial. <i>Lancet Oncology</i> , The, 2010, 11, 249-257.	10.7	797
120	The thickness of melanomas has decreased in central Italy, but only for thin melanomas, while thick melanomas are as thick as in the past. <i>Melanoma Research</i> , 2010, 20, 422-426.	1.2	45
121	Mammography screening in Italy: 2008 survey. <i>Epidemiologia E Prevenzione</i> , 2010, 34, 9-25.	1.1	6
122	Re: Cervical Intraepithelial Neoplasia Outcomes After Treatment: Long-term Follow-up From the British Columbia Cohort Study. <i>Journal of the National Cancer Institute</i> , 2009, 101, 1429-1430.	6.3	4
123	Mammographic Screening and Breast Cancer: Florentine Data. <i>Archives of Internal Medicine</i> , 2009, 169, 997.	3.8	1
124	Protein Kinase A Regulatory Subunits in Human Adipose Tissue. <i>Diabetes</i> , 2009, 58, 620-626.	0.6	39
125	Prostate Cancer Mortality Reduction by Prostate-Specific Antigen-Based Screening Adjusted for Nonattendance and Contamination in the European Randomised Study of Screening for Prostate Cancer (ERSPC). <i>European Urology</i> , 2009, 56, 584-591.	1.9	180
126	Immunochemical faecal occult blood test: number of samples and positivity cutoff. What is the best strategy for colorectal cancer screening?. <i>British Journal of Cancer</i> , 2009, 100, 259-265.	6.4	82

#	ARTICLE	IF	CITATIONS
127	Prevalence and correlates of pulmonary emphysema in smokers and former smokers. A densitometric study of participants in the ITALUNG trial. <i>European Radiology</i> , 2009, 19, 58-66.	4.5	49
128	An estimate of overdiagnosis 15 years after the start of mammographic screening in Florence. <i>European Journal of Cancer</i> , 2009, 45, 3166-3171.	2.8	68
129	Screening and Prostate-Cancer Mortality in a Randomized European Study. <i>New England Journal of Medicine</i> , 2009, 360, 1320-1328.	27.0	3,540
130	PC DETECTION IN MEN WITH INITIAL PSA LEVELS < 3.0 NG/ML. DATA FROM ERSPC 1993- 2007. <i>Journal of Urology</i> , 2009, 181, 646.	0.4	1
131	Do women ≥45 years of age need as much screening as women <50 years after they have had negative screening results?. <i>British Journal of Cancer</i> , 2008, 99, 239-244.	6.4	9
132	Effectiveness of service screening: a case-control study to assess breast cancer mortality reduction. <i>British Journal of Cancer</i> , 2008, 99, 423-427.	6.4	75
133	Cost evaluation in a colorectal cancer screening programme by faecal occult blood test in the District of Florence. <i>Journal of Medical Screening</i> , 2008, 15, 175-181.	2.3	26
134	Evaluation of service mammography screening impact in Italy. The contribution of hazard analysis. <i>European Journal of Cancer</i> , 2008, 44, 858-865.	2.8	10
135	Increased Expression and Activity of the Transcription Factor FOXO1 in Nonalcoholic Steatohepatitis. <i>Diabetes</i> , 2008, 57, 1355-1362.	0.6	163
136	Re: Cost-Effectiveness of Cervical Cancer Screening With Human Papillomavirus DNA Testing and HPV-16,18 Vaccination. <i>Journal of the National Cancer Institute</i> , 2008, 100, 1654-1654.	6.3	1
137	Results at Recruitment From a Randomized Controlled Trial Comparing Human Papillomavirus Testing Alone With Conventional Cytology as the Primary Cervical Cancer Screening Test. <i>Journal of the National Cancer Institute</i> , 2008, 100, 492-501.	6.3	259
138	Colorectal Cancer Mortality in Two Areas of Tuscany With Different Screening Exposures. <i>Journal of the National Cancer Institute</i> , 2008, 100, 1818-1821.	6.3	29
139	Comparison of the Conventional Cervical Smear and Liquid-Based Cytology. <i>Acta Cytologica</i> , 2008, 52, 568-574.	1.3	12
140	PSA Use and Incidence of Prostate Biopsy in the Tuscany Region: Is Opportunistic Screening Discounting Biopsy in Subjects with PSA Elevation?. <i>Tumori</i> , 2008, 94, 518-522.	1.1	8
141	Screening for colorectal cancer in Italy: 2006 survey. <i>Epidemiologia E Prevenzione</i> , 2008, 32, 55-68.	1.1	16
142	Sensitivity of latex agglutination faecal occult blood test in the Florence District population-based colorectal cancer screening programme. <i>British Journal of Cancer</i> , 2007, 96, 1750-1754.	6.4	29
143	Agreement between the AMPLICOR Human Papillomavirus Test and the Hybrid Capture 2 Assay in Detection of High-Risk Human Papillomavirus and Diagnosis of Biopsy-Confirmed High-Grade Cervical Disease. <i>Journal of Clinical Microbiology</i> , 2007, 45, 364-369.	3.9	35
144	Effects of the Beach Chair Position, Positive End-expiratory Pressure, and Pneumoperitoneum on Respiratory Function in Morbidly Obese Patients during Anesthesia and Paralysis. <i>Anesthesiology</i> , 2007, 107, 725-732.	2.5	116

#	ARTICLE	IF	CITATIONS
145	The cytological screening turned out effective also for adenocarcinoma: a population-based caseâ€“control study in Trento, Italy. <i>European Journal of Cancer Prevention</i> , 2007, 16, 564-567.	1.3	11
146	Comparing Attendance and Detection Rate of Colonoscopy With Sigmoidoscopy and FIT for Colorectal Cancer Screening. <i>Gastroenterology</i> , 2007, 132, 2304-2312.	1.3	241
147	Gastric cancer after positive screening faecal occult blood testing and negative assessment. <i>Digestive and Liver Disease</i> , 2007, 39, 321-326.	0.9	26
148	Breast Cancer Diagnostic Methods: Screen-Detected and Clinical Cases. An Italian Survey of Women's Experiences. <i>Tumori</i> , 2007, 93, 452-460.	1.1	3
149	The impact of new technologies in cervical cancer screening: Results of the recruitment phase of a large randomised controlled trial from a public health perspective. <i>International Journal of Cancer</i> , 2007, 121, 2729-2734.	5.1	10
150	The value of different screening tests in predicting prostate biopsy outcome in screening for prostate cancer data from a multicenter study (ERSPC). <i>Prostate</i> , 2007, 67, 439-446.	2.3	27
151	Association of FOBT-assessed faecal Hb content with colonic lesions detected in the Florence screening programme. <i>British Journal of Cancer</i> , 2007, 96, 218-221.	6.4	81
152	The New Technologies for Cervical Cancer Screening randomised controlled trial. An overview of results during the first phase of recruitment. <i>Gynecologic Oncology</i> , 2007, 107, S230-S232.	1.4	17
153	Human Papillomavirus Testing and Liquid-Based Cytology: Results at Recruitment From the New Technologies for Cervical Cancer Randomized Controlled Trial. <i>Journal of the National Cancer Institute</i> , 2006, 98, 765-774.	6.3	275
154	Prostate cancer specific mortality in the Florence screening pilot study cohort 1992â€“1993. <i>European Journal of Cancer</i> , 2006, 42, 1858-1862.	2.8	8
155	Mortality Among Discharged Psychiatric Patients in Florence, Italy. <i>Psychiatric Services</i> , 2006, 57, 1474-1481.	2.0	30
156	Prevention of Pouch Dilatation after Laparoscopic Adjustable Gastric Banding. <i>Obesity Surgery</i> , 2006, 16, 132-136.	2.1	34
157	An Unusual Complication of Gastric Banding: Recurrent Small Bowel Obstruction Caused by the Connecting Tube. <i>Obesity Surgery</i> , 2006, 16, 939-941.	2.1	40
158	Histologic Study of Tissue Reaction to the Gastric Band: Does it Contribute to the Problem of Band Erosion?. <i>Obesity Surgery</i> , 2006, 16, 1155-1159.	2.1	30
159	History of negative colorectal endoscopy and risk of rectosigmoid neoplasms at screening flexible sigmoidoscopy. <i>International Journal of Colorectal Disease</i> , 2006, 21, 105-113.	2.2	7
160	Risk-Benefit Analysis of X-Ray Exposure Associated with Lung Cancer Screening in the Italung-CT Trial. <i>American Journal of Roentgenology</i> , 2006, 187, 421-429.	2.2	65
161	Prognostic Significance of p53 and Ki-67 Antigen Expression in Surgically Treated Nonâ€“Small Cell Lung Cancer. <i>American Journal of Clinical Pathology</i> , 2006, 125, 425-431.	0.7	22
162	"Does Fecal Occult Blood Testing Really Reduce Mortality? A Reanalysis of Systematic Review Data." By Moayyedi P and Achkar E.. <i>American Journal of Gastroenterology</i> , 2006, 101, 2433-2433.	0.4	3

#	ARTICLE	IF	CITATIONS
163	Evaluation of diagnostic accuracy of screening by fecal occult blood testing (FOBT). Comparison of FOB Gold and OC Sensor assays in a consecutive prospective screening series. <i>International Journal of Biological Markers</i> , 2006, 21, 157-161.	1.8	17
164	Different Kinetics of Immunologic Recovery Using Nelfinavir or Lopinavir/Ritonavir-Based Regimens in Children with Perinatal HIV-1 Infection. <i>International Journal of Immunopathology and Pharmacology</i> , 2005, 18, 729-735.	2.1	10
165	Corrections to "Workgroup III: facilitating screening for colorectal cancer: quality assurance and evaluation. UICC International Workshop on Facilitating Screening for Colorectal Cancer, Oslo, Norway (29 and 30 June 2002)". <i>Annals of Oncology</i> , 2005, 16, 993.	1.2	0
166	Re: Efficacy of Breast Cancer Screening in the Community According to Risk Level. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1704-1704.	6.3	2
167	Re: Efficacy of Breast Cancer Screening in the Community According to Risk Level. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1703-1703.	6.3	3
168	Incidence Trends of Adenocarcinoma of the Cervix in 13 European Countries. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2191-2199.	2.5	314
169	Randomized Trial of Different Screening Strategies for Colorectal Cancer: Patient Response and Detection Rates. <i>Journal of the National Cancer Institute</i> , 2005, 97, 347-357.	6.3	178
170	Re: Role of Detection Method in Predicting Breast Cancer Survival: Analysis of Randomized Screening Trials. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1853-1854.	6.3	4
171	Determining overdiagnosis by screening with DRE/TRUS or PSA (Florence pilot studies, 1991-1994). <i>European Journal of Cancer</i> , 2005, 41, 411-415.	2.8	32
172	Early diagnosis, not differential treatment, explains better survival in service screening. <i>European Journal of Cancer</i> , 2005, 41, 2728-2734.	2.8	42
173	Meeting Report: Breast Cancer in the Older Woman. <i>Tumori</i> , 2004, 90, 437-445.	1.1	1
174	Benign Breast Diseases in Breast Cancer Screening Programs in Italy (2000-2001). <i>Tumori</i> , 2004, 90, 547-549.	1.1	4
175	Persistent Human Papilloma Virus Infection as an Indicator of Risk of Recurrence of High-Grade Cervical Intraepithelial Neoplasia Treated by the Loop Electrosurgical Excision Procedure. <i>Tumori</i> , 2004, 90, 225-228.	1.1	20
176	Lower protection of cytological screening for adenocarcinomas and shorter protection for younger women: the results of a case-control study in Florence. <i>British Journal of Cancer</i> , 2004, 90, 1784-1786.	6.4	87
177	Breast density as a determinant of interval cancer at mammographic screening. <i>British Journal of Cancer</i> , 2004, 90, 393-396.	6.4	115
178	Comparing conventional and liquid-based smears from a consecutive series of 297 subjects referred to colposcopy assessment. <i>Cytopathology</i> , 2004, 15, 168-170.	0.7	6
179	Breast cancer mortality trends in two areas of the province of Florence, Italy, where screening programmes started in the 1970s and 1990s. <i>British Journal of Cancer</i> , 2004, 90, 1780-1783.	6.4	22
180	Increasing trends of cervical adenocarcinoma incidence in Central Italy despite Extensive Screening Programme, 1985-2000. <i>Cancer Detection and Prevention</i> , 2004, 28, 461-464.	2.1	34

#	ARTICLE	IF	CITATIONS
181	Triage with human papillomavirus testing of women with cytologic abnormalities prompting referral for colposcopy assessment. <i>Cancer</i> , 2004, 105, 2-7.	4.1	36
182	Clinical impact (cost-effectiveness) of qualifying atypical squamous cells of undeterminate significance (ASCUS) in cases favoring a reactive or dysplastic process. <i>Diagnostic Cytopathology</i> , 2003, 29, 4-7.	1.0	3
183	A feasibility study of the use of the AutoPap screening system as a primary screening and location-guided rescreening device. <i>Cancer</i> , 2003, 99, 129-134.	4.1	19
184	Mammography screening in elderly women: efficacy and cost-effectiveness. <i>Critical Reviews in Oncology/Hematology</i> , 2003, 46, 235-239.	4.4	14
185	Comparison of standard and double reading and computer-aided detection (CAD) of interval cancers at prior negative screening mammograms: blind review. <i>British Journal of Cancer</i> , 2003, 89, 1645-1649.	6.4	56
186	Debate on colorectal cancer screening by faecal occult blood. <i>Annals of Oncology</i> , 2003, 14, 342-343.	1.2	1
187	Surveillance for endometrial cancer with transvaginal ultrasonography of breast cancer patients under tamoxifen treatment. <i>British Journal of Cancer</i> , 2003, 88, 1175-1179.	6.4	8
188	Exposure to benzene and risk of leukemia among shoe factory workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2003, 29, 51-59.	3.4	28
189	Baseline Findings of the Italian Multicenter Randomized Controlled Trial of "Once-Only Sigmoidoscopy" -SCORE. <i>Journal of the National Cancer Institute</i> , 2002, 94, 1763-1772.	6.3	206
190	Basic variables at different positivity thresholds of a quantitative immunochemical test for faecal occult blood. <i>Journal of Medical Screening</i> , 2002, 9, 99-103.	2.3	57
191	Recurrence after Treatment by Loop Electrosurgical Excision Procedure (LEEP) of High-Grade Cervical Intraepithelial Neoplasia. <i>Tumori</i> , 2002, 88, 478-480.	1.1	17
192	Pre-operative prediction of invasive vs intraductal breast cancer type: multivariate analysis of the accuracy of clinical and imaging findings. <i>Breast</i> , 2002, 11, 151-155.	2.2	0
193	Quantification of the effect of mammographic screening on fatal breast cancers: The Florence Programme 1990-96. <i>British Journal of Cancer</i> , 2002, 87, 65-69.	6.4	69
194	Measuring interval cancers in population-based screening using different assays of fecal occult blood testing: The district of Florence experience. <i>International Journal of Cancer</i> , 2001, 92, 151-154.	5.1	76
195	Incidence of second cancers among women with in situ carcinoma of the breast. <i>Breast</i> , 2001, 10, 438-441.	2.2	4
196	Prostate Cancer: Different Incidence But Not Mortality Trends Within Two Areas of Tuscany, Italy. <i>Journal of the National Cancer Institute</i> , 2001, 93, 876-877.	6.3	17
197	Measuring interval cancers in population-based screening using different assays of fecal occult blood testing: The district of Florence experience. <i>International Journal of Cancer</i> , 2001, 92, 151-154.	5.1	1
198	Detection of False-Negative Pap Smears using the Papnet System. <i>Tumori</i> , 2000, 86, 455-457.	1.1	3

#	ARTICLE	IF	CITATIONS
199	Colorectal Cancer Screening by Fecal Occult Blood Testing: Results of a Population-Based Experience. Tumori, 2000, 86, 384-388.	1.1	22
200	Screening for colorectal cancer by faecal occult blood test: comparison of immunochemical tests. Journal of Medical Screening, 2000, 7, 35-37.	2.3	41
201	Has the PSA wave already crashed upon us? Changes in the epidemiology of prostate cancer from 1985 to 1994 in central Italy. Annals of Oncology, 1999, 10, 361-362.	1.2	8
202	Biliointestinal Bypass: Another Surgical Option. Obesity Surgery, 1998, 8, 566-569.	2.1	25
203	Ultrasonographic evaluation of the cervical lymph nodes in preoperative staging of esophageal neoplasms. Abdominal Imaging, 1998, 23, 275-277.	2.0	28
204	Asymmetric N-(3,3-diphenylpropyl)aminoalkyl esters of 4-aryl-2,6-dimethyl-1,4-dihydropyridine-3,5-dicarboxylic acids with antihypertensive activity. European Journal of Medicinal Chemistry, 1998, 33, 399-420.	5.5	18
205	Re: Participation in Colorectal Cancer Screening: a Review. Journal of the National Cancer Institute, 1998, 90, 465-465.	6.3	8
206	Overdiagnosis of prostate carcinoma by screening: An estimate based on the results of the Florence Screening Pilot Study. Annals of Oncology, 1998, 9, 1297-1300.	1.2	79
207	A First Survey of Organized Cervical Cancer Screening Programs in Italy. Tumori, 1998, 84, 624-630.	1.1	11
208	Measurement of the Cost of Screening for Cervical Cancer in the District of Florence, Italy. Tumori, 1998, 84, 631-635.	1.1	11
209	Risk of Endometrial Cancer in Breast Cancer Patients under Long-Term Adjuvant Treatment with Tamoxifen. Tumori, 1998, 84, 21-23.	1.1	14
210	Risk of breast cancer subsequent to histological or clinical diagnosis of fibroadenoma - retrospective longitudinal study of 3938 cases. Annals of Oncology, 1997, 8, 297-300.	1.2	25
211	Colposcopy as a Primary Screening test for Cervical Cancer. Tumori, 1997, 83, 810-813.	1.1	12
212	Effect of faecal occult blood testing on colorectal mortality: Results of a population-based case-control study in the district of Florence, Italy. , 1997, 73, 208-210.		74
213	Immunochemical vs guaiac faecal occult blood tests in a population-based screening programme for colorectal cancer. British Journal of Cancer, 1996, 74, 141-144.	6.4	79
214	The detectability of breast cancer by screening mammography. British Journal of Cancer, 1995, 71, 337-339.	6.4	51
215	Trends in the Prevalence of Cervical Intraepithelial Neoplasia Grade 3 in the District of Florence, Italy. Tumori, 1995, 81, 330-333.	1.1	1
216	Comparing Two Modalities of Screening for Prostate Cancer: Digital Rectal Examination + Transrectal Ultrasonography Vs. Prostate-Specific Antigen. Tumori, 1995, 81, 225-229.	1.1	22

#	ARTICLE	IF	CITATIONS
217	A Feasibility Study of Screening for Endometrial Carcinoma in Postmenopausal Women by Ultrasonography. <i>Tumori</i> , 1995, 81, 334-337.	1.1	15
218	Measurement of the Costs in Two Mammographic Screening Programmes in the Province of Florence, Italy. <i>Journal of Medical Screening</i> , 1995, 2, 191-194.	2.3	12
219	Assessment of Lesions Detected at Mammographic Screening: Performance at First or Repeat Screening in the Florence Programme. <i>Journal of Medical Screening</i> , 1994, 1, 188-192.	2.3	13
220	Breast cancer early diagnosis experience in Florence: can a self referral policy achieve the results of service screening?. <i>Journal of Epidemiology and Community Health</i> , 1994, 48, 471-475.	3.7	13
221	Population-based breast cancer survival. Mammographic screening activities in central italy. <i>Cancer</i> , 1994, 74, 3126-3134.	4.1	10
222	Prognostic value of proliferating cell nuclear antigen in lymph node- negative breast cancer patients. <i>Cancer</i> , 1993, 72, 120-125.	4.1	34
223	Occupation and Cancers of the Lung and Bladder: A Case-Control Study in Bombay. <i>International Journal of Epidemiology</i> , 1993, 22, 1205-1206.	1.9	0
224	Lung cancer among textile workers in the Prato area of Italy.. <i>Scandinavian Journal of Work, Environment and Health</i> , 1993, 19, 16-20.	3.4	10
225	Pleural malignant mesothelioma in Tuscany, Italy (1970-1988): II. Identification of occupational exposure to asbestos. <i>American Journal of Industrial Medicine</i> , 1992, 21, 577-585.	2.1	14
226	Further evidence of an excess of risk of pleural malignant mesothelioma in textile workers in Prato (Italy). <i>British Journal of Cancer</i> , 1991, 64, 377-378.	6.4	11
227	Malignant mesothelioma in non-asbestos textile workers in florence. <i>American Journal of Industrial Medicine</i> , 1987, 11, 249-254.	2.1	24
228	An asbestos hazard in the reprocessed textile industry. <i>American Journal of Industrial Medicine</i> , 1987, 11, 255-266.	2.1	33