

Susan Pyne

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5558390/publications.pdf>

Version: 2024-02-01

166
papers

10,654
citations

34493

54
h-index

40945

97
g-index

171
all docs

171
docs citations

171
times ranked

10110
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Validation of highly selective sphingosine kinase 2 inhibitors SLM6031434 and HWG-35D as effective anti-fibrotic treatment options in a mouse model of tubulointerstitial fibrosis. <i>Cellular Signalling</i> , 2021, 79, 109881. | 1.7 | 7 |
| 2 | A new model for regulation of sphingosine kinase 1 translocation to the plasma membrane in breast cancer cells. <i>Journal of Biological Chemistry</i> , 2021, 296, 100674. | 1.6 | 2 |
| 3 | Dihydroceramide Desaturase Functions as an Inducer and Rectifier of Apoptosis: Effect of Retinol Derivatives, Antioxidants and Phenolic Compounds. <i>Cell Biochemistry and Biophysics</i> , 2021, 79, 461-475. | 0.9 | 6 |
| 4 | Interleukin-7 receptor $\hat{\pm}$ mutational activation can initiate precursor B-cell acute lymphoblastic leukemia. <i>Nature Communications</i> , 2021, 12, 7268. | 5.8 | 24 |
| 5 | Structure-function analysis of lipid substrates and inhibitors of sphingosine kinases. <i>Cellular Signalling</i> , 2020, 76, 109806. | 1.7 | 10 |
| 6 | A Novel Selective Sphingosine Kinase 2 Inhibitor, HWG-35D, Ameliorates the Severity of Imiquimod-Induced Psoriasis Model by Blocking Th17 Differentiation of Na ⁺ ve CD4 T Lymphocytes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8371. | 1.8 | 12 |
| 7 | Recent advances in the role of sphingosine 1-phosphate in cancer. <i>FEBS Letters</i> , 2020, 594, 3583-3601. | 1.3 | 35 |
| 8 | Translational pharmacology of an inhaled small molecule $\hat{\pm}$ integrin inhibitor for idiopathic pulmonary fibrosis. <i>Nature Communications</i> , 2020, 11, 4659. | 5.8 | 65 |
| 9 | The regulation of p53, p38 MAPK, JNK and XBP-1s by sphingosine kinases in human embryonic kidney cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020, 1865, 158631. | 1.2 | 1 |
| 10 | Sphingosine Kinase 1 Regulates the Survival of Breast Cancer Stem Cells and Non-stem Breast Cancer Cells by Suppression of STAT1. <i>Cells</i> , 2020, 9, 886. | 1.8 | 23 |
| 11 | THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: Enzymes. <i>British Journal of Pharmacology</i> , 2019, 176, S297-S396. | 2.7 | 423 |
| 12 | Topographical Mapping of Isoform-Selectivity Determinants for J-Channel-Binding Inhibitors of Sphingosine Kinases 1 and 2. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 3658-3676. | 2.9 | 23 |
| 13 | Ceramide and sphingosine 1-phosphate in adipose dysfunction. <i>Progress in Lipid Research</i> , 2019, 74, 145-159. | 5.3 | 30 |
| 14 | Short Periods of Hypoxia Upregulate Sphingosine Kinase 1 and Increase Vasodilation of Arteries to Sphingosine 1-Phosphate (S1P) via S1P ₃ . <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 371, 63-74. | 1.3 | 8 |
| 15 | Requirement for sphingosine kinase 1 in mediating phase 1 of the hypotensive response to anandamide in the anaesthetised mouse. <i>European Journal of Pharmacology</i> , 2019, 842, 1-9. | 1.7 | 9 |
| 16 | Sphingosine Kinases as Druggable Targets. <i>Handbook of Experimental Pharmacology</i> , 2018, 259, 49-76. | 0.9 | 12 |
| 17 | Sphingosine 1-phosphate and cancer. <i>Advances in Biological Regulation</i> , 2018, 68, 97-106. | 1.4 | 82 |
| 18 | Does the Sphingosine 1-Phosphate Receptor-1 Provide a Better or Worse Prognostic Outcome for Breast Cancer Patients?. <i>Frontiers in Oncology</i> , 2018, 8, 417. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Native and Polyubiquitinated Forms of Dihydroceramide Desaturase Are Differentially Linked to Human Embryonic Kidney Cell Survival. <i>Molecular and Cellular Biology</i> , 2018, 38, . | 1.1 | 16 |
| 20 | The sphingosine 1-phosphate receptor 2 is shed in exosomes from breast cancer cells and is N-terminally processed to a short constitutively active form that promotes extracellular signal regulated kinase activation and DNA synthesis in fibroblasts. <i>Oncotarget</i> , 2018, 9, 29453-29467. | 0.8 | 27 |
| 21 | Sphingosine Kinase 2 in Autoimmune/Inflammatory Disease and the Development of Sphingosine Kinase 2 Inhibitors. <i>Trends in Pharmacological Sciences</i> , 2017, 38, 581-591. | 4.0 | 34 |
| 22 | THE CONCISE GUIDE TO PHARMACOLOGY 2017/18: Overview. <i>British Journal of Pharmacology</i> , 2017, 174, S1-S16. | 2.7 | 269 |
| 23 | Sphingosine Kinase 1: A Potential Therapeutic Target in Pulmonary Arterial Hypertension?. <i>Trends in Molecular Medicine</i> , 2017, 23, 786-798. | 3.5 | 23 |
| 24 | Effect of sphingosine kinase modulators on interleukin-1 β release, sphingosine 1-phosphate receptor 1 expression and experimental autoimmune encephalomyelitis. <i>British Journal of Pharmacology</i> , 2017, 174, 210-222. | 2.7 | 8 |
| 25 | Sphingosine 1-Phosphate Receptor 1 Signaling in Mammalian Cells. <i>Molecules</i> , 2017, 22, 344. | 1.7 | 64 |
| 26 | Sphingosine kinase 2 and multiple myeloma. <i>Oncotarget</i> , 2017, 8, 43596-43597. | 0.8 | 3 |
| 27 | Pharmacological Characterization of the α 2 β 6 Integrin Binding and Internalization Kinetics of the Foot-and-Mouth Disease Virus Derived Peptide A20FMDV2. <i>Pharmacology</i> , 2016, 97, 114-125. | 0.9 | 26 |
| 28 | Effect of the sphingosine kinase 1 selective inhibitor, PF-543 on arterial and cardiac remodelling in a hypoxic model of pulmonary arterial hypertension. <i>Cellular Signalling</i> , 2016, 28, 946-955. | 1.7 | 37 |
| 29 | Therapeutic potential of targeting sphingosine kinases and sphingosine 1-phosphate in hematological malignancies. <i>Leukemia</i> , 2016, 30, 2142-2151. | 3.3 | 34 |
| 30 | Sphingosine Kinases: Emerging Structure-Function Insights. <i>Trends in Biochemical Sciences</i> , 2016, 41, 395-409. | 3.7 | 62 |
| 31 | Sphingosine 1-phosphate and sphingosine kinases in health and disease: Recent advances. <i>Progress in Lipid Research</i> , 2016, 62, 93-106. | 5.3 | 153 |
| 32 | Effect of ether glycerol lipids on interleukin-1 β release and experimental autoimmune encephalomyelitis. <i>Chemistry and Physics of Lipids</i> , 2016, 194, 2-11. | 1.5 | 4 |
| 33 | Role of sphingosine 1-phosphate receptors, sphingosine kinases and sphingosine in cancer and inflammation. <i>Advances in Biological Regulation</i> , 2016, 60, 151-159. | 1.4 | 119 |
| 34 | Proteasomal degradation of sphingosine kinase 1 and inhibition of dihydroceramide desaturase by the sphingosine kinase inhibitors, SKi or ABC294640, induces growth arrest in androgen-independent LNCaP-AI prostate cancer cells. <i>Oncotarget</i> , 2016, 7, 16663-16675. | 0.8 | 66 |
| 35 | Resveratrol and its oligomers: modulation of sphingolipid metabolism and signaling in disease. <i>Archives of Toxicology</i> , 2014, 88, 2213-2232. | 1.9 | 16 |
| 36 | Sphingosine kinase 1 enables communication between melanoma cells and fibroblasts that provides a new link to metastasis. <i>Oncogene</i> , 2014, 33, 3361-3363. | 2.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The role of sphingosine 1-phosphate in inflammation and cancer. <i>Advances in Biological Regulation</i> , 2014, 54, 121-129. | 1.4 | 44 |
| 38 | Crystal Structure of Sphingosine Kinase 1 with PF-543. <i>ACS Medicinal Chemistry Letters</i> , 2014, 5, 1329-1333. | 1.8 | 90 |
| 39 | Sphingosine kinase 2 prevents the nuclear translocation of sphingosine 1-phosphate receptor-2 and tyrosine 416 phosphorylated c-Src and increases estrogen receptor negative MDA-MB-231 breast cancer cell growth: The role of sphingosine 1-phosphate receptor-4. <i>Cellular Signalling</i> , 2014, 26, 1040-1047. | 1.7 | 23 |
| 40 | Assessment of the effect of sphingosine kinase inhibitors on apoptosis, unfolded protein response and autophagy of T-cell acute lymphoblastic leukemia cells; indications for novel therapeutics. <i>Oncotarget</i> , 2014, 5, 7886-7901. | 0.8 | 36 |
| 41 | Identification of novel functional and spatial associations between sphingosine kinase 1, sphingosine 1-phosphate receptors and other signaling proteins that affect prognostic outcome in estrogen receptor-positive breast cancer. <i>International Journal of Cancer</i> , 2013, 132, 605-616. | 2.3 | 40 |
| 42 | Sphingosine 1-Phosphate Is a Missing Link between Chronic Inflammation and Colon Cancer. <i>Cancer Cell</i> , 2013, 23, 5-7. | 7.7 | 29 |
| 43 | New Perspectives on the Role of Sphingosine 1-Phosphate in Cancer. <i>Handbook of Experimental Pharmacology</i> , 2013, , 55-71. | 0.9 | 20 |
| 44 | Structure-Activity Relationships and Molecular Modeling of Sphingosine Kinase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 9310-9327. | 2.9 | 43 |
| 45 | The sphingosine kinase inhibitor 2-(p-hydroxyanilino)-4-(p-chlorophenyl)thiazole reduces androgen receptor expression via an oxidative stress-dependent mechanism. <i>British Journal of Pharmacology</i> , 2013, 168, 1497-1505. | 2.7 | 16 |
| 46 | Novel sphingosine-containing analogues selectively inhibit sphingosine kinase (SK) isozymes, induce SK1 proteasomal degradation and reduce DNA synthesis in human pulmonary arterial smooth muscle cells. <i>MedChemComm</i> , 2013, 4, 1394. | 3.5 | 53 |
| 47 | Synthesis of selective inhibitors of sphingosine kinase 1. <i>Chemical Communications</i> , 2013, 49, 2136. | 2.2 | 52 |
| 48 | The roles of sphingosine kinases 1 and 2 in regulating the Warburg effect in prostate cancer cells. <i>Cellular Signalling</i> , 2013, 25, 1011-1017. | 1.7 | 46 |
| 49 | Synthesis of (S)-FTY720 vinylphosphonate analogues and evaluation of their potential as sphingosine kinase 1 inhibitors and activators. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 2503-2510. | 1.4 | 23 |
| 50 | Lipid phosphate phosphatase 3 participates in transport carrier formation and protein trafficking in the early secretory pathway. <i>Journal of Cell Science</i> , 2013, 126, 2641-55. | 1.2 | 32 |
| 51 | Role of sphingosine 1-phosphate and lysophosphatidic acid in fibrosis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 228-238. | 1.2 | 54 |
| 52 | The Roles of Sphingosine Kinase 1 and 2 in Regulating the Metabolome and Survival of Prostate Cancer Cells. <i>Biomolecules</i> , 2013, 3, 316-333. | 1.8 | 13 |
| 53 | Regulation of cell survival by sphingosine-1-phosphate receptor S1P1 via reciprocal ERK-dependent suppression of Bim and PI-3-kinase/protein kinase C-mediated upregulation of Mcl-1. <i>Cell Death and Disease</i> , 2013, 4, e927-e927. | 2.7 | 74 |
| 54 | Expression of sphingosine 1-phosphate receptor 4 and sphingosine kinase 1 is associated with outcome in oestrogen receptor-negative breast cancer. <i>British Journal of Cancer</i> , 2012, 106, 1453-1459. | 2.9 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Sphingosine 1-phosphate receptors and sphingosine kinase 1: novel biomarkers for clinical prognosis in breast, prostate, and hematological cancers. <i>Frontiers in Oncology</i> , 2012, 2, 168. | 1.3 | 37 |
| 56 | Lysolipids: Sphingosine 1-phosphate and lysophosphatidic acid. , 2012, , 85-106. | | 0 |
| 57 | Resveratrol dimers are novel sphingosine kinase 1 inhibitors and affect sphingosine kinase 1 expression and cancer cell growth and survival. <i>British Journal of Pharmacology</i> , 2012, 166, 1605-1616. | 2.7 | 54 |
| 58 | Targeting sphingosine kinase 1 in cancer. <i>Advances in Biological Regulation</i> , 2012, 52, 31-38. | 1.4 | 37 |
| 59 | Inhibition kinetics and regulation of sphingosine kinase 1 expression in prostate cancer cells: Functional differences between sphingosine kinase 1a and 1b. <i>International Journal of Biochemistry and Cell Biology</i> , 2012, 44, 1457-1464. | 1.2 | 36 |
| 60 | Sphingosine 1-phosphate signalling in cancer. <i>Biochemical Society Transactions</i> , 2012, 40, 94-100. | 1.6 | 109 |
| 61 | Translational aspects of sphingosine 1-phosphate biology. <i>Trends in Molecular Medicine</i> , 2011, 17, 463-472. | 3.5 | 66 |
| 62 | Receptor tyrosine kinaseâ€“G-protein-coupled receptor signalling platforms: out of the shadow?. <i>Trends in Pharmacological Sciences</i> , 2011, 32, 443-450. | 4.0 | 105 |
| 63 | Selectivity and Specificity of Sphingosine 1-Phosphate Receptor Ligands: â€œOff-Targetsâ€•or Complex Pharmacology?. <i>Frontiers in Pharmacology</i> , 2011, 2, 26. | 1.6 | 32 |
| 64 | (R)-FTY720 methyl ether is a specific sphingosine kinase 2 inhibitor: Effect on sphingosine kinase 2 expression in HEK 293 cells and actin rearrangement and survival of MCF-7 breast cancer cells. <i>Cellular Signalling</i> , 2011, 23, 1590-1595. | 1.7 | 95 |
| 65 | Sphingosine Kinase Inhibitors and Cancer: Seeking the Golden Sword of Hercules. <i>Cancer Research</i> , 2011, 71, 6576-6582. | 0.4 | 77 |
| 66 | FTY720 Analogues as Sphingosine Kinase 1 Inhibitors. <i>Journal of Biological Chemistry</i> , 2011, 286, 18633-18640. | 1.6 | 107 |
| 67 | Intracellular S1P Generation Is Essential for S1P-Induced Motility of Human Lung Endothelial Cells: Role of Sphingosine Kinase 1 and S1P Lyase. <i>PLoS ONE</i> , 2011, 6, e16571. | 1.1 | 49 |
| 68 | FTY720 and (S)-FTY720 vinylphosphonate inhibit sphingosine kinase 1 and promote its proteasomal degradation in human pulmonary artery smooth muscle, breast cancer and androgen-independent prostate cancer cells. <i>Cellular Signalling</i> , 2010, 22, 1536-1542. | 1.7 | 169 |
| 69 | The sphingosine kinase inhibitor <i>N,N</i> -dimethylsphingosine inhibits neointimal hyperplasia. <i>British Journal of Pharmacology</i> , 2010, 159, 543-553. | 2.7 | 12 |
| 70 | Interaction between anandamide and sphingosineâ€“1-phosphate in mediating vasorelaxation in rat coronary artery. <i>British Journal of Pharmacology</i> , 2010, 161, 176-192. | 2.7 | 30 |
| 71 | Sphingosine Kinase 1 Induces Tolerance to Human Epidermal Growth Factor Receptor 2 and Prevents Formation of a Migratory Phenotype in Response to Sphingosine 1-Phosphate in Estrogen Receptor-Positive Breast Cancer Cells. <i>Molecular and Cellular Biology</i> , 2010, 30, 3827-3841. | 1.1 | 94 |
| 72 | Sphingosine 1-Phosphate Receptor 4 Uses HER2 (ERBB2) to Regulate Extracellular Signal Regulated Kinase-1/2 in MDA-MB-453 Breast Cancer Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 35957-35966. | 1.6 | 72 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Sphingosine 1-phosphate and cancer. <i>Nature Reviews Cancer</i> , 2010, 10, 489-503. | 12.8 | 765 |
| 74 | High Expression of Sphingosine 1-Phosphate Receptors, S1P1 and S1P3, Sphingosine Kinase 1, and Extracellular Signal-Regulated Kinase-1/2 Is Associated with Development of Tamoxifen Resistance in Estrogen Receptor-Positive Breast Cancer Patients. <i>American Journal of Pathology</i> , 2010, 177, 2205-2215. | 1.9 | 156 |
| 75 | The Sphingosine Kinase 1 Inhibitor 2-(p-Hydroxyanilino)-4-(p-chlorophenyl)thiazole Induces Proteasomal Degradation of Sphingosine Kinase 1 in Mammalian Cells*. <i>Journal of Biological Chemistry</i> , 2010, 285, 38841-38852. | 1.6 | 106 |
| 76 | Sphingosine 1-Phosphate Regulation of Extracellular Signal-Regulated Kinase-1/2 in Embryonic Stem Cells. <i>Stem Cells and Development</i> , 2009, 18, 1319-1330. | 1.1 | 41 |
| 77 | Role of sphingosine kinases and lipid phosphate phosphatases in regulating spatial sphingosine 1-phosphate signalling in health and disease. <i>Cellular Signalling</i> , 2009, 21, 14-21. | 1.7 | 124 |
| 78 | The sphingosine 1-phosphate receptor 5 and sphingosine kinases 1 and 2 are localised in centrosomes: Possible role in regulating cell division. <i>Cellular Signalling</i> , 2009, 21, 675-684. | 1.7 | 30 |
| 79 | The sigma1 receptor interacts with N-alkyl amines and endogenous sphingolipids. <i>European Journal of Pharmacology</i> , 2009, 609, 19-26. | 1.7 | 77 |
| 80 | New aspects of sphingosine 1-phosphate signaling in mammalian cells. <i>Advances in Enzyme Regulation</i> , 2009, 49, 214-221. | 2.9 | 28 |
| 81 | Targeting sphingosine-1-phosphate signalling for cardioprotection. <i>Current Opinion in Pharmacology</i> , 2009, 9, 194-201. | 1.7 | 40 |
| 82 | Sphingosine 1-phosphate, lysophosphatidic acid and growth factor signaling and termination. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2008, 1781, 467-476. | 1.2 | 34 |
| 83 | Inhibition of non-Ras protein farnesylation reduces in-stent restenosis. <i>Atherosclerosis</i> , 2008, 197, 515-523. | 0.4 | 13 |
| 84 | Lipid phosphate phosphatases form homo- and hetero-oligomers: catalytic competency, subcellular distribution and function. <i>Biochemical Journal</i> , 2008, 411, 371-377. | 1.7 | 23 |
| 85 | Characterization of Salmonella typhimurium YegS, a putative lipid kinase homologous to eukaryotic sphingosine and diacylglycerol kinases. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007, 68, 13-25. | 1.5 | 20 |
| 86 | Receptor tyrosine kinase-G-protein coupled receptor complex signaling in mammalian cells. <i>Advances in Enzyme Regulation</i> , 2007, 47, 271-280. | 2.9 | 26 |
| 87 | Lipid phosphate phosphatase-1 regulates lysophosphatidic acid- and platelet-derived-growth-factor-induced cell migration. <i>Biochemical Journal</i> , 2006, 394, 495-500. | 1.7 | 29 |
| 88 | Integrin signalling regulates the nuclear localization and function of the lysophosphatidic acid receptor-1 (LPA1) in mammalian cells. <i>Biochemical Journal</i> , 2006, 398, 55-62. | 1.7 | 32 |
| 89 | Protean agonism of the lysophosphatidic acid receptor-1 with Ki16425 reduces nerve growth factor-induced neurite outgrowth in pheochromocytoma 12 cells. <i>Journal of Neurochemistry</i> , 2006, 98, 1920-1929. | 2.1 | 24 |
| 90 | The effect of RGS12 on PDGF β receptor signalling to p42/p44 mitogen activated protein kinase in mammalian cells. <i>Cellular Signalling</i> , 2006, 18, 971-981. | 1.7 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | The effect of hypoxia on lipid phosphate receptor and sphingosine kinase expression and mitogen-activated protein kinase signaling in human pulmonary smooth muscle cells. <i>Prostaglandins and Other Lipid Mediators</i> , 2006, 79, 278-286. | 1.0 | 47 |
| 92 | The functional PDGF β receptor-S1P1 receptor signaling complex is involved in regulating migration of mouse embryonic fibroblasts in response to platelet derived growth factor. <i>Prostaglandins and Other Lipid Mediators</i> , 2006, 80, 74-80. | 1.0 | 29 |
| 93 | Cell migration activated by platelet-derived growth factor receptor is blocked by an inverse agonist of the sphingosine 1-phosphate receptor. <i>FASEB Journal</i> , 2006, 20, 509-511. | 0.2 | 77 |
| 94 | Lipid phosphate phosphatases and lipid phosphate signalling. <i>Biochemical Society Transactions</i> , 2005, 33, 1370. | 1.6 | 87 |
| 95 | Regulation of cell survival by lipid phosphate phosphatases involves the modulation of intracellular phosphatidic acid and sphingosine 1-phosphate pools. <i>Biochemical Journal</i> , 2005, 391, 25-32. | 1.7 | 68 |
| 96 | c-Src is involved in regulating signal transmission from PDGF β receptor-GPCR(s) complexes in mammalian cells. <i>Cellular Signalling</i> , 2005, 17, 263-277. | 1.7 | 77 |
| 97 | Cellular Signaling by Sphingosine and Sphingosine 1-Phosphate. , 2004, , 245-268. | | 27 |
| 98 | Experimental Systems for Studying the Role of G-Protein-Coupled Receptors in Receptor Tyrosine Kinase Signal Transduction. <i>Methods in Enzymology</i> , 2004, 390, 451-475. | 0.4 | 6 |
| 99 | Sphingosine Kinase 1 Is an Intracellular Effector of Phosphatidic Acid. <i>Journal of Biological Chemistry</i> , 2004, 279, 44763-44774. | 1.6 | 193 |
| 100 | Nerve growth factor signaling involves interaction between the Trk A receptor and lysophosphatidate receptor 1 systems: nuclear translocation of the lysophosphatidate receptor 1 and Trk A receptors in pheochromocytoma 12 cells. <i>Cellular Signalling</i> , 2004, 16, 127-136. | 1.7 | 75 |
| 101 | The role of G-protein coupled receptors and associated proteins in receptor tyrosine kinase signal transduction. <i>Seminars in Cell and Developmental Biology</i> , 2004, 15, 309-323. | 2.3 | 84 |
| 102 | Introduction: biology of lysophosphatidic acid and sphingosine 1-phosphate. <i>Seminars in Cell and Developmental Biology</i> , 2004, 15, 455. | 2.3 | 0 |
| 103 | Lysophosphatidic acid and sphingosine 1-phosphate biology: the role of lipid phosphate phosphatases. <i>Seminars in Cell and Developmental Biology</i> , 2004, 15, 491-501. | 2.3 | 74 |
| 104 | Sphingosine 1-Phosphate and Platelet-derived Growth Factor (PDGF) Act via PDGF β Receptor-Sphingosine 1-Phosphate Receptor Complexes in Airway Smooth Muscle Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 6282-6290. | 1.6 | 131 |
| 105 | norpA and its mutants reveal roles for phospholipase C and inositol (1,4,5)-trisphosphate receptor in <i>Drosophila melanogaster</i> renal function. <i>Journal of Experimental Biology</i> , 2003, 206, 901-911. | 0.8 | 47 |
| 106 | Receptor tyrosine kinase-GPCR signal complexes. <i>Biochemical Society Transactions</i> , 2003, 31, 1220-1225. | 1.6 | 53 |
| 107 | Sphingosine 1-phosphate signalling and termination at lipid phosphate receptors. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2002, 1582, 121-131. | 1.2 | 81 |
| 108 | International Union of Pharmacology. XXXIV. Lysophospholipid Receptor Nomenclature. <i>Pharmacological Reviews</i> , 2002, 54, 265-269. | 7.1 | 441 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Cellular signaling by sphingosine and sphingosine 1-phosphate. Their opposing roles in apoptosis. <i>Sub-Cellular Biochemistry</i> , 2002, 36, 245-68. | 1.0 | 6 |
| 110 | Nerve Growth Factor Stimulation of p42/p44 Mitogen-Activated Protein Kinase in PC12 Cells: Role of G _{i/o} , G Protein-Coupled Receptor Kinase 2, \hat{I}^2 -Arrestin 1, and Endocytic Processing. <i>Molecular Pharmacology</i> , 2001, 60, 63-70. | 1.0 | 87 |
| 111 | Attenuation of G-protein coupled receptor activated p42/p44 mitogen activated protein kinase by lipid phosphate phosphatases 1,1a and 2. <i>Biochemical Society Transactions</i> , 2001, 29, A118-A118. | 1.6 | 0 |
| 112 | Assessment of agonism at G-protein coupled receptors by phosphatidic acid and lysophosphatidic acid in human embryonic kidney 293 cells. <i>British Journal of Pharmacology</i> , 2001, 134, 6-9. | 2.7 | 30 |
| 113 | G-protein-coupled Receptor Stimulation of the p42/p44 Mitogen-activated Protein Kinase Pathway Is Attenuated by Lipid Phosphate Phosphatases 1, 1a, and 2 in Human Embryonic Kidney 293 Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 13452-13460. | 1.6 | 88 |
| 114 | Short-Term Local Delivery of an Inhibitor of Ras Farnesyltransferase Prevents Neointima Formation In Vivo After Porcine Coronary Balloon Angioplasty. <i>Circulation</i> , 2001, 104, 1538-1543. | 1.6 | 43 |
| 115 | Tethering of the Platelet-derived Growth Factor \hat{I}^2 Receptor to G-protein-coupled Receptors. <i>Journal of Biological Chemistry</i> , 2001, 276, 28578-28585. | 1.6 | 147 |
| 116 | Sphingosine 1-phosphate signalling in mammalian cells. <i>Biochemical Journal</i> , 2000, 349, 385. | 1.7 | 464 |
| 117 | Sphingosine 1-phosphate signalling in mammalian cells. <i>Biochemical Journal</i> , 2000, 349, 385-402. | 1.7 | 637 |
| 118 | Ceramide-dependent regulation of p42/p44 mitogen-activated protein kinase and c-Jun N-terminal-directed protein kinase in cultured airway smooth muscle cells. <i>Cellular Signalling</i> , 2000, 12, 737-743. | 1.7 | 23 |
| 119 | Sphingosine 1-phosphate signalling via the endothelial differentiation gene family of G-protein-coupled receptors. , 2000, 88, 115-131. | | 169 |
| 120 | The Platelet-Derived Growth Factor Receptor Stimulation of p42/p44 Mitogen-Activated Protein Kinase in Airway Smooth Muscle Involves a G-Protein-Mediated Tyrosine Phosphorylation of Gab1. <i>Molecular Pharmacology</i> , 2000, 58, 413-420. | 1.0 | 43 |
| 121 | Assessment of the Extracellular and Intracellular Actions of Sphingosine 1-phosphate by Using the p42/p44 Mitogen-Activated Protein Kinase Cascade as a Model. <i>Cellular Signalling</i> , 1999, 11, 349-354. | 1.7 | 32 |
| 122 | Molecular Cloning of Magnesium-Independent Type 2 Phosphatidic Acid Phosphatases from Airway Smooth Muscle. <i>Cellular Signalling</i> , 1999, 11, 515-522. | 1.7 | 16 |
| 123 | Sphingosine 1-phosphate stimulation of the p42/p44 mitogen-activated protein kinase pathway in airway smooth muscle. <i>Biochemical Journal</i> , 1999, 338, 643. | 1.7 | 42 |
| 124 | Extracellular actions of sphingosine l-phosphate through endothelial differentiation gene products in mammalian cells: role in regulating proliferation and apoptosis. <i>Biochemical Society Transactions</i> , 1999, 27, 404-409. | 1.6 | 14 |
| 125 | SPHINGOSINE 1-PHOSPHATE SIGNALLING. <i>Biochemical Society Transactions</i> , 1999, 27, A79-A79. | 1.6 | 1 |
| 126 | Platelet-derived-growth-factor stimulation of the p42/p44 mitogen-activated protein kinase pathway in airway smooth muscle: role of pertussis-toxin-sensitive G-proteins, c-Src tyrosine kinases and phosphoinositide 3-kinase. <i>Biochemical Journal</i> , 1999, 337, 171. | 1.7 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Platelet-derived-growth-factor stimulation of the p42/p44 mitogen-activated protein kinase pathway in airway smooth muscle: role of pertussis-toxin-sensitive G-proteins, c-Src tyrosine kinases and phosphoinositide 3-kinase. <i>Biochemical Journal</i> , 1999, 337, 171-177. | 1.7 | 127 |
| 128 | Sphingosine 1-phosphate stimulation of the p42/p44 mitogen-activated protein kinase pathway in airway smooth muscle. <i>Biochemical Journal</i> , 1999, 338, 643-649. | 1.7 | 83 |
| 129 | PDGF-Stimulated Cyclic AMP Formation in Airway Smooth Muscle. <i>Cellular Signalling</i> , 1998, 10, 363-369. | 1.7 | 12 |
| 130 | Sphingolipids as differential regulators of cellular signalling processes. <i>Biochemical Society Transactions</i> , 1997, 25, 549-556. | 1.6 | 30 |
| 131 | Bradykinin stimulates cAMP synthesis via mitogen-activated protein kinase-dependent regulation of cytosolic phospholipase A2 and prostaglandin E2 release in airway smooth muscle. <i>Biochemical Journal</i> , 1997, 328, 689-694. | 1.7 | 46 |
| 132 | 40 Sphingosine 1-phosphate activation of MAP kinase α involvement of PI 3-kinase and protein kinase C. <i>Biochemical Society Transactions</i> , 1997, 25, S585-S585. | 1.6 | 4 |
| 133 | Platelet-derived Growth Factor Activates a Mammalian Ste20 Coupled Mitogen-activated Protein Kinase in Airway Smooth Muscle. <i>Cellular Signalling</i> , 1997, 9, 311-317. | 1.7 | 18 |
| 134 | Characterization of an extract from the leaves of <i>Cissampelos sympodialis</i> Eichl. on the spontaneous tone of isolated trachea. <i>Phytotherapy Research</i> , 1997, 11, 496-499. | 2.8 | 19 |
| 135 | The identification of DL-threo dihydrosphingosine and sphingosine as novel inhibitors of extracellular signal-regulated kinase signalling in airway smooth muscle. <i>British Journal of Pharmacology</i> , 1996, 119, 185-186. | 2.7 | 6 |
| 136 | The differential regulation of cyclic AMP by sphingomyelin-derived lipids and the modulation of sphingolipid-stimulated extracellular signal regulated kinase-2 in airway smooth muscle. <i>Biochemical Journal</i> , 1996, 315, 917-923. | 1.7 | 57 |
| 137 | Sphingomyelin-Derived Lipids Differentially Regulate the Extracellular Signal-Regulated Kinase 2 (ERK-2) and c-Jun N-Terminal Kinase (JNK) Signal Cascades in Airway Smooth Muscle. <i>FEBS Journal</i> , 1996, 237, 819-826. | 0.2 | 116 |
| 138 | Adenylate cyclase, cyclic AMP and extracellular-signal-regulated kinase-2 in airway smooth muscle: modulation by protein kinase C and growth serum. <i>Biochemical Journal</i> , 1995, 306, 723-726. | 1.7 | 10 |
| 139 | Bradykinin-stimulated phosphatidylcholine hydrolysis in airway smooth muscle: the role of Ca ²⁺ and protein kinase C. <i>Biochemical Journal</i> , 1995, 311, 637-642. | 1.7 | 23 |
| 140 | Phospholipase D regulation involves extracellular calcium as a conditional requirement for subsequent stimulation by protein kinase C. <i>Biochemical Society Transactions</i> , 1995, 23, 199S-199S. | 1.6 | 1 |
| 141 | PKC-dependent activation of the type II adenylate cyclase in airway smooth muscle limits the bradykinin-stimulated ERK-2 pathway. <i>Biochemical Society Transactions</i> , 1995, 23, 200S-200S. | 1.6 | 6 |
| 142 | Bradykinin-stimulated phosphatidate and 1, 2-diacylglycerol accumulation in guinea-pig airway smooth muscle: Evidence for regulation α -down-stream α of phospholipases. <i>Cellular Signalling</i> , 1994, 6, 269-277. | 1.7 | 9 |
| 143 | Bradykinin-dependent activation of adenylate cyclase activity and cyclic AMP accumulation in tracheal smooth muscle occurs via protein kinase C-dependent and -independent pathways. <i>Biochemical Journal</i> , 1994, 297, 233-239. | 1.7 | 32 |
| 144 | Protein kinase C-dependent cyclic AMP formation in airway smooth muscle: the role of type II adenylate cyclase and the blockade of extracellular-signal-regulated kinase-2 (ERK-2) activation. <i>Biochemical Journal</i> , 1994, 304, 611-616. | 1.7 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | G-Proteins in Airways Smooth Muscle. , 1994, , 187-213. | | 0 |
| 146 | Cellular signal pathways in tracheal smooth muscle. Cellular Signalling, 1993, 5, 401-409. | 1.7 | 3 |
| 147 | Bradykinin stimulates phospholipase D in primary cultures of guinea-pig tracheal smooth muscle. Biochemical Pharmacology, 1993, 45, 593-603. | 2.0 | 58 |
| 148 | Differential effects of B ₂ receptor antagonists upon bradykinin-stimulated phospholipase C and D in guinea-pig cultured tracheal smooth muscle. British Journal of Pharmacology, 1993, 110, 477-481. | 2.7 | 29 |
| 149 | Adenylyl cyclase in lung from hypersensitive guinea pig displays increased responsiveness to guanine nucleotides and isoprenaline: The role of the G proteins G _s and G _i . Biochimica Et Biophysica Acta - Molecular Cell Research, 1993, 1176, 313-320. | 1.9 | 16 |
| 150 | Muscarinic blockade of β -adrenoceptor-stimulated adenylyl cyclase: the role of stimulatory and inhibitory guanine-nucleotide binding regulatory proteins (G _s and G _i). British Journal of Pharmacology, 1992, 107, 881-887. | 2.7 | 40 |
| 151 | Phosphorylation of the spliced variant forms of the recombinant stimulatory guanine-nucleotide-binding regulatory protein (G _s) by protein kinase C. Biochemical Journal, 1992, 285, 333-338. | 1.7 | 49 |
| 152 | Phosphorylation of the recombinant spliced variants of the β -sub-unit of the stimulatory guanine-nucleotide binding regulatory protein (G _s) by the catalytic sub-unit of protein kinase a. Biochemical and Biophysical Research Communications, 1992, 186, 1081-1086. | 1.0 | 27 |
| 153 | Multiple sources of sn-1,2-diacylglycerol in platelet-derived-growth-factor-stimulated Swiss 3T3 fibroblasts. Evidence for activation of phosphoinositidase C and phosphatidylcholine-specific phospholipase D. Biochemical Journal, 1991, 279, 559-565. | 1.7 | 100 |
| 154 | Differences in the regulation of endothelin-1- and lysophosphatidic-acid-stimulated Ins(1,4,5)P ₃ formation in rat-1 fibroblasts. Biochemical Journal, 1991, 280, 609-615. | 1.7 | 50 |
| 155 | Regulation of the hydrolysis of phosphatidylcholine in Swiss 3T3 cells. Biochemical Society Transactions, 1991, 19, 321-324. | 1.6 | 15 |
| 156 | Mass measurement of inositol 1,4,5-trisphosphate and sn-1,2-diacylglycerol in bombesin-stimulated Swiss 3T3 mouse fibroblasts. Biochemical Journal, 1990, 265, 617-620. | 1.7 | 72 |
| 157 | Regulation of bombesin-stimulated inositol 1,4,5-trisphosphate generation in Swiss 3T3 fibroblasts by a guanine-nucleotide-binding protein. Biochemical Journal, 1990, 268, 605-610. | 1.7 | 41 |
| 158 | Bombesin and platelet-derived growth factor stimulate phosphatidylcholine breakdown by a common mechanism. Biochemical Society Transactions, 1990, 18, 484-485. | 1.6 | 1 |
| 159 | Development of a novel, Ins(1,4,5)P ₃ -specific binding assay: Its use to determine the intracellular concentration of Ins(1,4,5)P ₃ in unstimulated and vasopressin-stimulated rat hepatocytes. Cellular Signalling, 1989, 1, 147-156. | 1.7 | 206 |
| 160 | Mass measurement of inositol phosphates. Biochimica Et Biophysica Acta - Molecular Cell Research, 1989, 1014, 239-246. | 1.9 | 20 |
| 161 | The Ins(1,4,5)P ₃ binding site of bovine adrenocortical microsomes: function and regulation. Biochemical Journal, 1989, 260, 593-596. | 1.7 | 19 |
| 162 | Measurement of intracellular inositol 1,4,5-trisphosphate concentrations in unstimulated and vasopressin-stimulated rat hepatocytes using a novel inositol 1,4,5-trisphosphate-specific binding assay. Biochemical Society Transactions, 1988, 16, 991-992. | 1.6 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | The labelling of polyphosphoinositides with [³² P]Pi and the accumulation of inositol phosphates in vasopressin-stimulated hepatocytes. <i>Biochemical Journal</i> , 1986, 238, 491-499. | 1.7 | 73 |
| 164 | A vasopressin-like peptide in the mammalian sympathetic nervous system. <i>Nature</i> , 1984, 309, 258-261. | 13.7 | 148 |
| 165 | The Role of Phosphatidylinositol 4,5 Bisphosphate Breakdown in Cell-Surface Receptor Activation. <i>Journal of Receptors and Signal Transduction</i> , 1984, 4, 489-504. | 1.2 | 31 |
| 166 | Rapid accumulation of inositol phosphates in isolated rat superior cervical sympathetic ganglia exposed to V1-vasopressin and muscarinic cholinergic stimuli. <i>Biochemical Journal</i> , 1984, 221, 803-811. | 1.7 | 230 |