

A M Koekemoer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5559007/publications.pdf>

Version: 2024-02-01

690
papers

70,428
citations

419

132
h-index

1072

233
g-index

697
all docs

697
docs citations

697
times ranked

10241
citing authors

#	ARTICLE	IF	CITATIONS
1	The ALPINE-ALMA [C II] survey: Investigation of 10 galaxies at $z \approx 4.5$ with [O III] and [C II] line emission and ISM properties and [O III] relation. Monthly Notices of the Royal Astronomical Society, 2022, 511, 1303-1316.		
2	COSMOS2020: A Panchromatic View of the Universe to $z \approx 10$ from Two Complementary Catalogs. Astrophysical Journal, Supplement Series, 2022, 258, 11.	7.7	140
3	Characterization of Two 2 mm detected Optically Obscured Dusty Star-forming Galaxies. Astrophysical Journal, 2022, 925, 23.	4.5	27
4	Pilot-WINGS: An extended MUSE view of the structure of Abell 370. Monthly Notices of the Royal Astronomical Society, 2022, 514, 497-517.	4.4	12
5	The VIMOS Ultra Deep Survey: The reversal of the star-formation rate density relation at $z < 5$. Astronomy and Astrophysics, 2022, 662, A33.	5.1	20
6	On the Stellar Populations of Galaxies at $z = 9-11$: The Growth of Metals and Stellar Mass at Early Times. Astrophysical Journal, 2022, 927, 170.	4.5	73
7	A Census of the Bright $z = 8.5-11$ Universe with the Hubble and Spitzer Space Telescopes in the CANDELS Fields. Astrophysical Journal, 2022, 928, 52.	4.5	57
8	Seeing-Sorted Large Binocular Camera U-band Imaging of the Extended Groth Strip. Research Notes of the AAS, 2022, 6, 63.	0.7	3
9	The ALPINE-ALMA [C II] survey. Dust attenuation curves at $z = 4.4-5.5$. Astronomy and Astrophysics, 2022, 663, A50.	5.1	10
10	A Search for H-Dropout Lyman Break Galaxies at $z \approx 12-16$. Astrophysical Journal, 2022, 929, 1.	4.5	68
11	COSMOS2020: Ubiquitous AGN Activity of Massive Quiescent Galaxies at $0 < z < 5$ Revealed by X-Ray and Radio Stacking. Astrophysical Journal, 2022, 929, 53.	4.5	12
12	Joint Survey Processing. I. Compact Oddballs in the COSMOS Field—Low-luminosity Quasars at $z > 6$?. Astrophysical Journal, 2022, 929, 66.	4.5	7
13	From Naked Spheroids to Disk Galaxies: How Do Massive Disk Galaxies Shape Their Morphology?. Astrophysical Journal, 2022, 929, 121.	4.5	18
14	ALMA Lensing Cluster Survey: ALMA-Herschel Joint Study of Lensed Dusty Star-forming Galaxies across $z \approx 0.5-6$. Astrophysical Journal, 2022, 932, 77.	4.5	18
15	The ALPINE-ALMA [C II] survey. Astronomy and Astrophysics, 2021, 646, A76.	5.1	39
16	JWST/MIRI Simulated Imaging: Insights into Obscured Star Formation and AGNs for Distant Galaxies in Deep Surveys. Astrophysical Journal, 2021, 908, 144.	4.5	16
17	The Evolution of the IR Luminosity Function and Dust-obscured Star Formation over the Past 13 Billion Years. Astrophysical Journal, 2021, 909, 165.	4.5	87
18	The VANDELS ESO public spectroscopic survey. Astronomy and Astrophysics, 2021, 647, A150.	5.1	46

#	ARTICLE	IF	CITATIONS
19	Further support for a trio of mass-to-light deviations in Abell 370: free-form $\langle \text{sc} \rangle \text{grale} \langle \text{sc} \rangle$ lens inversion using BUFFALO strong lensing data. Monthly Notices of the Royal Astronomical Society, 2021, 506, 6144-6158.	4.4	12
20	The size and pervasiveness of Ly α UV spatial offsets in star-forming galaxies at $z \approx 6$. Monthly Notices of the Royal Astronomical Society, 2021, 504, 3662-3681.	4.4	11
21	The ALPINE-ALMA [CII] survey. Astronomy and Astrophysics, 2021, 649, A152.	5.1	56
22	Less and more IGM-transmitted galaxies from $z \approx 2.7$ to $z \approx 6$ from VANDELS and VUIDS. Astronomy and Astrophysics, 2021, 650, A63.	5.1	4
23	A Duality in the Origin of Bulges and Spheroidal Galaxies. Astrophysical Journal, 2021, 913, 125.	4.5	25
24	Implications of Increased Central Mass Surface Densities for the Quenching of Low-mass Galaxies. Astrophysical Journal, 2021, 914, 7.	4.5	5
25	Seeing-sorted Visible Multi-Object Spectrograph U-band Imaging of the GOODS-south Field*. Research Notes of the AAS, 2021, 5, 190.	0.7	3
26	The ALPINE-ALMA [CII] survey. Astronomy and Astrophysics, 2021, 653, A84.	5.1	17
27	The ALPINE-ALMA [CII] survey. Astronomy and Astrophysics, 2021, 653, A111.	5.1	26
28	An extreme case of galaxy and cluster co-evolution at $z \approx 0.7$. Monthly Notices of the Royal Astronomical Society, 2021, 508, 3663-3671.	4.4	2
29	The <i>NuSTAR</i> extragalactic survey of the <i>James Webb Space Telescope</i> North Ecliptic Pole time-domain field. Monthly Notices of the Royal Astronomical Society, 2021, 508, 5176-5195.	4.4	5
30	The Mass-Metallicity Relation at $z \approx 1$ and Its Dependence on the Star Formation Rate. Astrophysical Journal, 2021, 919, 143.	4.5	17
31	Extensive Lensing Survey of Optical and Near-infrared Dark Objects (El Sonido): HST H-faint Galaxies behind 101 Lensing Clusters. Astrophysical Journal, 2021, 922, 114.	4.5	14
32	Differential attenuation in star-forming galaxies at $0.3 \lesssim z \lesssim 1.5$ in the SHARDS/CANDELS field. Monthly Notices of the Royal Astronomical Society, 2021, 510, 2061-2083.	4.4	8
33	The ALPINE-ALMA [CII] survey: a triple merger at $z \approx 4.56$. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 491, L18-L23.	3.3	21
34	Stellar masses of giant clumps in CANDELS and simulated galaxies using machine learning. Monthly Notices of the Royal Astronomical Society, 2020, 499, 814-835.	4.4	27
35	The ALPINE-ALMA [CII] survey. Astronomy and Astrophysics, 2020, 643, A1.	5.1	125
36	The ALPINE-ALMA [CII] Survey: on the nature of an extremely obscured serendipitous galaxy. Monthly Notices of the Royal Astronomical Society, 2020, 496, 875-887.	4.4	17

#	ARTICLE	IF	CITATIONS
37	The ALPINE-ALMA [CII] survey. <i>Astronomy and Astrophysics</i> , 2020, 643, A4.	5.1	69
38	The VANDELS survey: Discovery of massive overdensities of galaxies at $z \sim 2$. <i>Astronomy and Astrophysics</i> , 2020, 640, A107.	5.1	14
39	The VANDELS survey: a strong correlation between Ly α equivalent width and stellar metallicity at $z \sim 5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 495, 1501-1510.	4.4	23
40	The BUFFALO HST Survey. <i>Astrophysical Journal, Supplement Series</i> , 2020, 247, 64.	7.7	57
41	The ALPINE-ALMA [C II] Survey: Multiwavelength Ancillary Data and Basic Physical Measurements. <i>Astrophysical Journal, Supplement Series</i> , 2020, 247, 61.	7.7	99
42	Timing the earliest quenching events with a robust sample of massive quiescent galaxies at $z \sim 2$ and $z \sim 5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 496, 695-707.	4.4	51
43	Setting the scene for BUFFALO: a study of the matter distribution in the HFF galaxy cluster MACSJ0416.1-2403 and its parallel field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 494, 349-362.	4.4	4
44	The Mass Relations between Supermassive Black Holes and Their Host Galaxies at $z \sim 2$ with HST-WFC3. <i>Astrophysical Journal</i> , 2020, 888, 37.	4.5	87
45	UV and Ly α luminosity functions of galaxies and star formation rate density at the end of HI reionization from the VIMOS UltraDeep Survey (VUDS). <i>Astronomy and Astrophysics</i> , 2020, 634, A97.	5.1	35
46	The intergalactic medium transmission towards $z \sim 3.4$ galaxies with VANDELS and the impact of dust attenuation. <i>Astronomy and Astrophysics</i> , 2020, 634, A110.	5.1	8
47	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2020, 633, A160.	5.1	10
48	The properties of He II 1640 emitters at $z \sim 2.5$ from the VANDELS survey. <i>Astronomy and Astrophysics</i> , 2020, 636, A47.	5.1	44
49	The ALPINE-ALMA [CII] survey. <i>Astronomy and Astrophysics</i> , 2020, 643, A6.	5.1	27
50	The ALPINE-ALMA [C II] survey. <i>Astronomy and Astrophysics</i> , 2020, 643, A3.	5.1	86
51	The ALPINE-ALMA [CII] survey: Data processing, catalogs, and statistical source properties. <i>Astronomy and Astrophysics</i> , 2020, 643, A2.	5.1	136
52	The ALPINE-ALMA [C II] survey. <i>Astronomy and Astrophysics</i> , 2020, 643, A5.	5.1	55
53	The ALPINE-ALMA [CII] survey. <i>Astronomy and Astrophysics</i> , 2020, 643, A8.	5.1	113
54	A Catalog of Emission-line Galaxies from the Faint Infrared Grism Survey: Studying Environmental Influence on Star Formation. <i>Astrophysical Journal</i> , 2020, 888, 79.	4.5	7

#	ARTICLE	IF	CITATIONS
55	The Lyman Continuum Escape Fraction of Galaxies and AGN in the GOODS Fields. <i>Astrophysical Journal</i> , 2020, 897, 41.	4.5	17
56	The ALPINE-ALMA [C ii] Survey: Size of Individual Star-forming Galaxies at $z \sim 4$ and Their Extended Halo Structure. <i>Astrophysical Journal</i> , 2020, 900, 1.	4.5	86
57	Selection of Massive Evolved Galaxies at $3 \lesssim z \lesssim 4.5$ in the CANDELS Fields. <i>Astrophysical Journal</i> , 2020, 897, 44.	4.5	16
58	The Star Formation Rate-Radius Connection: Data and Implications for Wind Strength and Halo Concentration. <i>Astrophysical Journal</i> , 2020, 899, 93.	4.5	8
59	Limits to Rest-frame Ultraviolet Emission from Far-infrared-luminous $z \sim 6$ Quasar Hosts. <i>Astrophysical Journal</i> , 2020, 900, 21.	4.5	19
60	A Significant Excess in Major Merger Rate for AGNs with the Highest Eddington Ratios at $z \lesssim 0.2$. <i>Astrophysical Journal</i> , 2020, 904, 79.	4.5	23
61	Investigating the Effect of Galaxy Interactions on the Enhancement of Active Galactic Nuclei at $0.5 \lesssim z \lesssim 3.0$. <i>Astrophysical Journal</i> , 2020, 904, 107.	4.5	30
62	The ALPINE-ALMA [C II] Survey: [C II] $158 \mu\text{m}$ Emission Line Luminosity Functions at $z \sim 4$. <i>Astrophysical Journal</i> , 2020, 905, 147.	4.5	23
63	A Strong-lensing Model for the WDMF JWST/GTO Very Rich Cluster A1489. <i>Astrophysical Journal</i> , 2020, 903, 137.	4.5	4
64	Evolution of the Gas Mass Fraction of Progenitors to Today's Massive Galaxies: ALMA Observations in the CANDELS GOODS-S Field. <i>Astrophysical Journal</i> , 2019, 878, 83.	4.5	13
65	The CANDELS/SHARDS Multiwavelength Catalog in GOODS-N: Photometry, Photometric Redshifts, Stellar Masses, Emission-line Fluxes, and Star Formation Rates. <i>Astrophysical Journal, Supplement Series</i> , 2019, 243, 22.	7.7	111
66	Can intrinsic alignments of elongated low-mass galaxies be used to map the cosmic web at high redshift?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 488, 5580-5593.	4.4	13
67	High-velocity outflows in massive post-starburst galaxies at $z \gtrsim 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 489, 1139-1151.	4.4	19
68	Major Mergers Are Not the Dominant Trigger for High-accretion AGNs at $z \sim 2$. <i>Astrophysical Journal</i> , 2019, 882, 141.	4.5	45
69	Statistical Stellar Mass Corrections for High- z Galaxies Observed with JWST Broadband Filters Due to Template Degeneracies. <i>Astrophysical Journal, Supplement Series</i> , 2019, 243, 27.	7.7	5
70	The structural properties of classical bulges and discs from $z \sim 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 489, 4135-4154.	4.4	14
71	FIGS: spectral fitting constraints on the star formation history of massive galaxies since the cosmic noon. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 486, 1358-1376.	4.4	7
72	Studying the physical properties of tidal features - I. Extracting morphological substructure in CANDELS observations and VELA simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 486, 2643-2659.	4.4	12

#	ARTICLE	IF	CITATIONS
73	The Composite Nature of Dust-obscured Galaxies (DOGs) at $z \sim 1-3$ in the COSMOS Field. II. The AGN Fraction. <i>Astronomical Journal</i> , 2019, 157, 233.	4.7	8
74	Observational Constraints on the Merger History of Galaxies since $z \sim 6$: Probabilistic Galaxy Pair Counts in the CANDELS Fields. <i>Astrophysical Journal</i> , 2019, 876, 110.	4.5	114
75	Emission-line Metallicities from the Faint Infrared Grism Survey and VLT/MUSE. <i>Astrophysical Journal</i> , 2019, 874, 125.	4.5	5
76	The FMOS-COSMOS Survey of Star-forming Galaxies at $z \sim 1.6$. VI. Redshift and Emission-line Catalog and Basic Properties of Star-forming Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2019, 241, 10.	7.7	60
77	Radio continuum size evolution of star-forming galaxies over $0.35 < z < 2.25$. <i>Astronomy and Astrophysics</i> , 2019, 625, A114.	5.1	31
78	Nonparametric Star Formation History Reconstruction with Gaussian Processes. I. Counting Major Episodes of Star Formation. <i>Astrophysical Journal</i> , 2019, 879, 116.	4.5	81
79	A closer look at the deep radio sky: Multi-component radio sources at 3 GHz VLA-COSMOS. <i>Astronomy and Astrophysics</i> , 2019, 627, A142.	5.1	9
80	Star-forming galaxies at low-redshift in the SHARDS survey. <i>Astronomy and Astrophysics</i> , 2019, 621, A52.	5.1	11
81	Obscured AGN at $1.5 < z < 3.0$ from the zCOSMOS-deep Survey. <i>Astronomy and Astrophysics</i> , 2019, 626, A9.	5.1	35
82	The VANDELS survey: the role of ISM and galaxy physical properties in the escape of Ly α emission in $z \sim 3.5$ star-forming galaxies. <i>Astronomy and Astrophysics</i> , 2019, 631, A19.	5.1	37
83	The most massive, passive, and oldest galaxies at $0.5 < z < 2.1$: Downsizing signature from galaxies selected from Mg _{UV} index. <i>Astronomy and Astrophysics</i> , 2019, 630, A145.	5.1	6
84	Strong lensing models of eight CLASH clusters from extensive spectroscopy: Accurate total mass reconstructions in the cores. <i>Astronomy and Astrophysics</i> , 2019, 632, A36.	5.1	61
85	Physical Characterization of an Unlensed, Dusty Star-forming Galaxy at $z \sim 5.85$. <i>Astrophysical Journal</i> , 2019, 887, 55.	4.5	48
86	The host galaxies of luminous type 2 AGNs at $z \sim 0.3-0.4$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 483, 1829-1849.	4.4	9
87	The Dust and Molecular Gas in the Brightest Cluster Galaxy in MACS 1931.8-2635. <i>Astrophysical Journal</i> , 2019, 879, 103.	4.5	26
88	The Intrinsic Characteristics of Galaxies on the SFR _M Plane at $1.2 < z < 4$: I. The Correlation between Stellar Age, Central Density, and Position Relative to the Main Sequence. <i>Astrophysical Journal</i> , 2018, 853, 131.	4.5	50
89	Evidence for Merger-driven Growth in Luminous, High- z , Obscured AGNs in the CANDELS/COSMOS Field. <i>Astrophysical Journal</i> , 2018, 853, 63.	4.5	52
90	Linking black hole growth with host galaxies: the accretion $\hat{=}$ stellar mass relation and its cosmic evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 1887-1911.	4.4	69

#	ARTICLE	IF	CITATIONS
91	Type Ia Supernova Distances at Redshift > 1.5 from the Hubble Space Telescope Multi-cycle Treasury Programs: The Early Expansion Rate. <i>Astrophysical Journal</i> , 2018, 853, 126.	4.5	168
92	The relationship between galaxy and dark matter halo size from $z \approx 1/4$ to the present. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 2714-2736.	4.4	86
93	The Isophotal Structure of Star-forming Galaxies at $0.5 < z < 1.8$ in CANDELS: Implications for the Evolution of Galaxy Structure. <i>Astrophysical Journal</i> , 2018, 854, 70.	4.5	4
94	Analysis of the $\langle SFR \rangle \langle M \rangle^{\text{sup}}$ plane at $z < 3$: single fitting versus multi-Gaussian decomposition. <i>Astronomy and Astrophysics</i> , 2018, 609, A82.	5.1	38
95	Variability-selected Low-luminosity Active Galactic Nuclei Candidates in the 7 Ms Chandra Deep Field-South. <i>Astrophysical Journal</i> , 2018, 868, 88.	4.5	11
96	A Two-dimensional Spectroscopic Study of Emission-line Galaxies in the Faint Infrared Grism Survey (FIGS). I. Detection Method and Catalog. <i>Astrophysical Journal</i> , 2018, 868, 61.	4.5	11
97	Concurrent Starbursts in Molecular Gas Disks within a Pair of Colliding Galaxies at $z \approx 1.52$. <i>Astrophysical Journal</i> , 2018, 868, 75.	4.5	11
98	The Molecular Gas Content and Fuel Efficiency of Starbursts at $z \approx 1.6$ with ALMA. <i>Astrophysical Journal</i> , 2018, 867, 92.	4.5	38
99	The $SFR \langle M \rangle^{\text{sub}} \ast$ Correlation Extends to Low Mass at High Redshift. <i>Astrophysical Journal</i> , 2018, 866, 120.	4.5	29
100	VLBA+GBT observations of the COSMOS field and radio source counts at 1.4 GHz. <i>Astronomy and Astrophysics</i> , 2018, 616, A128.	5.1	8
101	The Chandra COSMOS Legacy Survey: Compton thick AGN at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 2578-2592.	4.4	49
102	Quantifying the abundance of faint, low-redshift satellite galaxies in the COSMOS survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 5336-5355.	4.4	9
103	The VIMOS Ultra-Deep Survey: Emerging from the dark, a massive proto-cluster at $z \sim 4.57$. <i>Astronomy and Astrophysics</i> , 2018, 615, A77.	5.1	55
104	The VANDELS survey: dust attenuation in star-forming galaxies at $z = 3-4$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 3218-3232.	4.4	33
105	The VANDELS ESO public spectroscopic survey: Observations and first data release. <i>Astronomy and Astrophysics</i> , 2018, 616, A174.	5.1	93
106	Molecular gas in AzTEC/C159: a star-forming disk galaxy 1.3 Gyr after the Big Bang. <i>Astronomy and Astrophysics</i> , 2018, 615, A25.	5.1	13
107	Constraints on the Mass, Concentration, and Nonthermal Pressure Support of Six CLASH Clusters from a Joint Analysis of X-Ray, SZ, and Lensing Data. <i>Astrophysical Journal</i> , 2018, 861, 71.	4.5	19
108	First Data Release of the COSMOS Ly α Mapping and Tomography Observations: 3D Ly α Forest Tomography at $2.05 < z < 2.55$. <i>Astrophysical Journal, Supplement Series</i> , 2018, 237, 31.	7.7	80

#	ARTICLE	IF	CITATIONS
109	Demographics of Star-forming Galaxies since $z \approx 2.5$. I. The UVJ Diagram in CANDELS. <i>Astrophysical Journal</i> , 2018, 858, 100.	4.5	79
110	The VIMOS Ultra Deep Survey. <i>Astronomy and Astrophysics</i> , 2018, 612, A42.	5.1	23
111	High-redshift AGN in the Chandra Deep Fields: the obscured fraction and space density of the sub-L* population. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 2378-2406.	4.4	110
112	Major merging history in CANDELS. I. Evolution of the incidence of massive galaxy-galaxy pairs from $z \approx 3$ to $z \approx 0$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 1549-1573.	4.4	65
113	A catalog of polychromatic bulge-disc decompositions of $\approx 17,600$ galaxies in CANDELS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 5410-5426.	4.4	49
114	Clumpy Galaxies in CANDELS. II. Physical Properties of UV-bright Clumps at $0.5 < z < 3$. <i>Astrophysical Journal</i> , 2018, 853, 108.	4.5	71
115	Spectrophotometric Redshifts in the Faint Infrared Grism Survey: Finding Overdensities of Faint Galaxies. <i>Astrophysical Journal</i> , 2018, 856, 116.	4.5	5
116	Hubble Space Telescope Wide Field Camera 3 Observations of Escaping Lyman Continuum Radiation from Galaxies and Weak AGN at Redshifts $z \approx 2.3 - 4.1$. <i>Astrophysical Journal</i> , 2018, 853, 191.	4.5	22
117	Detection of $z \approx 2.3$ Cosmic Voids from 3D Ly α Forest Tomography in the COSMOS Field. <i>Astrophysical Journal</i> , 2018, 861, 60.	4.5	31
118	On the Transition of the Galaxy Quenching Mode at $0.5 < z < 1$ in CANDELS. <i>Astrophysical Journal</i> , 2018, 860, 60.	4.5	13
119	The Projected Dark and Baryonic Ellipsoidal Structure of 20 CLASH Galaxy Clusters*. <i>Astrophysical Journal</i> , 2018, 860, 104.	4.5	44
120	Discovery of a $z \approx 7.452$ High Equivalent Width Ly α Emitter from the Hubble Space Telescope Faint Infrared Grism Survey. <i>Astrophysical Journal</i> , 2018, 858, 94.	4.5	31
121	Unveiling the Dynamical State of Massive Clusters through the ICL Fraction. <i>Astrophysical Journal</i> , 2018, 857, 79.	4.5	41
122	X-UDS: The <i>Chandra</i> Legacy Survey of the UKIDSS Ultra Deep Survey Field. <i>Astrophysical Journal, Supplement Series</i> , 2018, 236, 48.	7.7	55
123	Starburst to Quiescent from HST/ALMA: Stars and Dust Unveil Minor Mergers in Submillimeter Galaxies at $z \approx 4.5$. <i>Astrophysical Journal</i> , 2018, 856, 121.	4.5	65
124	CANDELSz7: a large spectroscopic survey of CANDELS galaxies in the reionization epoch. <i>Astronomy and Astrophysics</i> , 2018, 619, A147.	5.1	68
125	The progeny of a cosmic titan: a massive multi-component proto-supercluster in formation at $z = 2.45$ in VUDS. <i>Astronomy and Astrophysics</i> , 2018, 619, A49.	5.1	72
126	Enabling new science with MAST community contributed data collections. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
127	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 7 MS SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2017, 228, 2.	7.7	337
128	Host galaxies of luminous $z \sim 0.6$ quasars: major mergers are not prevalent at the highest AGN luminosities. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 466, 812-830.	4.4	96
129	The Frontier Fields: Survey Design and Initial Results. <i>Astrophysical Journal</i> , 2017, 837, 97.	4.5	433
130	Analogues of primeval galaxies two billion years after the Big Bang. <i>Nature Astronomy</i> , 2017, 1, .	10.1	80
131	Physical Properties of Sub-galactic Clumps at $0.5 < z < 1.5$ in the UVUDF. <i>Astrophysical Journal</i> , 2017, 837, 6.	4.5	37
132	A Very Large ($\sim 40 \text{ arc}^2$) Strong Gravitational Lens Selected with the Sunyaev-Zeldovich Effect: PLCK G287.0+32.9 ($z = 0.38$). <i>Astrophysical Journal Letters</i> , 2017, 839, L11.	8.3	12
133	Optical Line Emission from $z \sim 6.8$ Sources with Deep Constraints on Ly α Visibility. <i>Astrophysical Journal</i> , 2017, 839, 73.	4.5	35
134	Black Hole Growth Is Mainly Linked to Host-galaxy Stellar Mass Rather Than Star Formation Rate. <i>Astrophysical Journal</i> , 2017, 842, 72.	4.5	73
135	The extended epoch of galaxy formation: Age dating of $z \sim 6.5$ in the VIMOS Ultra-Deep Survey. <i>Astronomy and Astrophysics</i> , 2017, 602, A35.	5.1	26
136	CANDELS Sheds Light on the Environmental Quenching of Low-mass Galaxies. <i>Astrophysical Journal Letters</i> , 2017, 841, L22.	8.3	23
137	Lyman continuum escape fraction of faint galaxies at $z \sim 3.3$ in the CANDELS/GOODS-North, EGS, and COSMOS fields with LBC. <i>Astronomy and Astrophysics</i> , 2017, 602, A18.	5.1	78
138	CANDELS Multi-wavelength Catalogs: Source Identification and Photometry in the CANDELS Extended Groth Strip. <i>Astrophysical Journal, Supplement Series</i> , 2017, 229, 32.	7.7	127
139	Superluminous Supernovae at High Redshift. <i>Publications of the Astronomical Society of Australia</i> , 2017, 34, .	3.4	5
140	Relations between the Sizes of Galaxies and Their Dark Matter Halos at Redshifts $0 < z < 3$. <i>Astrophysical Journal</i> , 2017, 838, 6.	4.5	65
141	CANDELS MULTI-WAVELENGTH CATALOGS: SOURCE IDENTIFICATION AND PHOTOMETRY IN THE CANDELS COSMOS SURVEY FIELD. <i>Astrophysical Journal, Supplement Series</i> , 2017, 228, 7.	7.7	95
142	UVUDF: UV Luminosity Functions at the Cosmic High Noon. <i>Astrophysical Journal</i> , 2017, 838, 29.	4.5	33
143	Separating galaxies from the cluster dark matter halo in Abell 611. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 4589-4601.	4.4	17
144	VIMOS Ultra-Deep Survey (VUDS): IGM transmission towards galaxies with $2.5 < z < 5.5$ and the colour selection of high-redshift galaxies. <i>Astronomy and Astrophysics</i> , 2017, 597, A88.	5.1	23

#	ARTICLE	IF	CITATIONS
145	Crowded Field Galaxy Photometry: Precision Colors in the CLASH Clusters. <i>Astrophysical Journal</i> , 2017, 848, 37.	4.5	23
146	EVIDENCE FOR REDUCED SPECIFIC STAR FORMATION RATES IN THE CENTERS OF MASSIVE GALAXIES AT $z \approx 4$. <i>Astrophysical Journal</i> , 2017, 834, 81.	4.5	17
147	CANDELS: Elevated Black Hole Growth in the Progenitors of Compact Quiescent Galaxies at $z \approx 1.4$. <i>Astrophysical Journal</i> , 2017, 846, 112.	4.5	72
148	Detection of a possible superluminous supernova in the Epoch of Reionization. <i>Science Bulletin</i> , 2017, 62, 675-678.	9.0	2
149	A New Stellar Atmosphere Grid and Comparisons with HST/STIS CALSPEC Flux Distributions. <i>Astronomical Journal</i> , 2017, 153, 234.	4.7	96
150	Recovering the Properties of High-redshift Galaxies with Different JWST Broadband Filters. <i>Astrophysical Journal</i> , Supplement Series, 2017, 231, 3.	7.7	12
151	The Lyman Continuum Escape Fraction of Emission Line-selected $z \approx 2.5$ Galaxies Is Less Than 15%. <i>Astrophysical Journal Letters</i> , 2017, 841, L27.	8.3	50
152	Galaxy Zoo: quantitative visual morphological classifications for 48,000 galaxies from CANDELS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 4420-4447.	4.4	70
153	LVI colour gradients of $0.4 < z < 1.4$ star-forming main-sequence galaxies in CANDELS: dust extinction and star formation profiles. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 469, 4063-4082.	4.4	35
154	CLASH: accurate photometric redshifts with 14 HST bands in massive galaxy cluster cores. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 95-113.	4.4	39
155	FIGS – Faint Infrared Grism Survey: Description and Data Reduction. <i>Astrophysical Journal</i> , 2017, 846, 84.	4.5	37
156	The relationship between star formation activity and galaxy structural properties in CANDELS and a semi-analytic model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 619-640.	4.4	41
157	The nature of massive transition galaxies in CANDELS, GAMA and cosmological simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 472, 2054-2084.	4.4	63
158	X-Ray Spectral Analyses of AGNs from the 7Ms Chandra Deep Field-South Survey: The Distribution, Variability, and Evolutions of AGN Obscuration. <i>Astrophysical Journal</i> , Supplement Series, 2017, 232, 8.	7.7	52
159	AGN-enhanced outflows of low-ionization gas in star-forming galaxies at $1.7 < z < 4.6^*$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 471, 4527-4540.	4.4	30
160	Tracing the accretion history of supermassive black holes through X-ray variability: results from the Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 471, 4398-4411.	4.4	42
161	MC ² : Subaru and Hubble Space Telescope Weak-lensing Analysis of the Double Radio Relic Galaxy Cluster PLCK G287.0+32.9. <i>Astrophysical Journal</i> , 2017, 851, 46.	4.5	24
162	The VIMOS Ultra-Deep Survey: A major merger origin for the high fraction of galaxies at $2 < z < 6$ with two bright clumps. <i>Astronomy and Astrophysics</i> , 2017, 608, A16.	5.1	28

#	ARTICLE	IF	CITATIONS
163	The VIMOS Ultra Deep Survey first data release: Spectra and spectroscopic redshifts of 698 objects up to $z \sim 6$ in CANDELS. <i>Astronomy and Astrophysics</i> , 2017, 600, A110.	5.1	75
164	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2017, 604, A132.	5.1	23
165	The ALMA Frontier Fields Survey. <i>Astronomy and Astrophysics</i> , 2017, 608, A138.	5.1	21
166	Characterization of star-forming dwarf galaxies at $0.1 < z < 0.9$ in VUDS: probing the low-mass end of the mass-metallicity relation. <i>Astronomy and Astrophysics</i> , 2017, 601, A95.	5.1	33
167	New constraints on the average escape fraction of Lyman continuum radiation in $z \sim 4$ galaxies from the VIMOS Ultra Deep Survey (VUDS). <i>Astronomy and Astrophysics</i> , 2017, 601, A73.	5.1	45
168	The VIMOS Ultra Deep Survey. <i>Astronomy and Astrophysics</i> , 2017, 606, A19.	5.1	19
169	MUSE integral-field spectroscopy towards the Frontier Fields cluster Abell S1063. <i>Astronomy and Astrophysics</i> , 2017, 599, A28.	5.1	72
170	VLT/FORS2 view at $z \sim 6$: Lyman- α emitter fraction and galaxy physical properties at the edge of the epoch of cosmic reionization. <i>Astronomy and Astrophysics</i> , 2017, 608, A123.	5.1	65
171	Effect of Local Environment and Stellar Mass on Galaxy Quenching and Morphology at $0.5 < z < 2.0$. <i>Astrophysical Journal</i> , 2017, 847, 134.	4.5	106
172	STELLAR MASS-GAS-PHASE METALLICITY RELATION AT $0.5 < z < 0.7$: A POWER LAW WITH INCREASING SCATTER TOWARD THE LOW-MASS REGIME. <i>Astrophysical Journal</i> , 2016, 822, 103.	4.5	29
173	THE EVOLUTION OF STAR FORMATION HISTORIES OF QUIESCENT GALAXIES. <i>Astrophysical Journal</i> , 2016, 832, 79.	4.5	99
174	CROSS-CORRELATION BETWEEN X-RAY AND OPTICAL/NEAR-INFRARED BACKGROUND INTENSITY FLUCTUATIONS. <i>Astrophysical Journal</i> , 2016, 832, 104.	4.5	19
175	The Lyman continuum escape fraction of galaxies at $z = 3.3$ in the VUDS-LBC/COSMOS field. <i>Astronomy and Astrophysics</i> , 2016, 585, A48.	5.1	84
176	Observational evidence of a slow downfall of star formation efficiency in massive galaxies during the past 10 Gyr. <i>Astronomy and Astrophysics</i> , 2016, 589, A35.	5.1	66
177	MORPHOLOGICAL PROPERTIES OF Ly α EMITTERS AT REDSHIFT 4.86 IN THE COSMOS FIELD: CLUMPY STAR FORMATION OR MERGER?*. <i>Astrophysical Journal</i> , 2016, 819, 25.	4.5	18
178	Effect of the star formation histories on the $SFR-M$ relation at $z \approx 2$. <i>Astronomy and Astrophysics</i> , 2016, 593, A9.	5.1	24
179	THE BURSTY STAR FORMATION HISTORIES OF LOW-MASS GALAXIES AT $0.4 < z < 1$ REVEALED BY STAR FORMATION RATES MEASURED FROM H β AND FUV. <i>Astrophysical Journal</i> , 2016, 833, 37.	4.5	69
180	THE IMPACT OF JWST BROADBAND FILTER CHOICE ON PHOTOMETRIC REDSHIFT ESTIMATION. <i>Astrophysical Journal, Supplement Series</i> , 2016, 227, 19.	7.7	17

#	ARTICLE	IF	CITATIONS
181	CLASH-VLT: A highly precise strong lensing model of the galaxy cluster RXC J2248.7+4431 (Abell S1063) and prospects for cosmography. <i>Astronomy and Astrophysics</i> , 2016, 587, A80.	5.1	98
182	Dust properties of Lyman-break galaxies at $z \sim 3$. <i>Astronomy and Astrophysics</i> , 2016, 587, A122.	5.1	62
183	The VIMOS Ultra Deep Survey: Ly α emission and stellar populations of star-forming galaxies at $2 < z < 2.5$. <i>Astronomy and Astrophysics</i> , 2016, 588, A26.	5.1	39
184	Size evolution of star-forming galaxies with $2 < z < 4.5$ in the VIMOS Ultra-Deep Survey. <i>Astronomy and Astrophysics</i> , 2016, 593, A22.	5.1	54
185	HIGH-RESOLUTION SPECTROSCOPY OF A YOUNG, LOW-METALLICITY OPTICALLY THIN $L = 0.02L^*$ STAR-FORMING GALAXY AT $z = 3.12^*$. <i>Astrophysical Journal Letters</i> , 2016, 821, L27.	8.3	91
186	Galaxies Unveiled: Rest-frame UV Clumps at $0.5 < z < 1.5$. <i>Proceedings of the International Astronomical Union</i> , 2016, 11, 364-365.	0.0	0
187	HUBBLE TARANTULA TREASURY PROJECT. III. PHOTOMETRIC CATALOG AND RESULTING CONSTRAINTS ON THE PROGRESSION OF STAR FORMATION IN THE 30 '' RADIUS REGION*. <i>Astrophysical Journal, Supplement Series</i> , 2016, 222, 11.	7.7	67
188	CLASH-VLT: testing the nature of gravity with galaxy cluster mass profiles. <i>Journal of Cosmology and Astroparticle Physics</i> , 2016, 2016, 023-023.	5.4	26
189	TRACING THE REIONIZATION EPOCH WITH ALMA: [C ii] EMISSION IN $z \sim 7$ GALAXIES. <i>Astrophysical Journal Letters</i> , 2016, 829, L11.	8.3	128
190	CLASH-VLT: DISSECTING THE FRONTIER FIELDS GALAXY CLUSTER MACS J0416.1-2403 WITH ~ 800 SPECTRA OF MEMBER GALAXIES. <i>Astrophysical Journal, Supplement Series</i> , 2016, 224, 33.	7.7	82
191	THE COSMOS2015 CATALOG: EXPLORING THE $1 < z < 6$ UNIVERSE WITH HALF A MILLION GALAXIES. <i>Astrophysical Journal, Supplement Series</i> , 2016, 224, 24.	7.7	784
192	KINEMATIC DOWNSIZING AT $z \sim 2$. <i>Astrophysical Journal</i> , 2016, 830, 14.	4.5	44
193	THE STAR FORMATION RATE EFFICIENCY OF NEUTRAL ATOMIC-DOMINATED HYDROGEN GAS IN THE OUTSKIRTS OF STAR-FORMING GALAXIES FROM $z \sim 1$ TO $z \sim 3$. <i>Astrophysical Journal</i> , 2016, 825, 87.	4.5	25
194	Mass assembly and morphological transformations since $z \sim 3$ from CANDELS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 4495-4516.	4.4	73
195	FIRST OBSERVATIONAL SUPPORT FOR OVERLAPPING REIONIZED BUBBLES GENERATED BY A GALAXY OVERDENSITY. <i>Astrophysical Journal Letters</i> , 2016, 818, L3.	8.3	53
196	The deepest X-ray view of high-redshift galaxies: constraints on low-rate black hole accretion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 348-374.	4.4	64
197	EVOLUTION OF INTRINSIC SCATTER IN THE SFR σ STELLAR MASS CORRELATION AT $0.5 < z < 3$. <i>Astrophysical Journal Letters</i> , 2016, 820, L1.	8.3	65
198	CAUGHT IN THE ACT: GAS AND STELLAR VELOCITY DISPERSIONS IN A FAST QUENCHING COMPACT STAR-FORMING GALAXY AT $z \sim 1.7$. <i>Astrophysical Journal</i> , 2016, 820, 120.	4.5	39

#	ARTICLE	IF	CITATIONS
199	BREAKING THE CURVE WITH CANDELS: A BAYESIAN APPROACH TO REVEAL THE NON-UNIVERSALITY OF THE DUST-ATTENUATION LAW AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2016, 827, 20.	4.5	98
200	FIRST RESULTS FROM THE FAINT INFRARED GRISM SURVEY (FIGS): FIRST SIMULTANEOUS DETECTION OF Ly \pm EMISSION AND LYMAN BREAK FROM A GALAXY AT $z \approx 7.5$. <i>Astrophysical Journal Letters</i> , 2016, 827, L14.	8.3	50
201	Non-parametric analysis of the rest-frame UV sizes and morphological disturbance amongst L^* galaxies at $4 < z < 8$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 457, 440-464.	4.4	70
202	Pathways to quiescence: SHARDS view on the star formation histories of massive quiescent galaxies at $1.0 < z < 1.5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 457, 3743-3768.	4.4	35
203	THE DETECTION AND STATISTICS OF GIANT ARCS BEHIND CLASH CLUSTERS. <i>Astrophysical Journal</i> , 2016, 817, 85.	4.5	23
204	Dark matter fraction of low-mass cluster members probed by galaxy-scale strong lensing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 458, 1493-1503.	4.4	8
205	Beyond spheroids and discs: classifications of CANDELS galaxy structure at $1.4 < z < 2$ via principal component analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 458, 963-987.	4.4	38
206	INFRARED COLOR SELECTION OF MASSIVE GALAXIES AT $z \gtrsim 3$. <i>Astrophysical Journal</i> , 2016, 816, 84.	4.5	57
207	THE MORPHOLOGIES AND ALIGNMENTS OF GAS, MASS, AND THE CENTRAL GALAXIES OF CLASH CLUSTERS OF GALAXIES. <i>Astrophysical Journal</i> , 2016, 819, 36.	4.5	50
208	DO THE MOST MASSIVE BLACK HOLES AT $z \approx 2$ GROW VIA MAJOR MERGERS?. <i>Astrophysical Journal</i> , 2016, 830, 156.	4.5	84
209	A STUDY OF THE RELATION BETWEEN STAR FORMATION AND MOLECULAR CLUMPS ON SUBPARSEC SCALES IN 30 DORADUS. <i>Astrophysical Journal</i> , 2016, 831, 32.	4.5	23
210	ARE COMPTON-THICK AGNs THE MISSING LINK BETWEEN MERGERS AND BLACK HOLE GROWTH?. <i>Astrophysical Journal</i> , 2015, 814, 104.	4.5	125
211	DISCOVERY OF MASSIVE, MOSTLY STAR FORMATION QUENCHED GALAXIES WITH EXTREMELY LARGE Ly α EQUIVALENT WIDTHS AT $z \approx 3$. <i>Astrophysical Journal Letters</i> , 2015, 809, L7.	8.3	14
212	SHARDS: A GLOBAL VIEW OF THE STAR FORMATION ACTIVITY AT $z \approx 0.84$ and $z \approx 1.23$. <i>Astrophysical Journal</i> , 2015, 812, 155.	4.5	16
213	THE QUASAR-LBG TWO-POINT ANGULAR CROSS-CORRELATION FUNCTION AT $z \approx 4$ IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2015, 809, 138.	4.5	11
214	EVOLUTION OF STAR FORMATION PROPERTIES OF HIGH-REDSHIFT CLUSTER GALAXIES SINCE $z = 2$. <i>Astrophysical Journal</i> , 2015, 810, 90.	4.5	33
215	A HIGHER EFFICIENCY OF CONVERTING GAS TO STARS PUSHES GALAXIES AT $z \approx 1.6$ WELL ABOVE THE STAR-FORMING MAIN SEQUENCE. <i>Astrophysical Journal Letters</i> , 2015, 812, L23.	8.3	84
216	The projected gravitational potential of the galaxy cluster MACS J1206 derived from galaxy kinematics. <i>Astronomy and Astrophysics</i> , 2015, 584, A63.	5.1	9

#	ARTICLE	IF	CITATIONS
217	THE EVOLUTION OF THE GALAXY REST-FRAME ULTRAVIOLET LUMINOSITY FUNCTION OVER THE FIRST TWO BILLION YEARS. <i>Astrophysical Journal</i> , 2015, 810, 71.	4.5	524
218	AN INCREASING STELLAR BARYON FRACTION IN BRIGHT GALAXIES AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2015, 814, 95.	4.5	54
219	The inferred evolution of the cold gas properties of CANDELS galaxies at 0.5 z \leq 3.0. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 454, 2258-2276.	4.4	41
220	The composite nature of Dust-Obscured Galaxies (DOGs) at $z \leq 3$ in the COSMOS field – I. A far-infrared view. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 470-485.	4.4	18
221	CANDELS VISUAL CLASSIFICATIONS: SCHEME, DATA RELEASE, AND FIRST RESULTS. <i>Astrophysical Journal, Supplement Series</i> , 2015, 221, 11.	7.7	106
222	THE FMOS-COSMOS SURVEY OF STAR-FORMING GALAXIES AT $z \leq 1.6$. III. SURVEY DESIGN, PERFORMANCE, AND SAMPLE CHARACTERISTICS. <i>Astrophysical Journal, Supplement Series</i> , 2015, 220, 12.	7.7	106
223	Evolution of clustering length, large-scale bias, and host halo mass at $2 \leq z \leq 5$ in the VIMOS Ultra Deep Survey (VUDS). <i>Astronomy and Astrophysics</i> , 2015, 583, A128.	5.1	30
224	Physical properties of $z \leq 4$ submillimeter galaxies in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2015, 576, A127.	5.1	43
225	The Herschel view of the dominant mode of galaxy growth from $z = 4$ to the present day. <i>Astronomy and Astrophysics</i> , 2015, 575, A74.	5.1	582
226	Stellar mass to halo mass relation from galaxy clustering in VUDS: a high star formation efficiency at $z \leq 3$. <i>Astronomy and Astrophysics</i> , 2015, 576, L7.	5.1	26
227	Evolution of the dust emission of massive galaxies up to $z = 4$ and constraints on their dominant mode of star formation. <i>Astronomy and Astrophysics</i> , 2015, 573, A113.	5.1	221
228	MUSE integral-field spectroscopy towards the Frontier Fields cluster Abell S1063. <i>Astronomy and Astrophysics</i> , 2015, 574, A11.	5.1	69
229	Quenching of Star-formation Activity of High-redshift Galaxies in Clusters and Field. <i>Proceedings of the International Astronomical Union</i> , 2015, 11, 28-28.	0.0	0
230	Compton thick AGN in the XMM-COSMOS survey. <i>Astronomy and Astrophysics</i> , 2015, 573, A137.	5.1	77
231	CLASH-VLT: Substructure in the galaxy cluster MACS J1206.2-0847 from kinematics of galaxy populations. <i>Astronomy and Astrophysics</i> , 2015, 579, A4.	5.1	45
232	The galaxy stellar mass function at $3.5 \leq z \leq 7.5$ in the CANDELS/UDS, GOODS-South, and HUDF fields. <i>Astronomy and Astrophysics</i> , 2015, 575, A96.	5.1	215
233	The evolving star formation rate: M-\dot{M} relation and sSFR since $z \leq 5$ from the VUDS spectroscopic survey. <i>Astronomy and Astrophysics</i> , 2015, 581, A54.	5.1	142
234	The cosmic growth of the active black hole population at $1 \leq z \leq 2$ in zCOSMOS, WDS and SDSS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 2085-2111.	4.4	74

#	ARTICLE	IF	CITATIONS
235	Star formation and quenching among the most massive galaxies at $z \sim 1.7$. Monthly Notices of the Royal Astronomical Society, 2015, 450, 763-786.	4.4	23
236	A WFC3 GRISM EMISSION LINE REDSHIFT CATALOG IN THE GOODS-SOUTH FIELD. Astronomical Journal, 2015, 149, 178.	4.7	43
237	THE ROLE OF BULGE FORMATION IN THE HOMOGENIZATION OF STELLAR POPULATIONS AT $z \sim 2$ AS REVEALED BY INTERNAL COLOR DISPERSION IN CANDELS. Astrophysical Journal, 2015, 803, 104.	4.5	8
238	CLASH-VLT: INSIGHTS ON THE MASS SUBSTRUCTURES IN THE FRONTIER FIELDS CLUSTER MACS J0416.1+2403 THROUGH ACCURATE STRONG LENS MODELING. Astrophysical Journal, 2015, 800, 38.	4.5	132
239	THE STELLAR INITIAL MASS FUNCTION AT $0.9 < z < 1.5$. Astrophysical Journal Letters, 2015, 798, L4.	8.3	23
240	THE INTERSTELLAR MEDIUM AND FEEDBACK IN THE PROGENITORS OF THE COMPACT PASSIVE GALAXIES AT $z \sim 2$. Astrophysical Journal, 2015, 800, 21.	4.5	24
241	CLUMPY GALAXIES IN CANDELS. I. THE DEFINITION OF UV CLUMPS AND THE FRACTION OF CLUMPY GALAXIES AT $0.5 < z < 3$. Astrophysical Journal, 2015, 800, 39.	4.5	172
242	ULTRAVIOLET MORPHOLOGY AND UNOBSCURED UV STAR FORMATION RATES OF CLASH BRIGHTEST CLUSTER GALAXIES. Astrophysical Journal, 2015, 805, 177.	4.5	68
243	Deconstructing the galaxy stellar mass function with UKIDSS and CANDELS: the impact of colour, structure and environment. Monthly Notices of the Royal Astronomical Society, 2015, 447, 2-24.	4.4	95
244	ZFOURGE/CANDELS: ON THE EVOLUTION OF M_* GALAXY PROGENITORS FROM $z = 3$ TO 0.5. Astrophysical Journal, 2015, 803, 26.	4.5	104
245	CLASH: EXTREME EMISSION-LINE GALAXIES AND THEIR IMPLICATION ON SELECTION OF HIGH-REDSHIFT GALAXIES. Astrophysical Journal, 2015, 801, 12.	4.5	10
246	STELLAR MASSES FROM THE CANDELS SURVEY: THE GOODS-SOUTH AND UDS FIELDS. Astrophysical Journal, 2015, 801, 97.	4.5	218
247	STAR-FORMING BLUE ETGS IN TWO NEWLY DISCOVERED GALAXY OVERDENSITIES IN THE HUDF AT $z = 1.84$ AND 1.9 : UNVEILING THE PROGENITORS OF PASSIVE ETGS IN CLUSTER CORES. Astrophysical Journal, 2015, 804, 117.	4.5	33
248	A CRITICAL ASSESSMENT OF STELLAR MASS MEASUREMENT METHODS. Astrophysical Journal, 2015, 808, 101.	4.5	106
249	DETAILED SHAPE AND EVOLUTIONARY BEHAVIOR OF THE X-RAY LUMINOSITY FUNCTION OF ACTIVE GALACTIC NUCLEI. Astrophysical Journal, 2015, 804, 104.	4.5	86
250	UVUDF: ULTRAVIOLET THROUGH NEAR-INFRARED CATALOG AND PHOTOMETRIC REDSHIFTS OF GALAXIES IN THE HUBBLE ULTRA DEEP FIELD. Astronomical Journal, 2015, 150, 31.	4.7	139
251	CLASH: THE CONCENTRATION-MASS RELATION OF GALAXY CLUSTERS. Astrophysical Journal, 2015, 806, 4.	4.5	170
252	S-CANDELS: THE $< i >$ SPITZER $< i >$ -COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC SURVEY. SURVEY DESIGN, PHOTOMETRY, AND DEEP IRAC SOURCE COUNTS. Astrophysical Journal, Supplement Series, 2015, 218, 33.	7.7	129

#	ARTICLE	IF	CITATIONS
253	Ultraviolet luminosity density of the universe during the epoch of reionization. <i>Nature Communications</i> , 2015, 6, 7945.	12.8	44
254	A CALIBRATION OF NICMOS CAMERA 2 FOR LOW COUNT RATES. <i>Astronomical Journal</i> , 2015, 149, 159.	4.7	5
255	HUBBLE SPACE TELESCOPE COMBINED STRONG AND WEAK LENSING ANALYSIS OF THE CLASH SAMPLE: MASS AND MAGNIFICATION MODELS AND SYSTEMATIC UNCERTAINTIES. <i>Astrophysical Journal</i> , 2015, 801, 44.	4.5	207
256	Constraining the galaxy mass content in the core of A383 using velocity dispersion measurements for individual cluster members. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 1224-1241.	4.4	26
257	The host galaxies of X-ray selected active galactic nuclei to $z = 2.5$: Structure, star formation, and their relationships from CANDELS and Herschel/PACS. <i>Astronomy and Astrophysics</i> , 2015, 573, A85.	5.1	58
258	The VIMOS Ultra-Deep Survey (VUDS): fast increase in the fraction of strong Lyman- α emitters from $z = 2$ to $z = 6$. <i>Astronomy and Astrophysics</i> , 2015, 573, A24.	5.1	98
259	Faint AGNs at $z > 4$ in the CANDELS GOODS-S field: looking for contributors to the reionization of the Universe. <i>Astronomy and Astrophysics</i> , 2015, 578, A83.	5.1	241
260	DISCOVERY OF A STRONG LENSING GALAXY EMBEDDED IN A CLUSTER AT $z = 1.62$. <i>Publications of the Korean Astronomical Society</i> , 2015, 30, 389-392.	0.0	0
261	The zCOSMOS redshift survey: evolution of the light in bulges and discs since $z \sim 0.8$. <i>Astronomy and Astrophysics</i> , 2014, 564, L12.	5.1	10
262	A mass threshold in the number density of passive galaxies at $z \sim 2$. <i>Astronomy and Astrophysics</i> , 2014, 571, A99.	5.1	6
263	Intracluster light properties in the CLASH-VLT cluster MACS J1206.2-0847. <i>Astronomy and Astrophysics</i> , 2014, 565, A126.	5.1	63
264	TYPE Ia SUPERNOVA RATE MEASUREMENTS TO REDSHIFT 2.5 FROM CANDELS: SEARCHING FOR PROMPT EXPLOSIONS IN THE EARLY UNIVERSE. <i>Astronomical Journal</i> , 2014, 148, 13.	4.7	121
265	LATE-STAGE GALAXY MERGERS IN COSMOS TO $z \sim 1$. <i>Astronomical Journal</i> , 2014, 148, 137.	4.7	61
266	LY α FOREST TOMOGRAPHY FROM BACKGROUND GALAXIES: THE FIRST MEGAPARSEC-RESOLUTION LARGE-SCALE STRUCTURE MAP AT $z > 2$. <i>Astrophysical Journal Letters</i> , 2014, 795, L12.	8.3	70
267	THE DISTRIBUTION OF SATELLITES AROUND MASSIVE GALAXIES AT $1 < z < 3$ IN ZFOURGE/CANDELS: DEPENDENCE ON STAR FORMATION ACTIVITY. <i>Astrophysical Journal</i> , 2014, 792, 103.	4.5	24
268	THE MUSIC OF CLASH: PREDICTIONS ON THE CONCENTRATION-MASS RELATION. <i>Astrophysical Journal</i> , 2014, 797, 34.	4.5	115
269	The role of major mergers in the size growth of intermediate-mass spheroids. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 443, 1861-1866.	4.4	8
270	The decomposed bulge and disc size-mass relations of massive galaxies at $1 < z < 3$ in CANDELS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 1660-1673.	4.4	42

#	ARTICLE	IF	CITATIONS
271	The colour distribution of galaxies at redshift five. Monthly Notices of the Royal Astronomical Society, 2014, 440, 3714-3725.	4.4	57
272	zCOSMOS 20k: satellite galaxies are the main drivers of environmental effects in the galaxy population at least to $z \approx 0.7$. Monthly Notices of the Royal Astronomical Society, 2014, 438, 717-738.	4.4	78
273	The mass evolution of the first galaxies: stellar mass functions and star formation rates at $4 < z < 7$ in the CANDELS GOODS-South field. Monthly Notices of the Royal Astronomical Society, 2014, 444, 2960-2984.	4.4	236
274	PdBI COLD DUST IMAGING OF TWO EXTREMELY RED $[4.5 < z < 4.8]$ GALAXIES DISCOVERED WITH SEDS AND CANDELS. Astrophysical Journal, 2014, 788, 126.	4.5	9
275	Galaxy Zoo: CANDELS barred discs and bar fractions... Monthly Notices of the Royal Astronomical Society, 2014, 445, 3466-3474.	4.4	70
276	CLASH-X: A COMPARISON OF LENSING AND X-RAY TECHNIQUES FOR MEASURING THE MASS PROFILES OF GALAXY CLUSTERS. Astrophysical Journal, 2014, 794, 136.	4.5	105
277	EVOLUTION OF THE FRACTION OF CLUMPY GALAXIES AT $0.2 < z < 1.0$ IN THE COSMOS FIELD. Astrophysical Journal, 2014, 786, 15.	4.5	39
278	THE REST-FRAME ULTRAVIOLET STRUCTURE OF $0.5 < z < 1.5$ GALAXIES. Astrophysical Journal, 2014, 791, 18.	4.5	8
279	3D-HST+CANDELS: THE EVOLUTION OF THE GALAXY SIZE-MASS DISTRIBUTION SINCE $z = 3$. Astrophysical Journal, 2014, 788, 28.	4.5	944
280	RAPID DECLINE OF $\text{Ly}\alpha$ EMISSION TOWARD THE REIONIZATION ERA. Astrophysical Journal, 2014, 794, 5.	4.5	149
281	THE PROGENITORS OF THE COMPACT EARLY-TYPE GALAXIES AT HIGH REDSHIFT. Astrophysical Journal, 2014, 780, 1.	4.5	103
282	EARLY-TYPE GALAXIES AT INTERMEDIATE REDSHIFT OBSERVED WITH HUBBLE SPACE TELESCOPE WFC3: PERSPECTIVES ON RECENT STAR FORMATION. Astrophysical Journal, 2014, 796, 101.	4.5	6
283	PROPERTIES OF SUBMILLIMETER GALAXIES IN THE CANDELS GOODS-SOUTH FIELD. Astrophysical Journal, 2014, 785, 111.	4.5	38
284	CLASH: EXTENDING GALAXY STRONG LENSING TO SMALL PHYSICAL SCALES WITH DISTANT SOURCES HIGHLY MAGNIFIED BY GALAXY CLUSTER MEMBERS. Astrophysical Journal, 2014, 786, 11.	4.5	13
285	CANDELS/GOODS-S, CDFS, AND ECFDS: PHOTOMETRIC REDSHIFTS FOR NORMAL AND X-RAY-DETECTED GALAXIES. Astrophysical Journal, 2014, 796, 60.	4.5	117
286	THE NATURE OF EXTREME EMISSION LINE GALAXIES AT $1 < z < 2$: KINEMATICS AND METALLICITIES FROM NEAR-INFRARED SPECTROSCOPY. Astrophysical Journal, 2014, 791, 17.	4.5	97
287	The bulge-disc decomposed evolution of massive galaxies at $1 < z < 3$ in CANDELS. Monthly Notices of the Royal Astronomical Society, 2014, 444, 1001-1033.	4.4	60
288	The incidence of obscuration in active galactic nuclei. Monthly Notices of the Royal Astronomical Society, 2014, 437, 3550-3567.	4.4	245

#	ARTICLE	IF	CITATIONS
289	Morphologies of $z \sim 0.7$ AGN host galaxies in CANDELS: no trend of merger incidence with AGN luminosity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 439, 3342-3356.	4.4	132
290	BULGE GROWTH AND QUENCHING SINCE $z = 2.5$ IN CANDELS/3D-HST. <i>Astrophysical Journal</i> , 2014, 788, 11.	4.5	244
291	TYPE-Ia SUPERNOVA RATES TO REDSHIFT 2.4 FROM CLASH: THE CLUSTER LENSING AND SUPERNOVA SURVEY WITH HUBBLE. <i>Astrophysical Journal</i> , 2014, 783, 28.	4.5	132
292	CLASH: A CENSUS OF MAGNIFIED STAR-FORMING GALAXIES AT $z \sim 6-8$. <i>Astrophysical Journal</i> , 2014, 792, 76.	4.5	98
293	KECK-I MOSFIRE SPECTROSCOPY OF COMPACT STAR-FORMING GALAXIES AT $z \sim 2$: HIGH VELOCITY DISPERSIONS IN PROGENITORS OF COMPACT QUIESCENT GALAXIES. <i>Astrophysical Journal</i> , 2014, 795, 145.	4.5	70
294	NEW OBSERVATIONS OF $z \sim 7$ GALAXIES: EVIDENCE FOR A PATCHY REIONIZATION. <i>Astrophysical Journal</i> , 2014, 793, 113.	4.5	213
295	CANDELS+3D-HST: COMPACT SFGs AT $z \sim 2-3$, THE PROGENITORS OF THE FIRST QUIESCENT GALAXIES. <i>Astrophysical Journal</i> , 2014, 791, 52.	4.5	142
296	CLASH: WEAK-LENSING SHEAR-AND-MAGNIFICATION ANALYSIS OF 20 GALAXY CLUSTERS. <i>Astrophysical Journal</i> , 2014, 795, 163.	4.5	233
297	NO MORE ACTIVE GALACTIC NUCLEI IN CLUMPY DISKS THAN IN SMOOTH GALAXIES AT $z \sim 2$ IN CANDELS/3D-HST. <i>Astrophysical Journal</i> , 2014, 793, 101.	4.5	18
298	THE FMOS-COSMOS SURVEY OF STAR-FORMING GALAXIES AT $z \sim 1.6$. II. THE MASS-METALLICITY RELATION AND THE DEPENDENCE ON STAR FORMATION RATE AND DUST EXTINCTION. <i>Astrophysical Journal</i> , 2014, 792, 75.	4.5	140
299	OPTICAL-FAINT, FAR-INFRARED-BRIGHT <i>HERSCHEL</i> SOURCES IN THE CANDELS FIELDS: ULTRA-LUMINOUS INFRARED GALAXIES AT $z \sim 1$ AND THE EFFECT OF SOURCE BLENDING. <i>Astrophysical Journal</i> , Supplement Series, 2014, 213, 2.	7.7	11
300	THE UV CONTINUUM OF $z \sim 1$ STAR-FORMING GALAXIES IN THE HUBBLE ULTRAVIOLET ULTRADEEP FIELD. <i>Astrophysical Journal Letters</i> , 2014, 793, L5.	8.3	19
301	TO STACK OR NOT TO STACK: SPECTRAL ENERGY DISTRIBUTION PROPERTIES OF Ly α -EMITTING GALAXIES AT $z \sim 2.1$. <i>Astrophysical Journal</i> , 2014, 783, 26.	4.5	31
302	CLASH: $z \sim 6$ young galaxy candidate quintuply lensed by the frontier field cluster RXC J2248.7 α 4431. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 438, 1417-1434.	4.4	49
303	A STUDY OF MASSIVE AND EVOLVED GALAXIES AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2014, 794, 68.	4.5	44
304	THE DEPENDENCE OF GALACTIC OUTFLOWS ON THE PROPERTIES AND ORIENTATION OF zCOSMOS GALAXIES AT $z \sim 1$. <i>Astrophysical Journal</i> , 2014, 794, 130.	4.5	98
305	KILOPARSEC-SCALE PROPERTIES OF EMISSION-LINE GALAXIES. <i>Astrophysical Journal</i> , 2014, 797, 108.	4.5	28
306	ACTIVE GALACTIC NUCLEUS AND QUASAR SCIENCE WITH APERTURE MASKING INTERFEROMETRY ON THE <i>JAMES WEBB SPACE TELESCOPE</i> . <i>Astrophysical Journal</i> , 2014, 783, 73.	4.5	14

#	ARTICLE	IF	CITATIONS
307	CLASH-VLT: CONSTRAINTS ON THE DARK MATTER EQUATION OF STATE FROM ACCURATE MEASUREMENTS OF GALAXY CLUSTER MASS PROFILES. <i>Astrophysical Journal Letters</i> , 2014, 783, L11.	8.3	23
308	THREE GRAVITATIONALLY LENSED SUPERNOVAE BEHIND CLASH GALAXY CLUSTERS. <i>Astrophysical Journal</i> , 2014, 786, 9.	4.5	45
309	Evidence for two modes of black hole accretion in massive galaxies at $z \sim 1/2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 440, 3630-3644.	4.4	21
310	DISCOVERY OF A STRONG LENSING GALAXY EMBEDDED IN A CLUSTER AT $z = 1.62$. <i>Astrophysical Journal Letters</i> , 2014, 789, L31.	8.3	16
311	CLASH: Photometric redshifts with 16 HST bands in galaxy cluster fields. <i>Astronomy and Astrophysics</i> , 2014, 562, A86.	5.1	37
312	CLASH-VLT: The stellar mass function and stellar mass density profile of the $z = 0.44$ cluster of galaxies MACSJ1206.2-0847. <i>Astronomy and Astrophysics</i> , 2014, 571, A80.	5.1	50
313	The Hawk-I UDS and GOODS Survey (HUGS): Survey design and deep K -band number counts. <i>Astronomy and Astrophysics</i> , 2014, 570, A11.	5.1	89
314	Constraints on the star-formation rate of $z \sim 3$ LBGs with measured metallicity in the CANDELS GOODS-South field. <i>Astronomy and Astrophysics</i> , 2014, 566, A19.	5.1	80
315	STRUCTURAL EVOLUTION OF EARLY-TYPE GALAXIES TO $z = 2.5$ IN CANDELS. <i>Astrophysical Journal</i> , 2013, 773, 149.	4.5	72
316	THE DISCOVERY OF THE MOST DISTANT KNOWN TYPE Ia SUPERNOVA AT REDSHIFT 1.914. <i>Astrophysical Journal</i> , 2013, 768, 166.	4.5	66
317	Progress in search for high-redshift galaxies magnified by gravitational lensing. <i>Astronomische Nachrichten</i> , 2013, 334, 474-477.	1.2	1
318	A galaxy rapidly forming stars 700 million years after the Big Bang at redshift 7.51. <i>Nature</i> , 2013, 502, 524-527.	27.8	223
319	The redshift and mass dependence on the formation of the Hubble sequence at $z > 1$ from CANDELS/UDS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 1185-1201.	4.4	121
320	Spectral energy distributions of type 1 AGN in XMM-COSMOS II. Shape evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 438, 1288-1304.	4.4	29
321	A quasar-galaxy mixing diagram: quasar spectral energy distribution shapes in the optical to near-infrared. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 3104-3121.	4.4	23
322	The UV continua and inferred stellar populations of galaxies at $z \sim 7$ revealed by the Hubble Ultra-Deep Field 2012 campaign. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 432, 3520-3533.	4.4	143
323	The ages, masses and star formation rates of spectroscopically confirmed $z \sim 6$ galaxies in CANDELS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 429, 302-322.	4.4	47
324	Evidence for a correlation between the sizes of quiescent galaxies and local environment to $z \sim 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 435, 207-221.	4.4	74

#	ARTICLE	IF	CITATIONS
325	A new multifield determination of the galaxy luminosity function at $z = 7 \leq 9$ incorporating the 2012 Hubble Ultra-Deep Field imaging. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 432, 2696-2716.	4.4	329
326	New image statistics for detecting disturbed galaxy morphologies at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 282-295.	4.4	51
327	Constraining the luminosity function of faint undetected <i>i</i> -dropout galaxies.... <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 432, 3474-3484.	4.4	8
328	CANDELS MULTI-WAVELENGTH CATALOGS: SOURCE DETECTION AND PHOTOMETRY IN THE GOODS-SOUTH FIELD. <i>Astrophysical Journal, Supplement Series</i> , 2013, 207, 24.	7.7	400
329	CANDELS: THE CORRELATION BETWEEN GALAXY MORPHOLOGY AND STAR FORMATION ACTIVITY AT $z < 1/4$. <i>Astrophysical Journal</i> , 2013, 774, 47.	4.5	64
330	A CRITICAL ASSESSMENT OF PHOTOMETRIC REDSHIFT METHODS: A CANDELS INVESTIGATION. <i>Astrophysical Journal</i> , 2013, 775, 93.	4.5	290
331	CONFIRMATION OF SMALL DYNAMICAL AND STELLAR MASSES FOR EXTREME EMISSION LINE GALAXIES AT $z < 1/4$. <i>Astrophysical Journal Letters</i> , 2013, 778, L22.	8.3	41
332	THE UV LUMINOSITY FUNCTION OF STAR-FORMING GALAXIES VIA DROPOUT SELECTION AT REDSHIFTS $z < 1/4$ 7 AND 8 FROM THE 2012 ULTRA DEEP FIELD CAMPAIGN. <i>Astrophysical Journal</i> , 2013, 768, 4.5	4.5	210
333	NEW CONSTRAINTS ON COSMIC REIONIZATION FROM THE 2012 HUBBLE ULTRA DEEP FIELD CAMPAIGN. <i>Astrophysical Journal</i> , 2013, 768, 71.	4.5	428
334	CLASH: COMPLETE LENSING ANALYSIS OF THE LARGEST COSMIC LENS MACS J0717.5+3745 AND SURROUNDING STRUCTURES. <i>Astrophysical Journal</i> , 2013, 777, 43.	4.5	79
335	WEAK LENSING CALIBRATED $M < T$ SCALING RELATION OF GALAXY GROUPS IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2013, 778, 74.	4.5	34
336	A CANDELS-3D-HST SYNERGY: RESOLVED STAR FORMATION PATTERNS AT $0.7 < z < 1.5$. <i>Astrophysical Journal</i> , 2013, 779, 135.	4.5	202
337	GALAXY HALO TRUNCATION AND GIANT ARC SURFACE BRIGHTNESS RECONSTRUCTION IN THE CLUSTER MACSJ1206.2-0847. <i>Astrophysical Journal</i> , 2013, 774, 124.	4.5	24
338	CONSTRAINING THE ASSEMBLY OF NORMAL AND COMPACT PASSIVELY EVOLVING GALAXIES FROM REDSHIFT $z = 3$ TO THE PRESENT WITH CANDELS. <i>Astrophysical Journal</i> , 2013, 775, 106.	4.5	115
339	CLASH: THE ENHANCED LENSING EFFICIENCY OF THE HIGHLY ELONGATED MERGING CLUSTER MACS J0416.1-2403. <i>Astrophysical Journal Letters</i> , 2013, 762, L30.	8.3	153
340	EVOLUTION OF THE SIZES OF GALAXIES OVER $7 < z < 12$ REVEALED BY THE 2012 HUBBLE ULTRA DEEP FIELD CAMPAIGN. <i>Astrophysical Journal</i> , 2013, 777, 155.	4.5	122
341	A LYMAN BREAK GALAXY IN THE EPOCH OF REIONIZATION FROM HUBBLE SPACE TELESCOPE GRISM SPECTROSCOPY. <i>Astrophysical Journal</i> , 2013, 773, 32.	4.5	14
342	UVUDF: ULTRAVIOLET IMAGING OF THE HUBBLE ULTRA DEEP FIELD WITH WIDE-FIELD CAMERA 3. <i>Astronomical Journal</i> , 2013, 146, 159.	4.7	65

#	ARTICLE	IF	CITATIONS
343	DISCOVERY OF LYMAN BREAK GALAXIES AT $z \approx 7$ FROM THE zFourGE SURVEY. <i>Astrophysical Journal</i> , 2013, 768, 56.	4.5	40
344	THE COLORS OF CENTRAL AND SATELLITE GALAXIES IN zCOSMOS OUT TO $z \approx 0.8$ AND IMPLICATIONS FOR QUENCHING. <i>Astrophysical Journal</i> , 2013, 769, 24.	4.5	48
345	THE 2012 HUBBLE ULTRA DEEP FIELD (UDF12): OBSERVATIONAL OVERVIEW. <i>Astrophysical Journal</i> , Supplement Series, 2013, 209, 3.	7.7	132
346	THE CONTRIBUTION OF HALOS WITH DIFFERENT MASS RATIOS TO THE OVERALL GROWTH OF CLUSTER-SIZED HALOS. <i>Astrophysical Journal</i> , 2013, 776, 91.	4.5	33
347	SERENDIPITOUS DISCOVERY OF A MASSIVE cD GALAXY AT $z = 1.096$: IMPLICATIONS FOR THE EARLY FORMATION AND LATE EVOLUTION OF cD GALAXIES. <i>Astrophysical Journal</i> , 2013, 769, 147.	4.5	11
348	CANDELS OBSERVATIONS OF THE ENVIRONMENTAL DEPENDENCE OF THE COLOR-MASS-MORPHOLOGY RELATION AT $z = 1.6$. <i>Astrophysical Journal</i> , 2013, 770, 58.	4.5	59
349	THE FMOS-COSMOS SURVEY OF STAR-FORMING GALAXIES AT $z \approx 1.6$. I. $H\alpha$ -BASED STAR FORMATION RATES AND DUST EXTINCTION. <i>Astrophysical Journal Letters</i> , 2013, 777, L8.	8.3	178
350	CAUGHT IN THE ACT: THE ASSEMBLY OF MASSIVE CLUSTER GALAXIES AT $z = 1.62$. <i>Astrophysical Journal</i> , 2013, 773, 154.	4.5	58
351	CANDELS MULTIWAVELENGTH CATALOGS: SOURCE IDENTIFICATION AND PHOTOMETRY IN THE CANDELS UKIDSS ULTRA-DEEP SURVEY FIELD. <i>Astrophysical Journal</i> , Supplement Series, 2013, 206, 10.	7.7	252
352	DISCOVERY OF A QUADRUPLE LENS IN CANDELS WITH A RECORD LENS REDSHIFT $z = 1.53$. <i>Astrophysical Journal Letters</i> , 2013, 777, L17.	8.3	23
353	HUBBLE TARANTULA TREASURY PROJECT: UNRAVELING TARANTULA'S WEB. I. OBSERVATIONAL OVERVIEW AND FIRST RESULTS. <i>Astronomical Journal</i> , 2013, 146, 53.	4.7	47
354	THE ABUNDANCE OF STAR-FORMING GALAXIES IN THE REDSHIFT RANGE 8.5-12: NEW RESULTS FROM THE 2012 HUBBLE ULTRA DEEP FIELD CAMPAIGN. <i>Astrophysical Journal Letters</i> , 2013, 763, L7.	8.3	397
355	SEDS: THE SPITZER EXTENDED DEEP SURVEY. SURVEY DESIGN, PHOTOMETRY, AND DEEP IRAC SOURCE COUNTS. <i>Astrophysical Journal</i> , 2013, 769, 80.	4.5	220
356	Spot the difference. <i>Astronomy and Astrophysics</i> , 2013, 558, A61.	5.1	69
357	PROTO-GROUPS AT $z \approx 3$ IN THE zCOSMOS-DEEP SAMPLE. <i>Astrophysical Journal</i> , 2013, 765, 109.	4.5	48
358	CLASH: THREE STRONGLY LENSED IMAGES OF A CANDIDATE $z \approx 11$ GALAXY. <i>Astrophysical Journal</i> , 2013, 762, 32.	4.5	301
359	STELLAR POPULATIONS OF LYMAN BREAK GALAXIES AT $z \approx 1-3$ IN THE <i>HST</i> /WFC3 EARLY RELEASE SCIENCE OBSERVATIONS. <i>Astrophysical Journal</i> , 2013, 765, 88.	4.5	31
360	CLASH-VLT: The mass, velocity-anisotropy, and pseudo-phase-space density profiles of the $z = 0.44$ galaxy cluster MACS J1206.2-0847. <i>Astronomy and Astrophysics</i> , 2013, 558, A1.	5.1	145

#	ARTICLE	IF	CITATIONS
361	CANDELS: THE PROGENITORS OF COMPACT QUIESCENT GALAXIES AT $z \approx 2$. <i>Astrophysical Journal</i> , 2013, 765, 104.	4.5	367
362	ENVIRONMENTAL EFFECTS IN THE INTERACTION AND MERGING OF GALAXIES IN zCOSMOS. <i>Astrophysical Journal</i> , 2013, 762, 43.	4.5	34
363	Investigating the relationship between AGN activity and stellar mass in zCOSMOS galaxies at $z \approx 1$ using emission-line diagnostic diagrams. <i>Astronomy and Astrophysics</i> , 2013, 556, A11.	5.1	14
364	Obscured AGN at $z \approx 1$ from the zCOSMOS-Bright Survey. <i>Astronomy and Astrophysics</i> , 2013, 556, A29.	5.1	44
365	The properties of (sub-)millimetre-selected galaxies as revealed by CANDELS HST WFC3/IR imaging in GOODS-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 432, 2012-2042.	4.4	52
366	X-RAY SELECTED AGN HOST GALAXIES ARE SIMILAR TO INACTIVE GALAXIES OUT TO $z = 3$: RESULTS FROM CANDELS/CDF-S. <i>Astrophysical Journal</i> , 2013, 763, 59.	4.5	48
367	Space Telescopes in the Ultraviolet, Optical, and Infrared (UV/O/IR). , 2013, , 361-429.		4
368	CLASH-VLT: spectroscopic confirmation of a $z = 6.11$ quintuply lensed galaxy in the Frontier Fields cluster RXC J2248.7-4431. <i>Astronomy and Astrophysics</i> , 2013, 559, L9.	5.1	46
369	Morphologies of low-redshift AGN host galaxies: what role does AGN luminosity play?. , 2013, , .		0
370	X-Ray Groups of Galaxies at $0.5 < z < 1$ in zCOSMOS: Increased AGN Activities in High Redshift Groups. <i>Publication of the Astronomical Society of Japan</i> , 2012, 64, .	2.5	15
371	THE CLUSTER LENSING AND SUPERNOVA SURVEY WITH HUBBLE: AN OVERVIEW. <i>Astrophysical Journal, Supplement Series</i> , 2012, 199, 25.	7.7	659
372	THE ADVANCED CAMERA FOR SURVEYS GENERAL CATALOG: STRUCTURAL PARAMETERS FOR APPROXIMATELY HALF A MILLION GALAXIES. <i>Astrophysical Journal, Supplement Series</i> , 2012, 200, 9.	7.7	51
373	THE CHANDRA COSMOS SURVEY. III. OPTICAL AND INFRARED IDENTIFICATION OF X-RAY POINT SOURCES. <i>Astrophysical Journal, Supplement Series</i> , 2012, 201, 30.	7.7	200
374	Improved constraints on the expansion rate of the Universe up to $z \approx 1.1$ from the spectroscopic evolution of cosmic chronometers. <i>Journal of Cosmology and Astroparticle Physics</i> , 2012, 2012, 006-006.	5.4	581
375	The morphologies of massive galaxies at $1 < z < 3$ in the CANDELS-UDS field: compact bulges, and the rise and fall of massive discs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 1666-1701.	4.4	136
376	A PANCHROMATIC CATALOG OF EARLY-TYPE GALAXIES AT INTERMEDIATE REDSHIFT IN THE HUBBLE SPACE TELESCOPE WIDE FIELD CAMERA 3 EARLY RELEASE SCIENCE FIELD. <i>Astrophysical Journal, Supplement Series</i> , 2012, 199, 4.	7.7	7
377	STRUCTURAL PARAMETERS OF GALAXIES IN CANDELS. <i>Astrophysical Journal, Supplement Series</i> , 2012, 203, 24.	7.7	410
378	THE ROLE OF GALAXY INTERACTION IN ENVIRONMENTAL DEPENDENCE OF THE STAR FORMATION ACTIVITY AT $z \approx 1.2$. <i>Astrophysical Journal</i> , 2012, 747, 42.	4.5	14

#	ARTICLE	IF	CITATIONS
379	The dominant role of mergers in the size evolution of massive early-type galaxies since $z \sim 1$. <i>Astronomy and Astrophysics</i> , 2012, 548, A7.	5.1	116
380	GOODS-HERSCHEL AND CANDELS: THE MORPHOLOGIES OF ULTRALUMINOUS INFRARED GALAXIES AT $z \sim 2$. <i>Astrophysical Journal</i> , 2012, 757, 23.	4.5	157
381	NEAR-INFRARED IMAGING OF A $z = 6.42$ QUIASAR HOST GALAXY WITH THE HUBBLE SPACE TELESCOPE WIDE FIELD CAMERA 3. <i>Astrophysical Journal Letters</i> , 2012, 756, L38.	8.3	41
382	CLASH: NEW MULTIPLE IMAGES CONSTRAINING THE INNER MASS PROFILE OF MACS J1206.2-0847. <i>Astrophysical Journal</i> , 2012, 749, 97.	4.5	58
383	CANDELS: CORRELATIONS OF SPECTRAL ENERGY DISTRIBUTIONS AND MORPHOLOGIES WITH STAR FORMATION STATUS FOR MASSIVE GALAXIES AT $z \sim 2$. <i>Astrophysical Journal</i> , 2012, 752, 134.	4.5	39
384	THE zCOSMOS 20k GROUP CATALOG. <i>Astrophysical Journal</i> , 2012, 753, 121.	4.5	88
385	A journey from the outskirts to the cores of groups. <i>Astronomy and Astrophysics</i> , 2012, 539, A55.	5.1	35
386	MEASURING THE GEOMETRY OF THE UNIVERSE FROM WEAK GRAVITATIONAL LENSING BEHIND GALAXY GROUPS IN THE ST COSMOS SURVEY. <i>Astrophysical Journal</i> , 2012, 749, 127.	4.5	15
387	A TYPE Ia SUPERNOVA AT REDSHIFT 1.55 IN HUBBLE SPACE TELESCOPE INFRARED OBSERVATIONS FROM CANDELS. <i>Astrophysical Journal</i> , 2012, 746, 5.	4.5	44
388	A DETECTION OF WEAK-LENSING MAGNIFICATION USING GALAXY SIZES AND MAGNITUDES. <i>Astrophysical Journal Letters</i> , 2012, 744, L22.	8.3	64
389	Faint high-redshift AGN in the Chandra deep field south: the evolution of the AGN luminosity function and black hole demography. <i>Astronomy and Astrophysics</i> , 2012, 537, A16.	5.1	136
390	The evolving slope of the stellar mass function at $0.6 < z < 4.5$ from deep WFC3 data. <i>Astronomy and Astrophysics</i> , 2012, 538, A33.	5.1	110
391	REST-FRAME UV-OPTICALLY SELECTED GALAXIES AT $2.3 < z < 3.5$: SEARCHING FOR DUSTY STAR-FORMING AND PASSIVELY EVOLVING GALAXIES. <i>Astrophysical Journal</i> , 2012, 749, 149.	4.5	35
392	CHANDRA HIGH-RESOLUTION OBSERVATIONS OF CID-42, A CANDIDATE RECOILING SUPERMASSIVE BLACK HOLE. <i>Astrophysical Journal</i> , 2012, 752, 49.	4.5	53
393	A BRIGHTEST CLUSTER GALAXY WITH AN EXTREMELY LARGE FLAT CORE. <i>Astrophysical Journal</i> , 2012, 756, 159.	4.5	62
394	CANDELS: CONSTRAINING THE AGN-MERGER CONNECTION WITH HOST MORPHOLOGIES AT $z < 2$. <i>Astrophysical Journal</i> , 2012, 744, 148.	4.5	330
395	LUMINOUS AND HIGH STELLAR MASS CANDIDATE GALAXIES AT $z \sim 8$ DISCOVERED IN THE COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC LEGACY SURVEY. <i>Astrophysical Journal</i> , 2012, 761, 177.	4.5	38
396	The blue UV slopes of $z \sim 4$ Lyman break galaxies: implications for the corrected star formation rate density. <i>Astronomy and Astrophysics</i> , 2012, 540, A39.	5.1	85

#	ARTICLE	IF	CITATIONS
397	The Morphologies of Massive Galaxies at $1 < z < 3$ in the CANDELS-UDS Field: Compact Bulges, and the Rise and Fall of Massive Disks. Proceedings of the International Astronomical Union, 2012, 8, 49-52.	0.0	0
398	Quenching star formation at intermediate redshifts: downsizing of the mass flux density in the green valley. Proceedings of the International Astronomical Union, 2012, 8, 163-166.	0.0	1
399	Non-redundant Aperture Masking Interferometry (AMI) and segment phasing with JWST-NIRISS. Proceedings of SPIE, 2012, , .	0.8	16
400	SMOOTH(ER) STELLAR MASS MAPS IN CANDELS: CONSTRAINTS ON THE LONGEVITY OF CLUMPS IN HIGH-REDSHIFT STAR-FORMING GALAXIES. Astrophysical Journal, 2012, 753, 114.	4.5	271
401	NEW CONSTRAINTS ON THE EVOLUTION OF THE STELLAR-TO-DARK MATTER CONNECTION: A COMBINED ANALYSIS OF GALAXY-GALAXY LENSING, CLUSTERING, AND STELLAR MASS FUNCTIONS FROM $0.2 < z < 1$. Astrophysical Journal, 2012, 744, 159.	4.5	437
402	CANDELS OBSERVATIONS OF THE STRUCTURAL PROPERTIES OF CLUSTER GALAXIES AT $z = 1.62$. Astrophysical Journal, 2012, 750, 93.	4.5	130
403	THE NATURE OF EXTREMELY RED $H\alpha$ [4.5] > 4 GALAXIES REVEALED WITH SEDS AND CANDELS. Astrophysical Journal Letters, 2012, 750, L20.	8.3	55
404	CLASH: MASS DISTRIBUTION IN AND AROUND MACS J1206.2-0847 FROM A FULL CLUSTER LENSING ANALYSIS. Astrophysical Journal, 2012, 755, 56.	4.5	101
405	SPECTRAL ENERGY DISTRIBUTIONS OF TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. I. THE XMM-COSMOS SAMPLE. Astrophysical Journal, 2012, 759, 6.	4.5	67
406	QUENCHING STAR FORMATION AT INTERMEDIATE REDSHIFTS: DOWNSIZING OF THE MASS FLUX DENSITY IN THE GREEN VALLEY. Astrophysical Journal, 2012, 759, 67.	4.5	55
407	THE DEPENDENCE OF QUENCHING UPON THE INNER STRUCTURE OF GALAXIES AT $0.5 < z < 0.8$ IN THE DEEP2/AEGIS SURVEY. Astrophysical Journal, 2012, 760, 131.	4.5	201
408	EVOLUTION IN THE DUST LANE FRACTION OF EDGE-ON L^*_{V} SPIRAL GALAXIES SINCE $z = 0.8$. Astrophysical Journal, 2012, 753, 25.	4.5	10
409	DEEP NEAR-INFRARED SPECTROSCOPY OF PASSIVELY EVOLVING GALAXIES AT $z \approx 1.4$. Astrophysical Journal, 2012, 755, 26.	4.5	128
410	WHAT TURNS GALAXIES OFF? THE DIFFERENT MORPHOLOGIES OF STAR-FORMING AND QUIESCENT GALAXIES SINCE $z \approx 2$ FROM CANDELS. Astrophysical Journal, 2012, 753, 167.	4.5	251
411	The spectral energy distributions, host galaxies and environments of variability-selected active galactic nuclei in GOODS-South. Monthly Notices of the Royal Astronomical Society, 2012, 426, 360-376.	4.4	23
412	CLASH: PRECISE NEW CONSTRAINTS ON THE MASS PROFILE OF THE GALAXY CLUSTER A2261. Astrophysical Journal, 2012, 757, 22.	4.5	112
413	Extended X-ray emission from non-thermal sources in the COSMOS field: a detailed study of a large radio galaxy at $z = 1.168$. Monthly Notices of the Royal Astronomical Society, 2012, 423, 2753-2763.	4.4	7
414	A magnified young galaxy from about 500 million years after the Big Bang. Nature, 2012, 489, 406-408.	27.8	273

#	ARTICLE	IF	CITATIONS
415	THE SIZE EVOLUTION OF PASSIVE GALAXIES: OBSERVATIONS FROM THE WIDE-FIELD CAMERA 3 EARLY RELEASE SCIENCE PROGRAM. <i>Astrophysical Journal</i> , 2012, 749, 53.	4.5	39
416	CONSTRAINTS ON THE FAINT END OF THE QUASAR LUMINOSITY FUNCTION AT $z \approx 5$ IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2012, 756, 160.	4.5	34
417	CANDELS: THE EVOLUTION OF GALAXY REST-FRAME ULTRAVIOLET COLORS FROM $z = 8$ TO 4. <i>Astrophysical Journal</i> , 2012, 756, 164.	4.5	256
418	ON THE DETECTION OF IONIZING RADIATION ARISING FROM STAR-FORMING GALAXIES AT REDSHIFT $z \approx 3-4$: LOOKING FOR ANALOGS OF "STELLAR RE-IONIZERS". <i>Astrophysical Journal</i> , 2012, 751, 70.	4.5	117
419	MULTI-WAVELENGTH VIEW OF KILOPARSEC-SCALE CLUMPS IN STAR-FORMING GALAXIES AT $z \approx 2$. <i>Astrophysical Journal</i> , 2012, 757, 120.	4.5	141
420	IDENTIFYING LUMINOUS ACTIVE GALACTIC NUCLEI IN DEEP SURVEYS: REVISED IRAC SELECTION CRITERIA. <i>Astrophysical Journal</i> , 2012, 748, 142.	4.5	500
421	CLASH: DISCOVERY OF A BRIGHT $z \approx 6.2$ DWARF GALAXY QUADRUPLY LENSED BY MACS J0329.6-0211. <i>Astrophysical Journal Letters</i> , 2012, 747, L9.	8.3	42
422	A GROUP-GALAXY CROSS-CORRELATION FUNCTION ANALYSIS IN zCOSMOS. <i>Astrophysical Journal</i> , 2012, 755, 48.	4.5	12
423	CANDELS: THE CONTRIBUTION OF THE OBSERVED GALAXY POPULATION TO COSMIC REIONIZATION. <i>Astrophysical Journal</i> , 2012, 758, 93.	4.5	174
424	Fe K emission from active galaxies in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2012, 537, A86.	5.1	35
425	Physical properties of Herschel selected galaxies in a semi-analytic galaxy formation model. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 421, 1539-1556.	4.4	27
426	Bolometric luminosities and Eddington ratios of X-ray selected active galactic nuclei in the XMM-COSMOS survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 425, 623-640.	4.4	315
427	The size-luminosity relation at $z \approx 7$ in CANDELS and its implication on reionization. <i>Astronomy and Astrophysics</i> , 2012, 547, A51.	5.1	82
428	A LINK TO THE PAST: USING MARKOV CHAIN MONTE CARLO FITTING TO CONSTRAIN FUNDAMENTAL PARAMETERS OF HIGH-REDSHIFT GALAXIES. <i>Astrophysical Journal</i> , 2012, 748, 122.	4.5	19
429	Two fossil groups of galaxies at $z \approx 0.4$ in the Cosmic Evolution Survey: accelerated stellar-mass build-up, different progenitors. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 417, 2927-2937.	4.4	12
430	The bolometric output and host-galaxy properties of obscured AGN in the XMM-COSMOS survey. <i>Astronomy and Astrophysics</i> , 2011, 534, A110.	5.1	54
431	GALAXY STRUCTURE AND MODE OF STAR FORMATION IN THE SFR-MASS PLANE FROM $z \approx 2.5$ TO $z \approx 4.5$ 0.1. <i>Astrophysical Journal</i> , 2011, 742, 96.	4.5	590
432	OBSCURED GOODS ACTIVE GALACTIC NUCLEI AND THEIR HOST GALAXIES AT $z < 1.25$: THE SLOW BLACK HOLE GROWTH PHASE. <i>Astrophysical Journal</i> , 2011, 734, 121.	4.5	27

#	ARTICLE	IF	CITATIONS
433	The bimodality of the 10k zCOSMOS-bright galaxies up to $z \approx 1$: a new statistical and portable classification based on optical galaxy properties. <i>Astronomy and Astrophysics</i> , 2011, 535, A10.	5.1	8
434	Black hole accretion and host galaxies of obscured quasars in XMM-COSMOS. <i>Astronomy and Astrophysics</i> , 2011, 535, A80.	5.1	76
435	THE RELATIVE ABUNDANCE OF COMPACT AND NORMAL MASSIVE EARLY-TYPE GALAXIES AND ITS EVOLUTION FROM REDSHIFT $z \approx 2$ TO THE PRESENT. <i>Astrophysical Journal</i> , 2011, 743, 96.	4.5	123
436	THE RADIAL AND AZIMUTHAL PROFILES OF Mg II ABSORPTION AROUND 0.5 z < z < 0.9 zCOSMOS GALAXIES OF DIFFERENT COLORS, MASSES, AND ENVIRONMENTS. <i>Astrophysical Journal</i> , 2011, 743, 10.	4.5	245
437	DIFFERENTIAL MORPHOLOGY BETWEEN REST-FRAME OPTICAL AND ULTRAVIOLET EMISSION FROM 1.5 z < z < 3 STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2011, 729, 48.	4.5	16
438	COMMISSION 47: COSMOLOGY. Proceedings of the International Astronomical Union, 2011, 7, 260-267.	0.0	0
439	EMU: Evolutionary Map of the Universe. Publications of the Astronomical Society of Australia, 2011, 28, 215-248.	3.4	312
440	THE IMPACT OF GALAXY INTERACTIONS ON ACTIVE GALACTIC NUCLEUS ACTIVITY IN zCOSMOS. <i>Astrophysical Journal</i> , 2011, 743, 2.	4.5	148
441	THE BULK OF THE BLACK HOLE GROWTH SINCE $z \approx 1$ OCCURS IN A SECULAR UNIVERSE: NO MAJOR MERGER-AGN CONNECTION. <i>Astrophysical Journal</i> , 2011, 726, 57.	4.5	315
442	THE MAJORITY OF COMPACT MASSIVE GALAXIES AT $z \approx 2$ ARE DISK DOMINATED. <i>Astrophysical Journal</i> , 2011, 730, 38.	4.5	194
443	SPECTROPOLARIMETRIC EVIDENCE FOR RADIATIVELY INEFFICIENT ACCRETION IN AN OPTICALLY DULL ACTIVE GALAXY. <i>Astrophysical Journal</i> , 2011, 732, 23.	4.5	15
444	THE POPULATION OF HIGH-REDSHIFT ACTIVE GALACTIC NUCLEI IN THE CHANDRA-COSMOS SURVEY. <i>Astrophysical Journal</i> , 2011, 741, 91.	4.5	76
445	SECULAR EVOLUTION AND A NON-EVOLVING BLACK-HOLE-TO-GALAXY MASS RATIO IN THE LAST 7 Gyr. <i>Astrophysical Journal Letters</i> , 2011, 741, L11.	8.3	100
446	AEGIS: DEMOGRAPHICS OF X-RAY AND OPTICALLY SELECTED ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2011, 728, 38.	4.5	78
447	A CANDELS WFC3 GRISM STUDY OF EMISSION-LINE GALAXIES AT $z \approx 2$: A MIX OF NUCLEAR ACTIVITY AND LOW-METALLICITY STAR FORMATION. <i>Astrophysical Journal</i> , 2011, 743, 144.	4.5	53
448	THE REDSHIFT AND NATURE OF AzTEC/COSMOS 1: A STARBURST GALAXY AT $z = 4.6$. <i>Astrophysical Journal Letters</i> , 2011, 731, L27.	8.3	31
449	SPECTROSCOPY OF LUMINOUS $z > 7$ GALAXY CANDIDATES AND SOURCES OF CONTAMINATION IN $z > 7$ GALAXY SEARCHES. <i>Astrophysical Journal</i> , 2011, 730, 68.	4.5	41
450	ON STAR FORMATION RATES AND STAR FORMATION HISTORIES OF GALAXIES OUT TO $z \approx 3$. <i>Astrophysical Journal</i> , 2011, 738, 106.	4.5	356

#	ARTICLE	IF	CITATIONS
451	THE STAR FORMATION HISTORY OF MASS-SELECTED GALAXIES IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2011, 730, 61.	4.5	515
452	PROBING VERY BRIGHT END OF GALAXY LUMINOSITY FUNCTION AT $z \approx 7$ USING HUBBLE SPACE TELESCOPE PURE PARALLEL OBSERVATIONS. <i>Astrophysical Journal Letters</i> , 2011, 728, L22.	8.3	78
453	On the evolution of environmental and mass properties of strong lens galaxies in COSMOS. <i>Astronomy and Astrophysics</i> , 2011, 529, A72.	5.1	30
454	THE NONLINEAR BIASING OF THE zCOSMOS GALAXIES UP TO $z \approx 1$ FROM THE 10k SAMPLE. <i>Astrophysical Journal</i> , 2011, 731, 102.	4.5	18
455	ACCRETION RATE AND THE PHYSICAL NATURE OF UNOBSCURED ACTIVE GALAXIES. <i>Astrophysical Journal</i> , 2011, 733, 60.	4.5	116
456	EXTREME EMISSION-LINE GALAXIES IN CANDELS: BROADBAND-SELECTED, STARBURSTING DWARF GALAXIES AT $z > 1$. <i>Astrophysical Journal</i> , 2011, 742, 111.	4.5	131
457	DISSECTING PHOTOMETRIC REDSHIFT FOR ACTIVE GALACTIC NUCLEUS USING XMM-AND CHANDRA-COSMOS SAMPLES. <i>Astrophysical Journal</i> , 2011, 742, 61.	4.5	205
458	GOODS “Herschel”: an infrared main sequence for star-forming galaxies. <i>Astronomy and Astrophysics</i> , 2011, 533, A119.	5.1	889
459	COLOR AND STELLAR POPULATION GRADIENTS IN PASSIVELY EVOLVING GALAXIES AT $z \approx 2$ FROM HST/WFC3 DEEP IMAGING IN THE HUBBLE ULTRA DEEP FIELD. <i>Astrophysical Journal</i> , 2011, 735, 18.	4.5	70
460	HUBBLE SPACE TELESCOPE IMAGING OF Ly \pm EMISSION AT $z \approx 4.4$. <i>Astrophysical Journal</i> , 2011, 735, 5.	4.5	33
461	PROBING THE FAINT END OF THE QUASAR LUMINOSITY FUNCTION AT $z \approx 4$ IN THE COSMOS FIELD. <i>Astrophysical Journal Letters</i> , 2011, 728, L25.	8.3	45
462	THE CLUSTER LENSING AND SUPERNOVA SURVEY WITH HUBBLE (CLASH): STRONG-LENSING ANALYSIS OF A383 FROM 16-BAND HST/WFC3/ACS IMAGING. <i>Astrophysical Journal</i> , 2011, 742, 117.	4.5	63
463	THE UDF05 FOLLOW-UP OF THE HUBBLE ULTRA DEEP FIELD. III. THE LUMINOSITY FUNCTION AT $z \approx 6$. <i>Astrophysical Journal</i> , 2011, 738, 123.	4.5	21
464	The zCOSMOS-Bright survey: the clustering of early and late galaxy morphological types since $z \approx 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, , no-no.	4.4	12
465	The Hubble Space Telescope GOODS NICMOS Survey: overview and the evolution of massive galaxies at $1.5 < z < 3$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 413, 80-100.	4.4	81
466	The tumultuous formation of the Hubble sequence at $z > 1$ examined with HST/Wide-Field Camera-3 observations of the Hubble Ultra Deep Field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 417, 2770-2788.	4.4	46
467	Oxford SWIFT integral field spectrograph and multiwavelength observations of the Eagle galaxy at $z = 0.77$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 417, 2882-2890.	4.4	1
468	A robust sample of galaxies at redshifts $6.0 < z < 8.7$: stellar populations, star formation rates and stellar masses. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 418, 2074-2105.	4.4	171

#	ARTICLE	IF	CITATIONS
469	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 4 Ms SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2011, 195, 10.	7.7	488
470	CANDELS: THE COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC LEGACY SURVEYâ€”THE <i>HUBBLE SPACE TELESCOPE</i> OBSERVATIONS, IMAGING DATA PRODUCTS, AND MOSAICS. <i>Astrophysical Journal, Supplement Series</i> , 2011, 197, 36.	7.7	1,549
471	THE <i>HUBBLE SPACE TELESCOPE</i> WIDE FIELD CAMERA 3 EARLY RELEASE SCIENCE DATA: PANCHROMATIC FAINT OBJECT COUNTS FOR 0.2-2 μm WAVELENGTH. <i>Astrophysical Journal, Supplement Series</i> , 2011, 193, 27.	7.7	247
472	CANDELS: THE COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC LEGACY SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2011, 197, 35.	7.7	1,590
473	A critical analysis of the UV luminosity function at redshift $\hat{z} \sim 7$ from deep WFC3 data. <i>Astronomy and Astrophysics</i> , 2011, 532, A33.	5.1	56
474	GALAXIES IN X-RAY GROUPS. I. ROBUST MEMBERSHIP ASSIGNMENT AND THE IMPACT OF GROUP ENVIRONMENTS ON QUENCHING. <i>Astrophysical Journal</i> , 2011, 742, 125.	4.5	118
475	ON THE COSMIC EVOLUTION OF THE SCALING RELATIONS BETWEEN BLACK HOLES AND THEIR HOST GALAXIES: BROAD-LINE ACTIVE GALACTIC NUCLEI IN THE zCOSMOS SURVEY. <i>Astrophysical Journal</i> , 2010, 708, 137-157.	4.5	276
476	THE COSMOS-WIRCam NEAR-INFRARED IMAGING SURVEY. I. <i>BzK</i>-SELECTED PASSIVE AND STAR-FORMING GALAXY CANDIDATES AT <i>z</i> $\hat{z} \sim 1.4$. <i>Astrophysical Journal</i> , 2010, 708, 202-217.	4.5	214
477	The X-ray to optical-UV luminosity ratio of X-ray selected type 1 AGN in XMM-COSMOS. <i>Astronomy and Astrophysics</i> , 2010, 512, A34.	5.1	306
478	THE <i>XMM-NEWTON</i> <i>WIDE-FIELD SURVEY IN THE COSMOS FIELD (XMM-COSMOS): DEMOGRAPHY AND MULTIWAVELENGTH PROPERTIES OF OBSCURED AND UNOBSCURED LUMINOUS ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2010, 716, 348-369.	4.5	266
479	The [O-III]-emission line luminosity function of optically selected type-2 AGN from zCOSMOS $\hat{z} \sim 1.4$. <i>Astronomy and Astrophysics</i> , 2010, 510, A56.	5.1	55
480	Tracking the impact of environment on the galaxy stellar mass function up to <i>z</i> $\hat{z} \sim 1$ in the 10 \hat{k} zCOSMOS sample. <i>Astronomy and Astrophysics</i> , 2010, 524, A76.	5.1	151
481	zCOSMOS 10k-bright spectroscopic sample. <i>Astronomy and Astrophysics</i> , 2010, 524, A67.	5.1	33
482	MOIRCS DEEP SURVEY. VI. NEAR-INFRARED SPECTROSCOPY OF <i>K</i>-SELECTED STAR-FORMING GALAXIES AT <i>z</i> $\hat{z} \sim 2$. <i>Astrophysical Journal</i> , 2010, 718, 112-132.	4.5	74
483	A MULTIWAVELENGTH STUDY OF A SAMPLE OF 70 $\hat{\mu}\text{m}$ SELECTED GALAXIES IN THE COSMOS FIELD. I. SPECTRAL ENERGY DISTRIBUTIONS AND LUMINOSITIES. <i>Astrophysical Journal</i> , 2010, 709, 572-596.	4.5	81
484	A RUNAWAY BLACK HOLE IN COSMOS: GRAVITATIONAL WAVE OR SLINGSHOT RECOIL?. <i>Astrophysical Journal</i> , 2010, 717, 209-222.	4.5	101
485	THE MORPHOLOGY OF PASSIVELY EVOLVING GALAXIES AT <i>z</i> $\hat{z} \sim 2$ FROM <i>HUBBLE SPACE TELESCOPE</i> /WFC3 DEEP IMAGING IN THE HUBBLE ULTRA DEEP FIELD. <i>Astrophysical Journal Letters</i> , 2010, 714, L79-L83.	8.3	82
486	Properties and environment of radio-emitting galaxies in the VLA-zCOSMOS survey. <i>Astronomy and Astrophysics</i> , 2010, 511, A1.	5.1	21

#	ARTICLE	IF	CITATIONS
487	A WEAK LENSING STUDY OF X-RAY GROUPS IN THE COSMOS SURVEY: FORM AND EVOLUTION OF THE MASS-LUMINOSITY RELATION. <i>Astrophysical Journal</i> , 2010, 709, 97-114.	4.5	227
488	A LABOCA SURVEY OF THE EXTENDED CHANDRA DEEP FIELD SOUTH—SUBMILLIMETER PROPERTIES OF NEAR-INFRARED SELECTED GALAXIES. <i>Astrophysical Journal</i> , 2010, 719, 483-496.	4.5	25
489	RADIO GALAXY FEEDBACK IN X-RAY-SELECTED GROUPS FROM COSMOS: THE EFFECT ON THE INTRACLUSTER MEDIUM. <i>Astrophysical Journal</i> , 2010, 714, 218-228.	4.5	40
490	MASS AND ENVIRONMENT AS DRIVERS OF GALAXY EVOLUTION IN SDSS AND zCOSMOS AND THE ORIGIN OF THE SCHECHTER FUNCTION. <i>Astrophysical Journal</i> , 2010, 721, 193-221.	4.5	1,485
491	OBSCURED STAR FORMATION AND ENVIRONMENT IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2010, 721, 607-614.	4.5	22
492	zCOSMOS — 10k-bright spectroscopic sample. <i>Astronomy and Astrophysics</i> , 2010, 523, A13.	5.1	354
493	The zCOSMOS redshift survey: how group environment alters global downsizing trends. <i>Astronomy and Astrophysics</i> , 2010, 509, A40.	5.1	78
494	K+a galaxies in the zCOSMOS survey. <i>Astronomy and Astrophysics</i> , 2010, 509, A42.	5.1	54
495	THE LABOCA SURVEY OF THE EXTENDED CHANDRA DEEP FIELD SOUTH: TWO MODES OF STAR FORMATION IN ACTIVE GALACTIC NUCLEUS HOSTS?. <i>Astrophysical Journal</i> , 2010, 712, 1287-1301.	4.5	143
496	ENVIRONMENT OF MAMBO GALAXIES IN THE COSMOS FIELD. <i>Astrophysical Journal Letters</i> , 2010, 708, L36-L41.	8.3	28
497	THE RISE AND FALL OF PASSIVE DISK GALAXIES: MORPHOLOGICAL EVOLUTION ALONG THE RED SEQUENCE REVEALED BY COSMOS. <i>Astrophysical Journal</i> , 2010, 719, 1969-1983.	4.5	159
498	HOT-DUST-POOR TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. <i>Astrophysical Journal Letters</i> , 2010, 724, L59-L63.	8.3	55
499	THE DENSITY FIELD OF THE 10k zCOSMOS GALAXIES. <i>Astrophysical Journal</i> , 2010, 708, 505-533.	4.5	104
500	A DETAILED STUDY OF PHOTOMETRIC REDSHIFTS FOR GOODS-SOUTH GALAXIES. <i>Astrophysical Journal</i> , 2010, 724, 425-447.	4.5	83
501	ON THE STELLAR POPULATIONS AND EVOLUTION OF STAR-FORMING GALAXIES AT $6.3 < z < i> \hat{a} \textcircled{1}/2 < i> 8.6$. <i>Astrophysical Journal</i> , 2010, 719, 1250-1273.	4.5	178
502	A MULTIWAVELENGTH STUDY OF A SAMPLE OF 70 $\hat{1}/4\text{m}$ SELECTED GALAXIES IN THE COSMOS FIELD. II. THE ROLE OF MERGERS IN GALAXY EVOLUTION. <i>Astrophysical Journal</i> , 2010, 721, 98-123.	4.5	125
503	GALAXY STELLAR MASS ASSEMBLY BETWEEN $0.2 < z < i> \hat{a} \textcircled{1}/2 < i> 2$ FROM THE S-COSMOS SURVEY. <i>Astrophysical Journal</i> , 2010, 709, 644-663.	4.5	573
504	THE BUILDUP OF THE HUBBLE SEQUENCE IN THE COSMOS FIELD. <i>Astrophysical Journal Letters</i> , 2010, 714, L47-L51.	8.3	70

#	ARTICLE	IF	CITATIONS
505	IDENTIFYING DYNAMICALLY YOUNG GALAXY GROUPS VIA WIDE-ANGLE TAIL GALAXIES: A CASE STUDY IN THE COSMOS FIELD AT $z = 0.53$. <i>Astrophysical Journal</i> , 2010, 713, 484-490.	4.5	10
506	THE 10k zCOSMOS: MORPHOLOGICAL TRANSFORMATION OF GALAXIES IN THE GROUP ENVIRONMENT SINCE $z \approx 1$. <i>Astrophysical Journal</i> , 2010, 718, 86-104.	4.5	63
507	THE OPACITY OF GALACTIC DISKS AT $z \approx 0.7$. <i>Astrophysical Journal Letters</i> , 2010, 714, L113-L117.	8.3	9
508	Bars in early- and late-type discs in COSMOS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 409, 346-354.	4.4	58
509	Understanding the shape of the galaxy two-point correlation function at $z \approx 1$ in the COSMOS field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 409, 867-872.	4.4	24
510	On the evolution of the velocity-mass-size relations of disc-dominated galaxies over the past 10 billion years. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , no-no.	4.4	77
511	Pixel-based correction for Charge Transfer Inefficiency in the Hubble Space Telescope Advanced Camera for Surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 401, 371-384.	4.4	133
512	High-redshift elliptical galaxies: are they (all) really compact?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 401, 933-940.	4.4	100
513	The evolution of the hard X-ray luminosity function of AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 401, 2531-2551.	4.4	300
514	The effects of an active galactic nucleus on host galaxy colour and morphology measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , .	4.4	15
515	Evolution of blue E/S0 galaxies from $z \sim 1$: merger remnants or disk-rebuilding galaxies?. <i>Astronomy and Astrophysics</i> , 2010, 515, A3.	5.1	38
516	EPISODIC STAR FORMATION COUPLED TO REIGNITION OF RADIO ACTIVITY IN 3C 236. <i>Astrophysical Journal</i> , 2010, 715, 172-185.	4.5	30
517	A NEW EXTENSIVE CATALOG OF OPTICALLY VARIABLE ACTIVE GALACTIC NUCLEI IN THE GOODS FIELDS AND A NEW STATISTICAL APPROACH TO VARIABILITY SELECTION. <i>Astrophysical Journal</i> , 2010, 723, 737-754.	4.5	47
518	Ultraluminous X-ray sources out to $z \sim 0.3$ in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2010, 514, A85.	5.1	15
519	The zCOSMOS 10k-sample: the role of galaxy stellar mass in the colour-density relation up to $z \approx 1$. <i>Astronomy and Astrophysics</i> , 2010, 524, A2.	5.1	56
520	THE VLA-COSMOS SURVEY. IV. DEEP DATA AND JOINT CATALOG. <i>Astrophysical Journal, Supplement Series</i> , 2010, 188, 384-404.	7.7	180
521	UV-DROPOUT GALAXIES IN THE GOODS-SOUTH FIELD FROM WFC3 EARLY RELEASE SCIENCE OBSERVATIONS. <i>Astrophysical Journal</i> , 2010, 720, 1708-1716.	4.5	70
522	THE EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY: OPTICAL SPECTROSCOPY OF FAINT X-RAY SOURCES WITH THE VLT AND KECK. <i>Astrophysical Journal, Supplement Series</i> , 2010, 191, 124-142.	7.7	123

#	ARTICLE	IF	CITATIONS
523	IDENTIFICATIONS AND PHOTOMETRIC REDSHIFTS OF THE 2 Ms CHANDRA DEEP FIELD-SOUTH SOURCES. <i>Astrophysical Journal, Supplement Series</i> , 2010, 187, 560-580.	7.7	133
524	THE VLA-COSMOS PERSPECTIVE ON THE INFRARED-RADIO RELATION. I. NEW CONSTRAINTS ON SELECTION BIASES AND THE NON-EVOLUTION OF THE INFRARED/RADIO PROPERTIES OF STAR-FORMING AND ACTIVE GALACTIC NUCLEUS GALAXIES AT INTERMEDIATE AND HIGH REDSHIFT. <i>Astrophysical Journal, Supplement Series</i> , 2010, 186, 341-377.	7.7	91
525	OBSERVATIONAL LIMITS ON TYPE 1 ACTIVE GALACTIC NUCLEUS ACCRETION RATE IN COSMOS. <i>Astrophysical Journal</i> , 2009, 700, 49-55.	4.5	54
526	The zCOSMOS survey: the role of the environment in the evolution of the luminosity function of different galaxy types. <i>Astronomy and Astrophysics</i> , 2009, 508, 1217-1234.	5.1	66
527	THE ENVIRONMENTS OF ACTIVE GALACTIC NUCLEI WITHIN THE zCOSMOS DENSITY FIELD. <i>Astrophysical Journal</i> , 2009, 695, 171-182.	4.5	89
528	STELLAR AND TOTAL BARYON MASS FRACTIONS IN GROUPS AND CLUSTERS SINCE REDSHIFT 1*. <i>Astrophysical Journal</i> , 2009, 703, 982-993.	4.5	250
529	THE NATURE OF OPTICALLY DULL ACTIVE GALACTIC NUCLEI IN COSMOS. <i>Astrophysical Journal</i> , 2009, 706, 797-809.	4.5	49
530	ON THE CONTRIBUTION OF LARGE-SCALE STRUCTURE TO STRONG GRAVITATIONAL LENSING. <i>Astrophysical Journal</i> , 2009, 695, 1233-1243.	4.5	22
531	ONGOING AND CO-EVOLVING STAR FORMATION IN zCOSMOS GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2009, 696, 396-410.	4.5	197
532	AN OPTICAL GROUP CATALOG TO $z < 1$ FROM THE zCOSMOS 10 k SAMPLE. <i>Astrophysical Journal</i> , 2009, 697, 1842-1860.	4.5	103
533	MID-IR LUMINOSITIES AND UV/OPTICAL STAR FORMATION RATES AT $z < 1.4$. <i>Astrophysical Journal</i> , 2009, 700, 161-182.	4.5	131
534	MASSIVE GALAXIES IN COSMOS: EVOLUTION OF BLACK HOLE VERSUS BULGE MASS BUT NOT VERSUS TOTAL STELLAR MASS OVER THE LAST 9 Gyr?. <i>Astrophysical Journal</i> , 2009, 706, L215-L220.	4.5	161
535	STUDYING LARGE- AND SMALL-SCALE ENVIRONMENTS OF ULTRAVIOLET LUMINOUS GALAXIES. <i>Astrophysical Journal</i> , 2009, 699, 1307-1320.	4.5	8
536	ACTIVE GALACTIC NUCLEUS HOST GALAXY MORPHOLOGIES IN COSMOS. <i>Astrophysical Journal</i> , 2009, 691, 705-722.	4.5	179
537	COSMIC EVOLUTION OF RADIO SELECTED ACTIVE GALACTIC NUCLEI IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2009, 696, 24-39.	4.5	119
538	SPECTROSCOPIC CONFIRMATION OF FAINT LYMAN BREAK GALAXIES NEAR REDSHIFT FIVE IN THE HUBBLE ULTRA DEEP FIELD. <i>Astrophysical Journal</i> , 2009, 697, 942-949.	4.5	33
539	The zCOSMOS redshift survey: the role of environment and stellar mass in shaping the rise of the morphology-density relation from $z < 1$. <i>Astronomy and Astrophysics</i> , 2009, 503, 379-398. ^{5.1}		137
540	Designing future dark energy space missions. <i>Astronomy and Astrophysics</i> , 2009, 504, 359-371.	5.1	63

#	ARTICLE	IF	CITATIONS
541	STAR FORMATION AND DUST OBSCURATION AT $z \approx 2$: GALAXIES AT THE DAWN OF DOWNSIZING. <i>Astrophysical Journal</i> , 2009, 698, L116-L120.	4.5	311
542	The XMM-Newton wide-field survey in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 497, 635-648.	5.1	230
543	PHOTOMETRIC PROPERTIES OF Ly α EMITTERS AT $z \approx 4.86$ IN THE COSMOS 2 SQUARE DEGREE FIELD. <i>Astrophysical Journal</i> , 2009, 696, 546-561.	4.5	48
544	EARLY-TYPE GALAXIES IN THE PEARS SURVEY: PROBING THE STELLAR POPULATIONS AT MODERATE REDSHIFT. <i>Astrophysical Journal</i> , 2009, 706, 158-169.	4.5	44
545	A robust morphological classification of high-redshift galaxies using support vector machines on seeing limited images. <i>Astronomy and Astrophysics</i> , 2009, 497, 743-753.	5.1	51
546	HUBBLE SPACE TELESCOPE/ADVANCED CAMERA FOR SURVEYS MORPHOLOGY OF Ly α EMITTERS AT REDSHIFT 5.7 IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2009, 701, 915-944.	4.5	34
547	DEEP SPITZER 24 μ m COSMOS IMAGING. I. THE EVOLUTION OF LUMINOUS DUSTY GALAXIES—CONFRONTING THE MODELS. <i>Astrophysical Journal</i> , 2009, 703, 222-239.	4.5	207
548	THE CLOWES-CAMPUSANO LARGE QUASAR GROUP SURVEY. I. GALEX-SELECTED SAMPLE OF LYMAN BREAK GALAXIES AT $z \approx 1$. <i>Astrophysical Journal</i> , 2009, 702, 506-522.	4.5	10
549	HEAVILY OBSCURED AGN IN STAR-FORMING GALAXIES AT $z \approx 2$. <i>Astrophysical Journal</i> , 2009, 706, 535-552.	4.5	70
550	ENVIRONMENTAL EFFECTS ON THE STAR FORMATION ACTIVITY IN GALAXIES AT $z \approx 1.2$ IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2009, 700, 971-976.	4.5	27
551	THE OPTICAL SPECTRA OF SPITZER 24 μ m GALAXIES IN THE COSMIC EVOLUTION SURVEY FIELD. II. FAINT INFRARED SOURCES IN THE zCOSMOS-BRIGHT 10k CATALOG. <i>Astrophysical Journal</i> , 2009, 707, 1387-1403.	4.5	11
552	THE UDF05 FOLLOW-UP OF THE HUBBLE ULTRA DEEP FIELD. II. CONSTRAINTS ON REIONIZATION FROM z -DROPOUT GALAXIES. <i>Astrophysical Journal</i> , 2009, 690, 1350-1357.	4.5	80
553	THE DEPENDENCE OF STAR FORMATION ACTIVITY ON STELLAR MASS SURFACE DENSITY AND SERSIC INDEX IN zCOSMOS GALAXIES AT $z \approx 0.5$ & $z \approx 0.9$ COMPARED WITH SDSS GALAXIES AT $z \approx 0.04$ & $z \approx 0.08$. <i>Astrophysical Journal</i> , 2009, 694, 1099-1114.	4.5	36
554	SPITZER 70 AND 160 μ m OBSERVATIONS OF THE COSMOS FIELD. <i>Astronomical Journal</i> , 2009, 138, 1261-1270.	4.7	75
555	A submillimetre galaxy at $z = 4.76$ in the LABOCA survey of the Extended Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 395, 1905-1914.	4.4	108
556	Host galaxy morphologies of X-ray selected AGN: assessing the significance of different black hole fuelling mechanisms to the accretion density of the Universe at $z \approx 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 397, 623-633.	4.4	99
557	The Future of Direct Supermassive Black Hole Mass Estimates. <i>Publications of the Astronomical Society of the Pacific</i> , 2009, 121, 1245-1256.	3.1	1
558	THE zCOSMOS 10k-BRIGHT SPECTROSCOPIC SAMPLE. <i>Astrophysical Journal</i> , Supplement Series, 2009, 184, 218-229.	7.7	481

#	ARTICLE	IF	CITATIONS
559	THE <i>CHANDRA</i> SURVEY OF THE COSMOS FIELD. II. SOURCE DETECTION AND PHOTOMETRY. <i>Astrophysical Journal, Supplement Series</i> , 2009, 185, 586-601.	7.7	62
560	CHASING HIGHLY OBSCURED QSOs IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2009, 693, 447-462.	4.5	191
561	THE LARGE APEX BOLOMETER CAMERA SURVEY OF THE EXTENDED CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal</i> , 2009, 707, 1201-1216.	4.5	304
562	THE <i>CHANDRA</i> COSMOS SURVEY. I. OVERVIEW AND POINT SOURCE CATALOG. <i>Astrophysical Journal, Supplement Series</i> , 2009, 184, 158-171.	7.7	361
563	COSMOS ⁵⁹²¹⁺⁰⁶³⁸ : characterization and analysis of a new strong gravitationally lensed AGN. <i>Astronomy and Astrophysics</i> , 2009, 507, 35-46.	5.1	19
564	The zCOSMOS survey. The dependence of clustering on luminosity and stellar mass at $z=0.2$ – 1 . <i>Astronomy and Astrophysics</i> , 2009, 505, 463-482.	5.1	87
565	The Evolution of AGN Host Galaxies: From Blue to Red and the Influence of Large-scale Structures. <i>Astrophysical Journal</i> , 2008, 675, 1025-1040.	4.5	136
566	First Catalog of Strong Lens Candidates in the COSMOS Field. <i>Astrophysical Journal, Supplement Series</i> , 2008, 176, 19-38.	7.7	101
567	The <i>Chandra</i> Deep Field “South Survey: 2 Ms Source Catalogs. <i>Astrophysical Journal, Supplement Series</i> , 2008, 179, 19-36.	7.7	250
568	EMISSION-LINE GALAXIES FROM THE PEARS HUBBLE ULTRA DEEP FIELD: A 2D DETECTION METHOD AND FIRST RESULTS. <i>Astronomical Journal</i> , 2008, 135, 1624-1635.	4.7	31
569	Science with an 8-meter to 16-meter optical/UV space telescope. <i>Proceedings of SPIE</i> , 2008, , .	0.8	17
570	The All-Wavelength Extended Groth Strip International Survey (AEGIS) Data Sets. <i>Astrophysical Journal</i> , 2007, 660, L1-L6.	4.5	465
571	The COSMOS Survey: <i>Hubble Space Telescope</i> Advanced Camera for Surveys Observations and Data Processing. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 196-202.	7.7	533
572	The First Release COSMOS Optical and Near-IR Data and Catalog. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 99-116.	7.7	672
573	COSMOS: <i>Hubble Space Telescope</i> Observations. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 38-45.	7.7	392
574			

#	ARTICLE	IF	CITATIONS
577	zCOSMOS: A Large VLT/VIMOS Redshift Survey Covering $0 < z < 3$ in the COSMOS Field. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 70-85.	7.7	775
578	The XMM-Newton Wide-Field Survey in the COSMOS Field. IV. X-Ray Spectral Properties of Active Galactic Nuclei. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 368-382.	7.7	89
579	A Potential Galaxy Threshing System in the COSMOS Field. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 511-517.	7.7	7
580	The Cosmic Evolution Survey (COSMOS): A Large-Scale Structure at $z = 0.73$ and the Relation of Galaxy Morphologies to Local Environment. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 254-269.	7.7	61
581	A Strong-Lens Survey in AEGIS: The Influence of Large-Scale Structure. <i>Astrophysical Journal</i> , 2007, 660, L31-L34.	4.5	41
582	The Redshift Evolution of Early-Type Galaxies in COSMOS: Do Massive Early-Type Galaxies Form by Dry Mergers?. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 494-510.	7.7	127
583	The Stability of the Point-Spread Function of the Advanced Camera for Surveys on the Hubble Space Telescope and Implications for Weak Gravitational Lensing. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 203-218.	7.7	119
584	COSMOS: Three-dimensional Weak Lensing and the Growth of Structure. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 239-253.	7.7	212
585	Dominant Nuclear Outflow Driving Mechanisms in Powerful Radio Galaxies. <i>Astrophysical Journal</i> , 2007, 661, 70-77.	4.5	31
586	COSMOS Morphological Classification with the Zurich Estimator of Structural Types (ZEST) and the Evolution Since $z = 1$ of the Luminosity Function of Early, Disk, and Irregular Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 406-433.	7.7	211
587	AEGIS: Host Galaxy Morphologies of X-Ray-selected and Infrared-selected Active Galactic Nuclei at $0.2 < z < 1.2$. <i>Astrophysical Journal</i> , 2007, 660, L19-L22.	4.5	105
588	The Effects of Environment on Morphological Evolution at $0 < z < 1.2$ in the COSMOS Survey. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 284-294.	7.7	109
589	Redshifts of Emission-Line Objects in the Hubble Ultra Deep Field. <i>Astronomical Journal</i> , 2007, 134, 169-178.	4.7	31
590	The VLA-COSMOS Survey. II. Source Catalog of the Large Project. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 46-69.	7.7	258
591	COSMOS: The Spitzer Legacy Survey of the Hubble Space Telescope ACS 2 deg ² COSMOS Field I: Survey Strategy and First Analysis. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 86-98.	7.7	503
592	AEGIS: A Panchromatic Study of IRAC-selected Extremely Red Objects with Confirmed Spectroscopic Redshifts. <i>Astrophysical Journal</i> , 2007, 660, L59-L63.	4.5	16
593	The Angular Correlations of Galaxies in the COSMOS Field. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 314-319.	7.7	50
594	The XMM-Newton Wide-Field Survey in the COSMOS Field: Statistical Properties of Clusters of Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 182-195.	7.7	234

#	ARTICLE	IF	CITATIONS
595	The Evolution of the Number Density of Large Disk Galaxies in COSMOS. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 434-455.	7.7	93
596	The Cosmic Evolution Survey (COSMOS): The Morphological Content and Environmental Dependence of the Galaxy Color-Magnitude Relation at $z \approx 0.7$. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 270-283.	7.7	98
597	AEGIS: The Diversity of Bright Near-IR-selected Distant Red Galaxies. <i>Astrophysical Journal</i> , 2007, 660, L55-L58.	4.5	29
598	The Stellar Content of the COSMOS Field as Derived from Morphological and SED-based Star/Galaxy Separation. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 545-559.	7.7	22
599	The UDF05 Follow-up of the Hubble Ultra Deep Field. I. The Faint-End Slope of the Lyman Break Galaxy Population at $z \approx 5$. <i>Astrophysical Journal</i> , 2007, 671, 1212-1226.	4.5	85
600	Weak Gravitational Lensing with COSMOS: Galaxy Selection and Shape Measurements. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 219-238.	7.7	325
601	Dark matter maps reveal cosmic scaffolding. <i>Nature</i> , 2007, 445, 286-290.	27.8	302
602	Radio observations of the Chandra Deep Field South. <i>Astronomy and Astrophysics</i> , 2007, 466, 119-126.	5.1	17
603	The <i>XMM-Newton</i> Wide-Field Survey in the COSMOS Field. III. Optical Identification and Multiwavelength Properties of a Large Sample of X-ray-Selected Sources. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 353-367.	7.7	147
604	Deep <i>GALEX</i> Imaging of the COSMOS <i>HST</i> Field: A First Look at the Morphology of $z \approx 0.7$ Star-forming Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 468-493.	7.7	155
605	$\text{Ly}\alpha$ Emitters at Redshift 5.7 in the COSMOS Field. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 523-544.	7.7	96
606	The $[O\text{III}]\lambda 3727$ Luminosity Function and Star Formation Rate at $z \approx 1.2$ in the COSMOS 2 Square Degree Field and the Subaru Deep Field. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 456-467.	7.7	48
607	The WFC2 Archival Pure Parallels Project. <i>Publications of the Astronomical Society of the Pacific</i> , 2006, 118, 450-460.	3.1	8
608	Seeing the Sky through Hubble's Eye: The COSMOS SkyWalker. <i>Publications of the Astronomical Society of the Pacific</i> , 2006, 118, 1186-1189.	3.1	0
609	High-Redshift QSOs in the GOODS. <i>Globular Clusters - Guides To Galaxies</i> , 2006, , 145-150.	0.1	0
610	The supermassive black hole in Centaurus A: a benchmark for gas kinematical measurements. <i>Astronomy and Astrophysics</i> , 2006, 448, 921-953.	5.1	57
611	The Hubble Ultra Deep Field. <i>Astronomical Journal</i> , 2006, 132, 1729-1755.	4.7	687
612	Optical and X-Ray Identification of Faint Radio Sources in the GOODS CDF-S Advanced Camera for Surveys Field. <i>Astronomical Journal</i> , 2006, 131, 1216-1230.	4.7	51

#	ARTICLE	IF	CITATIONS
613	Clues to Active Galactic Nucleus Growth from Optically Variable Objects in the Hubble Ultra Deep Field. <i>Astrophysical Journal</i> , 2006, 639, 731-739.	4.5	20
614	Populations of candidate black holes at redshift 7 or above. <i>Proceedings of the International Astronomical Union</i> , 2006, 2, 258-258.	0.0	0
615	A multiwavelength study of a sample of Texas Radio Survey steep spectrum sources. <i>Proceedings of the International Astronomical Union</i> , 2006, 2, 610-610.	0.0	0
616	Prototype development for a Hubble Legacy Archive. <i>Proceedings of the International Astronomical Union</i> , 2006, 2, 589-589.	0.0	0
617	The X-Ray-to-Optical Properties of Optically Selected Active Galaxies over Wide Luminosity and Redshift Ranges. <i>Astronomical Journal</i> , 2006, 131, 2826-2842.	4.7	408
618	The Properties and Redshift Evolution of Intermediate-Luminosity Off-Nuclear X-Ray Sources in the Chandra Deep Fields. <i>Astronomical Journal</i> , 2006, 131, 2394-2405.	4.7	27
619	Deep ATLAS Radio Observations of the Chandra Deep Field-South/Spitzer Wide-Area Infrared Extragalactic Field. <i>Astronomical Journal</i> , 2006, 132, 2409-2423.	4.7	154
620	Morphology and Evolution of Emission-Line Galaxies in the Hubble Ultra Deep Field. <i>Astrophysical Journal</i> , 2006, 636, 582-591.	4.5	15
621	Did galaxy assembly and supermassive black-hole growth go hand-in-hand?. <i>New Astronomy Reviews</i> , 2006, 50, 821-828.	12.8	10
622	The Structure and Star Formation History of Early-Type Galaxies in the Ultra Deep Field/GRAPES Survey. <i>Astrophysical Journal</i> , 2006, 636, 115-133.	4.5	33
623	Resolving the Shocks in Radio Galaxy Nebulae: Hubble Space Telescope and Radio Imaging of 3C 171, 3C 277.3, and PKS 2250-41. <i>Astronomical Journal</i> , 2005, 130, 2513-2521.	4.7	13
624	X-Ray Properties of Lyman Break Galaxies in the Great Observatories Origins Deep Survey. <i>Astronomical Journal</i> , 2005, 129, 1-8.	4.7	57
625	Stars in the Hubble Ultra Deep Field. <i>Astrophysical Journal</i> , 2005, 622, 319-332.	4.5	61
626	AGN Host Galaxies at $z \approx 0.4-1.3$: Bulge-dominated and Lacking Merger-AGN Connection. <i>Astrophysical Journal</i> , 2005, 627, L97-L100.	4.5	183
627	Passively Evolving Early-Type Galaxies at $1.4 < z < 2.5$ in the Hubble Ultra Deep Field. <i>Astrophysical Journal</i> , 2005, 626, 680-697.	4.5	737
628	A Redshift $z \approx 5.4$ Ly α Emitting Galaxy with Linear Morphology in the GRAPES/Hubble Ultra Deep Field. <i>Astrophysical Journal</i> , 2005, 621, 582-586.	4.5	24
629	An Overdensity of Galaxies at $z = 5.9 \pm 0.2$ in the Hubble Ultra Deep Field Confirmed Using the ACS Grism. <i>Astrophysical Journal</i> , 2005, 626, 666-679.	4.5	125
630	Hubble Space Telescope STIS Spectroscopy of the Ly α Emission Line in the Central Dominant Galaxies in A426, A1795, and A2597: Constraints on Clouds in the Intracluster Medium. <i>Astrophysical Journal</i> , 2005, 632, 122-136.	4.5	5

#	ARTICLE	IF	CITATIONS
631	The Extended Chandra Deep Fieldâ€“South Survey: Chandra Pointâ€“Source Catalogs. <i>Astrophysical Journal, Supplement Series</i> , 2005, 161, 21-40.	7.7	244
632	Evidence for a Massive Poststarburst Galaxy at $z \approx 6.5$. <i>Astrophysical Journal</i> , 2005, 635, 832-844.	4.5	128
633	The COSMOS 2-degree HST/ACS survey. <i>New Astronomy Reviews</i> , 2005, 49, 461-464.	12.8	2
634	The Chandra deep field South/GOODS survey. <i>Astronomy and Astrophysics</i> , 2005, 437, 805-821.	5.1	49
635	HST/STIS low dispersion spectroscopy of three Compact Steep Spectrum sources. <i>Astronomy and Astrophysics</i> , 2005, 436, 493-501.	5.1	40
636	The Nature of UV-selected Galaxies in the Chandra Deep Field South. <i>Symposium - International Astronomical Union</i> , 2004, 217, 222-223.	0.1	0
637	The Great Observatories Origins Deep Survey: Initial Results from Optical and Near-Infrared Imaging. <i>Astrophysical Journal</i> , 2004, 600, L93-L98.	4.5	1,351
638	A Possible New Population of Sources with Extreme X-Ray/Optical Ratios. <i>Astrophysical Journal</i> , 2004, 600, L123-L126.	4.5	63
639	Identification of Type Ia Supernovae at Redshift 1.3 and Beyond with the Advanced Camera for Surveys on the Hubble Space Telescope. <i>Astrophysical Journal</i> , 2004, 600, L163-L166.	4.5	66
640	Morphologies and Spectral Energy Distributions of Extremely Red Galaxies in the GOODS-South Field. <i>Astrophysical Journal</i> , 2004, 600, L131-L134.	4.5	89
641	Hubble Space Telescope STIS Far-Ultraviolet Observations of the Central Nebulae in the Cooling Core Clusters A1795 and A2597. <i>Astrophysical Journal</i> , 2004, 612, 131-151.	4.5	52
642	The Nature of Near-Ultraviolet-selected Objects in the Chandra Deep Field-South. <i>Astrophysical Journal</i> , 2004, 600, L151-L154.	4.5	3
643	The Space Density of High-Redshift QSOs in the Great Observatories Origins Deep Survey. <i>Astrophysical Journal</i> , 2004, 600, L119-L122.	4.5	55
644	Lower Mass Black Holes in the Great Observatories Origins Deep Survey? Off-nuclear X-Ray Sources. <i>Astrophysical Journal</i> , 2004, 600, L147-L150.	4.5	22
645	The Evolution of Disk Galaxies in the GOODS-South Field: Number Densities and Size Distribution. <i>Astrophysical Journal</i> , 2004, 604, L9-L12.	4.5	154
646	Photometric Redshifts for Galaxies in the GOODS Southern Field. <i>Astrophysical Journal</i> , 2004, 600, L167-L170.	4.5	98
647	The VLA-COSMOS Survey. I. Radio Identifications from the Pilot Project. <i>Astronomical Journal</i> , 2004, 128, 1974-1989.	4.7	68
648	The Hubble Higher-z Supernova Search: Supernovae to $z \approx 1.6$ and Constraints on Type Ia Progenitor Models. <i>Astrophysical Journal</i> , 2004, 613, 200-223.	4.5	248

#	ARTICLE	IF	CITATIONS
649	Obscured Active Galactic Nuclei and the X-Ray, Optical, and Far-Infrared Number Counts of Active Galactic Nuclei in the GOODS Fields. <i>Astrophysical Journal</i> , 2004, 616, 123-135.	4.5	135
650	HST/STIS Far-UV observations of the central nebulae in the cooling core cluster A 1795. <i>Proceedings of the International Astronomical Union</i> , 2004, 2004, 509-512.	0.0	0
651	Prevalence of X-Ray Variability in the Chandra Deep Field-South. <i>Astrophysical Journal</i> , 2004, 611, 93-106.	4.5	91
652	GRAPES, Grism Spectroscopy of the Hubble Ultra Deep Field: Description and Data Reduction. <i>Astrophysical Journal, Supplement Series</i> , 2004, 154, 501-508.	7.7	102
653	The ultra-deep 20 cm Australia telescope survey of the Chandra Deep Field South. <i>New Astronomy Reviews</i> , 2003, 47, 391-396.	12.8	2
654	Emission Line Properties of GPS/CSS Galaxies. <i>Publications of the Astronomical Society of Australia</i> , 2003, 20, 147-150.	3.4	0
655	HST/STIS Spectroscopy of CSS Sources: Kinematics and Ionisation of the Aligned Nebulae. <i>Publications of the Astronomical Society of Australia</i> , 2003, 20, 28-30.	3.4	2
656	Jet-Cloud Interactions in Compact Steep Spectrum Radio Sources. <i>Publications of the Astronomical Society of Australia</i> , 2003, 20, 88-93.	3.4	15
657	Resolving the Hard X-Ray Background in the Chandra Deep Field South. <i>Globular Clusters - Guides To Galaxies</i> , 2003, , 573-579.	0.1	0
658	Hubble Space Telescope Imaging in the Chandra Deep Field-South. III. Quantitative Morphology of the 1 Million Second Chandra Counterparts and Comparison with the Field Population. <i>Astrophysical Journal</i> , 2003, 595, 685-697.	4.5	30
659	Hubble Space Telescope Imaging in the Chandra Deep Field-South. II. WFPC2 Observations of an X-Ray Flux-limited Sample from the 1 Million Second Chandra Catalog. <i>Astrophysical Journal</i> , 2002, 567, 657-671.	4.5	22
660	The Chandra Deep Field-South: The 1 Million Second Exposure. <i>Astrophysical Journal</i> , 2002, 566, 667-674.	4.5	289
661	Ultraviolet Hubble Space Telescope Snapshot Survey of 3CR Radio Source Counterparts at Low Redshift. <i>Astrophysical Journal, Supplement Series</i> , 2002, 139, 411-438.	7.7	45
662	Chandra Deep Field South: The 1 Ms Catalog. <i>Astrophysical Journal, Supplement Series</i> , 2002, 139, 369-410.	7.7	501
663	[ITAL]Hubble Space Telescope [ITAL] STIS Observations of the Kinematics of Emission-Line Nebulae in Three Compact Steep-Spectrum Radio Sources. <i>Astronomical Journal</i> , 2002, 123, 2333-2351.	4.7	62
664	Interactions between the Abell 2597 central radio source and dense gas in its host galaxy. <i>New Astronomy Reviews</i> , 2002, 46, 149-153.	12.8	1
665	Shock ionization of line-emitting gas in the radio galaxy PKS 0349-27. <i>New Astronomy Reviews</i> , 2002, 46, 197-201.	12.8	1
666	Discovery of a Star Formation Region in Abell 2052. <i>Astronomical Journal</i> , 2002, 123, 1357-1363.	4.7	11

#	ARTICLE	IF	CITATIONS
667	A Classic Type 2 QSO. <i>Astrophysical Journal</i> , 2002, 571, 218-225.	4.5	199
668	Discovery of Ghost Cavities in the X-Ray Atmosphere of Abell 2597. <i>Astrophysical Journal</i> , 2001, 562, L149-L152.	4.5	189
669	New Results from the X-Ray and Optical Survey of the Chandra Deep Field“South: The 300 Kilosecond Exposure. II.. <i>Astrophysical Journal</i> , 2001, 562, 42-51.	4.5	172
670	Hubble Space Telescope Imaging in the Chandra Deep Field“South. I. Multiple Active Galactic Nucleus Populations. <i>Astrophysical Journal</i> , 2001, 560, 127-138.	4.5	23
671	Peering through the Dust: Evidence for a Supermassive Black Hole at the Nucleus of Centaurus A from VLT Infrared Spectroscopy. <i>Astrophysical Journal</i> , 2001, 549, 915-937.	4.5	82
672	3C 236: Radio Source, Interrupted?. <i>Astronomical Journal</i> , 2001, 121, 1915-1926.	4.7	45
673	Unveiling the Active Nucleus of Centaurus A. <i>Astrophysical Journal</i> , 2000, 528, 276-291.	4.5	74
674	ASCA Observations of the Gigahertz-peaked Spectrum Radio Galaxies 1345+125 and 2352+495. <i>Astronomical Journal</i> , 2000, 119, 478-485.	4.7	36
675	Hubble Space Telescope Observations of the Associated Absorption“Line Systems in Q0122+0338. <i>Astrophysical Journal</i> , 2000, 531, 654-664.	4.5	6
676	PKS 2250“41 and the role of jet-cloud interactions in powerful radio galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 307, 24-40.	4.4	91
677	X-Ray Properties of B2 1028+313: A Quasar at the Center of the Abell Cluster A1030. <i>Astrophysical Journal</i> , 1999, 510, 90-103.	4.5	7
678	H [CSC]i/[CSC] Absorption toward the Nucleus of the Radio Galaxy PKS 2322“123 in A2597. <i>Astrophysical Journal</i> , 1999, 512, L27-L30.	4.5	48
679	The Extended Blue Continuum and Line Emission around the Central Radio Galaxy in Abell 2597. <i>Astrophysical Journal</i> , 1999, 525, 621-637.	4.5	39
680	PKS2250-41 and the Role of Jet Cloud Interactions in Powerful Radio Galaxies. <i>Astrophysics and Space Science</i> , 1998, 263, 67-70.	1.4	0
681	Dynamics and Excitation of Radio Galaxy Emission“Line Regions. I. PKS 2356“61. <i>Astrophysical Journal</i> , 1998, 497, 662-680.	4.5	16
682	Constraints on Ultraviolet Absorption in the Intracluster Medium of Abell 1030. <i>Astrophysical Journal</i> , 1998, 508, 608-620.	4.5	6
683	The Nearest GHz Peaked-Spectrum Radio Galaxy, PKS 1718-649. <i>Astronomical Journal</i> , 1997, 113, 2025.	4.7	38
684	Dynamical Models of Emission-Line Gas in Radio Galaxies. <i>Symposium - International Astronomical Union</i> , 1996, 175, 471-472.	0.1	0

#	ARTICLE	IF	CITATIONS
685	Shock Excitation of Emission Lines in Radio Galaxies. Symposium - International Astronomical Union, 1996, 175, 473-474.	0.1	0
686	A water-vapour giga-maser in the active galaxy TXFS2226 " 184. Nature, 1995, 378, 697-699.	27.8	50
687	Extragalactic Ionized Hydrogen in the Fornax Cluster. Astrophysical Journal, 1995, 447, .	4.5	10
688	Galaxies at $z=6-9$ from the WFC3/IR imaging of the Hubble Ultra Deep Field. Monthly Notices of the Royal Astronomical Society, 0, 403, 960-983.	4.4	204
689	Precise strong lensing mass profile of the CLASH galaxy cluster MACS2129. Monthly Notices of the Royal Astronomical Society, 0, , stx015.	4.4	18
690	The VANDELS ESO public spectroscopic survey. Monthly Notices of the Royal Astronomical Society, 0, , .	4.4	79