

RenÅ©e G Stark

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5559994/publications.pdf>

Version: 2024-02-01

38
papers

1,566
citations

430874

18
h-index

302126

39
g-index

40
all docs

40
docs citations

40
times ranked

2708
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemerin is associated with markers of inflammation and components of the metabolic syndrome but does not predict coronary atherosclerosis. <i>European Journal of Endocrinology</i> , 2009, 161, 339-344.	3.7	257
2	Effect of ultrasound screening on the rate of first operative procedures for developmental hip dysplasia in Germany. <i>Lancet, The</i> , 2003, 362, 1883-1887.	13.7	143
3	Resistin is an inflammatory marker of inflammatory bowel disease in humans. <i>European Journal of Gastroenterology and Hepatology</i> , 2007, 19, 1070-1074.	1.6	128
4	Costs of Inflammatory Bowel Disease in Germany. <i>Pharmacoeconomics</i> , 2006, 24, 797-814.	3.3	110
5	Effects of Metformin on Metabolite Profiles and LDL Cholesterol in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2015, 38, 1858-1867.	8.6	97
6	Validity, reliability, and responsiveness of the EQ-5D in inflammatory bowel disease in Germany. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 42-51.	1.9	83
7	A Walnut-Enriched Diet Affects Gut Microbiome in Healthy Caucasian Subjects: A Randomized, Controlled Trial. <i>Nutrients</i> , 2018, 10, 244.	4.1	82
8	Walnut-enriched diet reduces fasting non-HDL-cholesterol and apolipoprotein B in healthy Caucasian subjects: A randomized controlled cross-over clinical trial. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 382-391.	3.4	75
9	Low Adiponectin Levels Are an Independent Predictor of Mixed and Non-Calcified Coronary Atherosclerotic Plaques. <i>PLoS ONE</i> , 2009, 4, e4733.	2.5	55
10	Cost burden of type 2 diabetes in Germany: results from the population-based KORA studies. <i>BMJ Open</i> , 2016, 6, e012527.	1.9	50
11	Systemic Cardiovascular Complications in Patients With Long-Standing Diabetes Mellitus. <i>Investigative Radiology</i> , 2009, 44, 242-250.	6.2	44
12	A Walnut-Enriched Diet Reduces Lipids in Healthy Caucasian Subjects, Independent of Recommended Macronutrient Replacement and Time Point of Consumption: a Prospective, Randomized, Controlled Trial. <i>Nutrients</i> , 2017, 9, 1097.	4.1	41
13	Health care use and costs of adverse drug events emerging from outpatient treatment in Germany: A modelling approach. <i>BMC Health Services Research</i> , 2011, 11, 9.	2.2	38
14	The Economic Burden of Obesity in Germany: Results from the Population-Based KORA Studies. <i>Obesity Facts</i> , 2016, 9, 397-409.	3.4	38
15	Medical care of type 2 diabetes in German Disease Management Programmes: a population-based evaluation. <i>Diabetes/Metabolism Research and Reviews</i> , 2011, 27, 383-391.	4.0	31
16	High-Dose Treatment With Telmisartan Induces Monocytic Peroxisome Proliferator-Activated Receptor- β Target Genes in Patients With the Metabolic Syndrome. <i>Hypertension</i> , 2011, 58, 725-732.	2.7	31
17	CXCL16 is a surrogate marker of inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 2008, 43, 283-288.	1.5	26
18	The effectiveness of German disease management programs (DMPs) in patients with type 2 diabetes mellitus and coronary heart disease: results from an observational longitudinal study. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, 77.	2.7	19

#	ARTICLE	IF	CITATIONS
19	Assessment of Value of Glycosylated Albumin and Protein in Detection of Gestational Diabetes. <i>Diabetes Care</i> , 1987, 10, 213-216.	8.6	18
20	Apolipoprotein A-IV Is an Independent Predictor of Disease Activity in Patients with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2007, 13, 391-397.	1.9	17
21	The Performance of a Value Set for the EQ-5D Based on Experienced Health States in Patients with Inflammatory Bowel Disease. <i>Value in Health</i> , 2012, 15, 151-157.	0.3	16
22	Improving care of post-infarct patients: effects of disease management programmes and care according to international guidelines. <i>Clinical Research in Cardiology</i> , 2014, 103, 237-245.	3.3	16
23	The Non-Linear Relationship between BMI and Health Care Costs and the Resulting Cost Fraction Attributable to Obesity. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 984.	2.6	16
24	Towards Patient-Oriented Diabetes Care: Results from Two KORA Surveys in Southern Germany. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-14.	2.3	14
25	Drug Costs in Prediabetes and Undetected Diabetes Compared With Diagnosed Diabetes and Normal Glucose Tolerance: Results From the Population-Based KORA Survey in Germany. <i>Diabetes Care</i> , 2013, 36, e53-e54.	8.6	13
26	The Burden of Diabetes Mellitus in Patients with Coronary Heart Disease: A Methodological Approach to Assess Quality-Adjusted Life-Years Based on Individual-Level Longitudinal Survey Data. <i>Value in Health</i> , 2015, 18, 969-976.	0.3	12
27	Do adolescents with extreme obesity differ according to previous treatment seeking behavior? The Youth with Extreme obesity Study (YES) cohort. <i>International Journal of Obesity</i> , 2019, 43, 103-115.	3.4	11
28	Health related quality of life associated with extreme obesity in adolescents – results from the baseline evaluation of the YES-study. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 58.	2.4	10
29	Assessment of excess medical costs for persons with type 2 diabetes according to age groups: an analysis of German health insurance claims data. <i>Diabetic Medicine</i> , 2020, 37, 1752-1758.	2.3	9
30	Less Advanced Stages of Colon Cancer in Patients with Type 2 Diabetes Mellitus: an Unexpected Finding?. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012, 120, 224-228.	1.2	8
31	Current health status and medical therapy of patients with pediatric-onset inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 1276-1283.	1.6	8
32	Metabolic syndrome predicts vascular changes in whole body magnetic resonance imaging in patients with long standing diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2010, 9, 44.	6.8	7
33	Following Pediatric and Adult IBD Patients through the COVID-19 Pandemic: Changes in Psychosocial Burden and Perception of Infection Risk and Harm over Time. <i>Journal of Clinical Medicine</i> , 2021, 10, 4124.	2.4	7
34	Cost-effectiveness of increasing the reach of smoking cessation interventions in Germany: results from the EQUIPTMOD. <i>Addiction</i> , 2018, 113, 52-64.	3.3	6
35	In Germany Diabetic Patients with Coronary Artery Disease are Treated More Intensively than Diabetic Patients with Other Manifestations of Atherothrombosis – Results from the REACH Registry. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2010, 118, 51-56.	1.2	5
36	Impact of interventions to reduce overnutrition on healthcare costs related to obesity and type 2 diabetes: a systematic review. <i>Nutrition Reviews</i> , 2020, 78, 412-435.	5.8	5

#	ARTICLE	IF	CITATIONS
37	Medication Costs by Glucose Tolerance Stage in Younger and Older Women and Men: Results from the Population-based KORA Survey in Germany. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, 614-623.	1.2	3
38	PDB60 EVALUATION OF THE PATIENT'S PERSPECTIVE OF MEDICAL CARE IN TYPE 2 DIABETES DISEASE MANAGEMENT PROGRAMS. <i>Value in Health</i> , 2009, 12, A412-A413.	0.3	0