
Cristina Mussini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5561527/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Combination Antiretroviral Therapy and the Risk of Myocardial Infarction. New England Journal of Medicine, 2003, 349, 1993-2003.	27.0	1,560
2	Tocilizumab in patients with severe COVID-19: a retrospective cohort study. Lancet Rheumatology, The, 2020, 2, e474-e484.	3.9	772
3	Marked T cell activation, senescence, exhaustion and skewing towards TH17 in patients with COVID-19 pneumonia. Nature Communications, 2020, 11, 3434.	12.8	636
4	Risk of HIV transmission through condomless sex in serodifferent gay couples with the HIV-positive partner taking suppressive antiretroviral therapy (PARTNER): final results of a multicentre, prospective, observational study. Lancet, The, 2019, 393, 2428-2438.	13.7	627
5	Use in routine clinical practice of two commercial blood tests for diagnosis of infection with Mycobacterium tuberculosis: a prospective study. Lancet, The, 2006, 367, 1328-1334.	13.7	468
6	Common Genetic Variation and the Control of HIV-1 in Humans. PLoS Genetics, 2009, 5, e1000791.	3.5	377
7	Predictors of trend in CD4-positive T-cell count and mortality among HIV-1-infected individuals with virological failure to all three antiretroviral-drug classes. Lancet, The, 2004, 364, 51-62.	13.7	303
8	Efficacy of Ceftazidime-Avibactam Salvage Therapy in Patients With Infections Caused by <i>Klebsiella pneumoniae</i> Carbapenemase–producing <i>K. pneumoniae</i> . Clinical Infectious Diseases, 2019, 68, 355-364.	5.8	265
9	Dolutegravir plus lamivudine versus dolutegravir plus tenofovir disoproxil fumarate and emtricitabine in antiretroviral-naive adults with HIV-1 infection (GEMINI-1 and GEMINI-2): week 48 results from two multicentre, double-blind, randomised, non-inferiority, phase 3 trials. Lancet, The, 2019. 393. 143-155.	13.7	265
10	Seven Versus 14 Days of Antibiotic Therapy for Uncomplicated Gram-negative Bacteremia: A Noninferiority Randomized Controlled Trial. Clinical Infectious Diseases, 2019, 69, 1091-1098.	5.8	256
11	CD4/CD8 ratio normalisation and non-AIDS-related events in individuals with HIV who achieve viral load suppression with antiretroviral therapy: an observational cohort study. Lancet HIV,the, 2015, 2, e98-e106.	4.7	249
12	Long-term consequences of COVID-19: research needs. Lancet Infectious Diseases, The, 2020, 20, 1115-1117.	9.1	241
13	All-cause mortality in treated HIV-infected adults with CD4 >=500/mm3 compared with the general population: evidence from a large European observational cohort collaborationÂ. International Journal of Epidemiology, 2012, 41, 433-445.	1.9	217
14	Global epidemiology of drug resistance after failure of WHO recommended first-line regimens for adult HIV-1 infection: a multicentre retrospective cohort study. Lancet Infectious Diseases, The, 2016, 16, 565-575.	9.1	217
15	Ageing and inflammation in patients with HIV infection. Clinical and Experimental Immunology, 2016, 187, 44-52.	2.6	214
16	Incidence of Tuberculosis among HIV-Infected Patients Receiving Highly Active Antiretroviral Therapy in Europe and North America. Clinical Infectious Diseases, 2005, 41, 1772-1782.	5.8	197
17	Combination therapy for carbapenem-resistant Gram-negative bacteria. Journal of Antimicrobial Chemotherapy, 2014, 69, 2305-2309.	3.0	179
18	Changes in the incidence and predictors of human immunodeficiency virus–associated dementia in the era of highly active antiretroviral therapy. Annals of Neurology, 2008, 63, 213-221.	5.3	167

#	Article	IF	CITATIONS
19	Cytomegalovirus Coinfection Is Associated With an Increased Risk of Severe Non–AIDS-Defining Events in a Large Cohort of HIV-Infected Patients. Journal of Infectious Diseases, 2015, 211, 178-186.	4.0	146
20	CD4 Cell Count and the Risk of AIDS or Death in HIV-Infected Adults on Combination Antiretroviral Therapy with a Suppressed Viral Load: A Longitudinal Cohort Study from COHERE. PLoS Medicine, 2012, 9, e1001194.	8.4	145
21	Long-term Mortality in HIV-Positive Individuals Virally Suppressed for >3 Years With Incomplete CD4 Recovery. Clinical Infectious Diseases, 2014, 58, 1312-1321.	5.8	140
22	Performance of Tests for Latent Tuberculosis in Different Groups of Immunocompromised Patients. Chest, 2009, 136, 198-204.	0.8	137
23	Common cardiovascular risk factors and in-hospital mortality in 3,894 patients with COVID-19: survival analysis and machine learning-based findings from the multicentre Italian CORIST Study. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1899-1913.	2.6	137
24	A frailty index predicts survival and incident multimorbidity independent of markers of HIV disease severity. Aids, 2015, 29, 1633-1641.	2.2	136
25	Altered bioenergetics and mitochondrial dysfunction of monocytes in patients with COVIDâ€19 pneumonia. EMBO Molecular Medicine, 2020, 12, e13001.	6.9	133
26	Prevalence, Associated Factors, and Prognostic Determinants of AIDSâ€Related Toxoplasmic Encephalitis in the Era of Advanced Highly Active Antiretroviral Therapy. Clinical Infectious Diseases, 2004, 39, 1681-1691.	5.8	131
27	One-pill once-a-day HAART: a simplification strategy that improves adherence and quality of life of HIV-infected subjects. Patient Preference and Adherence, 2010, 4, 115.	1.8	130
28	Ceftazidime-Avibactam Use for Klebsiella pneumoniae Carbapenemase–Producing <i>K. pneumoniae</i> Infections: A Retrospective Observational Multicenter Study. Clinical Infectious Diseases, 2021, 73, 1664-1676.	5.8	130
29	Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 72, 58-64.	2.1	128
30	Ceftolozane/tazobactam for the treatment of serious Pseudomonas aeruginosa infections: a multicentre nationwide clinical experience. International Journal of Antimicrobial Agents, 2019, 53, 408-415.	2.5	120
31	Mitochondria alterations and dramatic tendency to undergo apoptosis in peripheral blood lymphocytes during acute HIV syndrome. Aids, 1997, 11, 19-26.	2.2	118
32	Discontinuation of Maintenance Therapy for Cryptococcal Meningitis in Patients with AIDS Treated with Highly Active Antiretroviral Therapy: An International Observational Study. Clinical Infectious Diseases, 2004, 38, 565-571.	5.8	118
33	Global Trends in CD4 Cell Count at the Start of Antiretroviral Therapy: Collaborative Study of Treatment Programs. Clinical Infectious Diseases, 2018, 66, 893-903.	5.8	105
34	Discontinuation of Primary Prophylaxis forPneumocystis cariniiPneumonia and Toxoplasmic Encephalitis in Human Immunodeficiency Virus Type l–Infected Patients: The Changes in Opportunistic Prophylaxis Study. Journal of Infectious Diseases, 2000, 181, 1635-1642.	4.0	103
35	Tocilizumab for patients with COVID-19 pneumonia. The single-arm TOCIVID-19 prospective trial. Journal of Translational Medicine, 2020, 18, 405.	4.4	98
36	ls It Safe to Discontinue Primary <i>Pneumocystis jiroveci</i> Pneumonia Prophylaxis in Patients with Virologically Suppressed HIV Infection and a CD4 Cell Count <200 Cells/î¼L?. Clinical Infectious Diseases, 2010, 51, 611-619.	5.8	96

#	Article	IF	CITATIONS
37	Expansion of plasmablasts and loss of memory B cells in peripheral blood from COVIDâ€19 patients with pneumonia. European Journal of Immunology, 2020, 50, 1283-1294.	2.9	95
38	Therapeutic Immunization with HIV-1 Tat Reduces Immune Activation and Loss of Regulatory T-Cells and Improves Immune Function in Subjects on HAART. PLoS ONE, 2010, 5, e13540.	2.5	94
39	Identification and characterization of a SARS-CoV-2 specific CD8+ T cell response with immunodominant features. Nature Communications, 2021, 12, 2593.	12.8	94
40	The Incidence of AIDS-Defining Illnesses at a Current CD4 Count ≥200 Cells/µL in the Post–Combination Antiretroviral Therapy Era. Clinical Infectious Diseases, 2013, 57, 1038-1047.	5.8	92
41	SARS oVâ€2, the Virus that Causes COVIDâ€19: Cytometry and the New Challenge for Global Health. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2020, 97, 340-343.	1.5	91
42	Mitochondrial Functionality and Mitochondrial DNA Content in Lymphocytes of Vertically Infected Human Immunodeficiency Virus–Positive Children with Highly Active Antiretroviral Therapy–Related Lipodystrophy. Journal of Infectious Diseases, 2002, 185, 299-305.	4.0	90
43	Use of hydroxychloroquine in hospitalised COVID-19 patients is associated with reduced mortality: Findings from the observational multicentre Italian CORIST study. European Journal of Internal Medicine, 2020, 82, 38-47.	2.2	88
44	Heparin in COVID-19 Patients Is Associated with Reduced In-Hospital Mortality: The Multicenter Italian CORIST Study. Thrombosis and Haemostasis, 2021, 121, 1054-1065.	3.4	87
45	Increased plasma levels of extracellular mitochondrial DNA during HIV infection: A new role for mitochondrial damage-associated molecular patterns during inflammation. Mitochondrion, 2011, 11, 750-755.	3.4	84
46	Stable changes in CD4+ T lymphocyte miRNA expression after exposure to HIV-1. Blood, 2012, 119, 6259-6267.	1.4	83
47	Death rates in HIV-positive antiretroviral-naive patients with CD4 count greater than 350 cells per μL in Europe and North America: a pooled cohort observational study. Lancet, The, 2010, 376, 340-345.	13.7	82
48	Epidemiology of candidaemia and antifungal susceptibility patterns in an Italian tertiary-care hospital. Clinical Microbiology and Infection, 2006, 12, 75-80.	6.0	81
49	Aging with HIV vs. HIV Seroconversion at Older Age: A Diverse Population with Distinct Comorbidity Profiles. PLoS ONE, 2015, 10, e0118531.	2.5	81
50	Low Frequency of Severe Hepatotoxicity and Association With HCV Coinfection in HIV-Positive Patients Treated With HAART. Journal of Acquired Immune Deficiency Syndromes (1999), 2001, 28, 114-123.	2.1	79
51	Hypokalemia in Patients with COVID-19. Clinical and Experimental Nephrology, 2021, 25, 401-409.	1.6	78
52	MDR1 C3435T genetic polymorphism does not influence the response to antiretroviral therapy in drug-naive HIV-positive patients. Aids, 2003, 17, 1696-1698.	2.2	77
53	Highlights of the 2017 European <scp>AIDS</scp> Clinical Society (EACS) Guidelines for the treatment of adult <scp>HIV</scp> â€positive persons version 9.0. HIV Medicine, 2018, 19, 309-315.	2.2	77
54	Lamivudine/dolutegravir dual therapy in HIV-infected, virologically suppressed patients. BMC Infectious Diseases, 2017, 17, 215.	2.9	76

#	Article	IF	CITATIONS
55	Late Presenters in an HIV Surveillance System in Italy During the Period 1992-2006. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 49, 282-286.	2.1	74
56	Massive Activation of Immune Cells with an Intact T Cell Repertoire in Acute Human Immunodeficiency Virus Syndrome. Journal of Infectious Diseases, 1995, 172, 105-112.	4.0	72
57	Development and validation of a prediction model for severe respiratory failure in hospitalized patients with SARS-CoV-2 infection: a multicentre cohort study (PREDI-CO study). Clinical Microbiology and Infection, 2020, 26, 1545-1553.	6.0	71
58	Clinical Experience with Ceftazidime-Avibactam for the Treatment of Infections due to Multidrug-Resistant Gram-Negative Bacteria Other than Carbapenem-Resistant Enterobacterales. Antibiotics, 2020, 9, 71.	3.7	68
59	Bloodstream infections caused by carbapenem-resistant Acinetobacter baumannii: Clinical features, therapy and outcome from a multicenter study. Journal of Infection, 2019, 79, 130-138.	3.3	67
60	The Importance of Understanding the Stages of COVID-19 in Treatment and Trials. AIDS Reviews, 2021, 23, 40-47.	1.0	66
61	Access to Antiretroviral Treatment, Incidence of Sustained Therapy Interruptions, and Risk of Clinical Events According to Sex. Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 34, 184-190.	2.1	64
62	Increased Mitochondrial Dna Content in Peripheral Blood Lymphocytes from HIV-Infected Patients with Lipodystrophy. Antiviral Therapy, 2003, 8, 315-321.	1.0	64
63	Aging with HIV. Current HIV/AIDS Reports, 2019, 16, 475-481.	3.1	63
64	Persistent inflammation in HIV infection: Established concepts, new perspectives. Immunology Letters, 2014, 161, 184-188.	2.5	61
65	Aging with HIV infection: A journey to the center of inflammAIDS, immunosenescence and neuroHIV. Immunology Letters, 2014, 162, 329-333.	2.5	59
66	Effect of treatment interruption monitored by CD4 cell count on mitochondrial DNA content in HIV-infected patients: a prospective study. Aids, 2005, 19, 1627-1633.	2.2	56
67	Incidence of Malignancies in HIVâ€Infected Patients and Prognostic Role of Current CD4 Cell Count: Evidence from a Large Italian Cohort Study. Clinical Infectious Diseases, 2010, 50, 1316-1321.	5.8	56
68	Impact of the M184V Resistance Mutation on Virological Efficacy and Durability of Lamivudine-Based Dual Antiretroviral Regimens as Maintenance Therapy in Individuals With Suppressed HIV-1 RNA: A Cohort Study. Open Forum Infectious Diseases, 2018, 5, ofy113.	0.9	56
69	Physician Estimates of Adherence and the Patient-Physician Relationship as a Setting to Improve Adherence to Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2002, 31, S158-S162.	2.1	55
70	HIV-1 Tat immunization restores immune homeostasis and attacks the HAART-resistant blood HIV DNA: results of a randomized phase II exploratory clinical trial. Retrovirology, 2015, 12, 33.	2.0	55
71	Pretreatment CD4 Cell Slope and Progression to AIDS or Death in HIV-Infected Patients Initiating Antiretroviral Therapy—The CASCADE Collaboration: A Collaboration of 23 Cohort Studies. PLoS Medicine, 2010, 7, e1000239.	8.4	54
72	Risk of Developing Specific AIDSâ€Defining Illnesses in Patients Coinfected with HIV and Hepatitis C Virus With or Without Liver Cirrhosis. Clinical Infectious Diseases, 2009, 49, 612-622.	5.8	53

#	Article	IF	CITATIONS
73	Patients presenting with AIDS in the HAART era: a collaborative cohort analysis. Aids, 2008, 22, 2461-2469.	2.2	51
74	Recommended immunization schedules for adults: Clinical practice guidelines by the Escmid Vaccine Study Group (EVASG), European Geriatric Medicine Society (EUGMS) and the World Association for Infectious Diseases and Immunological Disorders (WAidid). Human Vaccines and Immunotherapeutics, 2016, 12, 1-18.	3.3	49
75	Ceftolozane/Tazobactam for Treatment of Severe ESBL-Producing Enterobacterales Infections: A Multicenter Nationwide Clinical Experience (CEFTABUSE II Study). Open Forum Infectious Diseases, 2020, 7, ofaa139.	0.9	49
76	Features of â€~CD4-exploders', HIV-positive patients with an optimal immune reconstitution after potent antiretroviral therapy. Aids, 2002, 16, 1609-1616.	2.2	48
77	Genetic polymorphisms differently influencing the emergence of atrophy and fat accumulation in HIV-related lipodystrophy. Aids, 2008, 22, 1769-1778.	2.2	48
78	The presence of anti-Tat antibodies in HIV-infected individuals is associated with containment of CD4+T-cell decay and viral load, and with delay of disease progression: results of a 3-year cohort study. Retrovirology, 2014, 11, 49.	2.0	48
79	Associations between integrase strand-transfer inhibitors and cardiovascular disease in people living with HIV: a multicentre prospective study from the RESPOND cohort consortium. Lancet HIV,the, 2022, 9, e474-e485.	4.7	48
80	Interruption of Highly Active Antiretroviral Therapy in HIV Clinical Practice. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 38, 407-416.	2.1	46
81	The protease inhibitor atazanavir triggers autophagy and mitophagy in human preadipocytes. Aids, 2012, 26, 2017-2026.	2.2	46
82	Effectiveness of dolutegravirâ€based regimens as either firstâ€line or switch antiretroviral therapy: data from the Icona cohort. Journal of the International AIDS Society, 2019, 22, e25227.	3.0	46
83	Cytotoxic granule release dominates gag-specific CD4+ T-cell response in different phases of HIV infection. Aids, 2010, 24, 947-957.	2.2	45
84	Late Presenters in New HIV Diagnoses from An Italian Cohort of HIV-Infected Patients: Prevalence and Clinical Outcome. Antiviral Therapy, 2011, 16, 1103-1112.	1.0	45
85	Higher rates of tripleâ€class virological failure in perinatally <scp>HIV</scp> â€nfected teenagers compared with heterosexually infected young adults in Europe. HIV Medicine, 2017, 18, 171-180.	2.2	45
86	Genetic polymorphisms of Fas (CD95) and Fas ligand (CD178) influence the rise in CD4+ T cell count after antiretroviral therapy in drug-naà ve HIV-positive patients. Immunogenetics, 2005, 57, 628-635.	2.4	44
87	Comparison of Kaposi Sarcoma Risk in Human Immunodeficiency Virus-Positive Adults Across 5 Continents: A Multiregional Multicohort Study. Clinical Infectious Diseases, 2017, 65, 1316-1326.	5.8	44
88	Correlates of frailty phenotype and frailty index and their associations with clinical outcomes. HIV Medicine, 2017, 18, 764-771.	2.2	44
89	Machine learning in predicting respiratory failure in patients with COVID-19 pneumonia—Challenges, strengths, and opportunities in a global health emergency. PLoS ONE, 2020, 15, e0239172.	2.5	43
90	Mitochondria in the pathogenesis of lipodystrophy induced by anti-HIV antiretroviral drugs: actors or bystanders?. BioEssays, 2001, 23, 1070-1080.	2.5	42

#	Article	IF	CITATIONS
91	Triple-Class Virologic Failure in HIV-Infected Patients Undergoing Antiretroviral Therapy for Up to 10 Years. Archives of Internal Medicine, 2010, 170, 410-419.	3.8	42
92	Trends in virological and clinical outcomes in individuals with HIV-1 infection and virological failure of drugs from three antiretroviral drug classes: a cohort study. Lancet Infectious Diseases, The, 2012, 12, 119-127.	9.1	41
93	Chronic Hepatitis B and C Virus Infection and Risk for Non-Hodgkin Lymphoma in HIV-Infected Patients. Annals of Internal Medicine, 2017, 166, 9.	3.9	41
94	Epidemiology and Risk Factors Associated With Mortality in Consecutive Patients With Bacterial Bloodstream Infection: Impact of MDR and XDR Bacteria. Open Forum Infectious Diseases, 2020, 7, ofaa461.	0.9	41
95	Inspiratory Effort and Lung Mechanics in Spontaneously Breathing Patients with Acute Respiratory Failure due to COVID-19: A Matched Control Study. American Journal of Respiratory and Critical Care Medicine, 2021, 204, 725-728.	5.6	41
96	Long-term data on the efficacy and tolerability of lamivudine plus dolutegravir as a switch strategy in a multi-centre cohort of HIV-1-infected, virologically suppressed patients. International Journal of Antimicrobial Agents, 2019, 54, 728-734.	2.5	40
97	Mucorales-Specific T Cells in Patients with Hematologic Malignancies. PLoS ONE, 2016, 11, e0149108.	2.5	40
98	Discontinuation of Secondary Prophylaxis forPneumocystis cariniiPneumonia in Human Immunodeficiency Virus–Infected Patients: A Randomized Trial by the CIOP Study Group. Clinical Infectious Diseases, 2003, 36, 645-651.	5.8	39
99	Discontinuation of Initial Antiretroviral Therapy in Clinical Practice. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 71, 263-271.	2.1	39
100	Tocilizumab for severe COVID-19 pneumonia – Authors' reply. Lancet Rheumatology, The, 2020, 2, e660-e661.	3.9	39
101	Two fatal cases of acute liver failure due to HSV-1 infection in COVID-19 patients following immunomodulatory therapies. Clinical Infectious Diseases, 2021, 73, e252-e255.	5.8	39
102	RAAS inhibitors are not associated with mortality in COVID-19 patients: Findings from an observational multicenter study in Italy and a meta-analysis of 19 studies. Vascular Pharmacology, 2020, 135, 106805.	2.1	39
103	Cytomegalovirus blood reactivation in COVID-19 critically ill patients: risk factors and impact on mortality. Intensive Care Medicine, 2022, 48, 706-713.	8.2	39
104	Monocyte Distribution Width (MDW) as novel inflammatory marker with prognostic significance in COVID-19 patients. Scientific Reports, 2021, 11, 12716.	3.3	38
105	Cervical cancer risk in women living with HIV across four continents: A multicohort study. International Journal of Cancer, 2020, 146, 601-609.	5.1	37
106	Randomised controlled trial comparing efficacy and safety of high versus low Low-Molecular Weight Heparin dosages in hospitalized patients with severe COVID-19 pneumonia and coagulopathy not requiring invasive mechanical ventilation (COVID-19 HD): a structured summary of a study protocol. Trials, 2020, 21, 574.	1.6	37
107	Therapeutic strategies for severe COVID-19: a position paper from the Italian Society of Infectious and Tropical Diseases (SIMIT). Clinical Microbiology and Infection, 2021, 27, 389-395.	6.0	37
108	Changes in Mitochondrial Rna Production in Cells Treated with Nucleoside Analogues. Antiviral Therapy, 2005, 10, 191-195.	1.0	37

#	Article	IF	CITATIONS
109	Upregulation of nuclear-encoded mitochondrial LON protease in HAART-treated HIV-positive patients with lipodystrophy: implications for the pathogenesis of the disease. Aids, 2010, 24, 841-850.	2.2	35
110	Genotypic resistance test in proviral DNA can identify resistance mutations never detected in historical genotypic test in patients with low level or undetectable HIV-RNA. Journal of Clinical Virology, 2016, 82, 94-100.	3.1	35
111	Lower Frailty Is Associated with Successful Cognitive Aging Among Older Adults with HIV. AIDS Research and Human Retroviruses, 2017, 33, 157-163.	1.1	35
112	Contemporary antiretrovirals and body-mass index: a prospective study of the RESPOND cohort consortium. Lancet HIV,the, 2021, 8, e711-e722.	4.7	35
113	Performance of genotypic tropism testing in clinical practice using the enhanced sensitivity version of Trofile as reference assay: results from the OSCAR Study Group. New Microbiologica, 2010, 33, 195-206.	0.1	35
114	Impact of Pre-Therapy Viral Load on Virological Response to Modern First-Line Haart. Antiviral Therapy, 2013, 18, 867-876.	1.0	34
115	Mortality in Patients With Septic Shock by Multidrug Resistant Bacteria. Journal of Intensive Care Medicine, 2019, 34, 48-54.	2.8	34
116	Metabolic reprograming shapes neutrophil functions in severe COVIDâ€19. European Journal of Immunology, 2022, 52, 484-502.	2.9	34
117	Predictors of transitions in frailty severity and mortality among people aging with HIV. PLoS ONE, 2017, 12, e0185352.	2.5	33
118	Early awake proning in critical and severe COVID-19 patients undergoing noninvasive respiratory support: A retrospective multicenter cohort study. Pulmonology, 2022, 28, 181-192.	2.1	32
119	Late presentation increases risk and costs of non-infectious comorbidities in people with HIV: an Italian cost impact study. AIDS Research and Therapy, 2017, 14, 8.	1.7	31
120	Novel antiretroviral drugs and renal function monitoring of HIV patients. AIDS Reviews, 2014, 16, 144-51.	1.0	31
121	Deregulation of the CD95/CD95L system in lymphocytes from patients with primary acute HIV infection. Aids, 2000, 14, 345-355.	2.2	30
122	Th1 and Th17 proinflammatory profile characterizes invariant natural killer T cells in virologically suppressed HIV+ patients with low CD4+/CD8+ ratio. Aids, 2016, 30, 2599-2610.	2.2	30
123	Human Immunodeficiency Virus (HIV) Care Models During the Coronavirus Disease 2019 (COVID-19) Era. Clinical Infectious Diseases, 2021, 73, e1222-e1227.	5.8	30
124	Impact of CD4 and CD8 dynamics and viral rebounds on loss of virological control in HIV controllers. PLoS ONE, 2017, 12, e0173893.	2.5	30
125	Mitochondrial DNA Haplogroups and Incidence of Lipodystrophy in HIV-Infected Patients on Long-Term Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 59, 113-120.	2.1	29
126	Endogenous control of inflammation characterizes pregnant women with asymptomatic or paucisymptomatic SARS-CoV-2 infection. Nature Communications, 2021, 12, 4677.	12.8	29

#	Article	IF	CITATIONS
127	Impact of Pre-Analytical Time on the Recovery of Pathogens from Blood Cultures: Results from a Large Retrospective Survey. PLoS ONE, 2017, 12, e0169466.	2.5	29
128	Renal complications in HIV disease: between present and future. AIDS Reviews, 2012, 14, 37-53.	1.0	29
129	Clinical Efficacy of Ceftolozane-Tazobactam Versus Other Active Agents for the Treatment of Bacteremia and Nosocomial Pneumonia due to Drug-Resistant Pseudomonas aeruginosa. Clinical Infectious Diseases, 2020, 71, 1799-1801.	5.8	28
130	Herpes Simplex Virus Re-Activation in Patients with SARS-CoV-2 Pneumonia: A Prospective, Observational Study. Microorganisms, 2021, 9, 1896.	3.6	28
131	Gram-Positive Bloodstream Infections in Liver Transplant Recipients: Incidence, Risk Factors, and Impact on Survival. Transplantation Proceedings, 2007, 39, 1947-1949.	0.6	27
132	The cardiovascular risk management for people living with HIV in Europe. Aids, 2016, 30, 2505-2518.	2.2	27
133	Evaluation of serum (1Â→Â3)-β-d-glucan clinical performance: kinetic assessment, comparison with galactomannan and evaluation of confounding factors. Infection, 2016, 44, 223-233.	4.7	27
134	Safety and efficacy of the Russian COVID-19 vaccine: more information needed. Lancet, The, 2020, 396, e53.	13.7	27
135	Considerations for the optimal management of antibiotic therapy in elderly patients. Journal of Global Antimicrobial Resistance, 2020, 22, 325-333.	2.2	27
136	Incidence, risk factors and outcome of acute kidney injuryÂ(AKI) in patients with COVID-19. Clinical and Experimental Nephrology, 2021, 25, 1203-1214.	1.6	27
137	Molecular and cellular immune features of aged patients with severe COVID-19 pneumonia. Communications Biology, 2022, 5, .	4.4	27
138	Mitochondrial DNA Haplogroups and Highly Active Antiretroviral Therapy–Related Lipodystrophy. Clinical Infectious Diseases, 2008, 47, 962-968.	5.8	26
139	The natural history of <scp>HIV</scp> â€associated lipodystrophy in the changing scenario of <scp>HIV</scp> infection. HIV Medicine, 2014, 15, 587-594.	2.2	26
140	Handling and Processing of Blood Specimens from Patients with COVIDâ€19 for Safe Studies on Cell Phenotype and Cytokine Storm. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2020, 97, 668-673.	1.5	26
141	Acid base disorders in patients with COVID-19. International Urology and Nephrology, 2022, 54, 405-410.	1.4	26
142	Highly Active Antiretroviral Therapy Restores CD4+ V?? T-Cell Repertoire in Patients With Primary Acute HIV Infection But Not in Treatment-Naive HIV+ Patients With Severe Chronic Infection. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 35, 213-222.	2.1	25
143	Changing Incidence and Risk Factors for Kaposi Sarcoma by Time Since Starting Antiretroviral Therapy: Collaborative Analysis of 21 European Cohort Studies. Clinical Infectious Diseases, 2016, 63, 1373-1379.	5.8	25
144	Switching to dual/monotherapy determines an increase in CD8+ in HIV-infected individuals: an observational cohort study. BMC Medicine, 2018, 16, 79.	5.5	24

#	Article	IF	CITATIONS
145	The dynamic association between Frailty, CD4 and CD4/CD8 ratio in people aging with HIV. PLoS ONE, 2019, 14, e0212283.	2.5	24
146	Uptake and Discontinuation of Integrase Inhibitors (INSTIs) in a Large Cohort Setting. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 240-250.	2.1	24
147	COVID-19: Importance of the Awareness of the Clinical Syndrome by Urologists. European Urology, 2020, 78, e40-e41.	1.9	24
148	Patientâ€reported olfactory recovery after SARSâ€CoVâ€2 infection: A 6â€month followâ€up study. International Forum of Allergy and Rhinology, 2021, 11, 1249-1252.	2.8	24
149	CD4 cell-monitored treatment interruption in patients with a CD4 cell count > 500 x 106 cells/l. Aids, 2005, 19, 287-94.	2.2	24
150	Altered Mitochondrial Rna Production in Adipocytes from HIV-Infected Individuals with Lipodystrophy. Antiviral Therapy, 2005, 10, 91-99.	1.0	24
151	The human immunodeficiency virus (HIV) protease inhibitor indinavir directly affects the opportunistic fungal pathogenCryptococcus neoformans. FEMS Immunology and Medical Microbiology, 2004, 42, 187-195.	2.7	23
152	T Cell Homeostasis in Centenarians: From the Thymus to the Periphery. Current Pharmaceutical Design, 2010, 16, 597-603.	1.9	23
153	Life Expectancy in the Immune Recovery Era. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, 175-181.	2.1	23
154	Antimicrobial stewardship in a Gastroenterology Department: Impact on antimicrobial consumption, antimicrobial resistance and clinical outcome. Digestive and Liver Disease, 2016, 48, 1142-1147.	0.9	22
155	Sex Differences in People Aging With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 284-291.	2.1	22
156	Effects of the Change From Stavudine to Tenofovir in Human Immunodeficiency Virus-Infected Children Treated With Highly Active Antiretroviral Therapy. Pediatric Infectious Disease Journal, 2008, 27, 17-21.	2.0	21
157	Mitochondrial changes during D-drug-containing once-daily therapy in HIV-positive treatment-naive patients. Antiviral Therapy, 2010, 15, 51-59.	1.0	21
158	Does rapid HIV disease progression prior to combination antiretroviral therapy hinder optimal CD4+ T-cell recovery once HIV-1 suppression is achieved?. Aids, 2015, 29, 2323-2333.	2.2	21
159	Impact of polypharmacy on antiretroviral prescription in people living with HIV. Journal of Antimicrobial Chemotherapy, 2017, 72, 511-514.	3.0	21
160	Durability of first-line regimens including integrase strand transfer inhibitors (INSTIs): data from a real-life setting. Journal of Antimicrobial Chemotherapy, 2019, 74, 1363-1367.	3.0	21
161	Long-Term Impact of the COVID-19 Pandemic on In-Hospital Antibiotic Consumption and Antibiotic Resistance: A Time Series Analysis (2015–2021). Antibiotics, 2022, 11, 826.	3.7	21
162	Immunophenotype of HIV+ patients during CD4 cell-monitored treatment interruption: role of the IL-7/IL-7 receptor system. Aids, 2006, 20, 2021-2032.	2.2	20

#	Article	IF	CITATIONS
163	Kaposi Sarcoma Risk in HIV-Infected Children and Adolescents on Combination Antiretroviral Therapy From Sub-Saharan Africa, Europe, and Asia. Clinical Infectious Diseases, 2016, 63, ciw519.	5.8	20
164	Prediction of hard cardiovascular events in HIV patients. Journal of Antimicrobial Chemotherapy, 2016, 71, 3515-3518.	3.0	20
165	Prevalence of doravirine-associated resistance mutations in HIV-1-infected antiretroviral-experienced patients from two large databases in France and Italy. Journal of Antimicrobial Chemotherapy, 2020, 75, 1026-1030.	3.0	20
166	The time to offer treatments for COVID-19. Expert Opinion on Investigational Drugs, 2021, 30, 505-518.	4.1	20
167	Lopinavir/Ritonavir and Darunavir/Cobicistat in Hospitalized COVID-19 Patients: Findings From the Multicenter Italian CORIST Study. Frontiers in Medicine, 2021, 8, 639970.	2.6	20
168	Changes in Inflammatory and Atherogenesis Biomarkers With the 2-Drug Regimen Dolutegravir Plus Lamivudine in Antiretroviral Therapy–Experienced, Virologically Suppressed People With HIV-1: A Systematic Literature Review. Open Forum Infectious Diseases, 2022, 9, ofac068.	0.9	20
169	T Cell Activation but Not Polyfunctionality after Primary HIV Infection Predicts Control of Viral Load and Length of the Time without Therapy. PLoS ONE, 2012, 7, e50728.	2.5	19
170	Mortality in migrants living with HIV in western Europe (1997–2013): a collaborative cohort study. Lancet HIV,the, 2015, 2, e540-e549.	4.7	19
171	A frailty index predicts post-liver transplant morbidity and mortality in HIV-positive patients. AIDS Research and Therapy, 2017, 14, 37.	1.7	19
172	Impact of social determinants on antiretroviral therapy access and outcomes entering the era of universal treatment for people living with HIV in Italy. BMC Public Health, 2018, 18, 870.	2.9	19
173	Resistance detected in PBMCs predicts virological rebound in HIV-1 suppressed patients switching treatment. Journal of Clinical Virology, 2018, 104, 61-64.	3.1	19
174	Migration and health: A retrospective study about the prevalence of HBV, HIV, HCV, tuberculosis and syphilis infections amongst newly arrived migrants screened at the Infectious Diseases Unit of Modena, Italy. Journal of Infection and Public Health, 2019, 12, 200-204.	4.1	19
175	COVID-19-associated vasculitis and thrombotic complications: from pathological findings to multidisciplinary discussion. Rheumatology, 2020, 59, e147-e150.	1.9	19
176	Performance of genotypic tropism testing on proviral DNA in clinical practice: results from the DIVA study group. New Microbiologica, 2012, 35, 17-25.	0.1	19
177	Italian guidelines for the use of antiretroviral agents and the diagnostic-clinical management of HIV-1 infected persons. Update 2016. New Microbiologica, 2017, 40, 86-98.	0.1	19
178	Identification and characterization of an aspartyl protease from <i>Cryptococcus neoformans</i> . FEBS Letters, 2007, 581, 3882-3886.	2.8	18
179	Mitochondrial DNA: a proinflammatory â€~enemy from within' during HIV infection?. Cell Death and Disease, 2012, 3, e307-e307.	6.3	18
180	Analysis of inflammasomes and antiviral sensing components reveals decreased expression of NLRX1 in HIV-positive patients assuming efficient antiretroviral therapy. Aids, 2015, 29, 1937-1941.	2.2	18

#	Article	IF	CITATIONS
181	Comparative Evaluation of Subtyping Tools for Surveillance of Newly Emerging HIV-1 Strains. Journal of Clinical Microbiology, 2017, 55, 2827-2837.	3.9	18
182	Characterisation of HIV-1 molecular transmission clusters among newly diagnosed individuals infected with non-B subtypes in Italy. Sexually Transmitted Infections, 2019, 95, 619-625.	1.9	18
183	Plea for multitargeted interventions for severe COVID-19. Lancet Infectious Diseases, The, 2020, 20, 1122-1123.	9.1	18
184	Efficacy and durability of two― <i>vs</i> . threeâ€drug integrase inhibitorâ€based regimens in virologically suppressed HIVâ€infected patients: Data from realâ€life ODOACRE cohort. HIV Medicine, 2021, 22, 843-853.	2.2	18
185	Five Years With Dolutegravir Plus Lamivudine as a Switch Strategy: Much More Than a Positive Finding. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 88, 234-237.	2.1	18
186	Exploring viral reservoir: The combining approach of cell sorting and droplet digital PCR. Methods, 2018, 134-135, 98-105.	3.8	18
187	CD4/CD8 Ratio and the Risk of Kaposi Sarcoma or Non-Hodgkin Lymphoma in the Context of Efficiently Treated Human Immunodeficiency Virus (HIV) Infection: A Collaborative Analysis of 20 European Cohort Studies. Clinical Infectious Diseases, 2021, 73, 50-59.	5.8	18
188	Metabolic-Associated Fatty Liver Disease Is Highly Prevalent in the Postacute COVID Syndrome. Open Forum Infectious Diseases, 2022, 9, ofac003.	0.9	18
189	Apoptotic Features of Peripheral Blood Granulocytes and Monocytes during Primary, Acute HIV Infection. Experimental Cell Research, 1999, 247, 304-311.	2.6	17
190	CD4 cell count response to first-line combination ART in HIV-2+ patients compared with HIV-1+ patients: a multinational, multicohort European study. Journal of Antimicrobial Chemotherapy, 2017, 72, 2869-2878.	3.0	17
191	The Role of the Renin-Angiotensin System in Severe Acute Respiratory Syndrome-CoV-2 Infection. Blood Purification, 2021, 50, 263-267.	1.8	17
192	Ceftazidime/avibactam and ceftolozane/tazobactam for the treatment of extensively drug-resistant Pseudomonas aeruginosa post-neurosurgical infections: three cases and a review of the literature. Infection, 2021, 49, 549-553.	4.7	17
193	A five-component infection control bundle to permanently eliminate a carbapenem-resistant Acinetobacter baumannii spreading in an intensive care unit. Antimicrobial Resistance and Infection Control, 2021, 10, 123.	4.1	17
194	Kinetics of CD4 cells after discontinuation of antiretroviral therapy in patients with virological failure and a CD4 cell count greater than 500 cells/ $\hat{1}$ /4l. Aids, 2002, 16, 1551-1554.	2.2	17
195	Compassionate use of meropenem/vaborbactam for infections caused by KPC-producing <i>Klebsiella pneumoniae</i> : a multicentre study. JAC-Antimicrobial Resistance, 2022, 4, dlac022.	2.1	17
196	Predicting the magnitude of short-term CD4 ⁺ T-cell recovery in HIV-infected patients during first-line highly active antiretroviral therapy. Antiviral Therapy, 2010, 15, 165-175.	1.0	16
197	Survival Outcomes and Effect of Early vs. Deferred cART Among HIV-Infected Patients Diagnosed at the Time of an AIDS-Defining Event: A Cohort Analysis. PLoS ONE, 2011, 6, e26009.	2.5	16
198	CD4+ T-cell differentiation, regulatory T cells and gag-specific T lymphocytes are unaffected by CD4-guided treatment interruption and therapy resumption. Aids, 2011, 25, 1443-1453.	2.2	16

#	Article	IF	CITATIONS
199	CD4/CD8 ratio is not predictive of multiâ€morbidity prevalence in HIVâ€infected patients but identify patients with higher CVD risk. Journal of the International AIDS Society, 2014, 17, 19709.	3.0	16
200	Clinical outcome of kidney transplantation in HIV-infected recipients: a retrospective study. International Journal of STD and AIDS, 2018, 29, 1305-1315.	1.1	16
201	Clinical Outcomes of 2-Drug Regimens vs 3-Drug Regimens in Antiretroviral Treatment–Experienced People Living With Human Immunodeficiency Virus. Clinical Infectious Diseases, 2021, 73, e2323-e2333.	5.8	16
202	Enhanced Immunological Recovery With Early Start of Antiretroviral Therapy During Acute or Early HIV Infection–Results of Italian Network of ACuTe HIV InfectiON (INACTION) Retrospective Study. Pathogens and Immunity, 2020, 5, 8.	3.1	16
203	OUP accepted manuscript. CKJ: Clinical Kidney Journal, 2020, 13, 265-268.	2.9	16
204	Different Sensitivity to Apoptosis in Cells of Monocytic or Lymphocytic Origin Chronically Infected with Human Immunodeficiency Virus Type-1. Experimental Biology and Medicine, 2003, 228, 1346-1354.	2.4	15
205	Transmitted HIV Type 1 Drug Resistance and Non-B Subtypes Prevalence among Seroconverters and Newly Diagnosed Patients from 1992 to 2005 in Italy. AIDS Research and Human Retroviruses, 2010, 26, 41-49.	1.1	15
206	HIV-1 Infection and the Aging of the Immune System: Facts, Similarities and Perspectives. Journal of Experimental and Clinical Medicine, 2011, 3, 143-150.	0.2	15
207	HIV-DNA content in different CD4 + T-cell subsets correlates with CD4 + cell. Aids, 2017, 31, 1387-1392.	2.2	15
208	Dynamics and phylogenetic relationships of HIV-1 transmitted drug resistance according to subtype in Italy over the years 2000–14. Journal of Antimicrobial Chemotherapy, 2017, 72, 2837-2845.	3.0	15
209	Access and response to direct antiviral agents (DAA) in HIV-HCV co-infected patients in Italy: Data from the Icona cohort. PLoS ONE, 2017, 12, e0177402.	2.5	15
210	Better prognosis in females with severe COVID-19 pneumonia: possible role of inflammation as potential mediator. Clinical Microbiology and Infection, 2021, 27, 1137-1144.	6.0	15
211	Plasma Cytokine Atlas Reveals the Importance of TH2 Polarization and Interferons in Predicting COVID-19 Severity and Survival. Frontiers in Immunology, 2022, 13, 842150.	4.8	15
212	Differential down-regulation of CD95 or CD95L in chronically HIV-infected cells of monocytic or lymphocytic origin: cellular studies and molecular analysis by quantitative competitive RT-PCR. FEBS Letters, 1999, 458, 209-214.	2.8	14
213	Markers of cell death-activation in lymphocytes of vertically HIV-infected children naive to highly active antiretroviral therapy: The role of age. Journal of Allergy and Clinical Immunology, 2001, 108, 439-445.	2.9	14
214	Decline of CD4+ T-cell count before start of therapy and immunological response to treatment in antiretroviral-naive individuals. Aids, 2011, 25, 1041-1049.	2.2	14
215	NK-cell phenotype at interruption underlies widely divergent duration of CD4+-guided antiretroviral treatment interruption. International Immunology, 2011, 23, 109-118.	4.0	14
216	Novel genetic association of TNF-α-238 and PDCD1-7209 polymorphisms with long-term non-progressive HIV-1 infection. International Journal of Infectious Diseases, 2013, 17, e845-e850.	3.3	14

#	Article	IF	CITATIONS
217	Incidence, Timing, and Determinants of Bacterial Pneumonia Among HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, 339-345.	2.1	14
218	Cardiovascular disease in women with HIV-1 infection. International Journal of Cardiology, 2017, 241, 50-56.	1.7	14
219	Acute human herpes virus 7 (HHV-7) encephalitis in an immunocompetent adult patient: a case report and review of literature. Infection, 2017, 45, 385-388.	4.7	14
220	Timing of combined antiretroviral treatment initiation in male and female migrants living with HIV in Western Europe. Aids, 2017, 31, 835-846.	2.2	14
221	The extent of Bâ€cell activation and dysfunction preceding lymphoma development in <scp>HIV</scp> â€positive people. HIV Medicine, 2018, 19, 90-101.	2.2	14
222	Incidence and risk factors for liver enzyme elevation among naive HIV-1-infected patients receiving ART in the ICONA cohort. Journal of Antimicrobial Chemotherapy, 2019, 74, 3295-3304.	3.0	14
223	18Fluoride-based molecular imaging of coronary atherosclerosis in HIV infected patients. Atherosclerosis, 2020, 297, 127-135.	0.8	14
224	Twenty-four-hour serum creatinine variation is associated with poor outcome in the novel coronavirus disease 2019 (COVID-19) patients. Kidney Research and Clinical Practice, 2021, 40, 231-240.	2.2	14
225	Impact of body weight on virological and immunological responses to efavirenz-containing regimens in HIV-infected, treatment-naive adults. Aids, 2015, 29, 193-200.	2.2	13
226	HIV MDR is still a relevant issue despite its dramatic drop over the years. Journal of Antimicrobial Chemotherapy, 2020, 75, 1301-1310.	3.0	13
227	The Impact of COVID-19 on UNAIDS 90–90–90 Targets: Calls for New HIV Care Models. Open Forum Infectious Diseases, 2021, 8, ofab283.	0.9	13
228	Calendar Time Trends in the Incidence and Prevalence of Triple-Class Virologic Failure in Antiretroviral Drug-Experienced People With HIV in Europe. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 59, 294-299.	2.1	13
229	First and second waves among hospitalised patients with COVID-19 with severe pneumonia: a comparison of 28-day mortality over the 1-year pandemic in a tertiary university hospital in Italy. BMJ Open, 2022, 12, e054069.	1.9	13
230	Italian guidelines for the use of antiretroviral agents and the diagnostic-clinical management of HIV-1 infected persons. Update 2015. New Microbiologica, 2016, 39, 93-109.	0.1	13
231	Decreased mitochondrial DNA content in subcutaneous fat from HIV-infected women taking antiretroviral therapy as measured at delivery. Antiviral Therapy, 2011, 16, 365-72.	1.0	12
232	The Problem of Renal Function Monitoring in Patients Treated With the Novel Antiretroviral Drugs. HIV Clinical Trials, 2014, 15, 87-91.	2.0	12
233	Cohort profile: The Observational cohort for the study of DOlutegravir in Antiretroviral Combination REgimens (ODOACRE). BMJ Open, 2019, 9, e029960.	1.9	12
234	A Retrospective Whole-Genome Sequencing Analysis of Carbapenem and Colistin-Resistant Klebsiella pneumoniae Nosocomial Strains Isolated during an MDR Surveillance Program. Antibiotics, 2020, 9, 246.	3.7	12

#	Article	IF	CITATIONS
235	The impact of DAAâ€mediated HCV eradication on CD4 ⁺ and CD8 ⁺ T lymphocyte trajectories in HIV/HCV coinfected patients: Data from the ICONA Foundation Cohort. Journal of Viral Hepatitis, 2021, 28, 779-786.	2.0	12
236	Persistent disparities in antiretroviral treatment (ART) coverage and virological suppression across Europe, 2004 to 2015. Eurosurveillance, 2018, 23, .	7.0	12
237	HIVâ€infected longâ€term nonprogressors display a unique correlative pattern between the interleukinâ€7/interleukinâ€7 receptor circuit and Tâ€cell homeostasis. HIV Medicine, 2009, 10, 422-431.	2.2	11
238	Cytometry, immunology, and HIV infection: Three decades of strong interactions. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2013, 83A, 680-691.	1.5	11
239	Who is more likely to respond to dual treatment with pegylatedâ€interferon and ribavirin for chronic hepatitis C? A genderâ€oriented analysis. Journal of Viral Hepatitis, 2013, 20, 790-800.	2.0	11
240	Gastric Mucormycosis in a Liver and Kidney Transplant Recipient: Case Report and Concise Review of Literature. Transplantation Proceedings, 2018, 50, 905-909.	0.6	11
241	A prospective randomized trial on abacavir/lamivudine plus darunavir/ritonavir or raltegravir in HIV-positive drug-naìve patients with CD4<200 cells/uL (the PRADAR study). PLoS ONE, 2019, 14, e0222650.	2.5	11
242	Durability of different initial regimens in HIV-infected patients starting antiretroviral therapy with CD4+ counts <200 cells/mm3 and HIV-RNA >5 log10 copies/mL. Journal of Antimicrobial Chemotherapy, 2019, 74, 2732-2741.	3.0	11
243	Evaluation of virological response and resistance profile in HIV-1 infected patients starting a first-line integrase inhibitor-based regimen in clinical settings. Journal of Clinical Virology, 2020, 130, 104534.	3.1	11
244	Liver steatosis and nonalcoholic fatty liver disease with fibrosis are predictors of frailty in people living with HIV. Aids, 2020, 34, 1915-1921.	2.2	11
245	Risk factors for nosocomial rectal colonization with carbapenem-resistant Acinetobacter baumannii in hospital: a matched case–control study. Antimicrobial Resistance and Infection Control, 2021, 10, 69.	4.1	11
246	Anti-Tat immunity defines CD4+ T-cell dynamics in people living with HIV on long-term cART EBioMedicine, 2021, 66, 103306.	6.1	11
247	Breakthrough invasive fungal infection after liver transplantation in patients on targeted antifungal prophylaxis: A prospective multicentre study. Transplant Infectious Disease, 2021, 23, e13608.	1.7	11
248	Evidence-based renewal of the Italian guidelines for the use of antiretroviral agents and the diagnostic-clinical management of HIV-1 infected persons. New Microbiologica, 2018, 41, 247-255.	0.1	11
249	Mitochondrial membrane potential and nucleosidic inhibitors of HIV reverse transcriptase: a cytometric approach. Mitochondrion, 2004, 4, 271-278.	3.4	10
250	Congenital Pyelectasis in Children Born from Mothers on Tenofovir Containing Therapy During Pregnancy: Report of Two Cases. Infection, 2007, 35, 474-476.	4.7	10
251	Predictive Value of Intracellular HIV-1 DNA Levels During CD4-Guided Treatment Interruption in HIV ⁺ Patients. AIDS Research and Human Retroviruses, 2010, 26, 553-558.	1.1	10
252	Liver Enzyme Elevation During Darunavir-Based Antiretroviral Treatment in HIV-1–Infected Patients With or Without Hepatitis C Coinfection: Data from the ICONA Foundation Cohort. HIV Clinical Trials, 2014, 15, 151-160.	2.0	10

#	Article	IF	CITATIONS
253	Viro-Immunological Response of Drug-Naive HIV-1-Infected Patients Starting a First-Line Regimen with Viraemia >500,000 Copies/ml in Clinical Practice. Antiviral Therapy, 2018, 23, 249-257.	1.0	10
254	Clinical Utility of Epstein-Barr Virus Viral Load Monitoring and Risk Factors for Posttransplant Lymphoproliferative Disorders After Kidney Transplantation: A Single-Center, 10-Year Observational Cohort Study. Transplantation Direct, 2017, 3, e182.	1.6	10
255	Non-Hodgkin lymphoma risk in adults living with HIV across five continents. Aids, 2018, 32, 2777-2786.	2.2	10
256	Construct validation of a Frailty Index, an HIV Index and a Protective Index from a clinical HIV database. PLoS ONE, 2018, 13, e0201394.	2.5	10
257	Acute Myeloid Leukemia in Patients Living with HIV Infection: Several Questions, Fewer Answers. International Journal of Molecular Sciences, 2020, 21, 1081.	4.1	10
258	Piperacillin–tazobactam versus meropenem for treatment of bloodstream infections caused by third-generation cephalosporin-resistant Enterobacteriaceae: a study protocol for a non-inferiority open-label randomised controlled trial (PeterPen). BMJ Open, 2021, 11, e040210.	1.9	10
259	Prospective Study on Incidence, Risk Factors and Outcome of Recurrent Clostridioides difficile Infections. Journal of Clinical Medicine, 2021, 10, 1127.	2.4	10
260	Changes in central adipose tissue after switching to integrase inhibitors. HIV Research and Clinical Practice, 2020, 21, 168-173.	1.1	10
261	Reliable and Accurate CD4+ T Cell Count and Percent by the Portable Flow Cytometer CyFlow MiniPOC and "CD4 Easy Count Kit-Dryâ€; as Revealed by the Comparison with the Gold Standard Dual Platform Technology. PLoS ONE, 2015, 10, e0116848.	2.5	10
262	Refining criteria for selecting candidates for a safe lopinavir/ritonavir or darunavir/ritonavir monotherapy in HIV-infected virologically suppressed patients. PLoS ONE, 2017, 12, e0171611.	2.5	10
263	Two Different Patterns of Mutations are Involved in the Genotypic Resistance Score for Atazanavir Boosted Versus Unboosted by Ritonavir in Multiple Failing Patients. Infection, 2009, 37, 233-243.	4.7	9
264	Magnitude and Determinants of CD4 Recovery After HAART Resumption After 1 Cycle of Treatment Interruption. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 52, 588-594.	2.1	9
265	Successful Treatment of HIV-1 Infection Increases the Expression of a Novel, Short Transcript for IL-18 Receptor α Chain. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 67, 254-257.	2.1	9
266	Virological response and resistance profile in HIVâ€1â€infected patients starting darunavirâ€containing regimens. HIV Medicine, 2017, 18, 21-32.	2.2	9
267	Managing antiretroviral therapy in the elderly HIV patient. Expert Review of Clinical Pharmacology, 2018, 11, 1171-1181.	3.1	9
268	Establishing a hepatitis C continuum of care among <scp>HIV</scp> /hepatitis C virusâ€coinfected individuals in Euro <scp>SIDA</scp> . HIV Medicine, 2019, 20, 264-273.	2.2	9
269	Treating cancer with immunotherapy in HIV-positive patients: A challenging reality. Critical Reviews in Oncology/Hematology, 2020, 145, 102836.	4.4	9
270	A patient-centred approach to deprescribing antiretroviral therapy in people living with HIV. Journal of Antimicrobial Chemotherapy, 2020, 75, 3425-3432.	3.0	9

#	Article	IF	CITATIONS
271	TOCIVID-19 - A multicenter study on the efficacy and tolerability of tocilizumab in the treatment of patients with COVID-19 pneumonia. Study protocol. Contemporary Clinical Trials, 2020, 98, 106165.	1.8	9
272	NLRP3 and IL-1Î ² Gene Expression Is Elevated in Monocytes From HIV-Treated Patients With Neurocognitive Disorders. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, 496-499.	2.1	9
273	Inverse Correlation Between Vascular Calcification and Bone Mineral Density in Human Immunodeficiency Virus-Infected Patients. Calcified Tissue International, 2013, 93, 413-418.	3.1	8
274	European <scp>AIDS</scp> Clinical Society Standard of Care meeting on <scp>HIV</scp> and related coinfections: The Rome Statements. HIV Medicine, 2016, 17, 445-452.	2.2	8
275	Evolution of HIV-1 transmitted drug resistance in Italy in the 2007–2014 period: A weighted analysis. Journal of Clinical Virology, 2018, 106, 49-52.	3.1	8
276	Prevalence of acquired resistance mutations in a large cohort of perinatally infected HIV-1 patients. Clinical Microbiology and Infection, 2019, 25, 1443-1446.	6.0	8
277	The Interplay Between Age and Frailty in People Living With HIV: Results From an 11-Year Follow-up Observational Study. Open Forum Infectious Diseases, 2019, 6, ofz199.	0.9	8
278	Altered Expression of PYCARD, Interleukin 1β, Interleukin 18, and NAIP in Successfully Treated HIV-Positive Patients With a Low Ratio of CD4+ to CD8+ T Cells. Journal of Infectious Diseases, 2019, 219, 1743-1748.	4.0	8
279	Withholding Primary Pneumocystis Pneumonia Prophylaxis in Virologically Suppressed Patients With Human Immunodeficiency Virus: An Emulation of a Pragmatic Trial in COHERE. Clinical Infectious Diseases, 2021, 73, 195-202.	5.8	8
280	Nucleoside Reverse-Transcriptase Inhibitor Resistance Mutations Predict Virological Failure in Human Immunodeficiency Virus-Positive Patients During Lamivudine Plus Dolutegravir Maintenance Therapy in Clinical Practice. Open Forum Infectious Diseases, 2021, 8, ofab103.	0.9	8
281	No need for secondary <i>Pneumocystis jirovecii</i> pneumonia prophylaxis in adult people living with HIV from Europe on ART with suppressed viraemia and a CD4 cell count greater than 100Âcells/µL. Journal of the International AIDS Society, 2021, 24, e25726.	3.0	8
282	Endobronchial valve positioning for alveolar-pleural fistula following ICU management complicating COVID-19 pneumonia. BMC Pulmonary Medicine, 2021, 21, 307.	2.0	8
283	Virologic and immunologic outcomes of treatment with integrase inhibitors in a real-world setting: The RESPOND cohort consortium. PLoS ONE, 2020, 15, e0243625.	2.5	8
284	What have we learned from the first to the second wave of COVID-19 pandemic? An international survey from the ESCMID Study Group for Infection in the Elderly (ESGIE) group. European Journal of Clinical Microbiology and Infectious Diseases, 2022, 41, 281-288.	2.9	8
285	Italian Consensus Statement on Management of HIV-Infected Individuals with Advanced Disease NaÃ ⁻ ve to Antiretroviral Therapy. Infection, 2009, 37, 270-82.	4.7	7
286	Drugâ€resistance development differs between <scp>HIV</scp> â€lâ€infected patients failing firstâ€line antiretroviral therapy containing nonnucleoside reverse transcriptase inhibitors with and without thymidine analogues. HIV Medicine, 2013, 14, 571-577.	2.2	7
287	Predictors of CD4+ T-Cell Counts of HIV Type 1–Infected Persons After Virologic Failure of All 3 Original Antiretroviral Drug Classes. Journal of Infectious Diseases, 2013, 207, 759-767.	4.0	7
288	Genotypic testing on HIV-1 DNA as a tool to assess HIV-1 co-receptor usage in clinical practice: results from the DIVA study group. Infection, 2014, 42, 61-71.	4.7	7

#	Article	IF	CITATIONS
289	Prognostic Value of the Fibrosis-4 Index in Human Immunodeficiency Virus Type-1 Infected Patients Initiating Antiretroviral Therapy with or without Hepatitis C Virus. PLoS ONE, 2015, 10, e0140877.	2.5	7
290	Antiviral activity of sirolimus in an HIV-positive kidney transplant recipient. International Journal of STD and AIDS, 2019, 30, 919-922.	1.1	7
291	Granulicatella adiacens and Abiotrophia defectiva Native Vertebral Osteomyelitis: Three Cases and Literature Review of Clinical Characteristics and Treatment Approach. Case Reports in Infectious Diseases, 2019, 2019, 1-8.	0.5	7
292	AGE OF HIV ACQUISITION AFFECTS THE RISK OF MULTI-MORBIDITY AFTER 25 YEARS OF INFECTION EXPOSURE. Journal of Frailty & amp; Aging, the, 2019, 8, 1-5.	1.3	7
293	Development and validation of a prediction model for tocilizumab failure in hospitalized patients with SARS-CoV-2 infection. PLoS ONE, 2021, 16, e0247275.	2.5	7
294	Week 96 subgroup analyses of the phase 3, randomized AMBER and EMERALD trials evaluating the efficacy and safety of the once daily darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) single-tablet regimen in antiretroviral treatment (ART)-naĀ ⁻ ve and -experienced, virologically-suppressed adults living with HIV-1. HIV Research and Clinical Practice, 2020, 21, 151-167.	1.1	7
295	Has COVID-19 changed the approach to HIV diagnosis?. Medicine (United States), 2021, 100, e27418.	1.0	7
296	Quantitation of CD95 and CD95L mRNA Expression in Chronic and Acute HIVâ€l Infection by Competitive RTâ€PCR. Annals of the New York Academy of Sciences, 2000, 926, 46-51.	3.8	6
297	Intact parathyroid hormone levels are associated with increased carotid intima media thickness in HIV infected patients. Atherosclerosis, 2014, 237, 618-622.	0.8	6
298	Genotypic Tropism Testing in HIV-1 Proviral DNA Can Provide Useful Information at Low-Level Viremia. Journal of Clinical Microbiology, 2015, 53, 2935-2941.	3.9	6
299	Effectiveness, durability, and safety of darunavir/ritonavir in HIV-1-infected patients in routine clinical practice in Italy: a postauthorization noninterventional study. Drug Design, Development and Therapy, 2016, 10, 1589.	4.3	6
300	Durability and tolerability of first-line regimens including two nucleoside reverse transcriptase inhibitors and raltegravir or ritonavir boosted-atazanavir or -darunavir: data from the ICONA Cohort. HIV Clinical Trials, 2018, 19, 52-60.	2.0	6
301	Rhodococcus equi Pneumonia in Kidney Transplant Recipient Affected by Acute Intermittent Porphyria: A Case Report. Transplantation Proceedings, 2019, 51, 229-234.	0.6	6
302	Local Epidemics Gone Viral: Evolution and Diffusion of the Italian HIV-1 Recombinant Form CRF60_BC. Frontiers in Microbiology, 2019, 10, 769.	3.5	6
303	Pneumocystosis as a Complication of H1N1 Influenza A Infection in an HIV-Positive Patient on Effective cART. Open Forum Infectious Diseases, 2019, 6, ofz105.	0.9	6
304	Epidemiology and Outcomes of Bloodstream Infections in HIV-Patients during a 13-Year Period. Microorganisms, 2020, 8, 1210.	3.6	6
305	Shall We Dance? Extending TANGO's Results to Clinical Practice. Clinical Infectious Diseases, 2020, 71, e200-e201.	5.8	6
306	Predictors of incomplete viral response and virologic failure in patients with acute and early HIV infection. Results of Italian Network of ACuTe HIV InfectiON (INACTION) cohort. HIV Medicine, 2020, 21, 523-535.	2.2	6

#	Article	IF	CITATIONS
307	Virological response and resistance profile in highly treatmentâ€experienced HIVâ€1â€infected patients switching to dolutegravir plus boosted darunavir in clinical practice. HIV Medicine, 2021, 22, 519-525.	2.2	6
308	Viral resistance burden and APOBEC editing correlate with virological response in heavily treatment-experienced people living with multi-drug resistant HIV. International Journal of Antimicrobial Agents, 2022, 59, 106492.	2.5	6
309	Resilience and Frailty in People Living With HIV During the COVID Era: Two Complementary Constructs Associated With Health-Related Quality of Life. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 89, S65-S72.	2.1	6
310	Another piece in the COVID-19 treatment puzzle. Lancet, The, 2022, 399, 609-610.	13.7	6
311	The interplay of post-acute COVID-19 syndrome and aging: a biological, clinical and public health approach. Ageing Research Reviews, 2022, 81, 101686.	10.9	6
312	Access to gynecological services and Papanicolau tests in HIV-infected Italian women: A questionnaire survey. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2006, 18, 376-378.	1.2	5
313	Long-term CD4+ T-cell count evolution after switching from regimens including HIV nucleoside reverse transcriptase inhibitors (NRTI) plus protease inhibitors to regimens containing NRTI plus non-NRTI or only NRTI. BMC Infectious Diseases, 2011, 11, 23.	2.9	5
314	Characteristics and outcome predictors of patients involved in an outbreak of Burkholderia cepacia complex. Journal of Hospital Infection, 2013, 85, 73-75.	2.9	5
315	Treatment discontinuation in HIV-1-infected individuals starting their first-line HAART after 2008: data from the ICONA Foundation Study Cohort. Journal of the International AIDS Society, 2014, 17, 19825.	3.0	5
316	Epidemiology and clinical outcome of lower respiratory tract infections by respiratory syncytial virus or parainfluenza virus type 3 in adults receiving treatment for either acute leukemia or severe aplastic anemia: a retrospective single center study. Annals of Hematology, 2015, 94, 1931-1934.	1.8	5
317	Immunophenotypic profile and clinical outcome of monoclonal B ell lymphocytosis in kidney transplantation. Clinical Transplantation, 2018, 32, e13338.	1.6	5
318	Thymus Imaging Detection and Size Is Inversely Associated With Metabolic Syndrome and Frailty in People With HIV. Open Forum Infectious Diseases, 2019, 6, ofz435.	0.9	5
319	Compression of frailty in adults living with HIV. BMC Geriatrics, 2019, 19, 229.	2.7	5
320	Darunavir/cobicistat/emtricitabine/tenofovir alafenamide in treatment-naÃ⁻ve patients with HIV-1: subgroup analyses of the phase 3 AMBER study. HIV Research and Clinical Practice, 2019, 20, 24-33.	1.1	5
321	Acute Myocarditis as the Main Clinical Manifestation of SARS-CoV 2 Infection. Gastroenterology Insights, 2020, 12, 8609.	1.2	5
322	Diagnostic stewardship based on patient profiles: differential approaches in acute versus chronic infectious syndromes. Expert Review of Anti-Infective Therapy, 2021, 19, 1373-1383.	4.4	5
323	The role of antimicrobial stewardship in preventing KPC-producing <i>Klebsiella pneumoniae</i> . Journal of Antimicrobial Chemotherapy, 2021, 76, i12-i18.	3.0	5
324	Real-Life Impact of Drug Toxicity on Dolutegravir Tolerability: Clinical Practice Data from a Multicenter Italian Cohort. Viruses, 2022, 14, 163.	3.3	5

#	Article	IF	CITATIONS
325	Risk Factors for Pulmonary Air Leak and Clinical Prognosis in Patients With COVID-19 Related Acute Respiratory Failure: A Retrospective Matched Control Study. Frontiers in Medicine, 2022, 9, 848639.	2.6	5
326	Increased urinary coproporphyrin excretion observed in patients with differently staged Hodgkin's disease treated with chemotherapy. Pharmacological Research, 2005, 51, 283-288.	7.1	4
327	Absence of liver steatosis in HIV–HCV co-infected patients receiving regimens containing tenofovir or abacavir. Infection, 2013, 41, 425-429.	4.7	4
328	Increased risk of virological failure to the first antiretroviral regimen in HIV-infected migrants compared to natives: data from the ICONA cohort. Journal of the International AIDS Society, 2014, 17, 19769.	3.0	4
329	Improved darunavir genotypic mutation score predicting treatment response for patients infected with HIV-1 subtype B and non-subtype B receiving a salvage regimen. Journal of Antimicrobial Chemotherapy, 2016, 71, 1352-1360.	3.0	4
330	Awareness, discussion and non-prescribed use of HIV pre-exposure prophylaxis among persons living with HIV/AIDS in Italy: a Nationwide, cross-sectional study among patients on antiretrovirals and their treating HIV physicians. BMC Infectious Diseases, 2017, 17, 734.	2.9	4
331	Bacterial pneumonia in patients with liver cirrhosis, with or without HIV co-infection: a possible definition of antibiotic prophylaxis associated pneumonia (APAP). Infectious Diseases, 2018, 50, 125-132.	2.8	4
332	The degree of HIV-1 amino acid variability is strictly related to different disease progression rates. Virus Genes, 2018, 54, 493-501.	1.6	4
333	Treatment rate for HCV in the direct-acting antivirals era in HIV co-infected patients: data from an Italian cohort. Minerva Medica, 2018, 109, 203-210.	0.9	4
334	Very High Pre-Therapy Viral Load is a Predictor of Virological Rebound in HIV-1-Infected Patients Starting a Modern First-Line Regimen. Antiviral Therapy, 2019, 24, 321-331.	1.0	4
335	Molecular Imaging of Vascular Calcification with 18F-Sodium-Fluoride in Patients Infected with Human Immunodeficiency Virus. International Journal of Molecular Sciences, 2019, 20, 1183.	4.1	4
336	Optimization strategies for HIV , hepatitis and syphilis testing in Infectious Disease Clinic and Dermatology Unit of Modena: 7â€year results of collaboration experience. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 959-965.	2.4	4
337	Darunavir/Cobicistat Is Associated with Negative Outcomes in HIV-Negative Patients with Severe COVID-19 Pneumonia. AIDS Research and Human Retroviruses, 2021, 37, 283-291.	1.1	4
338	Durability of rilpivirine-based versus integrase inhibitor-based regimens in a large cohort of naÃ ⁻ ve HIV-infected patients starting antiretroviral therapy. International Journal of Antimicrobial Agents, 2021, 58, 106406.	2.5	4
339	European Society of Cardiology-Proposed Diagnostic Echocardiographic Algorithm in Elective Patients with Clinical Suspicion of Infective Endocarditis: Diagnostic Yield and Prognostic Implications in Clinical Practice. Journal of Cardiovascular Echography, 2018, 28, 26.	0.4	4
340	Combined Resistance to Ceftolozane-Tazobactam and Ceftazidime-Avibactam in Extensively Drug-Resistant (XDR) and Multidrug-Resistant (MDR) Pseudomonas aeruginosa: Resistance Predictors and Impact on Clinical Outcomes Besides Implications for Antimicrobial Stewardship Programs. Antibiotics, 2021, 10, 1224.	3.7	4
341	State of the Art of Dual Therapy in 2015. AIDS Reviews, 2017, 17, .	1.0	4
342	Acid base disorders in patients with COVID-19. International Urology and Nephrology, 2021, , .	1.4	4

#	Article	IF	CITATIONS
343	Observational Study on HIV-Infected Subjects Failing HAART Receiving Tenofovir Plus Didanosine as NRTI Backbone. Infection, 2007, 35, 451-456.	4.7	3
344	Timing of Antiretroviral Therapy Initiation after a First AIDS-Defining Event: Temporal Changes in Clinical Attitudes in the ICONA Cohort. PLoS ONE, 2014, 9, e89861.	2.5	3
345	Burden of subclinical heart and lung disease detected on thoracic CT scans of HIV patients on HAART. Journal of the International AIDS Society, 2014, 17, 19716.	3.0	3
346	Effect of abacavir on sustained virologic response to HCV treatment in HIV/HCV co-infected patients, Cohere in Eurocoord. BMC Infectious Diseases, 2015, 15, 498.	2.9	3
347	Benefits and medium-term outcome of the Sorin Pericarbon Freedom stentless aortic prosthesis in cases of acute bacterial endocarditis. Interactive Cardiovascular and Thoracic Surgery, 2016, 23, 593-598.	1.1	3
348	Incidence of HCV infection amongst HIV positive men who had sex with men and prevalence data from patients followed at the Infectious Diseases Clinic of Modena, Italy. Digestive and Liver Disease, 2018, 50, 1334-1338.	0.9	3
349	Long-term virological suppression on first-line efavirenz + tenofovir + emtricitabine/lamivudine for HIV-1. Aids, 2019, 33, 745-751.	2.2	3
350	Tocilizumab in COVID-19: finding the optimal route and dose – Authors' reply. Lancet Rheumatology, The, 2020, 2, e739-e740.	3.9	3
351	Epidemiology and clinical outcomes of latent tuberculosis infection in adults affected with acute leukemia or aplastic anemia: a retrospective single-center study. Annals of Hematology, 2020, 99, 2201-2203.	1.8	3
352	Short Communication: Circulating Mitochondrial DNA and Lipopolysaccharide-Binding Protein but Not Bacterial DNA Are Increased in Acute Human Immunodeficiency Virus Infection. AIDS Research and Human Retroviruses, 2020, 36, 817-820.	1.1	3
353	Effects of cytokine blocking agents on hospital mortality in patients admitted to ICU with acute respiratory distress syndrome by SARS-CoV-2 infection: retrospective cohort study. Multidisciplinary Respiratory Medicine, 2021, 16, 737.	1.5	3
354	Decrease in Incidence Rate of Hospitalizations Due to AIDS-Defining Conditions but Not to Non-AIDS Conditions in PLWHIV on cART in 2008–2018 in Italy. Journal of Clinical Medicine, 2021, 10, 3391.	2.4	3
355	The impact of tocilizumab on respiratory support states transition and clinical outcomes in COVID-19 patients. A Markov model multi-state study. PLoS ONE, 2021, 16, e0251378.	2.5	3
356	Mitochondrial DNA haplogroups and incidence of lipodystrophy in HIV-infected patients on long-term antiretroviral therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, , 1.	2.1	3
357	Integrase strand transfer inhibitor use and cancer incidence in a large cohort setting. Open Forum Infectious Diseases, 2022, 9, ofac029.	0.9	3
358	Managing the long surviving HIV patient: a proposal for a multidimensional first-level diagnostic assessment. New Microbiologica, 2018, 41, 112-117.	0.1	3
359	Development of post-COVID-19 cardiovascular events: an analysis of clinical features and risk factors from a single hospital retrospective study. Infezioni in Medicina, 2021, 29, 538-549.	1.1	3
360	Mixed connective tissue disease (Sharp syndrome): Description of two cases. Italian Journal of Neurological Sciences, 1983, 4, 203-205.	0.1	2

#	Article	IF	CITATIONS
361	Effect of amrinone on myocardial mitochondria function. FEBS Letters, 1988, 233, 400-402.	2.8	2
362	An observational comparison of first-line combination antiretroviral treatment (cART) with 2NRTI and ATV/r or DRV/r in HIV-infected patients in Italy. Journal of the International AIDS Society, 2014, 17, 19771.	3.0	2
363	Monitoring renal function during combination therapy with telaprevir in HIV/HCV co-infected patients with advanced/fibrosis cirrhosis. Journal of the International AIDS Society, 2014, 17, 19627.	3.0	2
364	Decrease of renal function in HCV and HIV/HCV-infected patients with telaprevir-based therapy. Aids, 2015, 29, 2061-2062.	2.2	2
365	Brief Report: Drop in CD4+ Counts Below 200 Cells/μL After Reaching (or Starting From) Values Higher than 350 Cells/μL in HIV-Infected Patients With Virological Suppression. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 76, 417-422.	2.1	2
366	Indications for starting ART. Lancet HIV,the, 2018, 5, e157-e158.	4.7	2
367	Genetic divergence of HIV-1 B subtype in Italy over the years 2003–2016 and impact on CTL escape prevalence. Scientific Reports, 2018, 8, 15739.	3.3	2
368	Reply to De Greef et al. Clinical Infectious Diseases, 2020, 70, 351-353.	5.8	2
369	Rituximab in people living with HIV affected by immune-mediated renal diseases: a case-series. International Journal of STD and AIDS, 2020, 31, 1426-1431.	1.1	2
370	Successful treatment of BK virus associated-nephropathy in a human immunodeficiency virus-positive kidney transplant recipient. International Journal of STD and AIDS, 2020, 31, 387-391.	1.1	2
371	Comparison of two perioperative antibiotic schedules in patients undergoing surgical reconstruction with dermal matrix after excision of skin cancer. International Wound Journal, 2020, 17, 937-943.	2.9	2
372	Immunomodulation for the management of severe SARS-CoV2 infections. State of the art and review of the literature. Biochemical and Biophysical Research Communications, 2021, 538, 151-155.	2.1	2
373	Accuracy of the serological detection of IgG and IgM to SARS-Cov-2: a prospective, cross-sectional study. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 1891-1898.	2.9	2
374	Disentangling the Association of Hydroxychloroquine Treatment with Mortality in Covid-19 Hospitalized Patients through Hierarchical Clustering. Journal of Healthcare Engineering, 2021, 2021, 1-10.	1.9	2
375	Measles-induced immune amnesia likely recorded in the 18th century. Journal of Clinical Virology, 2021, 141, 104899.	3.1	2
376	Prevalence of HIV-associated neurocognitive disorder (HAND) and its subgroups among HIV-positive persons on anti-retroviral therapy in Iran. Psihologija, 2020, 53, 115-127.	0.6	2
377	Differential course of HIV-1 infection and apolipoprotein E polymorphism. Open Medicine (Poland), 2007, 2, 404-416.	1.3	1
378	Predictors of emphysema progression in HIV-positive patients. Journal of the International AIDS Society, 2014, 17, 19660.	3.0	1

#	Article	IF	CITATIONS
379	Effectiveness and durability of darunavir/ritonavir (DRV/r) in DRV/r-experienced HIV-1-infected patients in routine clinical practice. Journal of the International AIDS Society, 2014, 17, 19786.	3.0	1
380	Breast tuberculosis: A case report of primary type mammary tuberculosis. Clinical Case Reports (discontinued), 2019, 7, 2346-2348.	0.5	1
381	Safety and efficacy of daclatasvir at doses other than 60 mg daily in HIV/HCV co-infected subjects: Data from the ICONA/HepaICONA foundation cohorts. Digestive and Liver Disease, 2020, 52, 447-451.	0.9	1
382	The Lisbon patient: exceptional longevity with HIV suggests healthy aging as an ultimate goal for HIV care. BMC Infectious Diseases, 2020, 20, 290.	2.9	1
383	Role of Maraviroc in minimizing the risk ofÂgraft rejection in HIVâ€infected kidney transplant recipients. Transplant Infectious Disease, 2020, 22, e13294.	1.7	1
384	Determinants of loss to care and risk of clinical progression in PLWH who are re-engaged in care after a temporary loss. Scientific Reports, 2021, 11, 9632.	3.3	1
385	Signals were broadly positive for months, but never definitive: the tocilizumab story. Clinical Microbiology and Infection, 2021, , .	6.0	1
386	Risk factors for functional decline among survivors of Gram-negative bloodstream infection: A prospective cohort study. PLoS ONE, 2021, 16, e0259707.	2.5	1
387	Non-B subtypes account for a large proportion of clustered primary HIV-1 infections in Italy. Sexually Transmitted Infections, 2022, , sextrans-2021-055289.	1.9	1
388	Increased excretion of urine coproporphyrins during daunorubicin administration in patients affected by acute myelogenous leukemia. Pharmacological Research, 2003, 48, 515-518.	7.1	0
389	Baseline HIV RNA and the when to start question: time to stop asking this question?. Aids, 2006, 20, 1197-1198.	2.2	Ο
390	ls There Any Potential for First-Line Etravirine Use? Analysis From a Large Data Set of Antiretroviral Therapy-Naive HIV-Infected Patients Undergoing Resistance Test. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, 150-151.	2.1	0
391	Patients presenting with AIDS: still a clinical challenge. Future Virology, 2010, 5, 17-19.	1.8	Ο
392	Aseptic Osteonecrosis. Transplantation, 2012, 94, e20-e21.	1.0	0
393	Re: Lebentrau S, Gilfrich C, Vetterlein MW, Schumacher H, Spachmann PJ, Brookman-May SD, Fritsche HM, Schostak M, Wagenlehner F, Burger M, May M, MR2 study group (2017) Impact of the medical specialty on knowledge regarding multidrug-resistant organisms and strategies toward antimicrobial stewardship. Int Urol Nephrol 49:1311–1318. International Urology and Nephrology. 2018. 50. 873-874.	1.4	Ο
394	SAT-159-Genetic determinants in critical domains of NS5A are associated with genotype 1b HCV-induced hepatocellular carcinoma. Journal of Hepatology, 2019, 70, e699-e700.	3.7	0
395	Impact of genotypic susceptibility score on cART outcomes during primary HIV infection. Journal of Medical Virology, 2019, 91, 1891-1895.	5.0	0
396	Reply to MacFadden and Hanage and to Pallett et al. Clinical Infectious Diseases, 2019, 69, 1263-1264.	5.8	0

#	Article	IF	CITATIONS
397	Never Give Up: Lesson learned from a severe COVID-19 patient. Pulmonology, 2021, 27, 257-260.	2.1	0
398	Efficient T-Cell Compartment in HIV-Positive Patients Receiving Orthotopic Liver Transplant and Immunosuppressive Therapy. Journal of Infectious Diseases, 2021, 223, 482-493.	4.0	0
399	Adherence to lipid-lowering medication in people living with HIV: An outpatient clinic drug direct distribution experience. Journal of Research in Pharmacy Practice, 2021, 10, 10.	0.7	0
400	Re: "No Significant Changes in Weight and Body Fat Mass in Suppressed HIV Infected Patients Switched to Dual Combination Lamivudine Plus Dolutegravir or Raltegravir―by Calza <i>et al.</i> . AIDS Research and Human Retroviruses, 2021, 37, 333-334.	1.1	0
401	Re: â€~Methodological evaluation of bias in observational COVID-19 studies on drug effectiveness' by Wolkewitz et al Clinical Microbiology and Infection, 2021, 27, 1043-1044.	6.0	0
402	Genotypic HIV-1 tropism determination might help to identify people with exhausted treatment options and advanced disease. Journal of Antimicrobial Chemotherapy, 2021, 76, 3272-3279.	3.0	0
403	Incidence, Temporal Trends, and Predictors of Thrombocytopenia Among HIV-Infected Persons Treated with Combined Antiretroviral Therapy (cART). Blood, 2010, 116, 69-69.	1.4	0
404	In Virologically Suppressed HIV+ Patients, High CD4/CD8 Ratio and Length of Treatment Independently Correlate to the Intracellular Content of Proviral HIV-DNA in Different Types of CD4+ T Cells. Blood, 2016, 128, 3704-3704.	1.4	0
405	Has COVID-19 changed the approach to HIV diagnosis?: A multicentric Italian experience. Medicine (United States), 2021, 100, e27418.	1.0	0
406	Association between respiratory distress time and invasive mechanical ventilation in COVID-19 patients: a multicentre regional cohort study Pulmonology, 2022, , .	2.1	0
407	Title is missing!. , 2019, 14, e0222650.		0
408	Title is missing!. , 2019, 14, e0222650.		0
409	Title is missing!. , 2019, 14, e0222650.		0

410 Title is missing!. , 2019, 14, e0222650.

0