

Shi Xiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5569900/publications.pdf>

Version: 2024-02-01

59
papers

8,345
citations

117625

34
h-index

128289

60
g-index

61
all docs

61
docs citations

61
times ranked

17047
citing authors

#	ARTICLE	IF	CITATIONS
1	TRAF proteins as key regulators of plant development and stress responses. <i>Journal of Integrative Plant Biology</i> , 2022, 64, 431-448.	8.5	12
2	Phosphatidic acid modulates MPK3- and MPK6-mediated hypoxia signaling in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2022, 34, 889-909.	6.6	31
3	Plant elicitor peptide signalling confers rice resistance to piercing&#sucking insect herbivores and pathogens. <i>Plant Biotechnology Journal</i> , 2022, 20, 991-1005.	8.3	15
4	The plant ESCRT component FREE1 regulates peroxisome-mediated turnover of lipid droplets in germinating <i>Arabidopsis</i> seedlings. <i>Plant Cell</i> , 2022, 34, 4255-4273.	6.6	9
5	Plasma membrane-nucleo-cytoplasmic coordination of a receptor-like cytoplasmic kinase promotes EDS1-dependent plant immunity. <i>Nature Plants</i> , 2022, 8, 802-816.	9.3	30
6	Autophagy in plants: Physiological roles and post&#translational regulation. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 161-179.	8.5	72
7	New insights into the role of lipids in plant hypoxia responses. <i>Progress in Lipid Research</i> , 2021, 81, 101072.	11.6	37
8	Biological aqua crust mitigates metal(loid) pollution and the underlying immobilization mechanisms. <i>Water Research</i> , 2021, 190, 116736.	11.3	17
9	The receptor-like cytoplasmic kinase CDG1 negatively regulates <i>Arabidopsis</i> pattern-triggered immunity and is involved in AvrRpm1-induced RIN4 phosphorylation. <i>Plant Cell</i> , 2021, 33, 1341-1360.	6.6	15
10	Phloem unloading via the apoplastic pathway is essential for shoot distribution of root-synthesized cytokinins. <i>Plant Physiology</i> , 2021, 186, 2111-2123.	4.8	16
11	The immune components ENHANCED DISEASE SUSCEPTIBILITY 1 and PHYTOALEXIN DEFICIENT 4 are required for cell death caused by overaccumulation of ceramides in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2021, 107, 1447-1465.	5.7	19
12	Jasmonates modulate sphingolipid metabolism and accelerate cell death in the ceramide kinase mutant <i>acd5</i> . <i>Plant Physiology</i> , 2021, 187, 1713-1727.	4.8	8
13	Polyunsaturated linolenoyl&#CoA modulates ERF&#VI&#mediated hypoxia signaling in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2020, 62, 330-348.	8.5	32
14	<i>Arabidopsis</i> SINAT Proteins Control Autophagy by Mediating Ubiquitylation and Degradation of ATG13. <i>Plant Cell</i> , 2020, 32, 263-284.	6.6	53
15	Brassinosteroids Antagonize Jasmonate-Activated Plant Defense Responses through BRI1-EMS-SUPPRESSOR1 (BES1). <i>Plant Physiology</i> , 2020, 182, 1066-1082.	4.8	48
16	Full-Length Transcript-Based Proteogenomics of Rice Improves Its Genome and Proteome Annotation. <i>Plant Physiology</i> , 2020, 182, 1510-1526.	4.8	53
17	The Anaerobic Product Ethanol Promotes Autophagy-Dependent Submergence Tolerance in <i>Arabidopsis</i> . <i>International Journal of Molecular Sciences</i> , 2020, 21, 7361.	4.1	10
18	SINAT E3 Ubiquitin Ligases Mediate FREE1 and VPS23A Degradation to Modulate Abscisic Acid Signaling. <i>Plant Cell</i> , 2020, 32, 3290-3310.	6.6	46

#	ARTICLE	IF	CITATIONS
19	SINAT E3 ligases regulate the stability of the ESCRT component FREE1 in response to iron deficiency in plants. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 1399-1417.	8.5	25
20	Evolution and Expression of the Membrane Attack Complex and Perforin Gene Family in the Poaceae. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5736.	4.1	14
21	Identification and Expression of the Multidrug and Toxic Compound Extrusion (MATE) Gene Family in <i>Capsicum annuum</i> and <i>Solanum tuberosum</i> . <i>Plants</i> , 2020, 9, 1448.	3.5	12
22	Long-Chain acyl-CoA Synthetase LACS2 Contributes to Submergence Tolerance by Modulating Cuticle Permeability in <i>Arabidopsis</i> . <i>Plants</i> , 2020, 9, 262.	3.5	20
23	The β -ketoacyl-CoA synthase KCS13 regulates the cold response in cotton by modulating lipid and oxylipin biosynthesis. <i>Journal of Experimental Botany</i> , 2020, 71, 5615-5630.	4.8	12
24	Genetic Analyses of the <i>Arabidopsis</i> ATG1 Kinase Complex Reveal Both Kinase-Dependent and Independent Autophagic Routes during Fixed-Carbon Starvation. <i>Plant Cell</i> , 2019, 31, 2973-2995.	6.6	97
25	<i>Arabidopsis thaliana</i> Plants Engineered To Produce Astaxanthin Show Enhanced Oxidative Stress Tolerance and Bacterial Pathogen Resistance. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 12590-12598.	5.2	5
26	Autophagy regulates glucose-mediated root meristem activity by modulating ROS production in <i>Arabidopsis</i> . <i>Autophagy</i> , 2019, 15, 407-422.	9.1	102
27	Alternative splicing and translation play important roles in hypoxic germination in rice. <i>Journal of Experimental Botany</i> , 2019, 70, 817-833.	4.8	51
28	<i>Arabidopsis</i> HSP70 α 1.6 is required for flower opening under normal or mild heat stress temperatures. <i>Plant, Cell and Environment</i> , 2019, 42, 1190-1204.	5.7	30
29	Natural variation in the promoter of rice calcineurin B-like protein10 (<i>OsCBL10</i>) affects flooding tolerance during seed germination among rice subspecies. <i>Plant Journal</i> , 2018, 94, 612-625.	5.7	42
30	Loss of alkaline ceramidase inhibits autophagy in <i>Arabidopsis</i> and plays an important role during environmental stress response. <i>Plant, Cell and Environment</i> , 2018, 41, 837-849.	5.7	30
31	DIACYLGLYCEROL ACYLTRANSFERASE and DIACYLGLYCEROL KINASE Modulate Triacylglycerol and Phosphatidic Acid Production in the Plant Response to Freezing Stress. <i>Plant Physiology</i> , 2018, 177, 1303-1318.	4.8	108
32	S-Nitrosylation Targets GSNO Reductase for Selective Autophagy during Hypoxia Responses in Plants. <i>Molecular Cell</i> , 2018, 71, 142-154.e6.	9.7	135
33	<i>OsCER1</i> Plays a Pivotal Role in Very-Long-Chain Alkane Biosynthesis and Affects Plastid Development and Programmed Cell Death of Tapetum in Rice (<i>Oryza sativa</i> L.). <i>Frontiers in Plant Science</i> , 2018, 9, 1217.	3.6	51
34	SWATH-MS quantitative proteomic investigation of nitrogen starvation in <i>Arabidopsis</i> reveals new aspects of plant nitrogen stress responses. <i>Journal of Proteomics</i> , 2018, 187, 161-170.	2.4	32
35	Jasmonate Regulates Plant Responses to Postsubmergence Reoxygenation through Transcriptional Activation of Antioxidant Synthesis. <i>Plant Physiology</i> , 2017, 173, 1864-1880.	4.8	98
36	Community recommendations on terminology and procedures used in flooding and low oxygen stress research. <i>New Phytologist</i> , 2017, 214, 1403-1407.	7.3	146

#	ARTICLE	IF	CITATIONS
37	The Arabidopsis Mitochondrial Protease FtSH4 Is Involved in Leaf Senescence via Regulation of WRKY-Dependent Salicylic Acid Accumulation and Signaling. <i>Plant Physiology</i> , 2017, 173, 2294-2307.	4.8	98
38	Mechanisms of Fe biofortification and mitigation of Cd accumulation in rice (<i>Oryza sativa</i> L.) grown hydroponically with Fe chelate fertilization. <i>Chemosphere</i> , 2017, 175, 275-285.	8.2	42
39	Proteogenomic analysis reveals alternative splicing and translation as part of the abscisic acid response in Arabidopsis seedlings. <i>Plant Journal</i> , 2017, 91, 518-533.	5.7	156
40	TRAF Family Proteins Regulate Autophagy Dynamics by Modulating AUTOPHAGY PROTEIN6 Stability in Arabidopsis. <i>Plant Cell</i> , 2017, 29, 890-911.	6.6	108
41	Mitigation of Cd accumulation in paddy rice (<i>Oryza sativa</i> L.) by Fe fertilization. <i>Environmental Pollution</i> , 2017, 231, 549-559.	7.5	68
42	Analysis of Plant Autophagy. <i>Methods in Molecular Biology</i> , 2017, 1662, 267-280.	0.9	7
43	The AMP-Activated Protein Kinase KIN10 Is Involved in the Regulation of Autophagy in Arabidopsis. <i>Frontiers in Plant Science</i> , 2017, 8, 1201.	3.6	118
44	OsARM1, an R2R3 MYB Transcription Factor, Is Involved in Regulation of the Response to Arsenic Stress in Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 1868.	3.6	150
45	Transgenic Arabidopsis thaliana containing increased levels of ATP and sucrose is more susceptible to Pseudomonas syringae. <i>PLoS ONE</i> , 2017, 12, e0171040.	2.5	9
46	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
47	Jasmonate complements the function of Arabidopsis lipoxygenase3 in salinity stress response. <i>Plant Science</i> , 2016, 244, 1-7.	3.6	64
48	Arabidopsis acyl-CoA-binding protein ACBP3 participates in plant response to hypoxia by modulating very-long-chain fatty acid metabolism. <i>Plant Journal</i> , 2015, 81, 53-67.	5.7	84
49	Fast-Suppressor Screening for New Components in Protein Trafficking, Organelle Biogenesis and Silencing Pathway in Arabidopsis thaliana Using DEX-Inducible FREE1-RNAi Plants. <i>Journal of Genetics and Genomics</i> , 2015, 42, 319-330.	3.9	18
50	Autophagy contributes to regulation of the hypoxia response during submergence in <i>Arabidopsis thaliana</i> . <i>Autophagy</i> , 2015, 11, 2233-2246.	9.1	143
51	Disruption of the Arabidopsis Defense Regulator Genes SAG101, EDS1, and PAD4 Confers Enhanced Freezing Tolerance. <i>Molecular Plant</i> , 2015, 8, 1536-1549.	8.3	55
52	Unsaturation of Very-Long-Chain Ceramides Protects Plant from Hypoxia-Induced Damages by Modulating Ethylene Signaling in Arabidopsis. <i>PLoS Genetics</i> , 2015, 11, e1005143.	3.5	86
53	Potential role of salicylic acid in modulating diacylglycerol homeostasis in response to freezing temperatures in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2015, 10, e1082698.	2.4	2
54	Arabidopsis membrane-associated acyl-CoA-binding protein ACBP1 is involved in stem cuticle formation. <i>Journal of Experimental Botany</i> , 2014, 65, 5473-5483.	4.8	74

#	ARTICLE	IF	CITATIONS
55	Comparative transcriptome analysis of transporters, phytohormone and lipid metabolism pathways in response to arsenic stress in rice (<i>Oryza sativa</i>). <i>New Phytologist</i> , 2012, 195, 97-112.	7.3	193
56	Overexpression of Arabidopsis ACBP3 Enhances NPR1-Dependent Plant Resistance to <i>Pseudomonas syringae</i> pv <i>tomato</i> DC3000. <i>Plant Physiology</i> , 2011, 156, 2069-2081.	4.8	101
57	Overexpression of Arabidopsis Acyl-CoA Binding Protein ACBP3 Promotes Starvation-Induced and Age-Dependent Leaf Senescence. <i>Plant Cell</i> , 2010, 22, 1463-1482.	6.6	225
58	Overexpression of the Arabidopsis 10-Kilodalton Acyl-Coenzyme A-Binding Protein ACBP6 Enhances Freezing Tolerance. <i>Plant Physiology</i> , 2008, 148, 304-315.	4.8	146
59	COS1: An Arabidopsis coronatine insensitive1 Suppressor Essential for Regulation of Jasmonate-Mediated Plant Defense and Senescence. <i>Plant Cell</i> , 2004, 16, 1132-1142.	6.6	163