

Jaekook Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5572527/publications.pdf>

Version: 2024-02-01

126
papers

9,199
citations

53794

45
h-index

40979

93
g-index

127
all docs

127
docs citations

127
times ranked

7078
citing authors

#	ARTICLE	IF	CITATIONS
1	A review on carbon nanomaterials for Na^+ battery anode: Progress and perspectives. International Journal of Energy Research, 2022, 46, 4033-4070.	4.5	9
2	Bimetallic Layered Hydroxide Nitrate@Graphene Oxide as an Electrocatalyst for Efficient Non-Enzymatic Glucose Sensors: Tuning Sensitivity by Hydroxide-Regulated $\text{M}_2(\text{OH})_4$ (A ⁿ) Phases Derived from Solvent Engineering. ACS Sustainable Chemistry and Engineering, 2022, 10, 1689-1701.	6.7	18
3	Mesoporous Mulberry-like CoMoO_4 : A Highly Suitable Anode Material for Sodium Ion Batteries over Lithium Ion Batteries. ACS Applied Energy Materials, 2022, 5, 126-136.	5.1	12
4	Stable Solid Electrolyte Interphase for Long-Life Potassium Metal Batteries. ACS Energy Letters, 2022, 7, 401-409.	17.4	32
5	An analysis of the electrochemical mechanism of manganese oxides in aqueous zinc batteries. Chem, 2022, 8, 924-946.	11.7	92
6	Effect of a self-assembling $\text{La}_2(\text{Ni}_{0.5}\text{Li}_{0.5})\text{O}_4$ and amorphous garnet-type solid electrolyte composite on a layered cathode material in all-solid-state batteries. RSC Advances, 2022, 12, 14209-14222.	3.6	3
7	Triggering the theoretical capacity of $\text{Na}_1.1\text{V}_3\text{O}_{7.9}$ nanorod cathode by polypyrrole coating for high-energy zinc-ion batteries. Chemical Engineering Journal, 2022, 446, 137069.	12.7	23
8	Recent Achievements in Experimental and Computational Studies of Positive Electrode Materials for Nonaqueous Ca- and Al-Ion Batteries. Journal of Physical Chemistry C, 2022, 126, 9209-9227.	3.1	5
9	A new tellurium-based Ni_3TeO_6 carbon nanotubes composite anode for Na^+ battery. International Journal of Energy Research, 2022, 46, 16041-16049.	4.5	6
10	Morphological dependent behaviour of CoMoO_4 anode: Lithium vs. sodium ion batteries. Journal of Alloys and Compounds, 2022, 920, 165925.	5.5	11
11	Hyper oxidized $\text{V}_6\text{O}_{13} \cdot n\text{H}_2\text{O}$ layered cathode for aqueous rechargeable Zn battery: Effect on dual carriers transportation and parasitic reactions. Energy Storage Materials, 2021, 35, 47-61.	18.0	38
12	Fabrication of 1D mesoporous NiO nano-rods as high capacity and long-life anode material for lithium ion batteries. Journal of Alloys and Compounds, 2021, 850, 156755.	5.5	38
13	Advancement in graphene-based nanocomposites as high capacity anode materials for sodium-ion batteries. Journal of Materials Chemistry A, 2021, 9, 2628-2661.	10.3	39
14	C- $\text{Na}_3\text{V}_{1.96}\text{Fe}_{0.04}(\text{PO}_4)_3/\text{Fe}_2\text{P}$ nanoclusters with stable charge-transfer interface for high-power sodium ion batteries. Chemical Engineering Journal, 2021, 404, 126974.	12.7	25
15	A new material discovery platform of stable layered oxide cathodes for K-ion batteries. Energy and Environmental Science, 2021, 14, 5864-5874.	30.8	30
16	Lithium-ion transport in inorganic active fillers used in PEO-based composite solid electrolyte sheets. RSC Advances, 2021, 11, 31855-31864.	3.6	15
17	Recent Developments of Zinc-Ion Batteries. , 2021, , 27-57.		1
18	Microwave-Assisted Rapid Synthesis of $\text{NH}_4\text{V}_4\text{O}_{10}$ Layered Oxide: A High Energy Cathode for Aqueous Rechargeable Zinc Ion Batteries. Nanomaterials, 2021, 11, 1905.	4.1	8

#	ARTICLE	IF	CITATIONS
19	Multiscale Understanding of Covalently Fixed Sulfur-Polyacrylonitrile Composite as Advanced Cathode for Metal-Sulfur Batteries. <i>Advanced Science</i> , 2021, 8, e2101123.	11.2	27
20	Chromium doping into NASICON-structured Na ₃ V ₂ (PO ₄) ₃ cathode for high-power Na-ion batteries. <i>Chemical Engineering Journal</i> , 2021, 422, 130052.	12.7	58
21	State-of-the-art anodes of potassium-ion batteries: synthesis, chemistry, and applications. <i>Chemical Science</i> , 2021, 12, 7623-7655.	7.4	28
22	In Situ Oriented Mn Deficient ZnMn ₂ O ₄ @C Nanoarchitecture for Durable Rechargeable Aqueous Zinc-Ion Batteries. <i>Advanced Science</i> , 2021, 8, 2002636.	11.2	90
23	Validating the Structural (In)stability of P ₃ - and P ₂ -Na _{0.67} Mg _{0.1} Mn _{0.9} O ₂ -Layered Cathodes for Sodium-Ion Batteries: A Time-Decisive Approach. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 53877-53891.	8.0	10
24	Na _{2.3} Cu _{1.1} Mn ₂ O ₇ nanoflakes as enhanced cathode materials for high-energy sodium-ion batteries achieved by a rapid pyrosynthesis approach. <i>Journal of Materials Chemistry A</i> , 2020, 8, 770-778.	10.3	20
25	Coupling of a conductive Ni ₃ (2,3,6,7,10,11-hexamino-triphenylene) ₂ metal-organic framework with silicon nanoparticles for use in high-capacity lithium-ion batteries. <i>Nanoscale</i> , 2020, 12, 1629-1642.	5.6	37
26	The dominant role of Mn ²⁺ additive on the electrochemical reaction in ZnMn ₂ O ₄ cathode for aqueous zinc-ion batteries. <i>Energy Storage Materials</i> , 2020, 28, 407-417.	18.0	175
27	A composite cathode material encapsulated by amorphous garnet-type solid electrolyte and self-assembled La ₂ (Ni _{0.5} Li _{0.5})O ₄ nanoparticles for all-solid-state batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 22893-22906.	10.3	17
28	High-voltage cathode materials by combustion-based preparative approaches for Li-ion batteries application. <i>Journal of Power Sources</i> , 2020, 472, 228368.	7.8	10
29	Investigation of superior sodium storage and reversible Na ₂ S conversion reactions in a porous NiS ₂ @C composite using <i>in operando</i> X-ray diffraction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 24401-24407.	10.3	14
30	High lithium storage properties in a manganese sulfide anode <i>via</i> an intercalation-cum-conversion reaction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 17537-17549.	10.3	15
31	Hierarchically nanorod structured Na ₂ Ti ₆ O ₁₃ /Na ₂ Ti ₃ O ₇ nanocomposite as a superior anode for high-performance sodium ion battery. <i>Journal of Electroanalytical Chemistry</i> , 2020, 877, 114747.	3.8	13
32	Tungsten Oxide/Zirconia as a Functional Polysulfide Mediator for High-Performance Lithium-Sulfur Batteries. <i>ACS Energy Letters</i> , 2020, 5, 3168-3175.	17.4	38
33	Initial investigation and evaluation of potassium metal as an anode for rechargeable potassium batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16718-16737.	10.3	44
34	Biowaste Orange Peel-Derived Mesoporous Carbon as a Cost-Effective Anode Material with Ultra-Stable Cyclability for Potassium-Ion Batteries. <i>Batteries and Supercaps</i> , 2020, 3, 1099-1111.	4.7	21
35	Multidimensional Na ₄ VMn _{0.9} Cu _{0.1} (PO ₄) ₃ /C cotton-candy cathode materials for high energy Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 12055-12068.	10.3	48
36	Recent Developments and Future Challenges in Designing Rechargeable Potassium-Sulfur and Potassium-Selenium Batteries. <i>Energies</i> , 2020, 13, 2791.	3.1	13

#	ARTICLE	IF	CITATIONS
37	Manganese and Vanadium Oxide Cathodes for Aqueous Rechargeable Zinc-Ion Batteries: A Focused View on Performance, Mechanism, and Developments. ACS Energy Letters, 2020, 5, 2376-2400.	17.4	303
38	Density Functional Theory Investigation of Mixed Transition Metals in Olivine and Tavorite Cathode Materials for Li-Ion Batteries. ACS Applied Materials & Interfaces, 2020, 12, 16376-16386.	8.0	22
39	Effect of Urea as Electrolyte Additive for Stabilization of Lithium Metal Electrodes. ACS Sustainable Chemistry and Engineering, 2020, 8, 11123-11132.	6.7	17
40	Investigation of K-ion storage performances in a bismuth sulfide-carbon nanotube composite anode. RSC Advances, 2020, 10, 6536-6539.	3.6	4
41	Toward the Sustainable Lithium Metal Batteries with a New Electrolyte Solvation Chemistry. Advanced Energy Materials, 2020, 10, 2000567.	19.5	111
42	Quasi-solid-state zinc-ion battery based on $\text{Li}^+\text{-MnO}_2$ cathode with husk-like morphology. Electrochimica Acta, 2020, 345, 136189.	5.2	24
43	K ⁺ intercalated V_2O_5 nanorods with exposed facets as advanced cathodes for high energy and high rate zinc-ion batteries. Journal of Materials Chemistry A, 2019, 7, 20335-20347.	10.3	116
44	One-pot pyro synthesis of a nanosized- $\text{LiMn}_2\text{O}_4/\text{C}$ cathode with enhanced lithium storage properties. RSC Advances, 2019, 9, 24030-24038.	3.6	12
45	A Versatile Pyramidal Hauerite Anode in Congeniality Diglyme-Based Electrolytes for Boosting Performance of Li- and Na-Ion Batteries. Advanced Energy Materials, 2019, 9, 1900710.	19.5	29
46	Structural and electrochemical behavior of a $\text{NiMn}_3/\text{Mn}_2\text{O}_3$ nanocomposite as an anode for high rate and long cycle lithium ion batteries. New Journal of Chemistry, 2019, 43, 12916-12922.	2.8	4
47	Uniform Carbon Coated $\text{Na}_3\text{V}_2(\text{PO}_4)_2\text{O}_2\text{F}_3$ Nanoparticles for Sodium Ion Batteries as Cathode. ACS Sustainable Chemistry and Engineering, 2019, 7, 18826-18834.	6.7	16
48	A new P2-type layered oxide cathode with superior full-cell performances for K-ion batteries. Journal of Materials Chemistry A, 2019, 7, 21362-21370.	10.3	61
49	Facile synthesis of reduced graphene oxide by modified Hummer's method as anode material for Li-, Na- and K-ion secondary batteries. Royal Society Open Science, 2019, 6, 181978.	2.4	60
50	Phase-pure $\text{Na}_3\text{V}_2(\text{PO}_4)_2\text{F}_3$ embedded in carbon matrix through a facile polyol synthesis as a potential cathode for high performance sodium-ion batteries. Nano Research, 2019, 12, 911-917.	10.4	38
51	A new rechargeable battery based on a zinc anode and a $\text{NaV}_6\text{O}_{15}$ nanorod cathode. Chemical Communications, 2019, 55, 3793-3796.	4.1	51
52	First principles calculations study of $\text{Li}^+\text{-MnO}_2$ as a potential cathode for Al-ion battery application. Journal of Materials Chemistry A, 2019, 7, 26966-26974.	10.3	52
53	A zero fading sodium ion battery: High compatibility microspherical patronite in ether-based electrolyte. Energy Storage Materials, 2019, 19, 270-280.	18.0	29
54	Facile synthesis of pyrite (FeS_2/C) nanoparticles as an electrode material for non-aqueous hybrid electrochemical capacitors. Nanoscale, 2018, 10, 5938-5949.	5.6	48

#	ARTICLE	IF	CITATIONS
55	Structural transformation and electrochemical study of layered MnO ₂ in rechargeable aqueous zinc-ion battery. <i>Electrochimica Acta</i> , 2018, 276, 1-11.	5.2	220
56	Aqueous rechargeable Zn-ion batteries: an imperishable and high-energy Zn ₂ V ₂ O ₇ nanowire cathode through intercalation regulation. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3850-3856.	10.3	293
57	Ni ₃ V ₂ O ₈ nanoparticles as an excellent anode material for high-energy lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2018, 810, 34-40.	3.8	27
58	Pyrosynthesis of Na ₃ V ₂ (PO ₄) ₃ @C Cathodes for Safe and Low-Cost Aqueous Hybrid Batteries. <i>ChemSusChem</i> , 2018, 11, 2239-2247.	6.8	47
59	Na ₂ V ₆ O ₁₆ ·3H ₂ O Barnesite Nanorod: An Open Door to Display a Stable and High Energy for Aqueous Rechargeable Zn-Ion Batteries as Cathodes. <i>Nano Letters</i> , 2018, 18, 2402-2410.	9.1	461
60	Sodium manganese oxide electrodes accompanying self-ion exchange for lithium/sodium hybrid ion batteries. <i>Electrochimica Acta</i> , 2018, 261, 42-48.	5.2	10
61	Dandelion-shaped manganese sulfide in ether-based electrolyte for enhanced performance sodium-ion batteries. <i>Communications Chemistry</i> , 2018, 1, .	4.5	37
62	Variation of Electronic Conductivity within Secondary Particles Revealing a Capacity-Fading Mechanism of Layered Ni-Rich Cathode. <i>ACS Energy Letters</i> , 2018, 3, 3002-3007.	17.4	80
63	Aqueous Magnesium Zinc Hybrid Battery: An Advanced High-Voltage and High-Energy MgMn ₂ O ₄ Cathode. <i>ACS Energy Letters</i> , 2018, 3, 1998-2004.	17.4	159
64	K ₂ V ₆ O ₁₆ ·2.7H ₂ O nanorod cathode: an advanced intercalation system for high energy aqueous rechargeable Zn-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 15530-15539.	10.3	201
65	Self-Passivation of a LiNiO ₂ Cathode for a Lithium-Ion Battery through Zr Doping. <i>ACS Energy Letters</i> , 2018, 3, 1634-1639.	17.4	161
66	Ambient redox synthesis of vanadium-doped manganese dioxide nanoparticles and their enhanced zinc storage properties. <i>Applied Surface Science</i> , 2017, 404, 435-442.	6.1	123
67	One step pyro-synthesis process of nanostructured Li ₃ V ₂ (PO ₄) ₃ /C cathode for rechargeable Li-ion batteries. <i>Materials Today Communications</i> , 2017, 10, 105-111.	1.9	13
68	Electrochemical Zinc Intercalation in Lithium Vanadium Oxide: A High-Capacity Zinc-Ion Battery Cathode. <i>Chemistry of Materials</i> , 2017, 29, 1684-1694.	6.7	479
69	Carbon-coated manganese dioxide nanoparticles and their enhanced electrochemical properties for zinc-ion battery applications. <i>Journal of Energy Chemistry</i> , 2017, 26, 815-819.	12.9	112
70	Facile green synthesis of a Co ₃ V ₂ O ₈ nanoparticle electrode for high energy lithium-ion battery applications. <i>Journal of Colloid and Interface Science</i> , 2017, 501, 133-141.	9.4	39
71	Monoclinic-Orthorhombic Na _{1.1} Li _{2.0} V ₂ (PO ₄) ₃ /C Composite Cathode for Na ⁺ /Li ⁺ Hybrid-Ion Batteries. <i>Chemistry of Materials</i> , 2017, 29, 6642-6652.	6.7	17
72	Carbon-coated rhombohedral Li ₂ NaV ₂ (PO ₄) ₃ nanoflake cathode for Li-ion battery with excellent cycleability and rate capability. <i>Chemical Physics Letters</i> , 2017, 681, 44-49.	2.6	14

#	ARTICLE	IF	CITATIONS
73	Investigation of Li-ion storage properties of earth abundant Fe^{2+} - Mn^{2+} V_2O_7 prepared using facile green strategy. <i>Journal of Power Sources</i> , 2017, 350, 80-86.	7.8	50
74	One-pot pyro-synthesis of a high energy density LiFePO_4 - $\text{Li}_3\text{V}_2(\text{PO}_4)_3$ nanocomposite cathode for lithium-ion battery applications. <i>Ceramics International</i> , 2017, 43, 4288-4294.	4.8	11
75	Facile synthesis and the exploration of the zinc storage mechanism of Fe^{2+} - MnO_2 nanorods with exposed (101) planes as a novel cathode material for high performance eco-friendly zinc-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 23299-23309.	10.3	297
76	$\text{Zn}_3\text{V}_2\text{O}_8$ porous morphology derived through a facile and green approach as an excellent anode for high-energy lithium ion batteries. <i>Chemical Engineering Journal</i> , 2017, 328, 454-463.	12.7	67
77	Bitter gourd-shaped $\text{Ni}_3\text{V}_2\text{O}_8$ anode developed by a one-pot metal-organic framework-combustion technique for advanced Li-ion batteries. <i>Ceramics International</i> , 2017, 43, 13224-13232.	4.8	42
78	<i>In Situ</i> Generation of Silicon Oxycarbide Phases on Reduced Graphene Oxide for Li-Ion Battery Anode. <i>ChemistrySelect</i> , 2016, 1, 6429-6433.	1.5	8
79	An Enhanced High-Rate $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ - Ni_2P Nanocomposite Cathode with Stable Lifetime for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 35235-35242.	8.0	35
80	An in-situ gas chromatography investigation into the suppression of oxygen gas evolution by coated amorphous cobalt-phosphate nanoparticles on oxide electrode. <i>Scientific Reports</i> , 2016, 6, 23394.	3.3	6
81	High rate performance of a $\text{NaTi}_2(\text{PO}_4)_3/\text{rGO}$ composite electrode via pyro synthesis for sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 7815-7822.	10.3	60
82	A sponge network-shaped $\text{Mn}_3\text{O}_4/\text{C}$ anode derived from a simple, one-pot metal organic framework-combustion technique for improved lithium ion storage. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 1609-1615.	6.0	31
83	Metal-organic framework-combustion: a new, cost-effective and one-pot technique to produce a porous $\text{Co}_3\text{V}_2\text{O}_8$ microsphere anode for high energy lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 14605-14613.	10.3	64
84	One-Step Pyro-Synthesis of a Nanostructured $\text{Mn}_3\text{O}_4/\text{C}$ Electrode with Long Cycle Stability for Rechargeable Lithium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2016, 22, 2039-2045.	3.3	40
85	$\text{Co}_3\text{V}_2\text{O}_8$ Sponge Network Morphology Derived from Metal-Organic Framework as an Excellent Lithium Storage Anode Material. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 8546-8553.	8.0	139
86	A high surface area tunnel-type Fe^{2+} - MnO_2 nanorod cathode by a simple solvent-free synthesis for rechargeable aqueous zinc-ion batteries. <i>Chemical Physics Letters</i> , 2016, 650, 64-68.	2.6	142
87	Porous TiN nanoparticles embedded in a N-doped carbon composite derived from metal-organic frameworks as a superior anode in lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4706-4710.	10.3	39
88	Hierarchical porous anatase TiO_2 derived from a titanium metal-organic framework as a superior anode material for lithium ion batteries. <i>Chemical Communications</i> , 2015, 51, 12274-12277.	4.1	73
89	Enhanced reversible divalent zinc storage in a structurally stable Fe^{2+} - MnO_2 nanorod electrode. <i>Journal of Power Sources</i> , 2015, 288, 320-327.	7.8	322
90	Electrochemically Induced Structural Transformation in a Fe^{3+} - MnO_2 Cathode of a High Capacity Zinc-Ion Battery System. <i>Chemistry of Materials</i> , 2015, 27, 3609-3620.	6.7	788

#	ARTICLE	IF	CITATIONS
91	High performance of Co-doped NiO nanoparticle anode material for rechargeable lithium ion batteries. Journal of Power Sources, 2015, 292, 23-30.	7.8	159
92	Carbon Coated CoO Electrode Synthesized by Urea-Assisted Auto Combustion for Rechargeable Lithium Battery. Journal of Nanoscience and Nanotechnology, 2015, 15, 540-543.	0.9	5
93	Enhanced energy and O_2 evolution efficiency using an in situ electrochemically N-doped carbon electrode in non-aqueous Li^+O_2 batteries. Journal of Materials Chemistry A, 2015, 3, 18843-18846.	10.3	17
94	A layered γ -MnO ₂ nanoflake cathode with high zinc-storage capacities for eco-friendly battery applications. Electrochemistry Communications, 2015, 60, 121-125.	4.7	434
95	Pyro-Synthesis of Nanostructured Spinel ZnMn ₂ O ₄ /C as Negative Electrode for Rechargeable Lithium-Ion Batteries. Electrochimica Acta, 2015, 151, 558-564.	5.2	42
96	Li ₃ V ₂ (PO ₄) ₃ /graphene nanocomposite as a high performance cathode material for lithium ion battery. Ceramics International, 2015, 41, 389-396.	4.8	23
97	Amorphous iron phosphate: potential host for various charge carrier ions. NPG Asia Materials, 2014, 6, e138-e138.	7.9	213
98	A Sodium Manganese Oxide Cathode by Facile Reduction for Sodium Batteries. Chemistry - an Asian Journal, 2014, 9, 1550-1556.	3.3	23
99	Morphology-controlled LiFePO ₄ cathodes by a simple polyol reaction for Li-ion batteries. Materials Characterization, 2014, 89, 93-101.	4.4	24
100	A two-step solid state synthesis of LiFePO ₄ /C cathode with varying carbon contents for Li-ion batteries. Ceramics International, 2014, 40, 1561-1567.	4.8	25
101	A rapid polyol combustion strategy towards scalable synthesis of nanostructured LiFePO ₄ /C cathodes for Li-ion batteries. Journal of Solid State Electrochemistry, 2014, 18, 1557-1567.	2.5	23
102	Electrochemical properties of Na _x CoO ₂ (x=0.71) cathode for rechargeable sodium-ion batteries. Ceramics International, 2014, 40, 2411-2417.	4.8	68
103	Potassium-doped copper oxide nanoparticles synthesized by a solvothermal method as an anode material for high-performance lithium ion secondary battery. Applied Surface Science, 2014, 305, 617-625.	6.1	32
104	High Rate Capability and Long Cycle Stability of Co ₃ O ₄ /CoFe ₂ O ₄ Nanocomposite as an Anode Material for High-Performance Secondary Lithium Ion Batteries. Journal of Physical Chemistry C, 2014, 118, 11234-11243.	3.1	100
105	Nucleation and Growth Controlled Polyol Synthesis of Size-Focused Nanocrystalline LiFePO ₄ Cathode for High Performance Li-Ion Batteries. Journal of the Electrochemical Society, 2014, 161, A1468-A1473.	2.9	7
106	Electrochemical lithium storage of a ZnFe ₂ O ₄ /graphene nanocomposite as an anode material for rechargeable lithium ion batteries. RSC Advances, 2014, 4, 47087-47095.	3.6	27
107	Effects of praseodymium substitution on electrical properties of CaCu ₃ Ti ₄ O ₁₂ ceramics. Ceramics International, 2014, 40, 181-189.	4.8	13
108	Enhanced electrochemical performance of novel K-doped Co ₃ O ₄ as the anode material for secondary lithium-ion batteries. Journal of Materials Chemistry A, 2014, 2, 6966-6975.	10.3	45

#	ARTICLE	IF	CITATIONS
109	Pyro-synthesis of a high rate nano-Li ₃ V ₂ (PO ₄) ₃ /C cathode with mixed morphology for advanced Li-ion batteries. <i>Scientific Reports</i> , 2014, 4, 4047.	3.3	57
110	Nanostructured iron ((iii) oxyhydroxide/(vi) oxide) composite as a reversible Li, Na and K-ion insertion electrode for energy storage devices. <i>Journal of Materials Chemistry A</i> , 2013, 1, 7185.	10.3	21
111	A high voltage LiMnPO ₄ â€“LiMn ₂ O ₄ nanocomposite cathode synthesized by a one-pot pyro synthesis for Li-ion batteries. <i>RSC Advances</i> , 2013, 3, 25640.	3.6	15
112	Mesoporous manganese dioxide cathode prepared by an ambient temperature synthesis for Na-ion batteries. <i>RSC Advances</i> , 2013, 3, 26328.	3.6	12
113	A carbon-coated Li ₃ V ₂ (PO ₄) ₃ cathode material with an enhanced high-rate capability and long lifespan for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 2508.	10.3	98
114	Simple, robust metal fluoride coating on layered Li _{1.23} Ni _{0.13} Co _{0.14} Mn _{0.56} O ₂ and its effects on enhanced electrochemical properties. <i>Electrochimica Acta</i> , 2013, 100, 10-17.	5.2	23
115	Electrochemical study of NiO nanoparticles electrode for application in rechargeable lithium-ion batteries. <i>Ceramics International</i> , 2013, 39, 6611-6618.	4.8	105
116	Simple synthesis and particle size effects of TiO ₂ nanoparticle anodes for rechargeable lithium ion batteries. <i>Electrochimica Acta</i> , 2013, 90, 112-118.	5.2	98
117	Chemical Diffusivity for Hydrogen Storage: Pneumatochemical Intermittent Titration Technique. <i>Journal of Physical Chemistry C</i> , 2013, 117, 19771-19785.	3.1	2
118	Pneumatochemical Immittance Spectroscopy for Hydrogen Storage Kinetics. <i>Journal of Physical Chemistry C</i> , 2013, 117, 19786-19808.	3.1	3
119	Pyro-Synthesis of Functional Nanocrystals. <i>Scientific Reports</i> , 2012, 2, 946.	3.3	42
120	Synthesis of LiFePO ₄ Nanoparticles and Crystal Formation Mechanism during Solvothermal Reaction. <i>Journal of the Electrochemical Society</i> , 2012, 159, A479-A484.	2.9	20
121	Low-cost LiFePO ₄ using Fe metal precursor. <i>Journal of Materials Chemistry</i> , 2012, 22, 2624-2631.	6.7	23
122	High rate performance of a Na ₃ V ₂ (PO ₄) ₃ /C cathode prepared by pyro-synthesis for sodium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 20857.	6.7	182
123	Fully activated Li ₂ MnO ₃ nanoparticles by oxidation reaction. <i>Journal of Materials Chemistry</i> , 2012, 22, 11772.	6.7	63
124	Impact of glucose on the electrochemical performance of nano-LiCoPO ₄ cathode for Li-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 149-155.	2.5	12
125	Effects of cobalt-intercalation and polyaniline coating on electrochemical performance of layered manganese oxides. <i>Journal of Materials Chemistry</i> , 2011, 21, 5282.	6.7	25
126	Synthesis of LiFePO ₄ Nanoparticles in Polyol Medium and Their Electrochemical Properties. <i>Electrochemical and Solid-State Letters</i> , 2006, 9, A439.	2.2	331