

JÃ,rgen E Olesen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5572951/publications.pdf>

Version: 2024-02-01

331
papers

25,358
citations

8755

75
h-index

9589

142
g-index

353
all docs

353
docs citations

353
times ranked

21071
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Rising temperatures reduce global wheat production. <i>Nature Climate Change</i> , 2015, 5, 143-147. | 18.8 | 1,544 |
| 2 | Consequences of climate change for European agricultural productivity, land use and policy. <i>European Journal of Agronomy</i> , 2002, 16, 239-262. | 4.1 | 1,106 |
| 3 | Uncertainty in simulating wheat yields under climate change. <i>Nature Climate Change</i> , 2013, 3, 827-832. | 18.8 | 1,021 |
| 4 | Impacts and adaptation of European crop production systems to climate change. <i>European Journal of Agronomy</i> , 2011, 34, 96-112. | 4.1 | 902 |
| 5 | The FLUXNET2015 dataset and the ONEFlux processing pipeline for eddy covariance data. <i>Scientific Data</i> , 2020, 7, 225. | 5.3 | 646 |
| 6 | Climate Change Effects on Runoff, Catchment Phosphorus Loading and Lake Ecological State, and Potential Adaptations. <i>Journal of Environmental Quality</i> , 2009, 38, 1930-1941. | 2.0 | 502 |
| 7 | Adverse weather conditions for European wheat production will become more frequent with climate change. <i>Nature Climate Change</i> , 2014, 4, 637-643. | 18.8 | 452 |
| 8 | Simulation of winter wheat yield and its variability in different climates of Europe: A comparison of eight crop growth models. <i>European Journal of Agronomy</i> , 2011, 35, 103-114. | 4.1 | 408 |
| 9 | Multimodel ensembles of wheat growth: many models are better than one. <i>Global Change Biology</i> , 2015, 21, 911-925. | 9.5 | 387 |
| 10 | Adaptation to Climate Change in Developing Countries. <i>Environmental Management</i> , 2009, 43, 743-752. | 2.7 | 377 |
| 11 | Similar estimates of temperature impacts on global wheat yield by three independent methods. <i>Nature Climate Change</i> , 2016, 6, 1130-1136. | 18.8 | 352 |
| 12 | Agroclimatic conditions in Europe under climate change. <i>Global Change Biology</i> , 2011, 17, 2298-2318. | 9.5 | 315 |
| 13 | Climate change impact and adaptation for wheat protein. <i>Global Change Biology</i> , 2019, 25, 155-173. | 9.5 | 312 |
| 14 | How to measure, report and verify soil carbon change to realize the potential of soil carbon sequestration for atmospheric greenhouse gas removal. <i>Global Change Biology</i> , 2020, 26, 219-241. | 9.5 | 308 |
| 15 | Uncertainties in projected impacts of climate change on European agriculture and terrestrial ecosystems based on scenarios from regional climate models. <i>Climatic Change</i> , 2007, 81, 123-143. | 3.6 | 304 |
| 16 | Crop "climate models need an overhaul. <i>Nature Climate Change</i> , 2011, 1, 175-177. | 18.8 | 295 |
| 17 | Simulation of spring barley yield in different climatic zones of Northern and Central Europe: A comparison of nine crop models. <i>Field Crops Research</i> , 2012, 133, 23-36. | 5.1 | 269 |
| 18 | Joint control of terrestrial gross primary productivity by plant phenology and physiology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2788-2793. | 7.1 | 265 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Effects of temperature, wind speed and air humidity on ammonia volatilization from surface applied cattle slurry. <i>Journal of Agricultural Science</i> , 1991, 117, 91-100. | 1.3 | 256 |
| 20 | Climate change effects on nitrogen loading from cultivated catchments in Europe: implications for nitrogen retention, ecological state of lakes and adaptation. <i>Hydrobiologia</i> , 2011, 663, 1-21. | 2.0 | 242 |
| 21 | Synergies between the mitigation of, and adaptation to, climate change in agriculture. <i>Journal of Agricultural Science</i> , 2010, 148, 543-552. | 1.3 | 235 |
| 22 | The responses of agriculture in Europe to climate change. <i>Regional Environmental Change</i> , 2011, 11, 151-158. | 2.9 | 233 |
| 23 | Crop modelling for integrated assessment of risk to food production from climate change. <i>Environmental Modelling and Software</i> , 2015, 72, 287-303. | 4.5 | 230 |
| 24 | Diverging importance of drought stress for maize and winter wheat in Europe. <i>Nature Communications</i> , 2018, 9, 4249. | 12.8 | 230 |
| 25 | Challenges in quantifying biosphere-atmosphere exchange of nitrogen species. <i>Environmental Pollution</i> , 2007, 150, 125-139. | 7.5 | 203 |
| 26 | Policies for agricultural nitrogen management-trends, challenges and prospects for improved efficiency in Denmark. <i>Environmental Research Letters</i> , 2014, 9, 115002. | 5.2 | 184 |
| 27 | Processes controlling ammonia emission from livestock slurry in the field. <i>European Journal of Agronomy</i> , 2003, 19, 465-486. | 4.1 | 181 |
| 28 | Soil tillage enhanced CO ₂ and N ₂ O emissions from loamy sand soil under spring barley. <i>Soil and Tillage Research</i> , 2007, 97, 5-18. | 5.6 | 176 |
| 29 | Modelling greenhouse gas emissions from European conventional and organic dairy farms. <i>Agriculture, Ecosystems and Environment</i> , 2006, 112, 207-220. | 5.3 | 175 |
| 30 | The uncertainty of crop yield projections is reduced by improved temperature response functions. <i>Nature Plants</i> , 2017, 3, 17102. | 9.3 | 170 |
| 31 | Effects of Dry Matter Content and Temperature on Ammonia Loss from Surface-Applied Cattle Slurry. <i>Journal of Environmental Quality</i> , 1991, 20, 679-683. | 2.0 | 157 |
| 32 | Combined effects of climate models, hydrological model structures and land use scenarios on hydrological impacts of climate change. <i>Journal of Hydrology</i> , 2016, 535, 301-317. | 5.4 | 156 |
| 33 | Evidence for denitrification as main source of N ₂ O emission from residue-amended soil. <i>Soil Biology and Biochemistry</i> , 2016, 92, 153-160. | 8.8 | 155 |
| 34 | Mitigation of greenhouse gas emissions in European conventional and organic dairy farming. <i>Agriculture, Ecosystems and Environment</i> , 2006, 112, 221-232. | 5.3 | 149 |
| 35 | Landscape-scale modeling of carbon cycling under the impact of soil redistribution: The role of tillage erosion. <i>Global Biogeochemical Cycles</i> , 2005, 19, n/a-n/a. | 4.9 | 144 |
| 36 | Decline in climate resilience of European wheat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 123-128. | 7.1 | 144 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Soil carbon loss with warming: New evidence from carbon-degrading enzymes. <i>Global Change Biology</i> , 2020, 26, 1944-1952. | 9.5 | 141 |
| 38 | Nitrogen leaching: A crop rotation perspective on the effect of N surplus, field management and use of catch crops. <i>Agriculture, Ecosystems and Environment</i> , 2018, 255, 1-11. | 5.3 | 138 |
| 39 | Watershed land use effects on lake water quality in Denmark. <i>Ecological Applications</i> , 2012, 22, 1187-1200. | 3.8 | 136 |
| 40 | Changes in time of sowing, flowering and maturity of cereals in Europe under climate change. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012, 29, 1527-1542. | 2.3 | 135 |
| 41 | Cereal yield gaps across Europe. <i>European Journal of Agronomy</i> , 2018, 101, 109-120. | 4.1 | 135 |
| 42 | Evaluating nitrogen taxation scenarios using the dynamic whole farm simulation model FASSET. <i>Agricultural Systems</i> , 2003, 76, 817-839. | 6.1 | 131 |
| 43 | Digging Deeper for Agricultural Resources, the Value of Deep Rooting. <i>Trends in Plant Science</i> , 2020, 25, 406-417. | 8.8 | 127 |
| 44 | Crop rotation modelling – A European model intercomparison. <i>European Journal of Agronomy</i> , 2015, 70, 98-111. | 4.1 | 125 |
| 45 | Winter wheat yield response to climate variability in Denmark. <i>Journal of Agricultural Science</i> , 2011, 149, 33-47. | 1.3 | 124 |
| 46 | Coincidence of variation in yield and climate in Europe. <i>Agriculture, Ecosystems and Environment</i> , 2010, 139, 483-489. | 5.3 | 123 |
| 47 | Carbon footprints of crops from organic and conventional arable crop rotations – using a life cycle assessment approach. <i>Journal of Cleaner Production</i> , 2014, 64, 609-618. | 9.3 | 123 |
| 48 | Long-term nitrogen loading alleviates phosphorus limitation in terrestrial ecosystems. <i>Global Change Biology</i> , 2020, 26, 5077-5086. | 9.5 | 123 |
| 49 | Nitrate leaching from organic arable crop rotations is mostly determined by autumn field management. <i>Agriculture, Ecosystems and Environment</i> , 2011, 142, 149-160. | 5.3 | 120 |
| 50 | Soil properties, crop production and greenhouse gas emissions from organic and inorganic fertilizer-based arable cropping systems. <i>Agriculture, Ecosystems and Environment</i> , 2010, 139, 584-594. | 5.3 | 116 |
| 51 | Livestock and greenhouse gas emissions: The importance of getting the numbers right. <i>Animal Feed Science and Technology</i> , 2011, 166-167, 779-782. | 2.2 | 116 |
| 52 | Global maps of soil temperature. <i>Global Change Biology</i> , 2022, 28, 3110-3144. | 9.5 | 113 |
| 53 | Analysis and classification of data sets for calibration and validation of agro-ecosystem models. <i>Environmental Modelling and Software</i> , 2015, 72, 402-417. | 4.5 | 112 |
| 54 | Crop model improvement reduces the uncertainty of the response to temperature of multi-model ensembles. <i>Field Crops Research</i> , 2017, 202, 5-20. | 5.1 | 109 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Nitrous oxide emissions from European agriculture – an analysis of variability and drivers of emissions from field experiments. <i>Biogeosciences</i> , 2013, 10, 2671-2682. | 3.3 | 108 |
| 56 | Nitrogen leaching from conventional versus organic farming systems – a systems modelling approach. <i>European Journal of Agronomy</i> , 2000, 13, 65-82. | 4.1 | 107 |
| 57 | Multielemental Fingerprinting as a Tool for Authentication of Organic Wheat, Barley, Faba Bean, and Potato. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 4385-4396. | 5.2 | 106 |
| 58 | A framework for testing the ability of models to project climate change and its impacts. <i>Climatic Change</i> , 2014, 122, 271-282. | 3.6 | 104 |
| 59 | Effect of temperature and precipitation on nitrate leaching from organic cereal cropping systems in Denmark. <i>European Journal of Agronomy</i> , 2015, 62, 55-64. | 4.1 | 104 |
| 60 | Mitigation efforts will not fully alleviate the increase in water scarcity occurrence probability in wheat-producing areas. <i>Science Advances</i> , 2019, 5, eaau2406. | 10.3 | 104 |
| 61 | Emissions of nitrous oxide from arable organic and conventional cropping systems on two soil types. <i>Agriculture, Ecosystems and Environment</i> , 2010, 136, 199-208. | 5.3 | 103 |
| 62 | Sensitivity of European wheat to extreme weather. <i>Field Crops Research</i> , 2018, 222, 209-217. | 5.1 | 101 |
| 63 | Modelling effects of wind speed and surface cover on ammonia volatilization from stored pig slurry. <i>Atmospheric Environment Part A General Topics</i> , 1993, 27, 2567-2574. | 1.3 | 99 |
| 64 | Modelling CO ₂ effects on wheat with varying nitrogen supplies. <i>Agriculture, Ecosystems and Environment</i> , 2000, 82, 27-37. | 5.3 | 96 |
| 65 | The role of uncertainty in climate change adaptation strategies – A Danish water management example. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2013, 18, 337-359. | 2.1 | 92 |
| 66 | The role of catch crops in the ecological intensification of spring cereals in organic farming under Nordic climate. <i>European Journal of Agronomy</i> , 2013, 44, 98-108. | 4.1 | 92 |
| 67 | Similarity of differently sized macro-aggregates in arable soils of different texture. <i>Geoderma</i> , 2006, 137, 147-154. | 5.1 | 91 |
| 68 | Canopy temperature for simulation of heat stress in irrigated wheat in a semi-arid environment: A multi-model comparison. <i>Field Crops Research</i> , 2017, 202, 21-35. | 5.1 | 91 |
| 69 | Effects of reduced tillage on net greenhouse gas fluxes from loamy sand soil under winter crops in Denmark. <i>Agriculture, Ecosystems and Environment</i> , 2008, 128, 117-126. | 5.3 | 90 |
| 70 | A potato model intercomparison across varying climates and productivity levels. <i>Global Change Biology</i> , 2017, 23, 1258-1281. | 9.5 | 90 |
| 71 | The value of catch crops and organic manures for spring barley in organic arable farming. <i>Field Crops Research</i> , 2007, 100, 168-178. | 5.1 | 89 |
| 72 | Winter cereal yields as affected by animal manure and green manure in organic arable farming. <i>European Journal of Agronomy</i> , 2009, 30, 119-128. | 4.1 | 87 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Comparison of methods for simulating effects of nitrogen on green area index and dry matter growth in winter wheat. <i>Field Crops Research</i> , 2002, 74, 131-149. | 5.1 | 83 |
| 74 | Sensitivities of crop models to extreme weather conditions during flowering period demonstrated for maize and winter wheat in Austria. <i>Journal of Agricultural Science</i> , 2013, 151, 813-835. | 1.3 | 82 |
| 75 | Effects of contrasting catch crops on nitrogen availability and nitrous oxide emissions in an organic cropping system. <i>Agriculture, Ecosystems and Environment</i> , 2015, 199, 382-393. | 5.3 | 81 |
| 76 | Carbon dynamics and retention in soil after anaerobic digestion of dairy cattle feed and faeces. <i>Soil Biology and Biochemistry</i> , 2013, 58, 82-87. | 8.8 | 79 |
| 77 | Simulation of Effects of Soils, Climate and Management on N ₂ O Emission from Grasslands. <i>Biogeochemistry</i> , 2005, 76, 395-419. | 3.5 | 78 |
| 78 | Changes in carbon stocks of Danish agricultural mineral soils between 1986 and 2009. <i>European Journal of Soil Science</i> , 2014, 65, 730-740. | 3.9 | 78 |
| 79 | Nitrate leaching from organic arable crop rotations: effects of location, manure and catch crop. <i>Soil Use and Management</i> , 2005, 21, 181-188. | 4.9 | 78 |
| 80 | Root carbon input in organic and inorganic fertilizer-based systems. <i>Plant and Soil</i> , 2012, 359, 321-333. | 3.7 | 77 |
| 81 | C-TOOL: A simple model for simulating whole-profile carbon storage in temperate agricultural soils. <i>Ecological Modelling</i> , 2014, 292, 11-25. | 2.5 | 77 |
| 82 | Nitrous oxide emissions and nitrogen use efficiency of manure and digestates applied to spring barley. <i>Agriculture, Ecosystems and Environment</i> , 2017, 239, 188-198. | 5.3 | 76 |
| 83 | Effects of catch crop type and root depth on nitrogen leaching and yield of spring barley. <i>Field Crops Research</i> , 2012, 125, 129-138. | 5.1 | 75 |
| 84 | Is it really organic? Multi-isotopic analysis as a tool to discriminate between organic and conventional plants. <i>Food Chemistry</i> , 2013, 141, 2812-2820. | 8.2 | 75 |
| 85 | Do soil organic carbon levels affect potential yields and nitrogen use efficiency? An analysis of winter wheat and spring barley field trials. <i>European Journal of Agronomy</i> , 2015, 66, 62-73. | 4.1 | 75 |
| 86 | Performance of the SUBSTOR-potato model across contrasting growing conditions. <i>Field Crops Research</i> , 2017, 202, 57-76. | 5.1 | 75 |
| 87 | Cereal yield and quality as affected by nitrogen availability in organic and conventional arable crop rotations: A combined modeling and experimental approach. <i>European Journal of Agronomy</i> , 2011, 34, 83-95. | 4.1 | 74 |
| 88 | Review of scenario analyses to reduce agricultural nitrogen and phosphorus loading to the aquatic environment. <i>Science of the Total Environment</i> , 2016, 573, 608-626. | 8.0 | 73 |
| 89 | Sensitivity of field-scale winter wheat production in Denmark to climate variability and climate change. <i>Climate Research</i> , 2000, 15, 221-238. | 1.1 | 72 |
| 90 | Region-specific assessment of greenhouse gas mitigation with different manure management strategies in four agroecological zones. <i>Global Change Biology</i> , 2009, 15, 2825-2837. | 9.5 | 70 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Effect of soil warming and rainfall patterns on soil N cycling in Northern Europe. <i>Agriculture, Ecosystems and Environment</i> , 2010, 139, 195-205. | 5.3 | 70 |
| 92 | Developments in greenhouse gas emissions and net energy use in Danish agriculture – How to achieve substantial CO2 reductions?. <i>Environmental Pollution</i> , 2011, 159, 3193-3203. | 7.5 | 70 |
| 93 | Comparing the performance of 11 crop simulation models in predicting yield response to nitrogen fertilization. <i>Journal of Agricultural Science</i> , 2016, 154, 1218-1240. | 1.3 | 70 |
| 94 | Above- and below-ground competition between intercropped winter wheat <i>Triticum aestivum</i> and white clover <i>Trifolium repens</i> . <i>Journal of Applied Ecology</i> , 2006, 43, 237-245. | 4.0 | 68 |
| 95 | Modelling the carbon and nitrogen balances of direct land use changes from energy crops in Denmark: a consequential life cycle inventory. <i>GCB Bioenergy</i> , 2012, 4, 889-907. | 5.6 | 68 |
| 96 | Dairy farm CH4 and N2O emissions, from one square metre to the full farm scale. <i>Agriculture, Ecosystems and Environment</i> , 2006, 112, 146-152. | 5.3 | 67 |
| 97 | Simulation of above-ground suppression of competing species and competition tolerance in winter wheat varieties. <i>Field Crops Research</i> , 2004, 89, 263-280. | 5.1 | 66 |
| 98 | Organic matter and soil tilth in arable farming: Management makes a difference within 5-6 years. <i>Agriculture, Ecosystems and Environment</i> , 2007, 122, 157-172. | 5.3 | 66 |
| 99 | Effects of grass-clover management and cover crops on nitrogen cycling and nitrous oxide emissions in a stockless organic crop rotation. <i>Agriculture, Ecosystems and Environment</i> , 2013, 181, 115-126. | 5.3 | 66 |
| 100 | The effect of tillage intensity on soil structure and winter wheat root/shoot growth. <i>Soil Use and Management</i> , 2008, 24, 392-400. | 4.9 | 65 |
| 101 | Effect of spatial sampling from European flux towers for estimating carbon and water fluxes with artificial neural networks. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015, 120, 1941-1957. | 3.0 | 65 |
| 102 | Irrigation strategy, nitrogen application and fungicide control in winter wheat on a sandy soil. I. Yield, yield components and nitrogen uptake. <i>Journal of Agricultural Science</i> , 2000, 134, 1-11. | 1.3 | 64 |
| 103 | Shifts in comparative advantages for maize, oat and wheat cropping under climate change in Europe. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012, 29, 1514-1526. | 2.3 | 63 |
| 104 | Modelling dry matter production and resource use in intercrops of pea and barley. <i>Field Crops Research</i> , 2004, 88, 69-83. | 5.1 | 61 |
| 105 | C and N mineralization of composted and anaerobically stored ruminant manure in differently textured soils. <i>Journal of Agricultural Science</i> , 2000, 135, 151-159. | 1.3 | 60 |
| 106 | Whole-farm models to quantify greenhouse gas emissions and their potential use for linking climate change mitigation and adaptation in temperate grassland ruminant-based farming systems. <i>Animal</i> , 2013, 7, 373-385. | 3.3 | 60 |
| 107 | Nitrogen mineralization potential of organomineral size separates from soils with annual straw incorporation. <i>European Journal of Soil Science</i> , 1998, 49, 25-36. | 3.9 | 58 |
| 108 | Management effects on European cropland respiration. <i>Agriculture, Ecosystems and Environment</i> , 2010, 139, 346-362. | 5.3 | 58 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Effects of experimental warming and nitrogen addition on soil respiration and CH ₄ fluxes from crop rotations of winter wheat–soybean/fallow. <i>Agricultural and Forest Meteorology</i> , 2015, 207, 38-47. | 4.8 | 58 |
| 110 | Growth and yield response of winter wheat to soil warming and rainfall patterns. <i>Journal of Agricultural Science</i> , 2010, 148, 553-566. | 1.3 | 57 |
| 111 | Could the changes in regional crop yields be a pointer of climatic change?. <i>Agricultural and Forest Meteorology</i> , 2012, 166-167, 62-71. | 4.8 | 55 |
| 112 | Effects of climate and nutrient load on the water quality of shallow lakes assessed through ensemble runs by PCLake. <i>Ecological Applications</i> , 2014, 24, 1926-1944. | 3.8 | 55 |
| 113 | Quantifying biological nitrogen fixation of different catch crops, and residual effects of roots and tops on nitrogen uptake in barley using in-situ ¹⁵ N labelling. <i>Plant and Soil</i> , 2015, 395, 273-287. | 3.7 | 55 |
| 114 | Impacts and adaptation of the cropping systems to climate change in the Northeast Farming Region of China. <i>European Journal of Agronomy</i> , 2016, 78, 60-72. | 4.1 | 55 |
| 115 | Long-term fate of nitrogen uptake in catch crops. <i>European Journal of Agronomy</i> , 2006, 25, 383-390. | 4.1 | 54 |
| 116 | Looking at Biofuels and Bioenergy. <i>Science</i> , 2006, 312, 1743b-1744b. | 12.6 | 54 |
| 117 | Stimulation of ammonia oxidizer and denitrifier abundances by nitrogen loading: Poor predictability for increased soil N ₂ O emission. <i>Global Change Biology</i> , 2022, 28, 2158-2168. | 9.5 | 54 |
| 118 | Comparison of scales of climate and soil data for aggregating simulated yields of winter wheat in Denmark. <i>Agriculture, Ecosystems and Environment</i> , 2000, 82, 213-228. | 5.3 | 53 |
| 119 | Width of clover strips and wheat rows influence grain yield in winter wheat/white clover intercropping. <i>Field Crops Research</i> , 2006, 95, 280-290. | 5.1 | 53 |
| 120 | Warming and nitrogen fertilization effects on winter wheat yields in northern China varied between four years. <i>Field Crops Research</i> , 2013, 151, 56-64. | 5.1 | 53 |
| 121 | A genotype, environment and management (GxExM) analysis of adaptation in winter wheat to climate change in Denmark. <i>Agricultural and Forest Meteorology</i> , 2014, 187, 1-13. | 4.8 | 53 |
| 122 | Estimating crop yield using a satellite-based light use efficiency model. <i>Ecological Indicators</i> , 2016, 60, 702-709. | 6.3 | 52 |
| 123 | Greenhouse gas emissions during storage of manure and digestates: Key role of methane for prediction and mitigation. <i>Agricultural Systems</i> , 2018, 166, 26-35. | 6.1 | 52 |
| 124 | Yield benefits from replacing chemical fertilizers with manure under water deficient conditions of the winter wheat – summer maize system in the North China Plain. <i>European Journal of Agronomy</i> , 2020, 119, 126118. | 4.1 | 52 |
| 125 | Projecting the future ecological state of lakes in Denmark in a 6 degree warming scenario. <i>Climate Research</i> , 2015, 64, 55-72. | 1.1 | 52 |
| 126 | Crop residues as driver for N ₂ O emissions from a sandy loam soil. <i>Agricultural and Forest Meteorology</i> , 2017, 233, 45-54. | 4.8 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Effects of rate and timing of nitrogen fertilizer on disease control by fungicides in winter wheat. 1. Grain yield and foliar disease control. <i>Journal of Agricultural Science</i> , 2003, 140, 1-13. | 1.3 | 50 |
| 128 | Multi-wheat-model ensemble responses to interannual climate variability. <i>Environmental Modelling and Software</i> , 2016, 81, 86-101. | 4.5 | 50 |
| 129 | Reviews and syntheses: Review of causes and sources of N ₂ O emissions and NO ₃ ⁻ leaching from organic arable crop rotations. <i>Biogeosciences</i> , 2019, 16, 2795-2819. | 3.3 | 50 |
| 130 | C and N turnover in structurally intact soils of different texture. <i>Soil Biology and Biochemistry</i> , 2003, 35, 765-774. | 8.8 | 49 |
| 131 | Spatiotemporal variations of aridity in Iran using high-resolution gridded data. <i>International Journal of Climatology</i> , 2018, 38, 2701-2717. | 3.5 | 49 |
| 132 | Root biomass in cereals, catch crops and weeds can be reliably estimated without considering aboveground biomass. <i>Agriculture, Ecosystems and Environment</i> , 2018, 251, 141-148. | 5.3 | 49 |
| 133 | Effects of changes in land use and climate on aquatic ecosystems: Coupling of models and decomposition of uncertainties. <i>Science of the Total Environment</i> , 2019, 657, 627-633. | 8.0 | 48 |
| 134 | Carbon and nitrogen mineralization differ between incorporated shoots and roots of legume versus non-legume based cover crops. <i>Plant and Soil</i> , 2020, 446, 243-257. | 3.7 | 48 |
| 135 | Uncertainty of wheat water use: Simulated patterns and sensitivity to temperature and CO ₂ . <i>Field Crops Research</i> , 2016, 198, 80-92. | 5.1 | 47 |
| 136 | Climate change is expected to increase yield and water use efficiency of wheat in the North China Plain. <i>Agricultural Water Management</i> , 2019, 222, 193-203. | 5.6 | 47 |
| 137 | Simulating soil N ₂ O emissions and heterotrophic CO ₂ respiration in arable systems using FASSET and MoBiLE-DNDC. <i>Plant and Soil</i> , 2011, 343, 139-160. | 3.7 | 46 |
| 138 | Farm nitrogen balances in six European landscapes as an indicator for nitrogen losses and basis for improved management. <i>Biogeosciences</i> , 2012, 9, 5303-5321. | 3.3 | 46 |
| 139 | Traits in Spring Wheat Cultivars Associated with Yield Loss Caused by a Heat Stress Episode after Anthesis. <i>Journal of Agronomy and Crop Science</i> , 2015, 201, 32-48. | 3.5 | 46 |
| 140 | Modelling soil organic carbon in Danish agricultural soils suggests low potential for future carbon sequestration. <i>Agricultural Systems</i> , 2016, 145, 83-89. | 6.1 | 46 |
| 141 | Nitrogen balances in organic and conventional arable crop rotations and their relations to nitrogen yield and nitrate leaching losses. <i>Agriculture, Ecosystems and Environment</i> , 2018, 265, 350-362. | 5.3 | 46 |
| 142 | Temperature thresholds of ecosystem respiration at a global scale. <i>Nature Ecology and Evolution</i> , 2021, 5, 487-494. | 7.8 | 46 |
| 143 | Nitrate Leaching, Yields and Carbon Sequestration after Noninversion Tillage, Catch Crops, and Straw Retention. <i>Journal of Environmental Quality</i> , 2015, 44, 868-881. | 2.0 | 45 |
| 144 | Adapting maize production to drought in the Northeast Farming Region of China. <i>European Journal of Agronomy</i> , 2016, 77, 47-58. | 4.1 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Changing regional weather-crop yield relationships across Europe between 1901 and 2012. <i>Climate Research</i> , 2016, 70, 195-214. | 1.1 | 44 |
| 146 | A probabilistic assessment of climate change impacts on yield and nitrogen leaching from winter wheat in Denmark. <i>Natural Hazards and Earth System Sciences</i> , 2011, 11, 2541-2553. | 3.6 | 43 |
| 147 | Climate change increases deoxynivalenol contamination of wheat in north-western Europe. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012, 29, 1593-1604. | 2.3 | 43 |
| 148 | Performance of process-based models for simulation of grain N in crop rotations across Europe. <i>Agricultural Systems</i> , 2017, 154, 63-77. | 6.1 | 43 |
| 149 | Experimental warming-driven soil drying reduced N ₂ O emissions from fertilized crop rotations of winter wheat–soybean/fallow, 2009–2014. <i>Agriculture, Ecosystems and Environment</i> , 2016, 219, 71-82. | 5.3 | 42 |
| 150 | Shared socio-economic pathways extended for the Baltic Sea: exploring long-term environmental problems. <i>Regional Environmental Change</i> , 2019, 19, 1073-1086. | 2.9 | 42 |
| 151 | Nitrogen cycling in organic farming systems with rotational grass-clover and arable crops. <i>Soil Use and Management</i> , 2006, 22, 197-208. | 4.9 | 41 |
| 152 | Large uncertainty in soil carbon modelling related to method of calculation of plant carbon input in agricultural systems. <i>European Journal of Soil Science</i> , 2017, 68, 953-963. | 3.9 | 41 |
| 153 | Risk factors for European winter oilseed rape production under climate change. <i>Agricultural and Forest Meteorology</i> , 2019, 272-273, 30-39. | 4.8 | 41 |
| 154 | A Passive Flux Sampler for Measuring Ammonia Volatilization from Manure Storage Facilities. <i>Journal of Environmental Quality</i> , 1996, 25, 241-247. | 2.0 | 40 |
| 155 | Irrigation strategy, nitrogen application and fungicide control in winter wheat on a sandy soil. II. Radiation interception and conversion. <i>Journal of Agricultural Science</i> , 2000, 134, 13-23. | 1.3 | 40 |
| 156 | Nitrogen balances of innovative cropping systems for feedstock production to future biorefineries. <i>Science of the Total Environment</i> , 2018, 633, 372-390. | 8.0 | 40 |
| 157 | Acclimation to higher VPD and temperature minimized negative effects on assimilation and grain yield of wheat. <i>Agricultural and Forest Meteorology</i> , 2018, 248, 119-129. | 4.8 | 40 |
| 158 | Crop nitrogen demand and canopy area expansion in winter wheat during vegetative growth. <i>European Journal of Agronomy</i> , 2002, 16, 279-294. | 4.1 | 39 |
| 159 | Effect of climate change on greenhouse gas emissions from arable crop rotations. <i>Nutrient Cycling in Agroecosystems</i> , 2004, 70, 147-160. | 2.2 | 39 |
| 160 | Long-term effects of cropping system on N ₂ O emission potential. <i>Soil Biology and Biochemistry</i> , 2013, 57, 706-712. | 8.8 | 39 |
| 161 | A flexible tool for simulation of soil carbon turnover. <i>Ecological Modelling</i> , 2002, 151, 1-14. | 2.5 | 38 |
| 162 | Mechanical control of clover improves nitrogen supply and growth of wheat in winter wheat/white clover intercropping. <i>European Journal of Agronomy</i> , 2006, 24, 149-155. | 4.1 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | <i>Apera spica-venti</i> population dynamics and impact on crop yield as affected by tillage, crop rotation, location and herbicide programmes. <i>Weed Research</i> , 2008, 48, 48-57. | 1.7 | 38 |
| 164 | Effects of climatic factors, drought risk and irrigation requirement on maize yield in the Northeast Farming Region of China. <i>Journal of Agricultural Science</i> , 2016, 154, 1171-1189. | 1.3 | 38 |
| 165 | Consolidating soil carbon turnover models by improved estimates of belowground carbon input. <i>Scientific Reports</i> , 2016, 6, 32568. | 3.3 | 38 |
| 166 | Decreased rhizodeposition, but increased microbial carbon stabilization with soil depth down to 3.6 Åm. <i>Soil Biology and Biochemistry</i> , 2020, 150, 108008. | 8.8 | 38 |
| 167 | Future socioeconomic conditions may have a larger impact than climate change on nutrient loads to the Baltic Sea. <i>Ambio</i> , 2019, 48, 1325-1336. | 5.5 | 37 |
| 168 | Input and mineralization of carbon and nitrogen in soil from legume-based cover crops. <i>Nutrient Cycling in Agroecosystems</i> , 2020, 116, 1-18. | 2.2 | 37 |
| 169 | Predicting nitrous oxide emissions from manure properties and soil moisture: An incubation experiment. <i>Soil Biology and Biochemistry</i> , 2016, 97, 112-120. | 8.8 | 36 |
| 170 | Biological nitrogen fixation in three long-term organic and conventional arable crop rotation experiments in Denmark. <i>European Journal of Agronomy</i> , 2017, 90, 87-95. | 4.1 | 36 |
| 171 | Physical robustness of canopy temperature models for crop heat stress simulation across environments and production conditions. <i>Field Crops Research</i> , 2018, 216, 75-88. | 5.1 | 36 |
| 172 | Effects of rates and timing of nitrogen fertilizer on disease control by fungicides in winter wheat. 2. Crop growth and disease development. <i>Journal of Agricultural Science</i> , 2003, 140, 15-29. | 1.3 | 35 |
| 173 | Effects of farm heterogeneity and methods for upscaling on modelled nitrogen losses in agricultural landscapes. <i>Environmental Pollution</i> , 2011, 159, 3183-3192. | 7.5 | 35 |
| 174 | Multi-model uncertainty analysis in predicting grain N for crop rotations in Europe. <i>European Journal of Agronomy</i> , 2017, 84, 152-165. | 4.1 | 35 |
| 175 | Comparison of regression techniques to predict response of oilseed rape yield to variation in climatic conditions in Denmark. <i>European Journal of Agronomy</i> , 2017, 82, 11-20. | 4.1 | 35 |
| 176 | Priority questions in multidisciplinary drought research. <i>Climate Research</i> , 2018, 75, 241-260. | 1.1 | 35 |
| 177 | Design of an Organic Farming Crop-Rotation Experiment. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2000, 50, 13-21. | 0.6 | 34 |
| 178 | Spatial Variation of Temperature and Precipitation in Bhutan and Links to Vegetation and Land Cover. <i>Mountain Research and Development</i> , 2016, 36, 66. | 1.0 | 34 |
| 179 | Assessing ways to combat eutrophication in a Chinese drinking water reservoir using SWAT. <i>Marine and Freshwater Research</i> , 2013, 64, 475. | 1.3 | 33 |
| 180 | Productivity of organic and conventional arable cropping systems in long-term experiments in Denmark. <i>European Journal of Agronomy</i> , 2017, 90, 12-22. | 4.1 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Climate effects on crop yields in the Northeast Farming Region of China during 1961–2010. <i>Journal of Agricultural Science</i> , 2016, 154, 1190-1208. | 1.3 | 32 |
| 182 | Potential benefits of a spatially targeted regulation based on detailed N-reduction maps to decrease N-load from agriculture in a small groundwater dominated catchment. <i>Science of the Total Environment</i> , 2017, 595, 325-336. | 8.0 | 32 |
| 183 | Nitrate leaching losses from two Baltic Sea catchments under scenarios of changes in land use, land management and climate. <i>Ambio</i> , 2019, 48, 1252-1263. | 5.5 | 32 |
| 184 | Can mulching of maize straw complement deficit irrigation to improve water use efficiency and productivity of winter wheat in North China Plain?. <i>Agricultural Water Management</i> , 2019, 213, 1-11. | 5.6 | 32 |
| 185 | A statistical analysis of three ensembles of crop model responses to temperature and CO ₂ concentration. <i>Agricultural and Forest Meteorology</i> , 2015, 214-215, 483-493. | 4.8 | 31 |
| 186 | Limits of agricultural greenhouse gas calculators to predict soil N ₂ O and CH ₄ fluxes in tropical agriculture. <i>Scientific Reports</i> , 2016, 6, 26279. | 3.3 | 31 |
| 187 | The chaos in calibrating crop models: Lessons learned from a multi-model calibration exercise. <i>Environmental Modelling and Software</i> , 2021, 145, 105206. | 4.5 | 31 |
| 188 | Soil carbon varies between different organic and conventional management schemes in arable agriculture. <i>European Journal of Agronomy</i> , 2018, 94, 79-88. | 4.1 | 30 |
| 189 | Manipulating cover crop growth by adjusting sowing time and cereal inter-row spacing to enhance residual nitrogen effects. <i>Field Crops Research</i> , 2019, 234, 15-25. | 5.1 | 30 |
| 190 | Predicting field N ₂ O emissions from crop residues based on their biochemical composition: A meta-analytical approach. <i>Science of the Total Environment</i> , 2022, 812, 152532. | 8.0 | 30 |
| 191 | Ammoniated straw incorporation increases wheat yield, yield stability, soil organic carbon and soil total nitrogen content. <i>Field Crops Research</i> , 2022, 284, 108558. | 5.1 | 30 |
| 192 | Crop growth and nitrogen turnover under increased temperatures and low autumn and winter light intensity. <i>Agriculture, Ecosystems and Environment</i> , 2010, 139, 187-194. | 5.3 | 29 |
| 193 | Quantifying the effect of interactions between disease control, nitrogen supply and land use change on the greenhouse gas emissions associated with wheat production. <i>Plant Pathology</i> , 2010, 59, 753-763. | 2.4 | 29 |
| 194 | Impacts of changing society and climate on nutrient loading to the Baltic Sea. <i>Science of the Total Environment</i> , 2020, 731, 138935. | 8.0 | 29 |
| 195 | Agricultural Biogas Production – Climate and Environmental Impacts. <i>Sustainability</i> , 2022, 14, 1849. | 3.2 | 29 |
| 196 | A review and meta-analysis of mitigation measures for nitrous oxide emissions from crop residues. <i>Science of the Total Environment</i> , 2022, 828, 154388. | 8.0 | 29 |
| 197 | Global wheat production could benefit from closing the genetic yield gap. <i>Nature Food</i> , 2022, 3, 532-541. | 14.0 | 29 |
| 198 | Impacts of Climate Change and Variability on European Agriculture. <i>Annals of the New York Academy of Sciences</i> , 2008, 1146, 338-353. | 3.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Sources of Nitrogen for Winter Wheat in Organic Cropping Systems. <i>Soil Science Society of America Journal</i> , 2013, 77, 155-165. | 2.2 | 28 |
| 200 | Simulating soil fertility management effects on crop yield and soil nitrogen dynamics in field trials under organic farming in Europe. <i>Field Crops Research</i> , 2019, 233, 1-11. | 5.1 | 28 |
| 201 | Spatially differentiated regulation: Can it save the Baltic Sea from excessive N-loads?. <i>Ambio</i> , 2019, 48, 1278-1289. | 5.5 | 27 |
| 202 | Legacy effects of leguminous green manure crops on the weed seed bank in organic crop rotations. <i>Agriculture, Ecosystems and Environment</i> , 2020, 302, 107078. | 5.3 | 27 |
| 203 | How well do crop modeling groups predict wheat phenology, given calibration data from the target population?. <i>European Journal of Agronomy</i> , 2021, 124, 126195. | 4.1 | 27 |
| 204 | Climate change impacts on natural toxins in food production systems, exemplified by deoxynivalenol in wheat and diarrhetic shellfish toxins. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012, 29, 1647-1659. | 2.3 | 25 |
| 205 | Incompatibility between fertility building measures and the management of perennial weeds in organic cropping systems. <i>Agriculture, Ecosystems and Environment</i> , 2016, 220, 184-192. | 5.3 | 25 |
| 206 | Annual variation in $\delta^{13}C$ values of maize and wheat: Effect on estimates of decadal scale soil carbon turnover. <i>Soil Biology and Biochemistry</i> , 2011, 43, 1961-1967. | 8.8 | 24 |
| 207 | Controls of nitrous oxide emission after simulated cattle urine deposition. <i>Agriculture, Ecosystems and Environment</i> , 2014, 188, 103-110. | 5.3 | 24 |
| 208 | Nitrogen release from differently aged <i>Raphanus sativus</i> L. nitrate catch crops during mineralization at autumn temperatures. <i>Soil Use and Management</i> , 2016, 32, 183-191. | 4.9 | 24 |
| 209 | Combining organic and inorganic nitrogen fertilisation reduces N ₂ O emissions from cereal crops: a comparative analysis of China and Zimbabwe. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2017, 22, 233-245. | 2.1 | 24 |
| 210 | Impacts of projected climate change on productivity and nitrogen leaching of crop rotations in arable and pig farming systems in Denmark. <i>Journal of Agricultural Science</i> , 2014, 152, 75-92. | 1.3 | 23 |
| 211 | Impact of heat-wave at high and low VPD on photosynthetic components of wheat and their recovery. <i>Environmental and Experimental Botany</i> , 2018, 147, 138-146. | 4.2 | 23 |
| 212 | Carbon mineralization and microbial activity in agricultural topsoil and subsoil as regulated by root nitrogen and recalcitrant carbon concentrations. <i>Plant and Soil</i> , 2018, 433, 65-82. | 3.7 | 23 |
| 213 | Associations between large-scale climate oscillations and land surface phenology in Iran. <i>Agricultural and Forest Meteorology</i> , 2019, 278, 107682. | 4.8 | 23 |
| 214 | Uncertainties in simulating N uptake, net N mineralization, soil mineral N and N leaching in European crop rotations using process-based models. <i>Field Crops Research</i> , 2020, 255, 107863. | 5.1 | 23 |
| 215 | Impact of Climate Change Effects on Contamination of Cereal Grains with Deoxynivalenol. <i>PLoS ONE</i> , 2013, 8, e73602. | 2.5 | 23 |
| 216 | Priority for climate adaptation measures in European crop production systems. <i>European Journal of Agronomy</i> , 2022, 138, 126516. | 4.1 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Climate Change and CO ₂ Effects on Productivity of Danish Agricultural Systems. <i>Journal of Crop Improvement</i> , 2005, 13, 257-274. | 1.7 | 22 |
| 218 | Spatially differentiated strategies for reducing nitrate loads from agriculture in two Danish catchments. <i>Journal of Environmental Management</i> , 2018, 208, 77-91. | 7.8 | 22 |
| 219 | Inter-row hoeing for weed control in organic spring cereals – Influence of inter-row spacing and nitrogen rate. <i>European Journal of Agronomy</i> , 2018, 101, 49-56. | 4.1 | 22 |
| 220 | Potential benefits of farm scale measures versus landscape measures for reducing nitrate loads in a Danish catchment. <i>Science of the Total Environment</i> , 2018, 637-638, 318-335. | 8.0 | 22 |
| 221 | Autumn-based vegetation indices for estimating nitrate leaching during autumn and winter in arable cropping systems. <i>Agriculture, Ecosystems and Environment</i> , 2020, 290, 106786. | 5.3 | 22 |
| 222 | Multi-Functional Land Use Is Not Self-Evident for European Farmers: A Critical Review. <i>Frontiers in Environmental Science</i> , 2020, 8, . | 3.3 | 22 |
| 223 | Biogeochemical functioning of the Baltic Sea. <i>Earth System Dynamics</i> , 2022, 13, 633-685. | 7.1 | 22 |
| 224 | Whole-rotation dry matter and nitrogen grain yields from the first course of an organic farming crop rotation experiment. <i>Journal of Agricultural Science</i> , 2002, 139, 361-370. | 1.3 | 21 |
| 225 | Water balance in the complex mountainous terrain of Bhutan and linkages to land use. <i>Journal of Hydrology: Regional Studies</i> , 2016, 7, 55-68. | 2.4 | 21 |
| 226 | Simulation of Soil Organic Carbon Effects on Long-Term Winter Wheat (<i>Triticum aestivum</i>) Production Under Varying Fertilizer Inputs. <i>Frontiers in Plant Science</i> , 2018, 9, 1158. | 3.6 | 21 |
| 227 | Long-term soil quality effects of soil and crop management in organic and conventional arable cropping systems. <i>Geoderma</i> , 2021, 403, 115383. | 5.1 | 21 |
| 228 | Effects of white clover cultivars on biomass and yield in oat/clover intercrops. <i>Journal of Agricultural Science</i> , 2002, 138, 261-267. | 1.3 | 20 |
| 229 | Spatial and temporal variability of nitrous oxide emissions in a mixed farming landscape of Denmark. <i>Biogeosciences</i> , 2012, 9, 2989-3002. | 3.3 | 20 |
| 230 | Enabling food security by verifying agricultural carbon. <i>Nature Climate Change</i> , 2014, 4, 309-311. | 18.8 | 20 |
| 231 | <i>Elytrigia repens</i> population dynamics under different management schemes in organic cropping systems on coarse sand. <i>European Journal of Agronomy</i> , 2014, 58, 18-27. | 4.1 | 20 |
| 232 | Knowledge Asymmetries Between Research and Practice: A Social Systems Approach to Implementation Barriers in Organic Arable Farming. <i>Sociologia Ruralis</i> , 2015, 55, 460-482. | 3.4 | 20 |
| 233 | Optimizing irrigation schedule in a large agricultural region under different hydrologic scenarios. <i>Agricultural Water Management</i> , 2021, 245, 106575. | 5.6 | 20 |
| 234 | Deep-rooted perennial crops differ in capacity to stabilize C inputs in deep soil layers. <i>Scientific Reports</i> , 2022, 12, 5952. | 3.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 235 | Modelling development of broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i>) from transplanting to head initiation. <i>Journal of Horticultural Science and Biotechnology</i> , 1999, 74, 698-705. | 1.9 | 19 |
| 236 | Simulating residual effects of animal manures using 15N isotopes. <i>Plant and Soil</i> , 2007, 290, 173-187. | 3.7 | 19 |
| 237 | Projections of future soil temperature in northeast Iran. <i>Geoderma</i> , 2019, 349, 11-24. | 5.1 | 19 |
| 238 | Quantifying water footprint of winter wheat – summer maize cropping system under manure application and limited irrigation: An integrated approach. <i>Resources, Conservation and Recycling</i> , 2022, 183, 106375. | 10.8 | 19 |
| 239 | Nutrient availability affects carbon turnover and microbial physiology differently in topsoil and subsoil under a temperate grassland. <i>Geoderma</i> , 2019, 336, 22-30. | 5.1 | 18 |
| 240 | Cover crop mixtures including legumes can self-regulate to optimize N ₂ fixation while reducing nitrate leaching. <i>Agriculture, Ecosystems and Environment</i> , 2021, 309, 107287. | 5.3 | 18 |
| 241 | A simplified modelling approach for quantifying tillage effects on soil carbon stocks. <i>European Journal of Soil Science</i> , 2009, 60, 924-934. | 3.9 | 17 |
| 242 | N-utilization in non-inversion tillage systems. <i>Soil and Tillage Research</i> , 2011, 113, 55-60. | 5.6 | 17 |
| 243 | Selection of climate change scenario data for impact modelling. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012, 29, 1502-1513. | 2.3 | 17 |
| 244 | Biogas in organic agriculture – effects on productivity, energy self-sufficiency and greenhouse gas emissions. <i>Renewable Agriculture and Food Systems</i> , 2014, 29, 28-41. | 1.8 | 17 |
| 245 | Carbon dynamics in topsoil and subsoil along a cultivated toposequence. <i>Catena</i> , 2014, 120, 20-28. | 5.0 | 17 |
| 246 | The long-term effect of climate change on productivity of winter wheat in Denmark: a scenario analysis using three crop models. <i>Journal of Agricultural Science</i> , 2017, 155, 733-750. | 1.3 | 17 |
| 247 | Multi-model evaluation of phenology prediction for wheat in Australia. <i>Agricultural and Forest Meteorology</i> , 2021, 298-299, 108289. | 4.8 | 17 |
| 248 | Short-term cover crop carbon inputs to soil as affected by long-term cropping system management and soil fertility. <i>Agriculture, Ecosystems and Environment</i> , 2021, 311, 107339. | 5.3 | 17 |
| 249 | Simulating trends in crop yield and soil carbon in a long-term experiment – effects of rising CO ₂ , N deposition and improved cultivation. <i>Plant and Soil</i> , 2006, 287, 235-245. | 3.7 | 16 |
| 250 | The impacts of local farming system development trajectories on greenhouse gas emissions in the northern mountains of Vietnam. <i>Regional Environmental Change</i> , 2007, 7, 187-208. | 2.9 | 16 |
| 251 | Food Security: Focus on Agriculture. <i>Science</i> , 2010, 328, 172-173. | 12.6 | 16 |
| 252 | Sensitivity of simulated crop yield and nitrate leaching of the wheat-maize cropping system in the North China Plain to model parameters. <i>Agricultural and Forest Meteorology</i> , 2018, 263, 25-40. | 4.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Converting temperate long-term arable land into semi-natural grassland: decadal-scale changes in topsoil C, N, ¹³ C and ¹⁵ N contents. <i>European Journal of Soil Science</i> , 2019, 70, 350-360. | 3.9 | 16 |
| 254 | Agricultural residues bioenergy potential that sustain soil carbon depends on energy conversion pathways. <i>GCB Bioenergy</i> , 2020, 12, 1002-1013. | 5.6 | 16 |
| 255 | Legacy effects of soil fertility management on cereal dry matter and nitrogen grain yield of organic arable cropping systems. <i>European Journal of Agronomy</i> , 2021, 122, 126169. | 4.1 | 16 |
| 256 | Interactive effects of straw management, tillage, and a cover crop on nitrous oxide emissions and nitrate leaching from a sandy loam soil. <i>Science of the Total Environment</i> , 2022, 828, 154316. | 8.0 | 16 |
| 257 | Farm-scale practical strategies to increase nitrogen use efficiency and reduce nitrogen footprint in crop production across the North China Plain. <i>Field Crops Research</i> , 2022, 283, 108526. | 5.1 | 16 |
| 258 | Fungicide treatments affect yield and moisture content of grain and straw in winter wheat. <i>Crop Protection</i> , 2002, 21, 1023-1032. | 2.1 | 15 |
| 259 | Turning climate change information into economic and health impacts. <i>Climatic Change</i> , 2007, 81, 145-162. | 3.6 | 15 |
| 260 | Possibilities for near-term bioenergy production and GHG-mitigation through sustainable intensification of agriculture and forestry in Denmark. <i>Environmental Research Letters</i> , 2017, 12, 114032. | 5.2 | 15 |
| 261 | Exposing Deep Roots: A Rhizobox Laboratory. <i>Trends in Plant Science</i> , 2020, 25, 418-419. | 8.8 | 15 |
| 262 | Visiting dark sides of model simulation of carbon stocks in European temperate agricultural soils: allometric function and model initialization. <i>Plant and Soil</i> , 2020, 450, 255-272. | 3.7 | 15 |
| 263 | Impacts of land use, climate change and hydrological model structure on nitrate fluxes: Magnitudes and uncertainties. <i>Science of the Total Environment</i> , 2022, 830, 154671. | 8.0 | 15 |
| 264 | Depth-dependent responses of soil organic carbon stock under annual and perennial cropping systems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 7.1 | 15 |
| 265 | Root and soil carbon distribution at shoulderslope and footslope positions of temperate toposesquences cropped to winter wheat. <i>Catena</i> , 2014, 123, 99-105. | 5.0 | 14 |
| 266 | Inorganic Nitrogen Leaching from Organic and Conventional Rice Production on a Newly Claimed Calciustoll in Central Asia. <i>PLoS ONE</i> , 2014, 9, e98138. | 2.5 | 14 |
| 267 | Modeling nitrous oxide emissions from organic and conventional cereal-based cropping systems under different management, soil and climate factors. <i>European Journal of Agronomy</i> , 2015, 66, 8-20. | 4.1 | 13 |
| 268 | Effect of warming and nitrogen addition on evapotranspiration and water use efficiency in a wheat-soybean/fallow rotation from 2010 to 2014. <i>Climatic Change</i> , 2016, 139, 565-578. | 3.6 | 13 |
| 269 | Simulation of biomass yield of regular and chilling tolerant <i>Miscanthus</i> cultivars and reed canary grass in different climates of Europe. <i>Industrial Crops and Products</i> , 2016, 86, 329-333. | 5.2 | 13 |
| 270 | Long-term simulation of temporal change of soil organic carbon in Denmark: comparison of three model performances under climate change. <i>Journal of Agricultural Science</i> , 2018, 156, 139-150. | 1.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Plants with lengthened phenophases increase their dominance under warming in an alpine plant community. <i>Science of the Total Environment</i> , 2020, 728, 138891. | 8.0 | 13 |
| 272 | Long-term effect of tillage and straw retention in conservation agriculture systems on soil carbon storage. <i>Soil Science Society of America Journal</i> , 2021, 85, 1465-1478. | 2.2 | 13 |
| 273 | Introduction to the Assessment "Characteristics of the Region. <i>Regional Climate Studies</i> , 2016, , 1-52. | 1.2 | 13 |
| 274 | Sensitivity of crop yield and N losses in winter wheat to changes in mean and variability of temperature and precipitation in Denmark using the FASSET model. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2012, 62, 335-351. | 0.6 | 12 |
| 275 | Effects of winter wheat N status on assimilate and N partitioning in the mechanistic agroecosystem model DAISY. <i>Journal of Agronomy and Crop Science</i> , 2020, 206, 784-805. | 3.5 | 12 |
| 276 | Nitrate leaching from suction cup data: Influence of method of drainage calculation and concentration interpolation. <i>Journal of Environmental Quality</i> , 2020, 49, 440-449. | 2.0 | 12 |
| 277 | The effects of temperature and plant developmental stage on the occurrence of the curd quality defects "bracting" and "riciness" in cauliflower. <i>Journal of Horticultural Science and Biotechnology</i> , 2003, 78, 638-646. | 1.9 | 11 |
| 278 | Performance of 13 crop simulation models and their ensemble for simulating four field crops in Central Europe. <i>Journal of Agricultural Science</i> , 2021, 159, 69-89. | 1.3 | 11 |
| 279 | Differential Responses of Soil Extracellular Enzyme Activities to Salinization: Implications for Soil Carbon Cycling in Tidal Wetlands. <i>Global Biogeochemical Cycles</i> , 2022, 36, . | 4.9 | 11 |
| 280 | Can crop-climate models be accurate and precise? A case study for wheat production in Denmark. <i>Agricultural and Forest Meteorology</i> , 2015, 202, 51-60. | 4.8 | 10 |
| 281 | Long-term modelling of crop yield, nitrogen losses and GHG balance in organic cropping systems. <i>Science of the Total Environment</i> , 2020, 710, 134597. | 8.0 | 10 |
| 282 | Investigation of satellite-related precipitation products for modeling of rainfed wheat production systems. <i>Agricultural Water Management</i> , 2021, 258, 107222. | 5.6 | 10 |
| 283 | Agronomic and environmental factors influencing the marginal increase in nitrate leaching by adding extra mineral nitrogen fertilizer. <i>Agriculture, Ecosystems and Environment</i> , 2022, 327, 107808. | 5.3 | 10 |
| 284 | Simulation of winter wheat response to variable sowing dates and densities in a high-yielding environment. <i>Journal of Experimental Botany</i> , 2022, 73, 5715-5729. | 4.8 | 10 |
| 285 | Estimating organic carbon stocks of mineral soils in Denmark: Impact of bulk density and content of rock fragments. <i>Geoderma Regional</i> , 2022, 30, e00560. | 2.1 | 10 |
| 286 | Can Agricultural Cultivation Methods Influence the Healthfulness of Crops for Foods?. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 6383-6390. | 5.2 | 9 |
| 287 | Temperature-based prediction of harvest date in winter and spring cereals as a basis for assessing viability for growing cover crops. <i>Field Crops Research</i> , 2021, 264, 108085. | 5.1 | 9 |
| 288 | NLES5 " An empirical model for estimating nitrate leaching from the root zone of agricultural land. <i>European Journal of Agronomy</i> , 2022, 134, 126465. | 4.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Greenhouse gas mitigation with scarce land: The potential contribution of increased nitrogen input. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2013, 18, 921-932. | 2.1 | 8 |
| 290 | Reducing uncertainty of estimated nitrogen load reductions to aquatic systems through spatially targeting agricultural mitigation measures using groundwater nitrogen reduction. <i>Journal of Environmental Management</i> , 2018, 218, 451-464. | 7.8 | 8 |
| 291 | CLIMATE CHANGE IMPACTS AND ADAPTATION FOR CROP MANAGEMENT OF WINTER WHEAT AND MAIZE IN THE SEMI-ARID REGION OF IRAN. <i>Irrigation and Drainage</i> , 2019, 68, 841-856. | 1.7 | 8 |
| 292 | Nitrous oxide emissions from red clover and winter wheat residues depend on interacting effects of distribution, soil N availability and moisture level. <i>Plant and Soil</i> , 2021, 466, 121-138. | 3.7 | 8 |
| 293 | Evaluation of multiple gridded solar radiation data for crop modeling. <i>European Journal of Agronomy</i> , 2022, 133, 126419. | 4.1 | 8 |
| 294 | Reply to Snowdon et al. and Piepho: Genetic response diversity to provide yield stability of cultivar groups deserves attention. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 10627-10629. | 7.1 | 7 |
| 295 | Assessment of nine gridded temperature data for modeling of wheat production systems. <i>Computers and Electronics in Agriculture</i> , 2022, 199, 107189. | 7.7 | 7 |
| 296 | Data requirements for crop modelling – Applying the learning curve approach to the simulation of winter wheat flowering time under climate change. <i>European Journal of Agronomy</i> , 2018, 95, 33-44. | 4.1 | 6 |
| 297 | Contributions from carbon and nitrogen in roots to closing the yield gap between conventional and organic cropping systems. <i>Soil Use and Management</i> , 2018, 34, 335-342. | 4.9 | 6 |
| 298 | Development and evaluation of HUME-OSR: A dynamic crop growth model for winter oilseed rape. <i>Field Crops Research</i> , 2020, 246, 107679. | 5.1 | 6 |
| 299 | Nitrogen and phosphorus co-limit mineralization of labile carbon in deep subsoil. <i>European Journal of Soil Science</i> , 2021, 72, 1879-1884. | 3.9 | 6 |
| 300 | Methodology to assess the changing risk of yield failure due to heat and drought stress under climate change. <i>Environmental Research Letters</i> , 2021, 16, 104033. | 5.2 | 6 |
| 301 | Model sensitivity of simulated yield of winter oilseed rape to climate change scenarios in Europe. <i>European Journal of Agronomy</i> , 2021, 129, 126341. | 4.1 | 6 |
| 302 | Productivity, light interception and radiation use efficiency of organic and conventional arable cropping systems. <i>European Journal of Agronomy</i> , 2022, 132, 126407. | 4.1 | 6 |
| 303 | Expected effects of climate change on the production and water use of crop rotation management reproduced by crop model ensemble for Czech Republic sites. <i>European Journal of Agronomy</i> , 2022, 134, 126446. | 4.1 | 6 |
| 304 | Are maps of nitrate reduction in groundwater altered by climate and land use changes?. <i>Hydrology and Earth System Sciences</i> , 2022, 26, 955-973. | 4.9 | 6 |
| 305 | Specific antibiotics and nematode trophic groups agree in assessing fungal:bacterial activity in agricultural soil. <i>Soil Biology and Biochemistry</i> , 2012, 55, 17-19. | 8.8 | 5 |
| 306 | Regional greenhouse gas emissions from cultivation of winter wheat and winter rapeseed for biofuels in Denmark. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2013, 63, 219-230. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | Release of carbon and nitrogen from fodder radish (<i>Raphanus sativus</i>) shoots and roots incubated in soils with different management history. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2018, 68, 749-756. | 0.6 | 5 |
| 308 | Future agroclimatic conditions and implications for European grasslands. <i>Biologia Plantarum</i> , 0, 64, 865-880. | 1.9 | 5 |
| 309 | Effect of wind speed variation on rainfed wheat production evaluated by the CERES-Wheat model. <i>International Journal of Biometeorology</i> , 2022, 66, 225-233. | 3.0 | 5 |
| 310 | Carbon Dioxide in Arable Soil Profiles: A Comparison of Automated and Manual Measuring Systems. <i>Communications in Soil Science and Plant Analysis</i> , 2014, 45, 1278-1291. | 1.4 | 4 |
| 311 | Calibrating AquaCrop model using genetic algorithm with multi-objective functions applying different weight factors. <i>Agronomy Journal</i> , 2021, 113, 1420-1438. | 1.8 | 4 |
| 312 | Potential for the adoption of measures to reduce N ₂ O emissions from crop residues in Denmark. <i>Science of the Total Environment</i> , 2022, 835, 155510. | 8.0 | 4 |
| 313 | A Meteorological Model for Calculating the Moisture Content of Ripe Spring Barley. <i>Acta Agriculturae Scandinavica</i> , 1985, 35, 369-374. | 0.3 | 3 |
| 314 | Post-Cold-Storage Conditioning Time Affects Soil Denitrifying Enzyme Activity. <i>Communications in Soil Science and Plant Analysis</i> , 2011, 42, 2160-2167. | 1.4 | 3 |
| 315 | Targeted management of organic resources for sustainably increasing soil organic carbon: Observations and perspectives for resource use and climate adaptations in northern Ghana. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2016, 66, 178-190. | 0.6 | 3 |
| 316 | Targeted set-aside: Benefits from reduced nitrogen loading in Danish aquatic environments. <i>Journal of Environmental Management</i> , 2019, 247, 633-643. | 7.8 | 3 |
| 317 | Field scale agronomic and environmental consequences of overlapping N fertilizer application by disc spreaders. <i>Field Crops Research</i> , 2020, 255, 107901. | 5.1 | 3 |
| 318 | Soil N ₂ O emission from organic and conventional cotton farming in Northern Tanzania. <i>Science of the Total Environment</i> , 2021, 785, 147301. | 8.0 | 3 |
| 319 | Yield and Profitability of Cotton Grown Under Smallholder Organic and Conventional Cotton Farming Systems in Meatu District, Tanzania. , 2020, , 175-200. | | 3 |
| 320 | Socio-economic Impacts of Agricultural Systems. <i>Regional Climate Studies</i> , 2016, , 397-407. | 1.2 | 3 |
| 321 | Biofuels: Putting Current Practices in Perspective. <i>Science</i> , 2008, 320, 1421-1422. | 12.6 | 2 |
| 322 | Summer fallow soil management – impact on rainfed winter wheat. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2014, 64, 398-407. | 0.6 | 2 |
| 323 | Land-use and agriculture in Denmark around year 1900 and the quest for EU Water Framework Directive reference conditions in coastal waters. <i>Ambio</i> , 2021, 50, 1882-1893. | 5.5 | 2 |
| 324 | The Possibility of Consensus Regarding Climate Change Adaptation Policies in Agriculture and Forestry among Stakeholder Groups in the Czech Republic. <i>Environmental Management</i> , 2021, , 1. | 2.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Reconciling adaptation and mitigation to climate change in agriculture*. European Physical Journal Special Topics, 2006, 139, 403-411. | 0.2 | 1 |
| 326 | The 7 Aarhus Statements on Climate Change. IOP Conference Series: Earth and Environmental Science, 2009, 8, 011002. | 0.3 | 1 |
| 327 | Extraction and Enzymatic Assay of Glucose in Soils with Contrasting pH, Clay, and Organic Carbon Contents. Communications in Soil Science and Plant Analysis, 2020, 51, 380-391. | 1.4 | 1 |
| 328 | What does framing theory add to our understanding of collective decision making in nitrogen management?. Landscape Ecology, 2023, 38, 4139-4155. | 4.2 | 1 |
| 329 | DNMARK: Danish Nitrogen Mitigation Assessment: Research and Know-how for a Sustainable, Low-Nitrogen Food Production. , 2020, , 363-376. | | 1 |
| 330 | Achieving Sustainable Nitrogen Management in Mixed Farming Landscapes Based on Collaborative Planning. Sustainability, 2021, 13, 2140. | 3.2 | 0 |
| 331 | Simulation of Effects of Climatic Change on Cauliflower Production. , 1994, , 127-137. | | 0 |