

# Filomena Fiorito

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5582400/publications.pdf>

Version: 2024-02-01

47  
papers

8,442  
citations

567281

15  
h-index

254184

43  
g-index

50  
all docs

50  
docs citations

50  
times ranked

20352  
citing authors

#	ARTICLE	IF	CITATIONS
1	Involvement of herpesviruses in cases of abortion among water buffaloes in southern Italy. <i>Veterinary Research Communications</i> , 2022, 46, 719-729.	1.6	8
2	Antiviral Property of the Fungal Metabolite 3-O-Methylfunicone in Bovine Herpesvirus 1 Infection. <i>Microorganisms</i> , 2022, 10, 188.	3.6	10
3	A Preliminary Study on Antimicrobial Susceptibility of <i>Staphylococcus</i> spp. and <i>Enterococcus</i> spp. Grown on Mannitol Salt Agar in European Wild Boar ( <i>Sus scrofa</i> ) Hunted in Campania Region, Italy. <i>Animals</i> , 2022, 12, 85.	2.3	2
4	Occurrence and Antimicrobial Susceptibility Profiles of <i>Streptococcus equi</i> subsp. <i>zooepidemicus</i> Strains Isolated from Mares with Fertility Problems. <i>Antibiotics</i> , 2022, 11, 25.	3.7	8
5	First Description of Serological Evidence for SARS-CoV-2 in Lactating Cows. <i>Animals</i> , 2022, 12, 1459.	2.3	7
6	Polychlorinated organic pollutants (PCDD/Fs and DL-PCBs) in loggerhead ( <i>Caretta caretta</i> ) and green ( <i>Chelonia mydas</i> ) turtles from Central-Southern Tyrrhenian Sea. <i>Chemosphere</i> , 2021, 263, 128226.	8.2	11
7	On Gram-Positive- and Gram-Negative-Bacteria-Associated Canine and Feline Skin Infections: A 4-Year Retrospective Study of the University Veterinary Microbiology Diagnostic Laboratory of Naples, Italy. <i>Animals</i> , 2021, 11, 1603.	2.3	16
8	MG-132 interferes with iron cellular homeostasis and alters virulence of bovine herpesvirus 1. <i>Research in Veterinary Science</i> , 2021, 137, 1-8.	1.9	7
9	Importance of broth-enrichment culture in equine endometritis diagnosis. <i>New Microbiologica</i> , 2021, 44, 19-23.	0.1	2
10	Antimicrobial Activity of Some Essential Oils against Methicillin-Susceptible and Methicillin-Resistant <i>Staphylococcus pseudintermedius</i> -Associated Pyoderma in Dogs. <i>Animals</i> , 2020, 10, 1782.	2.3	16
11	Bovine herpesvirus-1 infection in mouse neuroblastoma (Neuro-2A) cells. <i>Veterinary Microbiology</i> , 2020, 247, 108762.	1.9	11
12	Detection of a novel clone of <i>Acinetobacter baumannii</i> isolated from a dog with otitis externa. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020, 70, 101471.	1.6	7
13	Occurrence and antimicrobial susceptibility patterns of canine <i>Staphylococcus pseudintermedius</i> strains isolated from two different Italian university veterinary hospitals. <i>Veterinaria Italiana</i> , 2020, 56, 263-269.	0.5	5
14	2,3,7,8-Tetrachlorodibenzo-p-dioxin influences bovine herpesvirus 1 replication through upregulation of SIRT3 and cytoskeletal reorganization. <i>Veterinary Research Communications</i> , 2017, 41, 299-306.	1.6	5
15	MG-132 reduces virus release in Bovine herpesvirus-1 infection. <i>Scientific Reports</i> , 2017, 7, 13306.	3.3	14
16	2,3,7,8-tetrachlorodibenzo-p-dioxin and the viral infection. <i>Environmental Research</i> , 2017, 153, 27-34.	7.5	21
17	An update on microbiological causes of canine otitis externa in Campania Region, Italy. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2016, 6, 384-389.	1.2	36
18	Clinical improvement in feline herpesvirus 1 infected cats by oral low dose of interleukin-12 plus interferon-gamma. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016, 48, 41-47.	1.6	12

#	ARTICLE	IF	CITATIONS
19	Chronic maternal morphine alters calbindin D <sub>28k</sub> expression pattern in postnatal mouse brain. <i>Synapse</i> , 2016, 70, 15-23.	1.2	9
20	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
21	Correlation between genetic variability and virulence factors in clinical strains of <i>Malassezia pachydermatis</i> of animal origin. <i>New Microbiologica</i> , 2016, 39, 216-223.	0.1	11
22	In vitro growth versus inhibition of growth of <i>Malassezia pachydermatis</i> in the presence of the antibacterial drug gentamicin. <i>Journal of Medical Microbiology</i> , 2015, 64, 180-184.	1.8	6
23	Conjunctival cytological examination, bacteriological culture, and antimicrobial resistance profiles of healthy Mediterranean buffaloes ( <i>Bubalus bubalis</i> ) from Southern Italy. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2015, 5, 889-895.	1.2	7
24	In vitro growth versus inhibition of growth of <i>Malassezia pachydermatis</i> in the presence of the antibacterial drug gentamicin. <i>Journal of Medical Microbiology</i> , 2015, 64, 180-184.	1.8	1
25	The Presence of Dioxin in Kidney Cells Induces Cell Death with Autophagy. , 2014, , 145-155.		2
26	Modulation of telomerase activity, bTERT and c-Myc induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin during Bovine Herpesvirus 1 infection in MDBK cells. <i>Toxicology in Vitro</i> , 2014, 28, 24-30.	2.4	12
27	Fecal microbiota and antibiotic resistance in ferrets ( <i>Mustela putorius furo</i> ) from two captive breeding facilities in Italy. <i>Research in Veterinary Science</i> , 2014, 96, 426-428.	1.9	8
28	A comparative evaluation of methicillin-resistant staphylococci isolated from harness racing-horses, breeding mares and riding-horses in Italy. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2013, 3, 169-173.	1.2	19
29	2,3,7,8-Tetrachlorodibenzo-p-Dioxin Promotes BHV-1 Infection in Mammalian Cells by Interfering with Iron Homeostasis Regulation. <i>PLoS ONE</i> , 2013, 8, e58845.	2.5	15
30	A new clinical approach: Use of blood-derived stem cells (BDSCs) for superficial digital flexor tendon injuries in horses. <i>Life Sciences</i> , 2012, 90, 825-830.	4.3	30
31	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
32	Hydrocortisone attenuates cyclosporin A-induced nephrotoxicity in rats. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 997-1004.	2.6	8
33	Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on iron metabolism during bovine Herpesvirus 1 infection. <i>Toxicology Letters</i> , 2011, 205, S147.	0.8	0
34	Signs of cellular senescence induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in bovine cells. <i>Toxicology Letters</i> , 2011, 205, S159.	0.8	0
35	Renal proximal tubular reabsorption is reduced in adult rats treated with CsA: Roles of superoxide and Na <sup>+</sup> /H <sup>+</sup> exchanger 3. <i>Toxicology Letters</i> , 2011, 205, S221.	0.8	0
36	2,3,7,8-Tetrachlorodibenzo-p-dioxin induced autophagy in a bovine kidney cell line. <i>Toxicology</i> , 2011, 290, 258-270.	4.2	33

#	ARTICLE	IF	CITATIONS
37	2,3,7,8-Tetrachlorodibenzo-p-dioxin impairs iron homeostasis by modulating iron-related proteins expression and increasing the labile iron pool in mammalian cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 704-712.	4.1	30
38	Design, synthesis, biophysical and biological studies of trisubstituted naphthalimides as G-quadruplex ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 6419-6429.	3.0	33
39	Involvement of FOXO Transcription Factors, TRAIL-FasL/Fas, and Sirtuin Proteins Family in Canine Coronavirus Type II-Induced Apoptosis. <i>PLoS ONE</i> , 2011, 6, e27313.	2.5	41
40	Apocynin activity in spontaneously hypertensive rats (SHR): preliminary studies in vivo. <i>Veterinary Research Communications</i> , 2010, 34, 83-86.	1.6	6
41	Bid cleavage, cytochrome c release and caspase activation in canine coronavirus-induced apoptosis. <i>Veterinary Microbiology</i> , 2010, 141, 36-45.	1.9	29
42	2,3,7,8-Tetrachlorodibenzo-p-dioxin modifies expression and nuclear/cytosolic localization of bovine herpesvirus 1 immediate-early protein (bcP0) during infection. <i>Journal of Cellular Biochemistry</i> , 2010, 111, 333-342.	2.6	15
43	Dysregulated calcium homeostasis and oxidative stress in chronic myeloid leukemia (CML) cells. <i>Journal of Cellular Physiology</i> , 2010, 224, 443-453.	4.1	32
44	2,3,7,8-Tetrachlorodibenzo-p-dioxin increases SIRT3 protein levels during bovine herpesvirus 1 infection. <i>Toxicology Letters</i> , 2010, 196, S195.	0.8	0
45	Analysis of apoptosis induced by Caprine Herpesvirus 1 in vitro. <i>Virus Research</i> , 2009, 145, 227-235.	2.2	15
46	2,3,7,8-Tetrachlorodibenzo-p-dioxin regulates Bovine Herpesvirus type 1 induced apoptosis by modulating Bcl-2 family members. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2008, 13, 1243-1252.	4.9	32
47	2,3,7,8-tetrachlorodibenzo-p-dioxin increases bovine herpesvirus type-1 (BHV-1) replication in madin-darby bovine kidney (MDBK) cells in vitro. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 221-233.	2.6	20