List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5584603/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Estimation of Spatial Distribution and Fluid Fraction of a Potential Supercritical Geothermal Reservoir by Magnetotelluric Data: A Case Study From Yuzawa Geothermal Field, NE Japan. Journal of Geophysical Research: Solid Earth, 2022, 127, .	3.4	9
2	3-D resistivity imaging of the supercritical geothermal system in the Sengan geothermal region, NE Japan. Geothermics, 2022, 103, 102412.	3.4	8
3	Trans-crustal structural control of CO2-rich extensional magmatic systems revealed at Mount Erebus Antarctica. Nature Communications, 2022, 13, .	12.8	8
4	Special issue "Understanding phreatic eruptions -Ârecent observations of Kusatsu-Shirane volcano and equivalentsÂ-― Earth, Planets and Space, 2022, 74, .	2.5	1
5	Locating hydrothermal fluid injection of the 2018 phreatic eruption at Kusatsu-Shirane volcano with volcanic tremor amplitude. Earth, Planets and Space, 2021, 73, .	2.5	20
6	Electrical Resistivity Structure Around the Atotsugawa Fault, Central Japan, Revealed by a New 2â€Ð Inversion Method Combining Widebandâ€MT and Networkâ€MT Data Sets. Journal of Geophysical Research: Solid Earth, 2021, 126, e2020JB020904.	3.4	6
7	The 2018 phreatic eruption at Mt. Motoshirane of Kusatsu–Shirane volcano, Japan: eruption and intrusion of hydrothermal fluid observed by a borehole tiltmeter network. Earth, Planets and Space, 2021, 73, .	2.5	16
8	Offshore-onshore resistivity imaging of freshwater using a controlled-source electromagnetic method: A feasibility study. Geophysics, 2021, 86, E391-E405.	2.6	8
9	Simultaneous Analysis of Seismic Velocity and Electrical Conductivity in the Crust and the Uppermost Mantle: A Forward Model and Inversion Test Based on Grid Search. Journal of Geophysical Research: Solid Earth, 2021, 126, e2021JB022307.	3.4	12
10	Ability of the magnetotelluric method to image a deep conductor: Exploration of a supercritical geothermal system. Geothermics, 2021, 96, 102205.	3.4	6
11	Magmatic hydrothermal system inferred from the resistivity structure of Kusatsu-Shirane Volcano. Journal of Volcanology and Geothermal Research, 2020, 390, 106742.	2.1	25
12	Probing the relationship between electrical conductivity and creep through upper crustal fluids along the western part of the North Anatolian Fault with three-dimensional magnetotellurics. Tectonophysics, 2020, 791, 228561.	2.2	4
13	Temporal Magnetotellurics Reveals Mechanics of the 2012 Mount Tongariro, NZ, Eruption. Geophysical Research Letters, 2020, 47, e2019GL086429.	4.0	14
14	Anatomy of active volcanic edifice at the Kusatsu–Shirane volcano, Japan, by magnetotellurics: hydrothermal implications for volcanic unrests. Earth, Planets and Space, 2020, 72, .	2.5	34
15	Air-Fall Ash from the Main Crater of Asama Volcano on August 7, 2019, and its Water-Soluble Components. Journal of Disaster Research, 2020, 15, 53-56.	0.7	0
16	Geological and engineering features of developing ultra-high-temperature geothermal systems in the world. Geothermics, 2019, 82, 267-281.	3.4	27
17	Electrical resistivity imaging of the inter-plate coupling transition at the Hikurangi subduction margin, New Zealand. Earth and Planetary Science Letters, 2019, 524, 115710.	4.4	11

18 Identification of Sumatran Fault Zone Using Magnetotelluric and Garvity Data. , 2019, , .

1

#	Article	IF	CITATIONS
19	An initial experiment of EM-ACROSS with magnetotelluric sounding in the Mount Kusatsu-Shirane region, Japan. , 2019, , .		0
20	Resistivity characterisation of Hakone volcano, Central Japan, by three-dimensional magnetotelluric inversion. Earth, Planets and Space, 2018, 70, .	2.5	27
21	Marine magnetotelluric inversion with an unstructured tetrahedral mesh. Geophysical Journal International, 2018, 214, 952-974.	2.4	5
22	Three-dimensional resistivity structure of Asama Volcano revealed by data-space magnetotelluric inversion using unstructured tetrahedral elements. Geophysical Journal International, 2017, 208, 1359-1372.	2.4	50
23	Uplift of the central transantarctic mountains. Nature Communications, 2017, 8, 1588.	12.8	42
24	Acknowledgement to reviewers in 2016. Earth, Planets and Space, 2017, 69, .	2.5	0
25	Mapping subduction interface coupling using magnetotellurics: Hikurangi margin, New Zealand. Geophysical Research Letters, 2017, 44, 9261-9266.	4.0	31
26	Modeling geomagnetic induction hazards using a 3â€D electrical conductivity model of Australia. Space Weather, 2016, 14, 1125-1135.	3.7	15
27	Crustal structure and fluid distribution beneath the southern part of the <scp>H</scp> idaka collision zone revealed by 3â€ <scp>D</scp> electrical resistivity modeling. Geochemistry, Geophysics, Geosystems, 2016, 17, 1480-1491.	2.5	16
28	Resistivity structure and geochemistry of the Jigokudani Valley hydrothermal system, Mt. Tateyama, Japan. Journal of Volcanology and Geothermal Research, 2016, 325, 15-26.	2.1	24
29	Gas pathways and remotely triggered earthquakes beneath Mount Fuji, Japan. Geology, 2016, 44, 127-130.	4.4	19
30	Electrical image of subduction zone beneath northeastern Japan. Journal of Geophysical Research: Solid Earth, 2015, 120, 7937-7965.	3.4	21
31	Editorial: Acknowledgement to reviewers. Earth, Planets and Space, 2015, 67, .	2.5	0
32	Imaging the hydrothermal system beneath the Jigokudani valley, Tateyama volcano, Japan: implications for structures controlling repeated phreatic eruptions from an audio-frequency magnetotelluric survey. Earth, Planets and Space, 2015, 67, 6.	2.5	21
33	Structure of the Tongariro Volcanic system: Insights from magnetotelluric imaging. Earth and Planetary Science Letters, 2015, 432, 115-125.	4.4	70
34	Three-dimensional magnetotelluric imaging of crustal fluids and seismicity around Naruko volcano, NE Japan. Earth, Planets and Space, 2014, 66, .	2.5	69
35	Geoelectrical dimensionality analyses in Sumatran Fault (Aceh segment) using magnetotelluric phase tensor. AIP Conference Proceedings, 2014, , .	0.4	2
36	A 3-D conductivity model of the Australian continent using observatory and magnetometer array data. Geophysical Journal International, 2014, 198, 1143-1158.	2.4	26

#	Article	IF	CITATIONS
37	New volume of Earth, Planets and Space with an open access-style publishing model under SpringerOpen. Earth, Planets and Space, 2014, 66, .	2.5	45
38	Three-dimensional electromagnetic imaging of fluids and melts beneath the NE Japan arc revisited by using geomagnetic transfer function data. Earth, Planets and Space, 2014, 66, .	2.5	9
39	A 3-D electrical resistivity model beneath the focal zone of the 2008 Iwate-Miyagi Nairiku earthquake (M 7.2). Earth, Planets and Space, 2014, 66, .	2.5	19
40	Threeâ€dimensional resistivity structure and magma plumbing system of the Kirishima Volcanoes as inferred from broadband magnetotelluric data. Journal of Geophysical Research: Solid Earth, 2014, 119, 198-215.	3.4	79
41	Evidence for middle Triassic to Miocene dual subduction zones beneath the Shan–Thai terrane, western Thailand from magnetotelluric data. Gondwana Research, 2013, 23, 1607-1616.	6.0	19
42	Electrical characterization of the North Anatolian Fault Zone underneath the Marmara Sea, Turkey by ocean bottom magnetotellurics. Geophysical Journal International, 2013, 193, 664-677.	2.4	33
43	Erratum to Spectral peaks in electric field at resonance frequencies for seismically excited motion of ions in the Earth's magnetic field. Earth, Planets and Space, 2013, 65, 57-57.	2.5	0
44	Magnetotelluric and temperature monitoring after the 2011 sub-Plinian eruptions of Shinmoe-dake volcano. Earth, Planets and Space, 2013, 65, 539-550.	2.5	16
45	Circularly polarized electric fields associated with seismic waves generated by blasting. Geophysical Journal International, 2013, 194, 200-211.	2.4	12
46	Changes in electrical resistivity track changes in tectonic plate coupling. Geophysical Research Letters, 2013, 40, 5029-5033.	4.0	32
47	Geoelectrical dimensionality analyses in volcanic region using magnetotelluric phase tensor. AIP Conference Proceedings, 2012, , .	0.4	1
48	Resistivity structure of Sumatran Fault (Aceh segment) derived from 1-D magnetotelluric modeling. , 2012, , .		1
49	A faultâ€zone conductor beneath a compressional inversion zone, northeastern Honshu, Japan. Geophysical Research Letters, 2011, 38, .	4.0	20
50	Spectral peaks in electric field at resonance frequencies for seismically excited motion of ions in the Earth's magnetic field. Earth, Planets and Space, 2011, 63, 503-507.	2.5	8
51	Temporal changes in electrical resistivity at Sakurajima volcano from continuous magnetotelluric observations. Journal of Volcanology and Geothermal Research, 2011, 199, 165-175.	2.1	34
52	Audio-frequency magnetotelluric imaging of the Hijima fault, Yamasaki fault system, southwest Japan. Earth, Planets and Space, 2010, 62, 401-411.	2.5	17
53	Electrical Resistivity Structure and Helium Isotopes around Naruko Volcano, Northeastern Japan and Its Implication for the Distribution of Crustal Magma. International Journal of Geophysics, 2010, 2010, 1-7.	1.1	7
54	Magnetotelluric pulses generated by volcanic lightning at Sakurajima volcano, Japan. Geophysical Research Letters, 2010, 37, .	4.0	19

#	Article	IF	CITATIONS
55	Structural controls on the 1998 volcanic unrest at Iwate volcano: Relationship between a shallow, electrically resistive body and the possible ascent route of magmatic fluid. Journal of Volcanology and Geothermal Research, 2009, 187, 131-139.	2.1	20
56	A magnetotelluric study of Mount Ruapehu volcano, New Zealand. Geophysical Journal International, 2009, 179, 887-904.	2.4	79
57	Fluid and deformation regime of an advancing subduction system at Marlborough, New Zealand. Nature, 2009, 460, 733-736.	27.8	191
58	Magnetotelluric transect across the Niigataâ€Kobe Tectonic Zone, central Japan: A clear correlation between strain accumulation and resistivity structure. Geophysical Research Letters, 2009, 36, .	4.0	25
59	A model for observed circular polarized electric fields coincident with the passage of large seismic waves. Journal of Geophysical Research, 2009, 114, .	3.3	32
60	Groundwater flow and hydrothermal systems within volcanic edifices: Delineation by electric selfâ€potential and magnetotellurics. Journal of Geophysical Research, 2009, 114, .	3.3	108
61	Integrated geophysical constraints on the subsurface structure of Usu Volcano, Hokkaido Japan. , 2009, , .		0
62	Shallow resistivity structure of Asama Volcano and its implications for magma ascent process in the 2004 eruption. Journal of Volcanology and Geothermal Research, 2008, 173, 165-177.	2.1	38
63	Magnetotelluric observations around the focal region of the 2007 Noto Hanto Earthquake (Mj 6.9), Central Japan. Earth, Planets and Space, 2008, 60, 117-122.	2.5	25
64	Resistivity structure around the focal area of the 2004 Rumoi-Nanbu earthquake (M 6.1), northern Hokkaido, Japan. Earth, Planets and Space, 2008, 60, 883-888.	2.5	17
65	Melt distribution beneath a young continental rift: The Taupo Volcanic Zone, New Zealand. Geophysical Research Letters, 2007, 34, .	4.0	116
66	Application of a modified hopfield neural network to noisy magnetotelluric data. Izvestiya, Physics of the Solid Earth, 2007, 43, 217-224.	0.9	3
67	Magnetotelluric imaging of crustal magma storage beneath the Mesozoic crystalline mountains in a nonvolcanic region, northeast Japan. Geochemistry, Geophysics, Geosystems, 2006, 7, n/a-n/a.	2.5	8
68	Two electrical conductors beneath Kusatsu-Shirane volcano, Japan, imaged by audiomagnetotellurics, and their implications for the hydrothermal system. Earth, Planets and Space, 2006, 58, 1053-1059.	2.5	70
69	Two-dimensional electrical section beneath the eastern margin of Japan Sea. Geophysical Research Letters, 2006, 33, .	4.0	28
70	Aqueous fluids derived from a subducting slab: Observed high 3He emanation and conductive anomaly in a non-volcanic region, Kii Peninsula southwest Japan. Journal of Volcanology and Geothermal Research, 2006, 149, 47-61.	2.1	53
71	Resistivity imaging across the source region of the 2004 Mid-Niigata Prefecture earthquake (M6.8), central Japan. Earth, Planets and Space, 2005, 57, 441-446.	2.5	41
72	Hydrothermal system beneath Mt. Fuji volcano inferred from magnetotellurics and electric self-potential. Earth and Planetary Science Letters, 2005, 235, 343-355.	4.4	62

#	Article	IF	CITATIONS
73	Magnetotelluric imaging of the fault rupture area of the 1999 İzmit (Turkey) earthquake. Physics of the Earth and Planetary Interiors, 2005, 150, 213-225.	1.9	68
74	Electric and magnetic field variations arising from the seismic dynamo effect for aftershocks of the M7.1 earthquake of 26 May 2003 off Miyagi Prefecture, NE Japan. Earth, Planets and Space, 2004, 56, 115-123.	2.5	36
75	Electromagnetic imaging of magma across the Narmada Son lineament, central India. Earth, Planets and Space, 2004, 56, 229-238.	2.5	31
76	Mid-crustal electrical conductors and their correlations to seismicity and deformation at Itoigawa-Shizuoka Tectonic Line, Central Japan. Earth, Planets and Space, 2004, 56, 1285-1291.	2.5	63
77	Resistivity structure in the western part of the fault rupture zone associated with the 1999 İzmit earthquake and its seismogenic implication. Earth, Planets and Space, 2003, 55, 437-442.	2.5	29
78	Resistivity structure across Itoigawa-Shizuoka tectonic line and its implications for concentrated deformation. Earth, Planets and Space, 2002, 54, 1115-1120.	2.5	37
79	On Two-Dimensional Modeling Of Magnetotelluric Field Data. Surveys in Geophysics, 2002, 23, 251-273.	4.6	83
80	Electromagnetic heterogeneity of the seismogenic region of 1962 M6.5 Northern Miyagi Earthquake, northeastern Japan. Geophysical Research Letters, 2001, 28, 4371-4374.	4.0	64
81	Magnetotelluric imaging of fluids in intraplate earthquake zones, NE Japan Back Arc. Geophysical Research Letters, 2001, 28, 3741-3744.	4.0	131
82	Crust and upper mantle resistivity structure in the southwestern end of the Kuril Arc as revealed by the joint analysis of conventional MT and network MT data. Earth, Planets and Space, 2001, 53, 829-842.	2.5	17
83	Magma prospecting in Usu volcano, Hokkaido, Japan, using magnetotelluric soundings. Journal of Volcanology and Geothermal Research, 2001, 109, 263-277.	2.1	52
84	Preliminary results of a high-resolution aeromagnetic survey over Usu Volcano, Hokkaido, Japan Bulletin of the Geological Survey of Japan, 2001, 52, 149-154.	0.7	9
85	Audio frequency magneto-telluric survey of Norikura Volcano in central Japan. Journal of Volcanology and Geothermal Research, 1999, 90, 209-217.	2.1	9
86	Wide-band magnetotelluric measurements across the Taupo Volcanic Zone, New Zealand-Preliminary results. Geophysical Research Letters, 1999, 26, 3673-3676.	4.0	37
87	Constrained inversion of COPROD-2S2 dataset using model roughness and static shift norm. Earth, Planets and Space, 1999, 51, 1145-1151.	2.5	10
88	A resistivity cross-section of Usu volcano, Hokkaido, Japan, by audiomagnetotelluric soundings. Earth, Planets and Space, 1998, 50, 339-346.	2.5	37
89	Magnetotelluric imaging of the SW Japan forearc—a lost paleoland revealed?. Physics of the Earth and Planetary Interiors, 1997, 102, 231-238.	1.9	35
90	An Audiomagnetotelluric View of the Atera Fault Journal of Geomagnetism and Geoelectricity, 1997, 49, 1065-1071.	0.9	8

#	Article	IF	CITATIONS
91	Preliminary Magnetotelluric Modeling in the Nikko Volcanic Area. Potential Break of Fluid Trap by Volcanic Intrusion Journal of Geomagnetism and Geoelectricity, 1997, 49, 1073-1078.	0.9	3
92	Repeated Self-Potential Profiling of Izu-Oshima Volcano, Japan. Journal of Geomagnetism and Geoelectricity, 1997, 49, 1267-1278.	0.9	41
93	Data-Adaptive Inversion of the Oklahoma EMAP Dataset Journal of Geomagnetism and Geoelectricity, 1997, 49, 801-806.	0.9	2
94	Two-Dimensional Inversion of Papua New Guinea Magnetotelluric Dataset Assuming Static Shift as a Gaussian Distribution Journal of Geomagnetism and Geoelectricity, 1997, 49, 857-867.	0.9	7
95	13th Workshop on Electromagnetic Induction in the Earth. Journal of Geomagnetism and Geoelectricity, 1997, 49, 1255-1256.	0.9	0
96	Deep electrical conductivity structures of the Appalachian Orogen in the southeastern U.S Geophysical Research Letters, 1996, 23, 1597-1600.	4.0	25
97	Magnetotelluric Experiment probes deep physical state of southeastern United States. Eos, 1996, 77, 329.	0.1	11
98	A two-dimensional magnetotelluric inversion assuming Gaussian static shift. Geophysical Journal International, 1996, 126, 69-76.	2.4	161
99	An Interpretation of Magnetovariational Data in the Northern Tohoku District, Japan, Using Multi Sheet Modelling Journal of Geomagnetism and Geoelectricity, 1995, 47, 405-410.	0.9	4
100	Audio-Frequency Magnetotelluric Imaging of an Active Strike-Slip Fault Journal of Geomagnetism and Geoelectricity, 1994, 46, 403-408.	0.9	5
101	A collision boundary imaged by magnetotellurics, Hidaka Mountains, central Hokkaido, Japan. Journal of Geophysical Research, 1994, 99, 22373-22388.	3.3	27
102	Wideband Magnetotelluric Measurements across Izu-Oshima Volcano Journal of Geomagnetism and Geoelectricity, 1992, 44, 561-566.	0.9	2
103	CSAMT measurements across the 1986 C craters of Izu-Oshima Island, Japan Journal of Geomagnetism and Geoelectricity, 1990, 42, 211-224.	0.9	14
104	Two-dimensional resistivity modeling based on regional magnetotelluric survey in the northern Tohoku district, northeastern Japan Journal of Geomagnetism and Geoelectricity, 1987, 39, 349-366.	0.9	13
105	Preliminary interpretation on detailed magnetovariational profilings in the northern Tohoku district Journal of Geomagnetism and Geoelectricity, 1987, 39, 559-569.	0.9	6
106	Two-dimensional modelling of resistivity structure beneath the Tohoku district, northern Honshu of Japan, by a finite element method Journal of Geomagnetism and Geoelectricity, 1986, 38, 45-79.	0.9	29