

Robert K Heaton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5585268/publications.pdf>

Version: 2024-02-01

137
papers

8,361
citations

94433

37
h-index

51608

86
g-index

140
all docs

140
docs citations

140
times ranked

7829
citing authors

#	ARTICLE	IF	CITATIONS
1	Objective and subjective sleep measures are associated with neurocognition in aging adults with and without HIV. <i>Clinical Neuropsychologist</i> , 2022, 36, 1352-1371.	2.3	16
2	Higher Comorbidity Burden Predicts Worsening Neurocognitive Trajectories in People with Human Immunodeficiency Virus. <i>Clinical Infectious Diseases</i> , 2022, 74, 1323-1328.	5.8	6
3	Binge Drinking Relates to Worse Neurocognitive Functioning Among Adults Aging with HIV. <i>Journal of the International Neuropsychological Society</i> , 2022, 28, 600-610.	1.8	3
4	Influence of Educational Background, Childhood Socioeconomic Environment, and Language Use on Cognition among Spanish-Speaking Latinos Living Near the US-Mexico Border. <i>Journal of the International Neuropsychological Society</i> , 2022, 28, 876-890.	1.8	1
5	Neuropathic pain correlates with worsening cognition in people with human immunodeficiency virus. <i>Brain</i> , 2022, 145, 2206-2213.	7.6	1
6	Relationship of the balloon analog risk task to neurocognitive impairment differs by HIV serostatus and history of major depressive disorder. <i>Journal of NeuroVirology</i> , 2022, , 1.	2.1	1
7	Higher buccal mitochondrial DNA and mitochondrial common deletion number are associated with markers of neurodegeneration and inflammation in cerebrospinal fluid. <i>Journal of NeuroVirology</i> , 2022, 28, 281-290.	2.1	3
8	Cognitive and Physiologic Reserve Independently Relate to Superior Neurocognitive Abilities in Adults Aging With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2022, 90, 440-448.	2.1	1
9	Loneliness, Risky Beliefs and Intentions about Practicing Safer Sex among Methamphetamine Dependent Individuals. <i>Substance Use and Misuse</i> , 2022, 57, 295-307.	1.4	1
10	Emotional health outcomes are influenced by sexual minority identity and HIV serostatus. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 1127-1132.	1.2	4
11	Neuropsychological Norms for the U.S.-Mexico Border Region in Spanish (NP-NUMBRS) Project: Methodology and sample characteristics. <i>Clinical Neuropsychologist</i> , 2021, 35, 253-268.	2.3	23
12	Demographically-adjusted norms for the processing speed subtests of the WAIS-III in a Spanish-speaking adult population: Results from the Neuropsychological Norms for the U.S.-Mexico Border Region in Spanish (NP-NUMBRS) project. <i>Clinical Neuropsychologist</i> , 2021, 35, 293-307.	2.3	26
13	The state of neuropsychological test norms for Spanish-speaking adults in the United States. <i>Clinical Neuropsychologist</i> , 2021, 35, 236-252.	2.3	33
14	Introduction to the Neuropsychological Norms for the US-Mexico Border Region in Spanish (NP-NUMBRS) Project. <i>Clinical Neuropsychologist</i> , 2021, 35, 227-235.	2.3	14
15	Demographically-adjusted norms for selected tests of verbal fluency: Results from the Neuropsychological Norms for the US-Mexico Border Region in Spanish (NP-NUMBRS) project. <i>Clinical Neuropsychologist</i> , 2021, 35, 269-292.	2.3	28
16	Demographically-adjusted norms for the Grooved Pegboard and Finger Tapping tests in Spanish-speaking adults: Results from the Neuropsychological Norms for the U.S.-Mexico Border Region in Spanish (NP-NUMBRS) Project. <i>Clinical Neuropsychologist</i> , 2021, 35, 396-418.	2.3	24
17	Demographically-adjusted norms for the WAIS-R Block Design and Arithmetic subtests: Results from the Neuropsychological Norms for the US-Mexico Border Region in Spanish (NP-NUMBRS) project. <i>Clinical Neuropsychologist</i> , 2021, 35, 419-432.	2.3	19
18	Demographically-adjusted norms for the paced auditory serial addition test and letter number sequencing test in Spanish-speaking adults: Results from the neuropsychological norms for the U.S.-Mexico border region in Spanish (NP-NUMBRS) Project. <i>Clinical Neuropsychologist</i> , 2021, 35, 324-338.	2.3	19

#	ARTICLE	IF	CITATIONS
19	The Neuropsychological Norms for the U.S.-Mexico Border Region in Spanish (NP-NUMBRS) Project: Overview and considerations for life span research and evidence-based practice. <i>Clinical Neuropsychologist</i> , 2021, 35, 466-480.	2.3	24
20	Both HIV and Tat expression decrease prepulse inhibition with further impairment by methamphetamine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 106, 110089.	4.8	10
21	Demographically adjusted norms for the Trail Making Test in native Spanish speakers: Results from the neuropsychological norms for the US-Mexico border region in Spanish (NP-NUMBRS) project. <i>Clinical Neuropsychologist</i> , 2021, 35, 308-323.	2.3	22
22	Neurocognitive impairment in Spanish-speaking Latinos living with HIV in the US: Application of the neuropsychological norms for the US-Mexico border region in Spanish (NP-NUMBRS). <i>Clinical Neuropsychologist</i> , 2021, 35, 433-452.	2.3	19
23	Demographically adjusted normative data for the Halstead category test in a Spanish-speaking adult population: Results from the Neuropsychological Norms for the U.S.-Mexico Border Region in Spanish (NP-NUMBRS). <i>Clinical Neuropsychologist</i> , 2021, 35, 356-373.	2.3	19
24	Paresthesia Predicts Increased Risk of Distal Neuropathic Pain in Older People with HIV-Associated Sensory Polyneuropathy. <i>Pain Medicine</i> , 2021, 22, 1850-1856.	1.9	3
25	Telomere length is associated with HIV infection, methamphetamine use, inflammation, and comorbid disease risk. <i>Drug and Alcohol Dependence</i> , 2021, 221, 108639.	3.2	13
26	Measurement of Cognition for the National Children's Study. <i>Frontiers in Pediatrics</i> , 2021, 9, 603126.	1.9	5
27	Higher CSF Ferritin Heavy-Chain (Fth1) and Transferrin Predict Better Neurocognitive Performance in People with HIV. <i>Molecular Neurobiology</i> , 2021, 58, 4842-4855.	4.0	2
28	Apathy is associated with poorer abstinence self-efficacy in individuals with methamphetamine dependence. <i>Addictive Behaviors Reports</i> , 2021, 13, 100331.	1.9	2
29	Daily Cannabis Use is Associated With Lower CNS Inflammation in People With HIV. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 661-672.	1.8	19
30	The Relationships between HIV-1 Infection, History of Methamphetamine Use Disorder, and Soluble Biomarkers in Blood and Cerebrospinal Fluid. <i>Viruses</i> , 2021, 13, 1287.	3.3	5
31	Markers of Gut Barrier Function and Microbial Translocation Associate with Lower Gut Microbial Diversity in People with HIV. <i>Viruses</i> , 2021, 13, 1891.	3.3	17
32	Chronically elevated depressive symptoms interact with acute increases in inflammation to predict worse neurocognition among people with HIV. <i>Journal of NeuroVirology</i> , 2021, 27, 160-167.	2.1	14
33	Demographically adjusted normative data for the Wisconsin Card Sorting Test-64 item: Results from the Neuropsychological Norms for the U.S.-Mexico Border Region in Spanish (NP-NUMBRS) project. <i>Clinical Neuropsychologist</i> , 2021, 35, 339-355.	2.3	22
34	Updated demographically adjusted norms for the Brief Visuospatial Memory Test-revised and Hopkins Verbal Learning Test-revised in Spanish-speakers from the U.S.-Mexico border region: The NP-NUMBRS project. <i>Clinical Neuropsychologist</i> , 2021, 35, 374-395.	2.3	24
35	Native Spanish-speaker's test performance and the effects of Spanish-English bilingualism: results from the neuropsychological norms for the U.S.-Mexico Border Region in Spanish (NP-NUMBRS) project. <i>Clinical Neuropsychologist</i> , 2021, 35, 453-465.	2.3	18
36	The relationship between vascular endothelial growth factor (VEGF) and amnesic mild cognitive impairment among older adults living with HIV. <i>Journal of NeuroVirology</i> , 2021, 27, 885-894.	2.1	1

#	ARTICLE	IF	CITATIONS
37	Identification of Youthful Neurocognitive Trajectories in Adults Aging with HIV: A Latent Growth Mixture Model. <i>AIDS and Behavior</i> , 2021, , 1.	2.7	1
38	Use of Neuroimaging to Inform Optimal Neurocognitive Criteria for Detecting HIV-Associated Brain Abnormalities. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 147-162.	1.8	15
39	Iron-regulatory genes are associated with Neuroimaging measures in HIV infection. <i>Brain Imaging and Behavior</i> , 2020, 14, 2037-2049.	2.1	5
40	Cannabis Exposure is Associated With a Lower Likelihood of Neurocognitive Impairment in People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 83, 56-64.	2.1	43
41	Lower CSF homovanillic acid relates to higher burden of neuroinflammation and depression in people with HIV disease. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 353-363.	4.1	23
42	Sustained attention and vigilance deficits associated with HIV and a history of methamphetamine dependence. <i>Drug and Alcohol Dependence</i> , 2020, 215, 108245.	3.2	9
43	Sex Differences in the Patterns and Predictors of Cognitive Function in HIV. <i>Frontiers in Neurology</i> , 2020, 11, 551921.	2.4	15
44	Depression in Individuals Coinfected with HIV and HCV Is Associated with Systematic Differences in the Gut Microbiome and Metabolome. <i>MSystems</i> , 2020, 5, .	3.8	9
45	Reduced Independence in Daily Living Is Associated with the Gut Microbiome in People with HIV and HCV. <i>MSystems</i> , 2020, 5, .	3.8	1
46	Nucleic acid oxidation is associated with biomarkers of neurodegeneration in CSF in people with HIV. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020, 7, .	6.0	6
47	Cerebrospinal Fluid Norepinephrine and Neurocognition in HIV and Methamphetamine Dependence. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, e12-e22.	2.1	7
48	Effects of HIV infection, antiretroviral therapy, and immune status on the speed of information processing and complex motor functions in adult Cameroonians. <i>Scientific Reports</i> , 2020, 10, 14016.	3.3	5
49	Cumulative Burden of Depression and Neurocognitive Decline Among Persons With HIV: A Longitudinal Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 84, 304-312.	2.1	27
50	Microbiome analyses of blood and tissues suggest cancer diagnostic approach. <i>Nature</i> , 2020, 579, 567-574.	27.8	691
51	Predictors of worsening neuropathy and neuropathic pain after 12 years in people with HIV. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 1166-1173.	3.7	12
52	Attention/Working Memory, Learning and Memory in Adult Cameroonians: Normative Data, Effects of HIV Infection and Viral Genotype. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 607-623.	1.8	14
53	Smartphone-Based Measurement of Executive Function in Older Adults with and without HIV. <i>Archives of Clinical Neuropsychology</i> , 2020, 35, 347-357.	0.5	23
54	Lifetime Methamphetamine Use Disorder and Reported Sleep Quality in Adults Living with HIV. <i>AIDS and Behavior</i> , 2020, 24, 3071-3082.	2.7	7

#	ARTICLE	IF	CITATIONS
55	Daily Activities Related to Mobile Cognitive Performance in Middle-Aged and Older Adults: An Ecological Momentary Cognitive Assessment Study. JMIR MHealth and UHealth, 2020, 8, e19579.	3.7	26
56	National Institutes of Health Toolbox Emotion Battery: Application of Summary Scores to Adults With Spinal Cord Injury, Traumatic Brain Injury, and Stroke. Archives of Physical Medicine and Rehabilitation, 2019, 100, 1863-1871.	0.9	5
57	Cognitive Impairment in Zambians With HIV Infection and Pulmonary Tuberculosis. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 110-117.	2.1	15
58	Rates of Neuropsychological Dysfunction in Fibromyalgia and Rheumatoid Arthritis. Journal of Clinical Rheumatology, 2019, 25, 252-257.	0.9	5
59	Conditional Effects of Lifetime Alcohol Consumption on Methamphetamine-Associated Neurocognitive Performance. Journal of the International Neuropsychological Society, 2019, 25, 787-799.	1.8	9
60	Neurocognitive SuperAging in Older Adults Living With HIV: Demographic, Neuromedical and Everyday Functioning Correlates. Journal of the International Neuropsychological Society, 2019, 25, 507-519.	1.8	28
61	What is the optimal neuropsychological test battery for schizophrenia in China?. Schizophrenia Research, 2019, 208, 317-323.	2.0	22
62	Metabolic Syndrome and Neurocognitive Deficits in HIV Infection. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 95-101.	2.1	23
63	COMT Val158Met Polymorphism, Cardiometabolic Risk, and Nadir CD4 Synergistically Increase Risk of Neurocognitive Impairment in Men Living With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, e148-e157.	2.1	8
64	Benzodiazepine Use Is Associated With an Increased Risk of Neurocognitive Impairment in People Living With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 475-482.	2.1	13
65	Effects of comorbidity burden and age on brain integrity in HIV. Aids, 2019, 33, 1175-1185.	2.2	35
66	Cognitive Trajectory Phenotypes in Human Immunodeficiency Virus-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 61-70.	2.1	18
67	Compensatory cognitive training for people with severe mental illnesses in supported employment: A randomized controlled trial. Schizophrenia Research, 2019, 203, 41-48.	2.0	50
68	Cognitive, Emotional, and Physical Functioning as Predictors of Paid Employment in People With Stroke, Traumatic Brain Injury, and Spinal Cord Injury. American Journal of Occupational Therapy, 2019, 73, 7302205010p1-7302205010p15.	0.3	10
69	Higher Anti-Cytomegalovirus Immunoglobulin G Concentrations Are Associated With Worse Neurocognitive Performance During Suppressive Antiretroviral Therapy. Clinical Infectious Diseases, 2018, 67, 770-777.	5.8	29
70	Differences in Neurocognitive Impairment Among HIV-Infected Latinos in the United States. Journal of the International Neuropsychological Society, 2018, 24, 163-175.	1.8	29
71	Factor Analysis of an Expanded Halstead-Reitan Battery and the Structure of Neurocognition. Archives of Clinical Neuropsychology, 2018, 33, 79-101.	0.5	5
72	Effects of HIV on executive function and verbal fluency in Cameroon. Scientific Reports, 2018, 8, 17794.	3.3	16

#	ARTICLE	IF	CITATIONS
73	Sex differences in HIV-associated cognitive impairment. <i>Aids</i> , 2018, 32, 2719-2726.	2.2	50
74	National Institutes of Health Toolbox Emotion Battery for English- and Spanish-speaking adults: normative data and factor-based summary scores. <i>Patient Related Outcome Measures</i> , 2018, Volume 9, 115-127.	1.2	32
75	A composite of multisystem injury and neurocognitive impairment in HIV infection: association with everyday functioning. <i>Journal of NeuroVirology</i> , 2018, 24, 549-556.	2.1	22
76	Effect of age and level of education on neurocognitive impairment in HIV positive Zambian adults.. <i>Neuropsychology</i> , 2018, 32, 519-528.	1.3	17
77	Use of Western Neuropsychological Test Battery in Detecting HIV-Associated Neurocognitive Disorders (HAND) in Zambia. <i>AIDS and Behavior</i> , 2017, 21, 1717-1727.	2.7	34
78	Feasibility and Acceptability of Ecological Momentary Assessment of Daily Functioning Among Older Adults with HIV. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 829-840.	1.2	63
79	Genome-wide association study of HIV-associated neurocognitive disorder (HAND): A CHARTER group study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 413-426.	1.7	26
80	Everyday functional ability in HIV and methamphetamine dependence. <i>Drug and Alcohol Dependence</i> , 2017, 175, 60-66.	3.2	10
81	Neuropsychological Assessment: Past and Future. <i>Journal of the International Neuropsychological Society</i> , 2017, 23, 778-790.	1.8	118
82	Cerebrospinal fluid cell-free mitochondrial DNA is associated with HIV replication, iron transport, and mild HIV-associated neurocognitive impairment. <i>Journal of Neuroinflammation</i> , 2017, 14, 72.	7.2	30
83	Evaluating the accuracy of self-report for the diagnosis of HIV-associated neurocognitive disorder (HAND): defining "asymptomatic" versus "asymptomatic" HAND. <i>Journal of NeuroVirology</i> , 2017, 23, 67-78. ^{2.1}	2.1	25
84	Altered reward expectancy in individuals with recent methamphetamine dependence. <i>Journal of Psychopharmacology</i> , 2017, 31, 17-30.	4.0	15
85	Adherence to Antiretroviral Therapy (ART) in Yaoundé-Cameroon: Association with Opportunistic Infections, Depression, ART Regimen and Side Effects. <i>PLoS ONE</i> , 2017, 12, e0170893.	2.5	75
86	Depressive symptoms in HIV-infected and seronegative control subjects in Cameroon: Effect of age, education and gender. <i>PLoS ONE</i> , 2017, 12, e0171956.	2.5	20
87	Uncorrected versus demographically-corrected scores on the NIH Toolbox Cognition Battery in persons with traumatic brain injury and stroke.. <i>Rehabilitation Psychology</i> , 2017, 62, 485-495.	1.3	9
88	Cognition among community-dwelling individuals with spinal cord injury.. <i>Rehabilitation Psychology</i> , 2017, 62, 425-434.	1.3	30
89	Using the NIH Toolbox Cognition Battery (NIHTB-CB) in individuals with traumatic brain injury.. <i>Rehabilitation Psychology</i> , 2017, 62, 413-424.	1.3	46
90	Motor-free composites from the National Institutes of Health Toolbox Cognition Battery (NIHTB-CB) for people with disabilities.. <i>Rehabilitation Psychology</i> , 2017, 62, 464-473.	1.3	9

#	ARTICLE	IF	CITATIONS
91	Test accommodations for individuals with neurological conditions completing the NIH Toolbox® Cognition Battery: An evaluation of frequency and appropriateness.. Rehabilitation Psychology, 2017, 62, 455-463.	1.3	14
92	Construct validity of the NIH Toolbox Cognition Battery in individuals with stroke.. Rehabilitation Psychology, 2017, 62, 443-454.	1.3	40
93	HIV- and AIDS-associated neurocognitive functioning in Zambia – a perspective based on differences between the genders. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 2021-2028.	2.2	23
94	Fibroblast growth factors 1 and 2 in cerebrospinal fluid are associated with HIV disease, methamphetamine use, and neurocognitive functioning. HIV/AIDS - Research and Palliative Care, 2016, 8, 93.	0.8	6
95	Increased Intrathecal Immune Activation in Virally Suppressed HIV-1 Infected Patients with Neurocognitive Impairment. PLoS ONE, 2016, 11, e0157160.	2.5	93
96	Abbreviated Goal Management Training Shows Preliminary Evidence as a Neurorehabilitation Tool for HIV-associated Neurocognitive Disorders among Substance Users. Clinical Neuropsychologist, 2016, 30, 107-130.	2.3	24
97	Do neuropsychological test norms from African Americans in the United States generalize to a Zambian population?. Psychological Assessment, 2016, 28, 18-38.	1.5	22
98	Latent <i>Toxoplasma</i> Infection and Higher <i>Toxoplasma gondii</i> Immunoglobulin G Levels Are Associated With Worse Neurocognitive Functioning in HIV-Infected Adults. Clinical Infectious Diseases, 2016, 63, 1655-1660.	5.8	18
99	Anemia and Red Blood Cell Indices Predict HIV-Associated Neurocognitive Impairment in the Highly Active Antiretroviral Therapy Era. Journal of Infectious Diseases, 2016, 213, 1065-1073.	4.0	31
100	Methamphetamine Exposure Combined with HIV-1 Disease or gp120 Expression: Comparison of Learning and Executive Functions in Humans and Mice. Neuropsychopharmacology, 2015, 40, 1899-1909.	5.4	42
101	Incident major depressive episodes increase the severity and risk of apathy in HIV infection. Journal of Affective Disorders, 2015, 175, 475-480.	4.1	9
102	Psychometric validation of the BDI-II among HIV-positive CHARTER study participants.. Psychological Assessment, 2015, 27, 457-466.	1.5	43
103	HIV Infection Is Associated with Attenuated Frontostriatal Intrinsic Connectivity: A Preliminary Study. Journal of the International Neuropsychological Society, 2015, 21, 203-213.	1.8	74
104	The MATRICS Consensus Cognitive Battery (MCCB): Co-norming and standardization in China. Schizophrenia Research, 2015, 169, 109-115.	2.0	176
105	Measuring Episodic Memory Across the Lifespan: NIH Toolbox Picture Sequence Memory Test. Journal of the International Neuropsychological Society, 2014, 20, 611-619.	1.8	99
106	Reliability and Validity of Composite Scores from the NIH Toolbox Cognition Battery in Adults. Journal of the International Neuropsychological Society, 2014, 20, 588-598.	1.8	303
107	Factor Structure, Convergent Validity, and Discriminant Validity of the NIH Toolbox Cognitive Health Battery (NIHTB-CHB) in Adults. Journal of the International Neuropsychological Society, 2014, 20, 579-587.	1.8	71
108	The Cognition Battery of the NIH Toolbox for Assessment of Neurological and Behavioral Function: Validation in an Adult Sample. Journal of the International Neuropsychological Society, 2014, 20, 567-578.	1.8	241

#	ARTICLE	IF	CITATIONS
109	An active lifestyle is associated with better neurocognitive functioning in adults living with HIV infection. <i>Journal of NeuroVirology</i> , 2014, 20, 233-242.	2.1	71
110	“Frontal systems” behaviors in comorbid human immunodeficiency virus infection and methamphetamine dependency. <i>Psychiatry Research</i> , 2014, 215, 208-216.	3.3	37
111	Normative data and validation of a regression based summary score for assessing meaningful neuropsychological change. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 505-522.	1.3	143
112	Depression, Cognition, and Self-Appraisal of Functional Abilities in HIV: An Examination of Subjective Appraisal Versus Objective Performance. <i>Clinical Neuropsychologist</i> , 2011, 25, 224-243.	2.3	71
113	Course of neurocognitive deficits in the prodrome and first episode of schizophrenia.. <i>Neuropsychology</i> , 2010, 24, 109-120.	1.3	142
114	Neurobehavioral effects of human immunodeficiency virus infection among former plasma donors in rural China. <i>Journal of NeuroVirology</i> , 2008, 14, 536-549.	2.1	82
115	Neuropsychological Effects of 2-Week Continuous Positive Airway Pressure Treatment and Supplemental Oxygen in Patients with Obstructive Sleep Apnea: A Randomized Placebo-Controlled Study. <i>Journal of Clinical Sleep Medicine</i> , 2007, 03, 380-386.	2.6	86
116	Action (verb) fluency: Test–retest reliability, normative standards, and construct validity. <i>Journal of the International Neuropsychological Society</i> , 2005, 11, 408-415.	1.8	156
117	Predictive Validity of Global Deficit Scores in Detecting Neuropsychological Impairment in HIV Infection. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2004, 26, 307-319.	1.3	497
118	The impact of HIV-associated neuropsychological impairment on everyday functioning. <i>Journal of the International Neuropsychological Society</i> , 2004, 10, 317-31.	1.8	653
119	Sensitivity and specificity of WAIS–III/WMS–III demographically corrected factor scores in neuropsychological assessment. <i>Journal of the International Neuropsychological Society</i> , 2001, 7, 867-874.	1.8	154
120	Reliable Change Formula Query: Temkin et al. reply. <i>Journal of the International Neuropsychological Society</i> , 2000, 6, 364-364.	1.8	5
121	The impact of HIV-related neuropsychological dysfunction on driving behavior. <i>Journal of the International Neuropsychological Society</i> , 2000, 6, 854-854.	1.8	6
122	Neurocognitive Complications of HIV Disease. <i>Psychological Science</i> , 1999, 10, 191-195.	3.3	20
123	Detecting significant change in neuropsychological test performance: A comparison of four models. <i>Journal of the International Neuropsychological Society</i> , 1999, 5, 357-369.	1.8	301
124	Use of oral reading to estimate premorbid intellectual and neuropsychological functioning. <i>Journal of the International Neuropsychological Society</i> , 1999, 5, 247-254.	1.8	79
125	Test–retest reliability and practice effects of Expanded Halstead–Reitan Neuropsychological Test Battery. <i>Journal of the International Neuropsychological Society</i> , 1999, 5, 346-356.	1.8	393
126	Neuropsychological functioning in cocaine abusers with and without alcohol dependence. <i>Journal of the International Neuropsychological Society</i> , 1999, 5, 10-19.	1.8	63

#	ARTICLE	IF	CITATIONS
127	The impact of HIV-related neuropsychological dysfunction on driving behavior. Journal of the International Neuropsychological Society, 1999, 5, 579-592.	1.8	134
128	The effect of African-American acculturation on neuropsychological test performance in normal and HIV-positive individuals. Journal of the International Neuropsychological Society, 1998, 4, 291-302.	1.8	146
129	Memory for verbal information in individuals with HIV-associated dementia complex. Journal of Clinical and Experimental Neuropsychology, 1997, 19, 357-366.	1.3	52
130	The Relationship Between Neuropsychological Functioning and Coping Activity Among HIV-Positive Men. AIDS and Behavior, 1997, 1, 81-91.	2.7	11
131	Cerebrospinal fluid human immunodeficiency virus type 1 RNA levels are elevated in neurocognitively impaired individuals with acquired immunodeficiency syndrome. Annals of Neurology, 1997, 42, 679-688.	5.3	314
132	Standard versus computerized administration of the wisconsin card sorting test. Clinical Neuropsychologist, 1996, 10, 419-424.	2.3	49
133	The HNRC 500-Neuropsychology of Hiv infection at different disease stages. Journal of the International Neuropsychological Society, 1995, 1, 231-251.	1.8	605
134	Neuropsychological studies of asymptomatic Human Immunodeficiency Virus-Type-1 infected individuals. Journal of the International Neuropsychological Society, 1995, 1, 304-315.	1.8	126
135	The nature of learning and memory impairments in schizophrenia. Journal of the International Neuropsychological Society, 1995, 1, 88-99.	1.8	256
136	A screening algorithm to identify clinically significant changes in neuropsychological functions in the diabetes control and complications trial. Journal of Clinical and Experimental Neuropsychology, 1994, 16, 303-316.	1.3	10
137	Statement concerning the NIMH neuropsychological battery. Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology, 1990, 12, 960-962.	1.1	11