

# Robert Dominko

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5589424/publications.pdf>

Version: 2024-02-01

167  
papers

12,189  
citations

20817

60  
h-index

26613

107  
g-index

183  
all docs

183  
docs citations

183  
times ranked

10352  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Self-Healing: An Emerging Technology for Next-Generation Smart Batteries. <i>Advanced Energy Materials</i> , 2022, 12, 2102652.  | 19.5 | 47        |
| 2  | The Pitfalls and Opportunities of Impedance Spectroscopy of Lithium Sulfur Batteries. <i>Advanced Materials Interfaces</i> , 2022, 9, 2101116.   | 3.7  | 13        |
| 3  | Implications of the BATTERY 2030+ AI-Assisted Toolkit on Future Low-TRL Battery Discoveries and Chemistries. <i>Advanced Energy Materials</i> , 2022, 12, 2102698.   | 19.5 | 20        |
| 4  | A Roadmap for Transforming Research to Invent the Batteries of the Future Designed within the European Large Scale Research Initiative BATTERY 2030+. <i>Advanced Energy Materials</i> , 2022, 12, .   | 19.5 | 70        |
| 5  | Transmission Line Model Impedance Analysis of Lithium Sulfur Batteries: Influence of Lithium Sulfide Deposit Formed During Discharge and Self-Discharge. <i>Journal of the Electrochemical Society</i> , 2022, 169, 010529.                    | 2.9  | 4         |
| 6  | Extending the Conversion Rate of Sulfur Infiltrated into Microporous Carbon in Carbonate Electrolytes. <i>Batteries and Supercaps</i> , 2022, 5, .   | 4.7  | 3         |
| 7  | Rechargeable Batteries of the Future – The State of the Art from a BATTERY 2030+ Perspective. <i>Advanced Energy Materials</i> , 2022, 12, .   | 19.5 | 124       |
| 8  | Characterization of Electrochemical Processes in Metal-Organic Batteries by X-ray Raman Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2022, 126, 5435-5442.   | 3.1  | 4         |
| 9  | Alloying electrode coatings towards better magnesium batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 12104-12113.   | 10.3 | 14        |
| 10 | Fluorinated solvents for better batteries. <i>Nature Reviews Chemistry</i> , 2022, 6, 449-450.   | 30.2 | 16        |
| 11 | Editorial to the Special Issue: How to Reinvent the Ways to Invent the Batteries of the Future – the Battery 2030+ Large-Scale Research Initiative Roadmap. <i>Advanced Energy Materials</i> , 2022, 12, .                                     | 19.5 | 6         |
| 12 | On the Practical Applications of the Magnesium Fluorinated Alkoxyaluminate Electrolyte in Mg Battery Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 26766-26774.   | 8.0  | 19        |
| 13 | High frequency response of adenine-derived carbon in aqueous electrochemical capacitor. <i>Electrochimica Acta</i> , 2022, 424, 140649.  | 5.2  | 1         |
| 14 | Nanostructured Poly(hydroquinonyl-benzoquinonyl sulfide)/Multiwalled Carbon Nanotube Composite Cathodes: Improved Synthesis and Performance for Rechargeable Li and Mg Organic Batteries. <i>Chemistry of Materials</i> , 2022, 34, 6378-6388. | 6.7  | 3         |
| 15 | A New Cell Configuration for a More Precise Electrochemical Evaluation of an Artificial Solid-Electrolyte Interphase. <i>Batteries and Supercaps</i> , 2021, 4, 623-631.   | 4.7  | 1         |
| 16 | Electrochemical Performance and Mechanism of Calcium Metal-Organic Battery. <i>Batteries and Supercaps</i> , 2021, 4, 214-220.   | 4.7  | 44        |
| 17 | Sulfur valence-to-core X-ray emission spectroscopy study of lithium sulfur batteries. <i>Chemical Communications</i> , 2021, 57, 7573-7576.  | 4.1  | 7         |
| 18 | Characterization of Li-S Batteries Using Laboratory Sulfur X-ray Emission Spectroscopy. <i>ACS Applied Energy Materials</i> , 2021, 4, 2357-2364.  | 5.1  | 8         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Building <i>Ab Initio</i> Interface Pourbaix diagrams to Investigate Electrolyte Stability in the Electrochemical Double Layer: Application to Magnesium Batteries. ACS Applied Materials & Interfaces, 2021, 13, 8263-8273.                                 | 8.0  | 25        |
| 20 | Magnesium Polysulfides: Synthesis, Disproportionation, and Impedance Response in Symmetrical Carbon Electrode Cells. ChemElectroChem, 2021, 8, 1062-1069.  | 3.4  | 7         |
| 21 | Electrochemical Performance of Mg Metal-Quinone Battery in Chloride-Free Electrolyte. Batteries and Supercaps, 2021, 4, 815-822.   | 4.7  | 9         |
| 22 | Recent developments of Na <sub>4</sub> M <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> (P <sub>2</sub> O <sub>7</sub> ) as the cathode material for alkaline-ion rechargeable batteries: challenges and outlook. Energy Storage Materials, 2021, 37, 243-273. | 18.0 | 41        |
| 23 | Magnesium Insertion and Related Structural Changes in Spinel-Type Manganese Oxides. Crystals, 2021, 11, 984.   | 2.2  | 1         |
| 24 | Data Management Plans: the Importance of Data Management in the BIG-MAP Project**. Batteries and Supercaps, 2021, 4, 1803-1812.  | 4.7  | 19        |
| 25 | Electrochemical Mechanism of Al Metal-Organic Battery Based on Phenanthrenequinone. Energy Material Advances, 2021, 2021, .  | 11.0 | 21        |
| 26 | Lithium sulfur batteries: Electrochemistry and mechanistic research. , 2021, , .   |      | 0         |
| 27 | Concept and electrochemical mechanism of an Al metal anode - organic cathode battery. Energy Storage Materials, 2020, 24, 379-383.   | 18.0 | 138       |
| 28 | Role of Cu current collector on electrochemical mechanism of Mg-S battery. Journal of Power Sources, 2020, 450, 227672.  | 7.8  | 21        |
| 29 | Effects of a Mixed O/F Ligand in the Tavorite-Type LiVPO <sub>4</sub> O Structure. Chemistry of Materials, 2020, 32, 262-272.  | 6.7  | 3         |
| 30 | Morphological Reversibility of Modified Li-Based Anodes for Next-Generation Batteries. ACS Energy Letters, 2020, 5, 152-161.   | 17.4 | 53        |
| 31 | Polysulfide species in various electrolytes of Li-S batteries - a chromatographic investigation. Electrochimica Acta, 2020, 363, 137227.   | 5.2  | 23        |
| 32 | Magnesium batteries: Current picture and missing pieces of the puzzle. Journal of Power Sources, 2020, 478, 229027.  | 7.8  | 70        |
| 33 | Advances in understanding Li battery mechanisms using impedance spectroscopy - Review. Journal of Electrochemical Science and Engineering, 2020, 10, 79-93.  | 3.5  | 11        |
| 34 | Spectroscopic Insights into the Electrochemical Mechanism of Rechargeable Calcium/Sulfur Batteries. Chemistry of Materials, 2020, 32, 8266-8275.   | 6.7  | 29        |
| 35 | Aluminum Metal-Organic Batteries with Integrated 3D Thin Film Anodes. Advanced Functional Materials, 2020, 30, 2004573.  | 14.9 | 30        |
| 36 | Electrochemical Kinetics Study of Interaction Between Li Metal and Polysulfides. Journal of the Electrochemical Society, 2020, 167, 080526.  | 2.9  | 8         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Ceramic synthesis of disordered lithium rich oxyfluoride materials. Journal of Power Sources, 2020, 467, 228230.   | 7.8  | 7         |
| 38 | Effect of high concentration of polysulfides on Li stripping and deposition. Electrochimica Acta, 2020, 354, 136696.   | 5.2  | 15        |
| 39 | Electrolyte Reactivity in the Double Layer in Mg Batteries: An Interface Potential-Dependent DFT Study. Journal of the American Chemical Society, 2020, 142, 5146-5153.                | 13.7 | 71        |
| 40 | Lithium Metal Protection by a Cross-Linked Polymer Ionic Liquid and Its Application in Lithium Battery. ACS Applied Energy Materials, 2020, 3, 2020-2027.                              | 5.1  | 37        |
| 41 | A Powerful Transmission Line Model for Analysis of Impedance of Insertion Battery Cells: A Case Study on the NMC-Li System. Journal of the Electrochemical Society, 2020, 167, 140539. | 2.9  | 38        |
| 42 | Transmission Line Model of Battery Cell's Impedance: Theory Vs. Experiments. ECS Meeting Abstracts, 2020, MA2020-02, 186-186.  | 0.0  | 0         |
| 43 | Which Process Limits the Operation of a Li-S System?. Chemistry of Materials, 2019, 31, 9012-9023.   | 6.7  | 56        |
| 44 | Morphology evolution of magnesium facets: DFT and KMC simulations. Physical Chemistry Chemical Physics, 2019, 21, 2434-2442.   | 2.8  | 20        |
| 45 | Tracking electrochemical reactions inside organic electrodes by operando IR spectroscopy. Energy Storage Materials, 2019, 21, 347-353.   | 18.0 | 32        |
| 46 | Effect of salts on the electrochemical performance of Mg metal-organic battery. Journal of Power Sources, 2019, 430, 90-94.  | 7.8  | 40        |
| 47 | Ionic Liquids and their Polymers in Lithium-Sulfur Batteries. Israel Journal of Chemistry, 2019, 59, 832-842.  | 2.3  | 15        |
| 48 | Impedance response of porous carbon cathodes in polysulfide redox system. Electrochimica Acta, 2019, 302, 169-179.   | 5.2  | 39        |
| 49 | The Role of Cellulose Based Separator in Lithium Sulfur Batteries. Journal of the Electrochemical Society, 2019, 166, A5237-A5243.   | 2.9  | 27        |
| 50 | Ceramic Synthesis of Disordered Lithium Rich Oxyfluoride and the Impact of Their Defects in Electrochemical Performances. ECS Meeting Abstracts, 2019, , .                             | 0.0  | 1         |
| 51 | Redox Mechanisms and Film Formation at Interfaces in Lithium-sulfur Battery System. ECS Meeting Abstracts, 2019, , .   | 0.0  | 0         |
| 52 | (Keynote) Important and Less Important Challenges of Metal Sulfur Batteries. ECS Meeting Abstracts, 2019, , .  | 0.0  | 0         |
| 53 | How Do Li-S Electrolytes with Reduced Polysulfide Solubility Work – an Impedance Spectroscopy Investigation. ECS Meeting Abstracts, 2019, , .  | 0.0  | 0         |
| 54 | Fluorination of Vanadium Oxy-Phosphate By Lif: Electrochemical Behavior in Li-Ion Battery. ECS Meeting Abstracts, 2019, , .  | 0.0  | 0         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | (Invited) Magnesium Organic Batteries. ECS Meeting Abstracts, 2019, , .   | 0.0  | 0         |
| 56 | Modelling the Electrode/Electrolyte Interfaces. ECS Meeting Abstracts, 2019, , .  | 0.0  | 0         |
| 57 | Fluorinated reduced graphene oxide as a protective layer on the metallic lithium for application in the high energy batteries. Scientific Reports, 2018, 8, 5819.                                 | 3.3  | 51        |
| 58 | Probing electrochemical reactions in organic cathode materials via in operando infrared spectroscopy. Nature Communications, 2018, 9, 661.  | 12.8 | 100       |
| 59 | Polysulfides Formation in Different Electrolytes from the Perspective of X-ray Absorption Spectroscopy. Journal of the Electrochemical Society, 2018, 165, A5014-A5019.                           | 2.9  | 37        |
| 60 | Electrochemical behavior of $\text{Bi}_{4}\text{B}_{2}\text{O}_{9}$ towards lithium-reversible conversion reactions without nanosizing. Physical Chemistry Chemical Physics, 2018, 20, 2330-2338. | 2.8  | 9         |
| 61 | Opportunities and Challenges in the Development of Cathode Materials for Rechargeable Mg Batteries. Frontiers in Chemistry, 2018, 6, 634.   | 3.6  | 19        |
| 62 | Impact of Structural Polymorphism on Ionic Conductivity in Lithium Copper Pyroborate $\text{Li}_{6}\text{CuB}_{4}\text{O}_{10}$ . Inorganic Chemistry, 2018, 57, 11646-11654.                     | 4.0  | 5         |
| 63 | Electrochemical performance and redox mechanism of naphthalene-hydrazine diimide polymer as a cathode in magnesium battery. Journal of Power Sources, 2018, 395, 25-30.                           | 7.8  | 76        |
| 64 | Linear and Cross-Linked Ionic Liquid Polymers as Binders in Lithium-Sulfur Batteries. Chemistry of Materials, 2018, 30, 5444-5450.  | 6.7  | 53        |
| 65 | Insight into Mg-S Battery Mechanism. ECS Meeting Abstracts, 2018, , .   | 0.0  | 0         |
| 66 | The mechanism of $\text{Li}_{2}\text{S}$ activation in lithium-sulfur batteries: Can we avoid the polysulfide formation?. Journal of Power Sources, 2017, 344, 208-217.                           | 7.8  | 82        |
| 67 | Effect of $\text{Cl}^{-}$ and TFSI $^{-}$ anions on dual electrolyte systems in a hybrid Mg/ $\text{Li}_{4}\text{Ti}_{5}\text{O}_{12}$ battery. Electrochemistry Communications, 2017, 76, 29-33. | 4.7  | 17        |
| 68 | <i>In operando</i> characterization of batteries using x-ray absorption spectroscopy: advances at the beamline XAFS at synchrotron Elettra. Journal Physics D: Applied Physics, 2017, 50, 074001. | 2.8  | 85        |
| 69 | Analytical Techniques for Lithium-Sulfur Batteries. , 2017, , 275-307.  |      | 0         |
| 70 | Mechanistic Study of Magnesium-Sulfur Batteries. Chemistry of Materials, 2017, 29, 9555-9564.   | 6.7  | 101       |
| 71 | The physicochemical properties of a [DEME][TFSI] ionic liquid-based electrolyte and their influence on the performance of lithium-sulfur batteries. Electrochimica Acta, 2017, 252, 147-153.      | 5.2  | 26        |
| 72 | Pulse combustion reactor as a fast and scalable synthetic method for preparation of Li-ion cathode materials. Journal of Power Sources, 2017, 363, 218-226.                                       | 7.8  | 10        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Reactivity and Diffusivity of Li Polysulfides: A Fundamental Study Using Impedance Spectroscopy. ACS Applied Materials & Interfaces, 2017, 9, 29760-29770.  | 8.0  | 61        |
| 74 | Fluorinated Ether Based Electrolyte for High-Energy Lithium-Sulfur Batteries: Li <sup>+</sup> Solvation Role Behind Reduced Polysulfide Solubility. Chemistry of Materials, 2017, 29, 10037-10044.  | 6.7  | 75        |
| 75 | Electrochemical activity and high ionic conductivity of lithium copper pyroborate Li <sub>6</sub> CuB <sub>4</sub> O <sub>10</sub> . Physical Chemistry Chemical Physics, 2016, 18, 14960-14969.  | 2.8  | 14        |
| 76 | Poly(hydroquinoyl-benzoquinonyl sulfide) as an active material in Mg and Li organic batteries. Electrochemistry Communications, 2016, 69, 1-5.  | 4.7  | 54        |
| 77 | Application of Gel Polymer Electrolytes Based on Ionic Liquids in Lithium-Sulfur Batteries. Journal of the Electrochemical Society, 2016, 163, A2390-A2398.   | 2.9  | 31        |
| 78 | Synthesis, Structure, and Electrochemical Properties of Na <sub>3</sub> MB <sub>5</sub> O <sub>10</sub> (M = Fe, Co) Containing M <sup>2+</sup> in Tetrahedral Coordination. Inorganic Chemistry, 2016, 55, 12775-12782.                            | 4.0  | 18        |
| 79 | Stable Crystalline Forms of Na Polysulfides: Experiment versus Ab Initio Computational Prediction. Chemistry - A European Journal, 2016, 22, 3355-3360.   | 3.3  | 13        |
| 80 | Quinone-formaldehyde polymer as an active material in Li-ion batteries. Journal of Power Sources, 2016, 315, 169-178.   | 7.8  | 43        |
| 81 | The use of methylcellulose for the synthesis of Li <sub>2</sub> FeSiO <sub>4</sub> /C composites. Cellulose, 2016, 23, 239-246.   | 4.9  | 3         |
| 82 | Sulphured Polyacrylonitrile Composite Analysed by in operando UV-Visible Spectroscopy and 4-electrode Swagelok Cell. Acta Chimica Slovenica, 2016, 63, 569-577.   | 0.6  | 2         |
| 83 | Biomass-Derived Heteroatom-Doped Carbon Aerogels from a Salt Melt Sol-Gel Synthesis and their Performance in Li-S Batteries. ChemSusChem, 2015, 8, 3077-3083.   | 6.8  | 72        |
| 84 | Anthraquinone-Based Polymer as Cathode in Rechargeable Magnesium Batteries. ChemSusChem, 2015, 8, 4128-4132.  | 6.8  | 137       |
| 85 | Visualization of O-O peroxo-like dimers in high-capacity layered oxides for Li-ion batteries. Science, 2015, 350, 1516-1521.  | 12.6 | 659       |
| 86 | Novel Complex Stacking of Fully-Ordered Transition Metal Layers in Li <sub>4</sub> FeSbO <sub>6</sub> Materials. Chemistry of Materials, 2015, 27, 1699-1708.   | 6.7  | 40        |
| 87 | In situ Fe K-edge X-ray absorption spectroscopy study during cycling of Li <sub>2</sub> FeSiO <sub>4</sub> and Li <sub>2.2</sub> Fe <sub>0.9</sub> SiO <sub>4</sub> Li ion battery materials. Journal of Materials Chemistry A, 2015, 3, 7314-7322. | 10.3 | 23        |
| 88 | Analytical Detection of Polysulfides in the Presence of Adsorption Additives by Operando X-ray Absorption Spectroscopy. Journal of Physical Chemistry C, 2015, 119, 19001-19010.  | 3.1  | 64        |
| 89 | Singular Structural and Electrochemical Properties in Highly Defective LiFePO <sub>4</sub> Powders. Chemistry of Materials, 2015, 27, 4261-4273.  | 6.7  | 43        |
| 90 | Understanding the Roles of Anionic Redox and Oxygen Release during Electrochemical Cycling of Lithium-Rich Layered Li <sub>4</sub> FeSbO <sub>6</sub> . Journal of the American Chemical Society, 2015, 137, 4804-4814.                             | 13.7 | 155       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Fluorinated Reduced Graphene Oxide as an Interlayer in Li-S Batteries. <i>Chemistry of Materials</i> , 2015, 27, 7070-7081.  | 6.7 | 124       |
| 92  | Manganese modified zeolite silicalite-1 as polysulphide sorbent in lithium sulphur batteries. <i>Journal of Power Sources</i> , 2015, 274, 1239-1248.  | 7.8 | 35        |
| 93  | Preparation, characterisation and optimisation of lithium battery anodes consisting of silicon synthesised using Laser assisted Chemical Vapour Pyrolysis. <i>Journal of Power Sources</i> , 2015, 273, 380-388. | 7.8 | 5         |
| 94  | Back Cover: Effective Separation of Lithium Anode and Sulfur Cathode in Lithium-Sulfur Batteries ( <i>ChemElectroChem</i> 6/2014). <i>ChemElectroChem</i> , 2014, 1, 1086-1086.                                  | 3.4 | 0         |
| 95  | Low surface area graphene/cellulose composite as a host matrix for lithium sulphur batteries. <i>Journal of Power Sources</i> , 2014, 254, 55-61.  | 7.8 | 44        |
| 96  | X-ray Absorption Near-Edge Structure and Nuclear Magnetic Resonance Study of the Lithium-Sulfur Battery and its Components. <i>ChemPhysChem</i> , 2014, 15, 894-904.   | 2.1 | 113       |
| 97  | Polymorphism in $\text{Li}_{2-x}\text{M}_x\text{SiO}_4$ ( $x = \text{Fe, Mn}$ ): A Variable Temperature Diffraction Study. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 1043-1049.     | 1.2 | 14        |
| 98  | Effective Separation of Lithium Anode and Sulfur Cathode in Lithium-Sulfur Batteries. <i>ChemElectroChem</i> , 2014, 1, 1040-1045.   | 3.4 | 64        |
| 99  | Application of In Operando UV/Vis Spectroscopy in Lithium-Sulfur Batteries. <i>ChemSusChem</i> , 2014, 7, 2167-2175.   | 6.8 | 115       |
| 100 | Redox-Active Functionalized Graphene Nanoribbons as Electrode Material for Li-Ion Batteries. <i>ChemElectroChem</i> , 2014, 1, 2131-2137.  | 3.4 | 14        |
| 101 | Structural study of monoclinic $\text{Li}_2\text{FeSiO}_4$ by X-ray diffraction and Mössbauer spectroscopy. <i>Journal of Power Sources</i> , 2014, 265, 75-80.  | 7.8 | 10        |
| 102 | 1,2,4,5-Tetramethoxybenzene as a redox shuttle and their analogues in Li-ion batteries. <i>Journal of Power Sources</i> , 2013, 235, 214-219.  | 7.8 | 12        |
| 103 | Li-S Battery Analyzed by UV/Vis in Operando Mode. <i>ChemSusChem</i> , 2013, 6, 1177-1181.   | 6.8 | 243       |
| 104 | Nonstoichiometry in $\text{LiFe}_{0.5}\text{Mn}_{0.5}\text{PO}_4$ : Structural and Electrochemical Properties. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1446-A1450.                           | 2.9 | 19        |
| 105 | Synthesis of Nanometric $\text{LiMnPO}_4$ via a Two-Step Technique. <i>Chemistry of Materials</i> , 2012, 24, 1041-1047.   | 6.7 | 91        |
| 106 | $\text{A}_3\text{V}_2(\text{PO}_4)_3$ ( $\text{A} = \text{Na or Li}$ ) probed by in situ X-ray absorption spectroscopy. <i>Journal of Power Sources</i> , 2012, 216, 145-151.                                    | 7.8 | 60        |
| 107 | Local Coordination and Valence States of Cobalt in Sodium Titanate Nanoribbons. <i>Journal of Physical Chemistry C</i> , 2012, 116, 11357-11363.   | 3.1 | 12        |
| 108 | Electrochemically stabilised quinone based electrode composites for Li-ion batteries. <i>Journal of Power Sources</i> , 2012, 199, 308-314.  | 7.8 | 67        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Graphite and LiCo <sub>1/3</sub> Mn <sub>1/3</sub> Ni <sub>1/3</sub> O <sub>2</sub> electrodes with piperidinium ionic liquid and lithium bis(fluorosulfonyl)imide for Li-ion batteries. <i>Journal of Power Sources</i> , 2012, 205, 402-407. | 7.8  | 66        |
| 110 | Understanding <sup>6</sup> Li MAS NMR spectra of Li <sub>2</sub> MSiO <sub>4</sub> materials (M=Mn, Fe, Zn). <i>Solid State Nuclear Magnetic Resonance</i> , 2012, 42, 33-41.  | 2.3  | 20        |
| 111 | Cathode Composites for Li-ion Batteries via the Use of Oxygenated Porous Architectures. <i>Journal of the American Chemical Society</i> , 2011, 133, 16154-16160.  | 13.7 | 568       |
| 112 | Polymorphism in Li <sub>2</sub> (Fe,Mn)SiO <sub>4</sub> : A combined diffraction and NMR study. <i>Journal of Materials Chemistry</i> , 2011, 21, 17823.   | 6.7  | 55        |
| 113 | Li <sub>2</sub> FeSiO <sub>4</sub> Polymorphs Probed by <sup>6</sup> Li MAS NMR and <sup>57</sup> Fe Mössbauer Spectroscopy. <i>Chemistry of Materials</i> , 2011, 23, 2735-2744.  | 6.7  | 65        |
| 114 | Silicate cathodes for lithium batteries: alternatives to phosphates?. <i>Journal of Materials Chemistry</i> , 2011, 21, 9811.  | 6.7  | 310       |
| 115 | Dependence of Li <sub>2</sub> FeSiO <sub>4</sub> Electrochemistry on Structure. <i>Journal of the American Chemical Society</i> , 2011, 133, 1263-1265.  | 13.7 | 204       |
| 116 | Electrochemical characteristics of Li <sub>2</sub> VTiO <sub>4</sub> rock salt phase in Li-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 6856-6862.  | 7.8  | 34        |
| 117 | Optical properties of exfoliated MoS <sub>2</sub> coaxial nanotubes - analogues of graphene. <i>Nanoscale Research Letters</i> , 2011, 6, 593.   | 5.7  | 83        |
| 118 | Analytical detection of soluble polysulphides in a modified Swagelok cell. <i>Electrochemistry Communications</i> , 2011, 13, 117-120.   | 4.7  | 89        |
| 119 | Lithium bis(fluorosulfonyl)imide-PYR14TFSI ionic liquid electrolyte compatible with graphite. <i>Journal of Power Sources</i> , 2011, 196, 7700-7706.  | 7.8  | 119       |
| 120 | Electroactive Organic Molecules Immobilized onto Solid Nanoparticles as a Cathode Material for Lithium-ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 7222-7224.  | 13.8 | 163       |
| 121 | Crystal Structure of a New Polymorph of Li <sub>2</sub> FeSiO <sub>4</sub> . <i>Inorganic Chemistry</i> , 2010, 49, 7446-7451.   | 4.0  | 109       |
| 122 | On the Origin of the Electrochemical Capacity of Li <sub>2</sub> Fe <sub>0.8</sub> Mn <sub>0.2</sub> SiO <sub>4</sub> . <i>Journal of the Electrochemical Society</i> , 2010, 157, A1309.  | 2.9  | 66        |
| 123 | Silicates and titanates as high-energy cathode materials for Li-ion batteries. , 2010, , .   |      | 7         |
| 124 | Polymorphism and structural defects in Li <sub>2</sub> FeSiO <sub>4</sub> . <i>Dalton Transactions</i> , 2010, 39, 6310.   | 3.3  | 110       |
| 125 | <sup>6</sup> Li MAS NMR spectroscopy and first-principles calculations as a combined tool for the investigation of Li <sub>2</sub> MnSiO <sub>4</sub> polymorphs. <i>Chemical Communications</i> , 2010, 46, 3306.                             | 4.1  | 68        |
| 126 | Electrochemical Behavior of Li <sub>2</sub> FeSiO <sub>4</sub> with Ionic Liquids at Elevated Temperature. <i>Journal of the Electrochemical Society</i> , 2009, 156, A619.  | 2.9  | 64        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Stabilizers of Particle Size and Morphology: a Road Towards High-Rate Performance Insertion Materials. <i>Advanced Materials</i> , 2009, 21, 2715-2719.  | 21.0 | 63        |
| 128 | Tailoring nanostructured TiO <sub>2</sub> for high power Li-ion batteries. <i>Journal of Power Sources</i> , 2009, 189, 869-874.   | 7.8  | 23        |
| 129 | Ion-conducting lithium bis(oxalato)borate-based polymer electrolytes. <i>Journal of Power Sources</i> , 2009, 189, 133-138.  | 7.8  | 26        |
| 130 | Electrochemical activity of Li <sub>2</sub> FeTiO <sub>4</sub> and Li <sub>2</sub> MnTiO <sub>4</sub> as potential active materials for Li ion batteries: A comparison with Li <sub>2</sub> NiTiO <sub>4</sub> . <i>Journal of Power Sources</i> , 2009, 189, 81-88. | 7.8  | 50        |
| 131 | Detailed In Situ Investigation of the Electrochemical Processes in Li <sub>2</sub> FeTiO <sub>4</sub> Cathodes. <i>Journal of the Electrochemical Society</i> , 2009, 156, A809.   | 2.9  | 31        |
| 132 | Synthesis of 3D Hierarchical Self-Assembled Microstructures Formed from $\text{MnO}_2$ Nanotubes and Their Conducting and Magnetic Properties. <i>Journal of Physical Chemistry C</i> , 2009, 113, 14798-14803.  | 3.1  | 67        |
| 133 | Impact of synthesis conditions on the structure and performance of Li <sub>2</sub> FeSiO <sub>4</sub> . <i>Journal of Power Sources</i> , 2008, 178, 842-847.  | 7.8  | 154       |
| 134 | Li <sub>2</sub> MSiO <sub>4</sub> (M=Fe and/or Mn) cathode materials. <i>Journal of Power Sources</i> , 2008, 184, 462-468.  | 7.8  | 340       |
| 135 | On the Energetic Stability and Electrochemistry of Li <sub>2</sub> MnSiO <sub>4</sub> Polymorphs. <i>Chemistry of Materials</i> , 2008, 20, 5574-5584.   | 6.7  | 178       |
| 136 | The Importance of Interphase Contacts in Li Ion Electrodes: The Meaning of the High-Frequency Impedance Arc. <i>Electrochemical and Solid-State Letters</i> , 2008, 11, A170.  | 2.2  | 306       |
| 137 | The Influence of the Reaction Temperature on the Morphology of Sodium Titanate 1D Nanostructures and Their Thermal Stability. <i>Journal of Nanoscience and Nanotechnology</i> , 2007, 7, 3502-3508.   | 0.9  | 47        |
| 138 | Beyond One-Electron Reaction in Li Cathode Materials: Designing Li <sub>2</sub> MnxFe <sub>1-x</sub> SiO <sub>4</sub> . <i>Chemistry of Materials</i> , 2007, 19, 3633-3640.   | 6.7  | 245       |
| 139 | Wired Porous Cathode Materials: A Novel Concept for Synthesis of LiFePO <sub>4</sub> . <i>Chemistry of Materials</i> , 2007, 19, 2960-2969.  | 6.7  | 200       |
| 140 | Improved Electrode Performance of Porous LiFePO <sub>4</sub> Using RuO <sub>2</sub> as an Oxidic Nanoscale Interconnect. <i>Advanced Materials</i> , 2007, 19, 1963-1966.  | 21.0 | 380       |
| 141 | Is small particle size more important than carbon coating? An example study on LiFePO <sub>4</sub> cathodes. <i>Electrochemistry Communications</i> , 2007, 9, 2778-2783.  | 4.7  | 401       |
| 142 | Li <sub>2</sub> MnSiO <sub>4</sub> as a potential Li-battery cathode material. <i>Journal of Power Sources</i> , 2007, 174, 457-461.   | 7.8  | 186       |
| 143 | The meaning of impedance measurements of LiFePO <sub>4</sub> cathodes: A linearity study. <i>Journal of Power Sources</i> , 2007, 174, 944-948.  | 7.8  | 32        |
| 144 | Morphology and electrical properties of conductive carbon coatings for cathode materials. <i>Journal of Power Sources</i> , 2007, 174, 683-688.  | 7.8  | 93        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Carbon nanocoatings on active materials for Li-ion batteries. Journal of the European Ceramic Society, 2007, 27, 909-913.   | 5.7 | 75        |
| 146 | Alkali hexatitanates $A_2Ti_6O_{13}$ (A = Na, K) as host structure for reversible lithium insertion. Journal of Power Sources, 2007, 174, 1172-1176.                                | 7.8 | 49        |
| 147 | Synthesis, structure, and magnetic properties of iron-oxide nanowires. Journal of Materials Research, 2006, 21, 2955-2962.  | 2.6 | 18        |
| 148 | Structure and electrochemical performance of $Li_2MnSiO_4$ and $Li_2FeSiO_4$ as potential Li-battery cathode materials. Electrochemistry Communications, 2006, 8, 217-222.          | 4.7 | 430       |
| 149 | Porous olivine composites synthesized by sol-gel technique. Journal of Power Sources, 2006, 153, 274-280.   | 7.8 | 260       |
| 150 | Mass and charge transport in hierarchically organized storage materials. Example: Porous active materials with nanocoated walls of pores. Solid State Ionics, 2006, 177, 3015-3022. | 2.7 | 38        |
| 151 | Porous, carbon-decorated $LiFePO_4$ prepared by sol-gel method based on citric acid. Solid State Ionics, 2005, 176, 1801-1805.  | 2.7 | 99        |
| 152 | Impact of the Carbon Coating Thickness on the Electrochemical Performance of $LiFePO_4/C$ Composites. Journal of the Electrochemical Society, 2005, 152, A607.                      | 2.9 | 445       |
| 153 | Impact of $LiFePO_4/C$ Composites Porosity on Their Electrochemical Performance. Journal of the Electrochemical Society, 2005, 152, A858.   | 2.9 | 126       |
| 154 | A comparative study of magnetic properties of $LiFePO_4$ and $LiMnPO_4$ . Journal of Physics Condensed Matter, 2004, 16, 5531-5548.   | 1.8 | 44        |
| 155 | Electrochemical preparation and characterisation of $Li_2MoS_2$ nanotubes. Electrochimica Acta, 2003, 48, 3079-3084.  | 5.2 | 27        |
| 156 | Influence of carbon black distribution on performance of oxide cathodes for Li ion batteries. Electrochimica Acta, 2003, 48, 3709-3716.   | 5.2 | 149       |
| 157 | Magnetic properties of $MoS_2$ nanotubes doped with lithium. Polyhedron, 2003, 22, 2293-2295.   | 2.2 | 13        |
| 158 | The role of carbon black distribution in cathodes for Li ion batteries. Journal of Power Sources, 2003, 119-121, 770-773.   | 7.8 | 255       |
| 159 | Cellulose as a binding material in graphitic anodes for Li ion batteries: a performance and degradation study. Electrochimica Acta, 2003, 48, 883-889.                              | 5.2 | 152       |
| 160 | Electron spin resonance of doped chalcogenide nanotubes. Physical Review B, 2003, 67, .   | 3.2 | 21        |
| 161 | Temperature dependent ESR of doped chalcogenide nanotubes. AIP Conference Proceedings, 2003, , .  | 0.4 | 0         |
| 162 | ESR Study of Electrochemically Doped Chalcogenide Nanotubes. Materials Research Society Symposia Proceedings, 2003, 775, 9261.  | 0.1 | 1         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Dichalcogenide Nanotube Electrodes for Li-Ion Batteries. <i>Advanced Materials</i> , 2002, 14, 1531-1534.                                      | 21.0 | 206       |
| 164 | Gelatin-modified surfaces in selected electronic components. , 2001, , 177-179.  |      | 1         |
| 165 | Carbon anodes prepared from graphite particles pretreated in a gelatine solution. <i>Journal of Power Sources</i> , 2001, 94, 97-101.          | 7.8  | 46        |
| 166 | Improved carbon anode properties: pretreatment of particles in polyelectrolyte solution. <i>Journal of Power Sources</i> , 2001, 97-98, 67-69. | 7.8  | 42        |
| 167 | A Novel Coating Technology for Preparation of Cathodes in Li-Ion Batteries. <i>Electrochemical and Solid-State Letters</i> , 2001, 4, A187.    | 2.2  | 114       |