

Heidi S Harvie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5590610/publications.pdf>

Version: 2024-02-01

65
papers

1,304
citations

394421

19
h-index

377865

34
g-index

65
all docs

65
docs citations

65
times ranked

1297
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient preferences for uterine preservation and hysterectomy in women with pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2013, 209, 470.e1-470.e6.	1.3	134
2	Nonsurgical Management of Heavy Menstrual Bleeding. Obstetrics and Gynecology, 2013, 121, 632-643.	2.4	120
3	Two-Year Outcomes of Sacral Neuromodulation Versus OnabotulinumtoxinA for Refractory Urgency Urinary Incontinence: A Randomized Trial. European Urology, 2018, 74, 66-73.	1.9	93
4	Venous Thromboembolism Prophylaxis in Gynecologic Surgery. Obstetrics and Gynecology, 2011, 118, 1111-1125.	2.4	86
5	Outcomes of Abdominal and Minimally Invasive Sacrocolpopexy. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 33-37.	1.1	78
6	Effect of Vaginal Mesh Hysteropexy vs Vaginal Hysterectomy With Uterosacral Ligament Suspension on Treatment Failure in Women With Uterovaginal Prolapse. JAMA - Journal of the American Medical Association, 2019, 322, 1054.	7.4	69
7	Sexual activity and function in women with and without pelvic floor disorders. International Urogynecology Journal, 2013, 24, 91-97.	1.4	50
8	The Refractory Overactive Bladder: Sacral Neuromodulation vs. Botulinum Toxin Assessment: ROSETTA trial. Contemporary Clinical Trials, 2014, 37, 272-283.	1.8	42
9	Does vaginal size impact sexual activity and function?. International Urogynecology Journal, 2010, 21, 447-452.	1.4	41
10	Effect of sacrospinous hysteropexy with graft vs vaginal hysterectomy with uterosacral ligament suspension on treatment failure in women with uterovaginal prolapse: 5-year results of a randomized clinical trial. American Journal of Obstetrics and Gynecology, 2021, 225, 153.e1-153.e31.	1.3	38
11	Prolapse-related knowledge and attitudes toward the uterus in women with pelvic organ prolapse symptoms. American Journal of Obstetrics and Gynecology, 2013, 209, 481.e1-481.e6.	1.3	35
12	Management of Vesicovaginal Fistulae. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 7-13.	1.1	33
13	Clinical significance of obstructive defecatory symptoms in women with pelvic organ prolapse. International Journal of Gynecology and Obstetrics, 2010, 111, 237-240.	2.3	26
14	Functional Status and Postoperative Morbidity in Older Women with Prolapse. Journal of Urology, 2013, 190, 948-952.	0.4	26
15	Cost-Effectiveness of Sacral Neuromodulation versus OnabotulinumtoxinA for Refractory Urgency Urinary Incontinence: Results of the ROSETTA Randomized Trial. Journal of Urology, 2020, 203, 969-977.	0.4	26
16	A Retrospective Multicenter Study on Outcomes After Midurethral Polypropylene Sling Revision for Voiding Dysfunction. Female Pelvic Medicine and Reconstructive Surgery, 2010, 16, 340-344.	1.1	25
17	Practice Patterns Regarding Management of Rectovaginal Fistulae. Female Pelvic Medicine and Reconstructive Surgery, 2015, 21, 123-128.	1.1	23
18	Incidence of Unanticipated Uterine Pathology at the Time of Minimally Invasive Abdominal Sacrocolpopexy. Journal of Minimally Invasive Gynecology, 2014, 21, 97-100.	0.6	21

#	ARTICLE	IF	CITATIONS
19	Short-Term Postoperative Functional Outcomes in Older Women Undergoing Prolapse Surgery. <i>Obstetrics and Gynecology</i> , 2015, 125, 551-558.	2.4	21
20	Responsiveness and minimally important difference of SF-6D and EQ-5D utility scores for the treatment of pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 265.e1-265.e11.	1.3	20
21	Association of Neuropathic Pain With Bladder, Bowel and Catastrophizing Symptoms in Women With Bladder Pain Syndrome. <i>Journal of Urology</i> , 2012, 187, 503-507.	0.4	18
22	Cost-effectiveness of Mifepristone Pretreatment for the Medical Management of Nonviable Early Pregnancy. <i>JAMA Network Open</i> , 2020, 3, e201594.	5.9	18
23	Validity of utility measures for women with urge, stress, and mixed urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, 85.e1-85.e6.	1.3	16
24	Success and failure are dynamic, recurrent event states after surgical treatment for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 362.e1-362.e11.	1.3	15
25	Willingness of Women With Pelvic Floor Disorders to Use Mobile Technology to Communicate With Their Health Care Providers. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 134-138.	1.1	14
26	Comparison of Patient Impact and Clinical Characteristics Between Urgency and Passive Fecal Incontinence Phenotypes. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 570-574.	1.1	14
27	Sexual Activity and Dyspareunia 1 Year After Surgical Repair of Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2020, 136, 492-500.	2.4	14
28	Is self-reported adherence associated with clinical outcomes in women treated with anticholinergic medication for overactive bladder?. <i>Neurourology and Urodynamics</i> , 2016, 35, 738-742.	1.5	13
29	Physical Activity Patterns and Sedentary Behavior in Older Women With Urinary Incontinence: an Accelerometer-based Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 318-322.	1.1	13
30	Utility preference score measurement in women with fecal incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 72.e1-72.e6.	1.3	12
31	Single versus multi-dose antibiotic prophylaxis for pelvic organ prolapse surgery with graft/mesh. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 181, 37-40.	1.1	11
32	Validation of a self-administered instrument to measure adherence to anticholinergic drugs in women with overactive bladder. <i>Neurourology and Urodynamics</i> , 2015, 34, 424-428.	1.5	11
33	Open sacrocolpopexy and vaginal apical repair: retrospective comparison of success and serious complications. <i>International Urogynecology Journal</i> , 2018, 29, 1101-1110.	1.4	10
34	Subgroups of failure after surgery for pelvic organ prolapse and associations with quality of life outcomes: a longitudinal cluster analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 504.e1-504.e22.	1.3	10
35	Video Virtual Clinical Encounters Versus Office Visits for Postoperative Care After Pelvic Organ Prolapse Surgery: A Randomized Clinical Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 432-438.	1.1	10
36	Validity of utility measures for women with pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 119.e1-119.e8.	1.3	9

#	ARTICLE	IF	CITATIONS
37	Comparison of Vaginal Axis in Women Who Have Undergone Hysterectomy Versus Women With an Intact Uterus. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 313-317.	1.1	9
38	Defining mechanisms of recurrence following apical prolapse repair based on imaging criteria. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 506.e1-506.e28.	1.3	9
39	The relationship between fecal incontinence, constipation and defecatory symptoms in women with pelvic floor disorders. <i>Neurourology and Urodynamics</i> , 2017, 36, 495-498.	1.5	8
40	Surgical Outcomes After Apical Repair for Vault Compared With Uterovaginal Prolapse. <i>Obstetrics and Gynecology</i> , 2018, 131, 475-483.	2.4	8
41	The Impact of Treatment of Overactive Bladder on Physical Activity Limitations. <i>Journal of Women's Health</i> , 2016, 25, 801-805.	3.3	6
42	Impact of Dry Mouth on Fluid Intake and Overactive Bladder Symptoms in Women taking Fesoterodine. <i>Journal of Urology</i> , 2016, 195, 1517-1522.	0.4	6
43	Pilot randomized controlled trial of a hypnosis intervention for women with bladder pain syndrome. <i>Neurourology and Urodynamics</i> , 2021, 40, 1945-1954.	1.5	6
44	Institutional Review Board Variability in Minimal-Risk Multicenter Urogynecology Studies. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 89-93.	1.1	5
45	Perioperative adverse events in women over age 65 undergoing robot-assisted sacrocolpopexy. <i>International Urogynecology Journal</i> , 2020, 31, 1463-1470.	1.4	4
46	Methods for the defining mechanisms of anterior vaginal wall descent (DEMAND) study. <i>International Urogynecology Journal</i> , 2021, 32, 809-818.	1.4	4
47	Severe atrophic vaginitis causing vaginal synechiae and hematocolpos at menopause. <i>Menopause</i> , 2011, 18, 333-335.	2.0	3
48	Is Nocturia Associated With Detrusor Underactivity?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e639-e644.	1.1	3
49	Position and orientation of vaginal pessaries in situ on magnetic resonance imaging. <i>International Urogynecology Journal</i> , 2022, 33, 369-376.	1.4	3
50	Cost-effectiveness of behavioral and pelvic floor muscle therapy combined with midurethral sling surgery vs surgery alone among women with mixed urinary incontinence: results of the Effects of Surgical Treatment Enhanced With Exercise for Mixed Urinary Incontinence randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 651.e1-651.e26.	1.3	3
51	Vaginal Hysterectomy Performed Under General Versus Neuraxial Regional Anesthesia: Comparison of Patient Characteristics and 30-Day Outcomes Using Propensity Score-Matched Cohorts. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, e98-e102.	1.1	3
52	Novel approach for correction of urethral prolapse using a retropubic sling with urethral fixation. <i>International Urogynecology Journal</i> , 2009, 20, 995-997.	1.4	2
53	Construct validity of an instrument to measure neuropathic pain in women with bladder pain syndrome. <i>Neurourology and Urodynamics</i> , 2013, 32, 424-427.	1.5	2
54	Is Fluid Intake Associated With Fecal Incontinence in Women?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 137-140.	1.1	2

#	ARTICLE	IF	CITATIONS
55	Trends in Same-Day Discharge Rate After Minimally Invasive Sacrocolpopexy and Propensity Score-Matched Analysis of Postoperative Complication Rates Using the National Surgical Quality Improvement Program Database. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, e22-e28.	1.1	2
56	Review of Malpractice Litigations Involving Vesicovaginal and Rectovaginal Fistulas Following Elective Hysterectomy for Benign Indications in the United States From 1970 to 2020. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 186-194.	1.1	1
57	The impact of institutional experience on robotic sacrocolpopexy. <i>Journal of Robotic Surgery</i> , 2014, 8, 343-347.	1.8	0
58	Relationship Between Pelvic Organ Prolapse and Non-Human Papillomavirus Pap Smear Abnormalities. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 315-318.	1.1	0
59	Surgical Outcomes After Apical Repair for Vault Compared With Uterovaginal Prolapse. <i>Obstetrical and Gynecological Survey</i> , 2018, 73, 347-348.	0.4	0
60	Effect of Vaginal Mesh Hysteropexy Versus Vaginal Hysterectomy With Uterosacral Ligament Suspension on Treatment Failure in Women With Uterovaginal Prolapse: A Randomized Clinical Trial. <i>Obstetrical and Gynecological Survey</i> , 2020, 75, 23-25.	0.4	0
61	Video Virtual Clinical Encounters Versus Office Visits for Postoperative Care After Pelvic Organ Prolapse Surgery: A Randomized Clinical Trial. <i>Obstetrical and Gynecological Survey</i> , 2021, 76, 529-530.	0.4	0
62	Reply by Authors. <i>Journal of Urology</i> , 2020, 203, 977-977.	0.4	0
63	Is Delaying Urogynecologic Surgery for Patients With Elevated Hemoglobin A1C High-Value Care?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, e34-e38.	1.1	0
64	Relationship Between Opioid Prescriptions and Number of Chronic Pain Conditions in Women With Interstitial Cystitis. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, Publish Ahead of Print, .	1.1	0
65	Apical Support Procedures at the Time of Hysterectomy for Benign Indications. <i>Obstetrics and Gynecology</i> , 2022, 139, 788-796.	2.4	0